




N66(40M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH



N66(40M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




N66(40M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH




N66(40M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH



N66(40M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_High\_CH



N66(40M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH




## Conducted Band Edge

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation      | RB    | Result    | Verdict |
|---------|-----------|-----------------|--------|------------|-----------------|-------|-----------|---------|
| 66      | 15        | 5               | 342500 | 1712.5     | DFT-s-OFDM BPSK | 1@0   | see graph | PASS    |
| 66      | 15        | 5               | 342500 | 1712.5     | DFT-s-OFDM QPSK | 1@0   | see graph | PASS    |
| 66      | 15        | 5               | 342500 | 1712.5     | DFT-s-OFDM BPSK | 25@0  | see graph | PASS    |
| 66      | 15        | 5               | 342500 | 1712.5     | DFT-s-OFDM QPSK | 25@0  | see graph | PASS    |
| 66      | 15        | 5               | 355500 | 1777.5     | DFT-s-OFDM BPSK | 1@24  | see graph | PASS    |
| 66      | 15        | 5               | 355500 | 1777.5     | DFT-s-OFDM QPSK | 1@24  | see graph | PASS    |
| 66      | 15        | 5               | 355500 | 1777.5     | DFT-s-OFDM BPSK | 25@0  | see graph | PASS    |
| 66      | 15        | 5               | 355500 | 1777.5     | DFT-s-OFDM QPSK | 25@0  | see graph | PASS    |
| 66      | 15        | 20              | 344000 | 1720.0     | DFT-s-OFDM BPSK | 1@0   | see graph | PASS    |
| 66      | 15        | 20              | 344000 | 1720.0     | DFT-s-OFDM QPSK | 1@0   | see graph | PASS    |
| 66      | 15        | 20              | 344000 | 1720.0     | DFT-s-OFDM BPSK | 100@0 | see graph | PASS    |
| 66      | 15        | 20              | 344000 | 1720.0     | DFT-s-OFDM QPSK | 100@0 | see graph | PASS    |
| 66      | 15        | 20              | 354000 | 1770.0     | DFT-s-OFDM BPSK | 1@105 | see graph | PASS    |
| 66      | 15        | 20              | 354000 | 1770.0     | DFT-s-OFDM QPSK | 1@105 | see graph | PASS    |
| 66      | 15        | 20              | 354000 | 1770.0     | DFT-s-OFDM BPSK | 100@0 | see graph | PASS    |
| 66      | 15        | 20              | 354000 | 1770.0     | DFT-s-OFDM QPSK | 100@0 | see graph | PASS    |
| 66      | 15        | 40              | 346000 | 1730.0     | DFT-s-OFDM BPSK | 1@0   | see graph | PASS    |
| 66      | 15        | 40              | 346000 | 1730.0     | DFT-s-OFDM QPSK | 1@0   | see graph | PASS    |
| 66      | 15        | 40              | 346000 | 1730.0     | DFT-s-OFDM BPSK | 216@0 | see graph | PASS    |
| 66      | 15        | 40              | 346000 | 1730.0     | DFT-s-OFDM QPSK | 216@0 | see graph | PASS    |
| 66      | 15        | 40              | 352000 | 1760.0     | DFT-s-OFDM BPSK | 1@215 | see graph | PASS    |
| 66      | 15        | 40              | 352000 | 1760.0     | DFT-s-OFDM QPSK | 1@215 | see graph | PASS    |
| 66      | 15        | 40              | 352000 | 1760.0     | DFT-s-OFDM BPSK | 216@0 | see graph | PASS    |
| 66      | 15        | 40              | 352000 | 1760.0     | DFT-s-OFDM QPSK | 216@0 | see graph | PASS    |


N66(5M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




N66(5M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




N66(5M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_Low\_CH




N66(5M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Low\_CH




N66(5M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH




N66(5M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH




N66(5M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_High\_CH




N66(5M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH




N66(20M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




N66(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




N66(20M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_Low\_CH




N66(20M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Low\_CH



### N66(20M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH




### N66(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH




### N66(20M)\_DFT-s-OFDM\_BPSK\_Outer\_Full\_High\_CH




### N66(20M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH




### N66(40M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




### N66(40M)\_DFT-s-OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH\_CHP\_PASS




N66(40M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




N66(40M)\_DFT-s-  
OFDM\_BPSK\_Outer\_Full\_Low\_CH




N66(40M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Low\_CH



N66(40M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH



N66(40M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH



N66(40M)\_DFT-s-  
OFDM\_BPSK\_Outer\_Full\_High\_CH



# N66(40M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH



# FR1 n66 MIMO (Ant 0 + 1)

## Transmitter Conducted Output Power And EIRP, (G<sub>T</sub> - L<sub>C</sub>)=1.5dB

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation     | RB  | ANT0 Power(dBm) | ANT1 Power(dBm) | Conducted Power(dBm) | EIRP (dBm) | EIRP (W) |
|---------|-----------|-----------------|--------|------------|----------------|-----|-----------------|-----------------|----------------------|------------|----------|
| 66      | 15        | 5               | 342500 | 1712.5     | CP-OFDM QPSK   | 1@1 | 21.43           | 21.83           | 24.64                | 26.14      | 0.4111   |
| 66      | 15        | 5               | 342500 | 1712.5     | CP-OFDM 16 QAM | 1@1 | 20.85           | 21.34           | 24.11                | 25.61      | 0.3639   |
| 66      | 15        | 5               | 349000 | 1745       | CP-OFDM QPSK   | 1@1 | 21.69           | 22.05           | 24.88                | 26.38      | 0.4345   |
| 66      | 15        | 5               | 349000 | 1745       | CP-OFDM 16 QAM | 1@1 | 21.21           | 21.71           | 24.48                | 25.98      | 0.3963   |
| 66      | 15        | 5               | 355500 | 1777.5     | CP-OFDM QPSK   | 1@1 | 21.52           | 22.02           | 24.79                | 26.29      | 0.4256   |
| 66      | 15        | 5               | 355500 | 1777.5     | CP-OFDM 16 QAM | 1@1 | 21.02           | 21.45           | 24.25                | 25.75      | 0.3758   |
| 66      | 15        | 10              | 343000 | 1715       | CP-OFDM QPSK   | 1@1 | 21.52           | 21.95           | 24.75                | 26.25      | 0.4217   |
| 66      | 15        | 10              | 343000 | 1715       | CP-OFDM 16 QAM | 1@1 | 21.03           | 21.53           | 24.30                | 25.80      | 0.3802   |
| 66      | 15        | 10              | 349000 | 1745       | CP-OFDM QPSK   | 1@1 | 21.82           | 22.11           | 24.98                | 26.48      | 0.4446   |
| 66      | 15        | 10              | 349000 | 1745       | CP-OFDM 16 QAM | 1@1 | 21.18           | 21.62           | 24.42                | 25.92      | 0.3908   |
| 66      | 15        | 10              | 355000 | 1775       | CP-OFDM QPSK   | 1@1 | 21.46           | 21.97           | 24.73                | 26.23      | 0.4198   |
| 66      | 15        | 10              | 355000 | 1775       | CP-OFDM 16 QAM | 1@1 | 20.83           | 21.54           | 24.21                | 25.71      | 0.3724   |
| 66      | 15        | 15              | 343500 | 1717.5     | CP-OFDM QPSK   | 1@1 | 21.39           | 22.02           | 24.73                | 26.23      | 0.4198   |
| 66      | 15        | 15              | 343500 | 1717.5     | CP-OFDM 16 QAM | 1@1 | 20.85           | 21.42           | 24.15                | 25.65      | 0.3673   |
| 66      | 15        | 15              | 349000 | 1745       | CP-OFDM QPSK   | 1@1 | 21.59           | 21.94           | 24.78                | 26.28      | 0.4246   |
| 66      | 15        | 15              | 349000 | 1745       | CP-OFDM 16 QAM | 1@1 | 21.17           | 21.54           | 24.37                | 25.87      | 0.3864   |
| 66      | 15        | 15              | 354500 | 1772.5     | CP-OFDM QPSK   | 1@1 | 21.34           | 22.03           | 24.71                | 26.21      | 0.4178   |
| 66      | 15        | 15              | 354500 | 1772.5     | CP-OFDM 16 QAM | 1@1 | 20.94           | 21.48           | 24.23                | 25.73      | 0.3741   |
| 66      | 15        | 20              | 344000 | 1720       | CP-OFDM QPSK   | 1@1 | 21.47           | 22.07           | 24.79                | 26.29      | 0.4256   |
| 66      | 15        | 20              | 344000 | 1720       | CP-OFDM 16 QAM | 1@1 | 20.79           | 21.53           | 24.19                | 25.69      | 0.3707   |
| 66      | 15        | 20              | 349000 | 1745       | CP-OFDM QPSK   | 1@1 | 21.74           | 22.08           | 24.92                | 26.42      | 0.4385   |
| 66      | 15        | 20              | 349000 | 1745       | CP-OFDM 16 QAM | 1@1 | 21.11           | 21.4            | 24.27                | 25.77      | 0.3776   |
| 66      | 15        | 20              | 354000 | 1770       | CP-OFDM QPSK   | 1@1 | 21.59           | 22.12           | 24.87                | 26.37      | 0.4335   |
| 66      | 15        | 20              | 354000 | 1770       | CP-OFDM 16 QAM | 1@1 | 20.9            | 21.6            | 24.27                | 25.77      | 0.3776   |
| 66      | 15        | 25              | 344500 | 1722.5     | CP-OFDM QPSK   | 1@1 | 21.74           | 22.26           | 25.02                | 26.52      | 0.4487   |
| 66      | 15        | 25              | 344500 | 1722.5     | CP-OFDM 16 QAM | 1@1 | 21.15           | 21.5            | 24.34                | 25.84      | 0.3837   |
| 66      | 15        | 25              | 349000 | 1722.5     | CP-OFDM QPSK   | 1@1 | 21.67           | 22.17           | 24.94                | 26.44      | 0.4406   |
| 66      | 15        | 25              | 349000 | 1722.5     | CP-OFDM 16 QAM | 1@1 | 20.98           | 21.55           | 24.28                | 25.78      | 0.3784   |
| 66      | 15        | 25              | 353500 | 1767.5     | CP-OFDM QPSK   | 1@1 | 21.47           | 22.21           | 24.87                | 26.37      | 0.4335   |
| 66      | 15        | 25              | 353500 | 1767.5     | CP-OFDM 16 QAM | 1@1 | 21.09           | 21.8            | 24.47                | 25.97      | 0.3954   |
| 66      | 15        | 30              | 345000 | 1725       | CP-OFDM QPSK   | 1@1 | 21.61           | 22.18           | 24.91                | 26.41      | 0.4375   |
| 66      | 15        | 30              | 345000 | 1725       | CP-OFDM 16 QAM | 1@1 | 21.1            | 21.66           | 24.40                | 25.90      | 0.3890   |
| 66      | 15        | 30              | 349000 | 1745       | CP-OFDM QPSK   | 1@1 | 21.91           | 22.1            | 25.02                | 26.52      | 0.4487   |
| 66      | 15        | 30              | 349000 | 1745       | CP-OFDM 16 QAM | 1@1 | 21.36           | 21.53           | 24.46                | 25.96      | 0.3945   |
| 66      | 15        | 30              | 353000 | 1765       | CP-OFDM QPSK   | 1@1 | 21.55           | 22.11           | 24.85                | 26.35      | 0.4315   |
| 66      | 15        | 30              | 353000 | 1765       | CP-OFDM 16 QAM | 1@1 | 21.18           | 21.84           | 24.53                | 26.03      | 0.4009   |



|    |    |    |        |      |                 |        |       |       |       |       |        |
|----|----|----|--------|------|-----------------|--------|-------|-------|-------|-------|--------|
| 66 | 15 | 40 | 346000 | 1730 | CP-OFDM QPSK    | 108@54 | 21.68 | 22.01 | 24.86 | 26.36 | 0.4325 |
| 66 | 15 | 40 | 346000 | 1730 | CP-OFDM QPSK    | 1@1    | 21.59 | 22.19 | 24.91 | 26.41 | 0.4375 |
| 66 | 15 | 40 | 346000 | 1730 | CP-OFDM QPSK    | 1@214  | 21.59 | 22.16 | 24.89 | 26.39 | 0.4355 |
| 66 | 15 | 40 | 346000 | 1730 | CP-OFDM 16 QAM  | 108@54 | 21.23 | 21.56 | 24.41 | 25.91 | 0.3899 |
| 66 | 15 | 40 | 346000 | 1730 | CP-OFDM 16 QAM  | 1@1    | 21.09 | 21.44 | 24.28 | 25.78 | 0.3784 |
| 66 | 15 | 40 | 346000 | 1730 | CP-OFDM 16 QAM  | 1@214  | 21.07 | 21.57 | 24.34 | 25.84 | 0.3837 |
| 66 | 15 | 40 | 346000 | 1730 | CP-OFDM 64 QAM  | 108@54 | 19.28 | 19.66 | 22.48 | 23.98 | 0.2500 |
| 66 | 15 | 40 | 346000 | 1730 | CP-OFDM 64 QAM  | 1@1    | 18.95 | 19.82 | 22.42 | 23.92 | 0.2466 |
| 66 | 15 | 40 | 346000 | 1730 | CP-OFDM 64 QAM  | 1@214  | 19.47 | 19.72 | 22.61 | 24.11 | 0.2576 |
| 66 | 15 | 40 | 346000 | 1730 | CP-OFDM 256 QAM | 108@54 | 15.83 | 16.15 | 19.00 | 20.50 | 0.1122 |
| 66 | 15 | 40 | 346000 | 1730 | CP-OFDM 256 QAM | 1@1    | 15.81 | 16.51 | 19.18 | 20.68 | 0.1169 |
| 66 | 15 | 40 | 346000 | 1730 | CP-OFDM 256 QAM | 1@214  | 15.38 | 16    | 18.71 | 20.21 | 0.1050 |
| 66 | 15 | 40 | 349000 | 1745 | CP-OFDM QPSK    | 108@54 | 21.59 | 22.02 | 24.82 | 26.32 | 0.4285 |
| 66 | 15 | 40 | 349000 | 1745 | CP-OFDM QPSK    | 1@1    | 21.81 | 22.15 | 24.99 | 26.49 | 0.4457 |
| 66 | 15 | 40 | 349000 | 1745 | CP-OFDM QPSK    | 1@214  | 21.51 | 22.14 | 24.85 | 26.35 | 0.4315 |
| 66 | 15 | 40 | 349000 | 1745 | CP-OFDM 16 QAM  | 108@54 | 21.22 | 21.67 | 24.46 | 25.96 | 0.3945 |
| 66 | 15 | 40 | 349000 | 1745 | CP-OFDM 16 QAM  | 1@1    | 21.14 | 21.73 | 24.46 | 25.96 | 0.3945 |
| 66 | 15 | 40 | 349000 | 1745 | CP-OFDM 16 QAM  | 1@214  | 20.95 | 21.63 | 24.31 | 25.81 | 0.3811 |
| 66 | 15 | 40 | 349000 | 1745 | CP-OFDM 64 QAM  | 108@54 | 19.3  | 19.72 | 22.53 | 24.03 | 0.2529 |
| 66 | 15 | 40 | 349000 | 1745 | CP-OFDM 64 QAM  | 1@1    | 19.33 | 19.78 | 22.57 | 24.07 | 0.2553 |
| 66 | 15 | 40 | 349000 | 1745 | CP-OFDM 64 QAM  | 1@214  | 18.98 | 19.63 | 22.33 | 23.83 | 0.2415 |
| 66 | 15 | 40 | 349000 | 1745 | CP-OFDM 256 QAM | 108@54 | 15.83 | 16.28 | 19.07 | 20.57 | 0.1140 |
| 66 | 15 | 40 | 349000 | 1745 | CP-OFDM 256 QAM | 1@1    | 15.97 | 16.63 | 19.32 | 20.82 | 0.1208 |
| 66 | 15 | 40 | 349000 | 1745 | CP-OFDM 256 QAM | 1@214  | 15.38 | 16.04 | 18.73 | 20.23 | 0.1054 |
| 66 | 15 | 40 | 352000 | 1760 | CP-OFDM QPSK    | 108@54 | 21.36 | 22.15 | 24.78 | 26.28 | 0.4246 |
| 66 | 15 | 40 | 352000 | 1760 | CP-OFDM QPSK    | 1@1    | 21.73 | 22.33 | 25.05 | 26.55 | 0.4519 |
| 66 | 15 | 40 | 352000 | 1760 | CP-OFDM QPSK    | 1@214  | 21.65 | 22.19 | 24.94 | 26.44 | 0.4406 |
| 66 | 15 | 40 | 352000 | 1760 | CP-OFDM 16 QAM  | 108@54 | 20.91 | 21.65 | 24.31 | 25.81 | 0.3811 |
| 66 | 15 | 40 | 352000 | 1760 | CP-OFDM 16 QAM  | 1@1    | 21.42 | 21.71 | 24.58 | 26.08 | 0.4055 |
| 66 | 15 | 40 | 352000 | 1760 | CP-OFDM 16 QAM  | 1@214  | 21.15 | 21.56 | 24.37 | 25.87 | 0.3864 |
| 66 | 15 | 40 | 352000 | 1760 | CP-OFDM 64 QAM  | 108@54 | 19.02 | 19.73 | 22.40 | 23.90 | 0.2455 |
| 66 | 15 | 40 | 352000 | 1760 | CP-OFDM 64 QAM  | 1@1    | 19.32 | 19.77 | 22.56 | 24.06 | 0.2547 |
| 66 | 15 | 40 | 352000 | 1760 | CP-OFDM 64 QAM  | 1@214  | 19.28 | 19.58 | 22.44 | 23.94 | 0.2477 |
| 66 | 15 | 40 | 352000 | 1760 | CP-OFDM 256 QAM | 108@54 | 15.6  | 16.26 | 18.95 | 20.45 | 0.1109 |
| 66 | 15 | 40 | 352000 | 1760 | CP-OFDM 256 QAM | 1@1    | 16.16 | 16.58 | 19.39 | 20.89 | 0.1227 |
| 66 | 15 | 40 | 352000 | 1760 | CP-OFDM 256 QAM | 1@214  | 15.44 | 16.01 | 18.74 | 20.24 | 0.1057 |

# FR1 n66 MIMO (Ant 0 + 1)-(Ant 0)

## Frequency Stability

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation   | RB    | Deviation (ppm) | Verdict | Environment |
|---------|-----------|-----------------|--------|------------|--------------|-------|-----------------|---------|-------------|
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 0.0059          | PASS    | NV          |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 0.0030          | PASS    | LV          |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 0.0043          | PASS    | HV          |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 0.0064          | PASS    | -30°C       |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 0.0022          | PASS    | -20°C       |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 0.0022          | PASS    | -10°C       |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 0.0024          | PASS    | 0°C         |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 0.0057          | PASS    | 10°C        |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 0.0059          | PASS    | 20°C        |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 0.0070          | PASS    | 30°C        |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 0.0065          | PASS    | 40°C        |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 0.0052          | PASS    | 50°C        |

# Peak to Average Ratio

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation   | RB    | Result (dB) | Limit (dB) | Verdict |
|---------|-----------|-----------------|--------|------------|--------------|-------|-------------|------------|---------|
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 7.34        | 13         | PASS    |

## N66(20M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




## Occupied Bandwidth


| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation      | RB    | OBW (MHz) | 26dB BW (MHz) |
|---------|-----------|-----------------|--------|------------|-----------------|-------|-----------|---------------|
| 66      | 15        | 5               | 349000 | 1745.0     | CP-OFDM QPSK    | 25@0  | 4.4652    | 4.98          |
| 66      | 15        | 5               | 349000 | 1745.0     | CP-OFDM 16 QAM  | 25@0  | 4.4747    | 5.128         |
| 66      | 15        | 5               | 349000 | 1745.0     | CP-OFDM 64 QAM  | 25@0  | 4.4695    | 5.038         |
| 66      | 15        | 5               | 349000 | 1745.0     | CP-OFDM 256 QAM | 25@0  | 4.4742    | 5.058         |
| 66      | 15        | 10              | 349000 | 1745.0     | CP-OFDM QPSK    | 52@0  | 9.2735    | 10.03         |
| 66      | 15        | 10              | 349000 | 1745.0     | CP-OFDM 16 QAM  | 52@0  | 9.2816    | 9.981         |
| 66      | 15        | 10              | 349000 | 1745.0     | CP-OFDM 64 QAM  | 52@0  | 9.2917    | 10.02         |
| 66      | 15        | 10              | 349000 | 1745.0     | CP-OFDM 256 QAM | 52@0  | 9.2909    | 10.07         |
| 66      | 15        | 15              | 349000 | 1745.0     | CP-OFDM QPSK    | 79@0  | 14.116    | 14.9          |
| 66      | 15        | 15              | 349000 | 1745.0     | CP-OFDM 16 QAM  | 79@0  | 14.08     | 15.01         |
| 66      | 15        | 15              | 349000 | 1745.0     | CP-OFDM 64 QAM  | 79@0  | 14.115    | 14.88         |
| 66      | 15        | 15              | 349000 | 1745.0     | CP-OFDM 256 QAM | 79@0  | 14.112    | 15.0          |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK    | 106@0 | 18.946    | 19.92         |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM 16 QAM  | 106@0 | 18.957    | 19.8          |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM 64 QAM  | 106@0 | 18.931    | 19.95         |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM 256 QAM | 106@0 | 18.908    | 19.65         |
| 66      | 15        | 25              | 349000 | 1745.0     | CP-OFDM QPSK    | 133@0 | 23.711    | 24.73         |
| 66      | 15        | 25              | 349000 | 1745.0     | CP-OFDM 16 QAM  | 133@0 | 23.781    | 24.82         |
| 66      | 15        | 25              | 349000 | 1745.0     | CP-OFDM 64 QAM  | 133@0 | 23.773    | 24.81         |
| 66      | 15        | 25              | 349000 | 1745.0     | CP-OFDM 256 QAM | 133@0 | 23.764    | 24.84         |
| 66      | 15        | 30              | 349000 | 1745.0     | CP-OFDM QPSK    | 160@0 | 28.566    | 29.66         |
| 66      | 15        | 30              | 349000 | 1745.0     | CP-OFDM 16 QAM  | 160@0 | 28.611    | 29.76         |
| 66      | 15        | 30              | 349000 | 1745.0     | CP-OFDM 64 QAM  | 160@0 | 28.563    | 29.52         |
| 66      | 15        | 30              | 349000 | 1745.0     | CP-OFDM 256 QAM | 160@0 | 28.603    | 29.66         |
| 66      | 15        | 40              | 349000 | 1745.0     | CP-OFDM QPSK    | 216@0 | 38.582    | 39.91         |

|           |    |    |        |        |                    |       |        |       |
|-----------|----|----|--------|--------|--------------------|-------|--------|-------|
| <b>66</b> | 15 | 40 | 349000 | 1745.0 | CP-OFDM<br>16 QAM  | 216@0 | 38.574 | 39.89 |
| <b>66</b> | 15 | 40 | 349000 | 1745.0 | CP-OFDM<br>64 QAM  | 216@0 | 38.616 | 40.1  |
| <b>66</b> | 15 | 40 | 349000 | 1745.0 | CP-OFDM<br>256 QAM | 216@0 | 38.64  | 39.9  |


### N66(5M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH



### N66(5M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH




### N66(5M)\_CP-OFDM\_64QAM\_Outer\_Full\_Mid\_CH




### N66(5M)\_CP-OFDM\_256QAM\_Outer\_Full\_Mid\_CH




### N66(10M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH



### N66(10M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH




### N66(10M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH




### N66(10M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH




### N66(15M)\_CP- OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N66(15M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH




### N66(15M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH




### N66(15M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH




### N66(20M)\_CP- OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N66(20M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH




### N66(20M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH




### N66(20M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH



### N66(25M)\_CP- OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N66(25M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH







### N66(25M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH




### N66(25M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH




### N66(30M)\_CP- OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N66(30M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH




### N66(30M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH




### N66(30M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH




### N66(40M)\_CP- OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N66(40M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH



### N66(40M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH




### N66(40M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH




## Conducted Spurious Emissions

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation   | RB  | Result    | Verdict     |
|---------|-----------|-----------------|--------|------------|--------------|-----|-----------|-------------|
| 66      | 15        | 5               | 342500 | 1712.5     | CP-OFDM QPSK | 1@0 | see graph | ---         |
| 66      | 15        | 5               | 342500 | 1712.5     | CP-OFDM QPSK | 1@0 | see graph | <b>PASS</b> |
| 66      | 15        | 5               | 349000 | 1745.0     | CP-OFDM QPSK | 1@0 | see graph | ---         |
| 66      | 15        | 5               | 349000 | 1745.0     | CP-OFDM QPSK | 1@0 | see graph | <b>PASS</b> |
| 66      | 15        | 5               | 355500 | 1777.5     | CP-OFDM QPSK | 1@0 | see graph | ---         |
| 66      | 15        | 5               | 355500 | 1777.5     | CP-OFDM QPSK | 1@0 | see graph | <b>PASS</b> |
| 66      | 15        | 20              | 344000 | 1720.0     | CP-OFDM QPSK | 1@0 | see graph | ---         |
| 66      | 15        | 20              | 344000 | 1720.0     | CP-OFDM QPSK | 1@0 | see graph | <b>PASS</b> |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 1@0 | see graph | ---         |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 1@0 | see graph | <b>PASS</b> |
| 66      | 15        | 20              | 354000 | 1770.0     | CP-OFDM QPSK | 1@0 | see graph | ---         |
| 66      | 15        | 20              | 354000 | 1770.0     | CP-OFDM QPSK | 1@0 | see graph | <b>PASS</b> |
| 66      | 15        | 40              | 346000 | 1730.0     | CP-OFDM QPSK | 1@0 | see graph | ---         |
| 66      | 15        | 40              | 346000 | 1730.0     | CP-OFDM QPSK | 1@0 | see graph | <b>PASS</b> |
| 66      | 15        | 40              | 349000 | 1745.0     | CP-OFDM QPSK | 1@0 | see graph | ---         |
| 66      | 15        | 40              | 349000 | 1745.0     | CP-OFDM QPSK | 1@0 | see graph | <b>PASS</b> |
| 66      | 15        | 40              | 352000 | 1760.0     | CP-OFDM QPSK | 1@0 | see graph | ---         |
| 66      | 15        | 40              | 352000 | 1760.0     | CP-OFDM QPSK | 1@0 | see graph | <b>PASS</b> |


N66(5M)\_CP-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




N66(5M)\_CP-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH




N66(5M)\_CP-  
OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH




N66(20M)\_CP-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




N66(20M)\_CP-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH




N66(20M)\_CP-  
OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH




### N66(40M)\_CP- OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



### N66(40M)\_CP- OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH




### N66(40M)\_CP- OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH




## Conducted Band Edge

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation   | RB    | Result    | Verdict |
|---------|-----------|-----------------|--------|------------|--------------|-------|-----------|---------|
| 66      | 15        | 5               | 342500 | 1712.5     | CP-OFDM QPSK | 1@0   | see graph | PASS    |
| 66      | 15        | 5               | 342500 | 1712.5     | CP-OFDM QPSK | 25@0  | see graph | PASS    |
| 66      | 15        | 5               | 355500 | 1777.5     | CP-OFDM QPSK | 1@24  | see graph | PASS    |
| 66      | 15        | 5               | 355500 | 1777.5     | CP-OFDM QPSK | 25@0  | see graph | PASS    |
| 66      | 15        | 20              | 344000 | 1720.0     | CP-OFDM QPSK | 1@0   | see graph | PASS    |
| 66      | 15        | 20              | 344000 | 1720.0     | CP-OFDM QPSK | 106@0 | see graph | PASS    |
| 66      | 15        | 20              | 354000 | 1770.0     | CP-OFDM QPSK | 1@105 | see graph | PASS    |
| 66      | 15        | 20              | 354000 | 1770.0     | CP-OFDM QPSK | 106@0 | see graph | PASS    |
| 66      | 15        | 40              | 346000 | 1730.0     | CP-OFDM QPSK | 1@0   | see graph | PASS    |
| 66      | 15        | 40              | 346000 | 1730.0     | CP-OFDM QPSK | 216@0 | see graph | PASS    |
| 66      | 15        | 40              | 352000 | 1760.0     | CP-OFDM QPSK | 1@215 | see graph | PASS    |
| 66      | 15        | 40              | 352000 | 1760.0     | CP-OFDM QPSK | 216@0 | see graph | PASS    |


N66(5M)\_CP-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



N66(5M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Low\_CH




N66(5M)\_CP-  
OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH




N66(5M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_High\_CH




N66(20M)\_CP-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




N66(20M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Low\_CH




N66(20M)\_CP-  
OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH




N66(20M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_High\_CH




N66(40M)\_CP-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




N66(40M)\_CP-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH CHP-  
PASS



N66(40M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Low\_CH




N66(40M)\_CP-  
OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH





# N66(40M)\_CP- OFDM\_QPSK\_Outer\_Full\_High\_CH



# FR1 n66 MIMO (Ant 0 + 1)-(Ant 1)

## Frequency Stability

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation   | RB    | Deviation (ppm) | Verdict | Environment |
|---------|-----------|-----------------|--------|------------|--------------|-------|-----------------|---------|-------------|
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 0.0025          | PASS    | NV          |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 0.0033          | PASS    | LV          |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 0.0069          | PASS    | HV          |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 0.0027          | PASS    | -30°C       |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 0.0033          | PASS    | -20°C       |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 0.0029          | PASS    | -10°C       |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 0.0070          | PASS    | 0°C         |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 0.0036          | PASS    | 10°C        |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 0.0025          | PASS    | 20°C        |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 0.0027          | PASS    | 30°C        |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 0.0066          | PASS    | 40°C        |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 0.0053          | PASS    | 50°C        |

# Peak to Average Ratio

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation   | RB    | Result (dB) | Limit (dB) | Verdict |
|---------|-----------|-----------------|--------|------------|--------------|-------|-------------|------------|---------|
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK | 106@0 | 6.85        | 13         | PASS    |

## N66(20M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




## Occupied Bandwidth


| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation      | RB    | OBW (MHz) | 26dB BW (MHz) |
|---------|-----------|-----------------|--------|------------|-----------------|-------|-----------|---------------|
| 66      | 15        | 5               | 349000 | 1745.0     | CP-OFDM QPSK    | 25@0  | 4.4681    | 5.111         |
| 66      | 15        | 5               | 349000 | 1745.0     | CP-OFDM 16 QAM  | 25@0  | 4.4748    | 4.992         |
| 66      | 15        | 5               | 349000 | 1745.0     | CP-OFDM 64 QAM  | 25@0  | 4.4722    | 5.032         |
| 66      | 15        | 5               | 349000 | 1745.0     | CP-OFDM 256 QAM | 25@0  | 4.4707    | 5.024         |
| 66      | 15        | 10              | 349000 | 1745.0     | CP-OFDM QPSK    | 52@0  | 9.2782    | 10.09         |
| 66      | 15        | 10              | 349000 | 1745.0     | CP-OFDM 16 QAM  | 52@0  | 9.2664    | 9.934         |
| 66      | 15        | 10              | 349000 | 1745.0     | CP-OFDM 64 QAM  | 52@0  | 9.279     | 9.977         |
| 66      | 15        | 10              | 349000 | 1745.0     | CP-OFDM 256 QAM | 52@0  | 9.2967    | 9.982         |
| 66      | 15        | 15              | 349000 | 1745.0     | CP-OFDM QPSK    | 79@0  | 14.107    | 14.94         |
| 66      | 15        | 15              | 349000 | 1745.0     | CP-OFDM 16 QAM  | 79@0  | 14.093    | 14.93         |
| 66      | 15        | 15              | 349000 | 1745.0     | CP-OFDM 64 QAM  | 79@0  | 14.087    | 14.93         |
| 66      | 15        | 15              | 349000 | 1745.0     | CP-OFDM 256 QAM | 79@0  | 14.107    | 14.93         |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM QPSK    | 106@0 | 18.918    | 19.91         |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM 16 QAM  | 106@0 | 18.905    | 19.81         |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM 64 QAM  | 106@0 | 18.925    | 19.85         |
| 66      | 15        | 20              | 349000 | 1745.0     | CP-OFDM 256 QAM | 106@0 | 18.955    | 19.82         |
| 66      | 15        | 25              | 349000 | 1745.0     | CP-OFDM QPSK    | 133@0 | 23.801    | 24.82         |
| 66      | 15        | 25              | 349000 | 1745.0     | CP-OFDM 16 QAM  | 133@0 | 23.749    | 24.74         |
| 66      | 15        | 25              | 349000 | 1745.0     | CP-OFDM 64 QAM  | 133@0 | 23.768    | 24.74         |
| 66      | 15        | 25              | 349000 | 1745.0     | CP-OFDM 256 QAM | 133@0 | 23.715    | 24.82         |
| 66      | 15        | 30              | 349000 | 1745.0     | CP-OFDM QPSK    | 160@0 | 28.574    | 29.73         |
| 66      | 15        | 30              | 349000 | 1745.0     | CP-OFDM 16 QAM  | 160@0 | 28.574    | 29.63         |
| 66      | 15        | 30              | 349000 | 1745.0     | CP-OFDM 64 QAM  | 160@0 | 28.586    | 29.51         |
| 66      | 15        | 30              | 349000 | 1745.0     | CP-OFDM 256 QAM | 160@0 | 28.593    | 29.65         |
| 66      | 15        | 40              | 349000 | 1745.0     | CP-OFDM QPSK    | 216@0 | 38.605    | 39.94         |

|           |    |    |        |        |                    |       |        |       |
|-----------|----|----|--------|--------|--------------------|-------|--------|-------|
| <b>66</b> | 15 | 40 | 349000 | 1745.0 | CP-OFDM<br>16 QAM  | 216@0 | 38.591 | 39.88 |
| <b>66</b> | 15 | 40 | 349000 | 1745.0 | CP-OFDM<br>64 QAM  | 216@0 | 38.569 | 39.85 |
| <b>66</b> | 15 | 40 | 349000 | 1745.0 | CP-OFDM<br>256 QAM | 216@0 | 38.506 | 39.93 |


### N66(5M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH



### N66(5M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH




### N66(5M)\_CP-OFDM\_64QAM\_Outer\_Full\_Mid\_CH




### N66(5M)\_CP-OFDM\_256QAM\_Outer\_Full\_Mid\_CH




### N66(10M)\_CP-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N66(10M)\_CP-OFDM\_16QAM\_Outer\_Full\_Mid\_CH




### N66(10M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH




### N66(10M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH




### N66(15M)\_CP- OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N66(15M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH




### N66(15M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH




### N66(15M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH




### N66(20M)\_CP- OFDM\_QPSK\_Outer\_Full\_Mid\_CH




### N66(20M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH




### N66(20M)\_CP-OFDM\_64 QAM\_Outer\_Full\_Mid\_CH



### N66(20M)\_CP-OFDM\_256 QAM\_Outer\_Full\_Mid\_CH



### N66(25M)\_CP- OFDM\_QPSK\_Outer\_Full\_Mid\_CH



### N66(25M)\_CP-OFDM\_16 QAM\_Outer\_Full\_Mid\_CH

