



# Appendix B. Radiated Spurious Emission Test Data

## Table of Contents

**<CDD mode>** ..... **B2**

Radiated Spurious Emission Test Modes..... B2

Summary of each worse mode ..... B2

Radiated Spurious Emission Test plots..... B3

**<TX Beamforming mode>** ..... **B6**

Radiated Spurious Emission Test Modes..... B6

Summary of each worse mode ..... B6

Radiated Spurious Emission Test plots..... B7



Test Engineer:	Jerry Xu	Relative Humidity :	22 ~ 23°C
		Temperature :	41 ~ 42%

<CDD mode>

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-8	6.525-6.875	CDD 1S4T	802.11be EHT320	191	6905	MCS0	-	-

Summary of each worse mode





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11be EHT320	191	7250.44	53.48	54.00	-0.52	H	AVERAGE	Pass	Band Edge
1	802.11be EHT320	191	13810.00	45.96	88.20	-42.24	H	PEAK	Pass	Harmonic



Radiated Spurious Emission Test plots

Mode	1																																																				
Mode	Band Edge																																																				
Mode	U-NII-8_6.525-6.875_802.11be EHT320_CH191_6905MHz																																																				
ANT	CDD 1S2T																																																				
Pol.	Horizontal					Fundamental																																															
Peak																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7251.88</td> <td>65.33</td> <td>74.00</td> <td>-8.67</td> <td>54.60</td> <td>35.70</td> <td>12.72</td> <td>37.69</td> <td>0.00</td> <td>100</td> <td>103</td> <td>PEAK</td> </tr> </tbody> </table>										Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7251.88	65.33	74.00	-8.67	54.60	35.70	12.72	37.69	0.00	100	103
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	7251.88	65.33	74.00	-8.67	54.60	35.70	12.72	37.69	0.00	100	103	PEAK																																									
Avg																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7250.44</td> <td>53.48</td> <td>54.00</td> <td>-0.52</td> <td>42.75</td> <td>35.70</td> <td>12.72</td> <td>37.69</td> <td>0.00</td> <td>100</td> <td>103</td> <td>AVERAGE</td> </tr> </tbody> </table>										Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7250.44	53.48	54.00	-0.52	42.75	35.70	12.72	37.69	0.00	100	103
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	7250.44	53.48	54.00	-0.52	42.75	35.70	12.72	37.69	0.00	100	103	AVERAGE																																									
Peak																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>105.90</td> <td>-----</td> <td>-----</td> <td>95.96</td> <td>35.60</td> <td>12.23</td> <td>37.99</td> <td>0.00</td> <td>100</td> <td>103</td> <td>PEAK</td> </tr> </tbody> </table>										Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6905.00	105.90	-----	-----	95.96	35.60	12.23	37.99	0.00	100	103
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	6905.00	105.90	-----	-----	95.96	35.60	12.23	37.99	0.00	100	103	PEAK																																									
Avg																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>94.34</td> <td>-----</td> <td>-----</td> <td>84.58</td> <td>35.50</td> <td>12.23</td> <td>37.97</td> <td>0.00</td> <td>100</td> <td>103</td> <td>AVERAGE</td> </tr> </tbody> </table>										Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6905.00	94.34	-----	-----	84.58	35.50	12.23	37.97	0.00	100	103
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	6905.00	94.34	-----	-----	84.58	35.50	12.23	37.97	0.00	100	103	AVERAGE																																									



	1																																																																																			
<b>Mode</b>	<b>Band Edge</b>																																																																																			
	<b>U-NII-8_6.525-6.875_802.11be EHT320_CH191_6905MHz</b>																																																																																			
<b>ANT</b>	<b>CDD 1S2T</b>																																																																																			
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																		
<b>Peak</b>	 <table border="1" data-bbox="263 1108 798 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7256.92</td> <td>60.43</td> <td>74.00</td> <td>-13.57</td> <td>49.70</td> <td>35.70</td> <td>12.72</td> <td>37.69</td> <td>0.00</td> <td>283</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7256.92	60.43	74.00	-13.57	49.70	35.70	12.72	37.69	0.00	283	271	PEAK	 <table border="1" data-bbox="901 1108 1436 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>106.47</td> <td>-----</td> <td>-----</td> <td>96.52</td> <td>35.60</td> <td>12.34</td> <td>37.99</td> <td>0.00</td> <td>283</td> <td>271</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	106.47	-----	-----	96.52	35.60	12.34	37.99	0.00	283	271	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7256.92	60.43	74.00	-13.57	49.70	35.70	12.72	37.69	0.00	283	271	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6905.00	106.47	-----	-----	96.52	35.60	12.34	37.99	0.00	283	271	PEAK																																																																								
<b>Avg</b>	 <table border="1" data-bbox="263 1792 798 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7250.44</td> <td>49.41</td> <td>54.00</td> <td>-4.59</td> <td>38.68</td> <td>35.70</td> <td>12.72</td> <td>37.69</td> <td>0.00</td> <td>283</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7250.44	49.41	54.00	-4.59	38.68	35.70	12.72	37.69	0.00	283	271	AVERAGE	 <table border="1" data-bbox="901 1792 1436 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>94.37</td> <td>-----</td> <td>-----</td> <td>84.42</td> <td>35.60</td> <td>12.34</td> <td>37.99</td> <td>0.00</td> <td>283</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	94.37	-----	-----	84.42	35.60	12.34	37.99	0.00	283	271	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7250.44	49.41	54.00	-4.59	38.68	35.70	12.72	37.69	0.00	283	271	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6905.00	94.37	-----	-----	84.42	35.60	12.34	37.99	0.00	283	271	AVERAGE																																																																								



Mode	1																																																																																		
	Harmonic																																																																																		
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_6905MHz																																																																																		
ANT	CDD 1S2T																																																																																		
Pol.	Horizontal	Vertical																																																																																	
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13810.00</td> <td>45.96</td> <td>88.20</td> <td>-42.24</td> <td>54.46</td> <td>38.51</td> <td>17.91</td> <td>64.92</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13810.00	45.96	88.20	-42.24	54.46	38.51	17.91	64.92	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13810.00</td> <td>45.32</td> <td>88.20</td> <td>-42.88</td> <td>53.82</td> <td>38.51</td> <td>17.91</td> <td>64.92</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13810.00	45.32	88.20	-42.88	53.82	38.51	17.91	64.92	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 13810.00	45.96	88.20	-42.24	54.46	38.51	17.91	64.92	0.00	---	---	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 13810.00	45.32	88.20	-42.88	53.82	38.51	17.91	64.92	0.00	---	---	PEAK																																																																								



<TX Beamforming mode>

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 2	U-NII-8	6.525-6.875	TXBF 1S4T	802.11be EHT320	191	6905	MCS0	-	-

Summary of each worse mode





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
2	802.11be EHT320	191	7287.16	53.88	54.00	-0.12	V	Average	Pass	Band Edge
2	802.11be EHT320	191	13810.00	46.05	88.20	-42.15	H	PEAK	Pass	Harmonic



Radiated Spurious Emission Test plots

Mode	2																																																				
Mode	Band Edge																																																				
Mode	U-NII-8_6.525-6.875_802.11be EHT320_CH191_6905MHz																																																				
ANT	TXBF 1S2T																																																				
Pol.	Horizontal					Fundamental																																															
Peak																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7282.84</td> <td>57.19</td> <td>74.00</td> <td>-16.81</td> <td>46.42</td> <td>35.70</td> <td>12.72</td> <td>37.65</td> <td>0.00</td> <td>112</td> <td>109</td> <td>PEAK</td> </tr> </tbody> </table>										Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7282.84	57.19	74.00	-16.81	46.42	35.70	12.72	37.65	0.00	112	109
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	7282.84	57.19	74.00	-16.81	46.42	35.70	12.72	37.65	0.00	112	109	PEAK																																									
Avg																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7290.04</td> <td>46.29</td> <td>54.00</td> <td>-7.71</td> <td>35.51</td> <td>35.70</td> <td>12.72</td> <td>37.64</td> <td>0.00</td> <td>112</td> <td>109</td> <td>AVERAGE</td> </tr> </tbody> </table>										Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7290.04	46.29	54.00	-7.71	35.51	35.70	12.72	37.64	0.00	112	109
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	7290.04	46.29	54.00	-7.71	35.51	35.70	12.72	37.64	0.00	112	109	AVERAGE																																									
Peak																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>106.73</td> <td>-----</td> <td>-----</td> <td>96.99</td> <td>35.50</td> <td>12.21</td> <td>37.97</td> <td>0.00</td> <td>112</td> <td>109</td> <td>PEAK</td> </tr> </tbody> </table>										Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6905.00	106.73	-----	-----	96.99	35.50	12.21	37.97	0.00	112	109
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	6905.00	106.73	-----	-----	96.99	35.50	12.21	37.97	0.00	112	109	PEAK																																									
Avg																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>94.56</td> <td>-----</td> <td>-----</td> <td>84.82</td> <td>35.50</td> <td>12.21</td> <td>37.97</td> <td>0.00</td> <td>112</td> <td>109</td> <td>AVERAGE</td> </tr> </tbody> </table>										Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6905.00	94.56	-----	-----	84.82	35.50	12.21	37.97	0.00	112	109
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	6905.00	94.56	-----	-----	84.82	35.50	12.21	37.97	0.00	112	109	AVERAGE																																									





	2																																																																																											
<b>Mode</b>	<b>Band Edge</b>																																																																																											
	<b>U-NII-8_6.525-6.875_802.11be EHT320_CH191_6905MHz</b>																																																																																											
<b>ANT</b>	<b>TXBF 1S2T</b>																																																																																											
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																										
<b>Peak</b>	 <table border="1" data-bbox="263 1108 798 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 7259.80</td> <td>61.18</td> <td>74.00</td> <td>-12.82</td> <td>50.44</td> <td>35.70</td> <td>12.72</td> <td>37.68</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>258 85 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 7259.80	61.18	74.00	-12.82	50.44	35.70	12.72	37.68	0.00									258 85 PEAK	 <table border="1" data-bbox="901 1108 1436 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 6905.00</td> <td>105.13</td> <td>-----</td> <td>-----</td> <td>95.27</td> <td>35.56</td> <td>12.28</td> <td>37.98</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>258 85 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 6905.00	105.13	-----	-----	95.27	35.56	12.28	37.98	0.00									258 85 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 7259.80	61.18	74.00	-12.82	50.44	35.70	12.72	37.68	0.00																																																																																				
								258 85 PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 6905.00	105.13	-----	-----	95.27	35.56	12.28	37.98	0.00																																																																																				
								258 85 PEAK																																																																																				
<b>Avg</b>	 <table border="1" data-bbox="263 1792 798 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 7287.16</td> <td>53.80</td> <td>54.00</td> <td>-0.12</td> <td>43.11</td> <td>35.70</td> <td>12.72</td> <td>37.65</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>258 85 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 7287.16	53.80	54.00	-0.12	43.11	35.70	12.72	37.65	0.00									258 85 AVERAGE	 <table border="1" data-bbox="901 1792 1436 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 6905.00</td> <td>92.52</td> <td>-----</td> <td>-----</td> <td>82.63</td> <td>35.58</td> <td>12.29</td> <td>37.98</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>258 85 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 6905.00	92.52	-----	-----	82.63	35.58	12.29	37.98	0.00									258 85 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 7287.16	53.80	54.00	-0.12	43.11	35.70	12.72	37.65	0.00																																																																																				
								258 85 AVERAGE																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 6905.00	92.52	-----	-----	82.63	35.58	12.29	37.98	0.00																																																																																				
								258 85 AVERAGE																																																																																				





Mode	2																																																																											
	Harmonic																																																																											
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_6905MHz																																																																											
ANT	TXBF 1S2T																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13810.00</td> <td>46.05</td> <td>88.20</td> <td>-42.15</td> <td>54.55</td> <td>38.51</td> <td>17.91</td> <td>64.92</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 13810.00	46.05	88.20	-42.15	54.55	38.51	17.91	64.92	0.00	--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13810.00</td> <td>45.30</td> <td>88.20</td> <td>-42.90</td> <td>53.00</td> <td>38.51</td> <td>17.91</td> <td>64.92</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 13810.00	45.30	88.20	-42.90	53.00	38.51	17.91	64.92	0.00	--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 13810.00	46.05	88.20	-42.15	54.55	38.51	17.91	64.92	0.00	--- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 13810.00	45.30	88.20	-42.90	53.00	38.51	17.91	64.92	0.00	--- PEAK																																																																			



Mode	2	
	18G-40G	
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_6905MHz	
ANT	TXBF 1S2T	
Pol.	Horizontal	Vertical
Peak Avg		



Mode	2																																																																																																																																																																									
	30-1G																																																																																																																																																																									
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_6905MHz																																																																																																																																																																									
ANT	TXBF 1S2T																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>Read Level (dBuV)</th> <th>CableAntenna Loss (dB)</th> <th>Preamp Factor (dB/m)</th> <th>Preamp Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>79.47</td><td>22.26</td><td>-17.74</td><td>40.00</td><td>40.56</td><td>1.32</td><td>13.15</td><td>32.77</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>268.86</td><td>17.73</td><td>-28.27</td><td>46.00</td><td>29.43</td><td>2.47</td><td>18.61</td><td>32.78</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>418.97</td><td>22.41</td><td>-23.59</td><td>46.00</td><td>30.21</td><td>3.12</td><td>22.00</td><td>32.92</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>787.57</td><td>28.66</td><td>-17.34</td><td>46.00</td><td>30.97</td><td>4.29</td><td>26.15</td><td>32.75</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>933.07</td><td>29.76</td><td>-16.24</td><td>46.00</td><td>29.54</td><td>4.67</td><td>27.26</td><td>31.71</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>957.32</td><td>30.04</td><td>-15.96</td><td>46.00</td><td>29.32</td><td>4.73</td><td>27.53</td><td>31.54</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	Read Level (dBuV)	CableAntenna Loss (dB)	Preamp Factor (dB/m)	Preamp Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	79.47	22.26	-17.74	40.00	40.56	1.32	13.15	32.77	---	---	Peak	2	268.86	17.73	-28.27	46.00	29.43	2.47	18.61	32.78	---	---	Peak	3	418.97	22.41	-23.59	46.00	30.21	3.12	22.00	32.92	---	---	Peak	4	787.57	28.66	-17.34	46.00	30.97	4.29	26.15	32.75	---	---	Peak	5	933.07	29.76	-16.24	46.00	29.54	4.67	27.26	31.71	---	---	Peak	6	957.32	30.04	-15.96	46.00	29.32	4.73	27.53	31.54	---	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>Read Level (dBuV)</th> <th>CableAntenna Loss (dB)</th> <th>Preamp Factor (dB/m)</th> <th>Preamp Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>53.28</td><td>32.24</td><td>-7.76</td><td>40.00</td><td>50.26</td><td>1.09</td><td>13.81</td><td>32.92</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>81.41</td><td>34.35</td><td>-5.65</td><td>40.00</td><td>52.35</td><td>1.34</td><td>13.43</td><td>32.77</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>138.64</td><td>30.19</td><td>-13.31</td><td>43.50</td><td>44.68</td><td>1.77</td><td>16.57</td><td>32.83</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>168.71</td><td>28.13</td><td>-15.37</td><td>43.50</td><td>42.96</td><td>1.96</td><td>16.04</td><td>32.83</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>576.11</td><td>29.50</td><td>-16.50</td><td>46.00</td><td>33.91</td><td>3.66</td><td>25.02</td><td>33.09</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>956.35</td><td>31.66</td><td>-14.34</td><td>46.00</td><td>30.96</td><td>4.73</td><td>27.53</td><td>31.56</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	Read Level (dBuV)	CableAntenna Loss (dB)	Preamp Factor (dB/m)	Preamp Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	53.28	32.24	-7.76	40.00	50.26	1.09	13.81	32.92	---	---	Peak	2	81.41	34.35	-5.65	40.00	52.35	1.34	13.43	32.77	---	---	Peak	3	138.64	30.19	-13.31	43.50	44.68	1.77	16.57	32.83	---	---	Peak	4	168.71	28.13	-15.37	43.50	42.96	1.96	16.04	32.83	---	---	Peak	5	576.11	29.50	-16.50	46.00	33.91	3.66	25.02	33.09	---	---	Peak	6	956.35	31.66	-14.34	46.00	30.96	4.73	27.53	31.56	---	---	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	Read Level (dBuV)	CableAntenna Loss (dB)	Preamp Factor (dB/m)	Preamp Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																														
1	79.47	22.26	-17.74	40.00	40.56	1.32	13.15	32.77	---	---	Peak																																																																																																																																																															
2	268.86	17.73	-28.27	46.00	29.43	2.47	18.61	32.78	---	---	Peak																																																																																																																																																															
3	418.97	22.41	-23.59	46.00	30.21	3.12	22.00	32.92	---	---	Peak																																																																																																																																																															
4	787.57	28.66	-17.34	46.00	30.97	4.29	26.15	32.75	---	---	Peak																																																																																																																																																															
5	933.07	29.76	-16.24	46.00	29.54	4.67	27.26	31.71	---	---	Peak																																																																																																																																																															
6	957.32	30.04	-15.96	46.00	29.32	4.73	27.53	31.54	---	---	Peak																																																																																																																																																															
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	Read Level (dBuV)	CableAntenna Loss (dB)	Preamp Factor (dB/m)	Preamp Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																															
1	53.28	32.24	-7.76	40.00	50.26	1.09	13.81	32.92	---	---	Peak																																																																																																																																																															
2	81.41	34.35	-5.65	40.00	52.35	1.34	13.43	32.77	---	---	Peak																																																																																																																																																															
3	138.64	30.19	-13.31	43.50	44.68	1.77	16.57	32.83	---	---	Peak																																																																																																																																																															
4	168.71	28.13	-15.37	43.50	42.96	1.96	16.04	32.83	---	---	Peak																																																																																																																																																															
5	576.11	29.50	-16.50	46.00	33.91	3.66	25.02	33.09	---	---	Peak																																																																																																																																																															
6	956.35	31.66	-14.34	46.00	30.96	4.73	27.53	31.56	---	---	Peak																																																																																																																																																															