



Appendix C. Radiated Spurious Emission Test Data

Table of Contents

<CDD mode> **C1-2**

Radiated Spurious Emission Test Modes..... C1-2

Summary of each worse mode C1-4

Radiated Spurious Emission Test plots..... C1-6

<TX Beamforming mode> **C1-181**

Radiated Spurious Emission Test Modes..... C1-181

Summary of each worse mode C1-182

Radiated Spurious Emission Test plots..... C1-184

<Co-location> **C1-281**

Radiated Spurious Emission Test Modes..... C1-281

Summary of each worse mode C1-281

Radiated Spurious Emission Test plots..... C1-282



Test Engineer:	levi zhao	Relative Humidity :	22 ~ 23°C
		Temperature :	41 ~ 42%

<CDD mode>

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Sample
Mode 1	U-NII-1	5.15-5.25	CDD 1S4T	802.11a	36	5180	6Mbps	-	1
Mode 2	U-NII-1	5.15-5.25	CDD 1S4T	802.11a	44	5220	6Mbps	-	1
Mode 3	U-NII-1	5.15-5.25	CDD 1S4T	802.11a	48	5240	6Mbps	-	1
Mode 4	U-NII-1	5.15-5.25	CDD 1S4T	802.11be EHT20	36	5180	MCS0	Full RU	1
Mode 5	U-NII-1	5.15-5.25	CDD 1S4T	802.11be EHT20	44	5220	MCS0	Full RU	1
Mode 6	U-NII-1	5.15-5.25	CDD 1S4T	802.11be EHT20	48	5240	MCS0	Full RU	1
Mode 7	U-NII-1	5.15-5.25	CDD 1S4T	802.11be EHT40	38	5190	MCS0	Full	1
Mode 8	U-NII-1	5.15-5.25	CDD 1S4T	802.11be EHT40	46	5230	MCS0	Full	1
Mode 9	U-NII-1	5.15-5.25	CDD 1S4T	802.11be EHT80	42	5210	MCS0	Full	1
Mode 10	U-NII-1	5.15-5.25	CDD 1S4T	802.11be EHT20	36	5180	MCS0	RU52*4	1
Mode 11	U-NII-1	5.15-5.25	CDD 1S4T	802.11be EHT80	42	5210	MCS0	PC 20MHz,Loc 4	1
Mode 12	U-NII-2A	5.25-5.35	CDD 1S4T	802.11a	52	5260	6Mbps	-	1
Mode 13	U-NII-2A	5.25-5.35	CDD 1S4T	802.11a	60	5300	6Mbps	-	1
Mode 14	U-NII-2A	5.25-5.35	CDD 1S4T	802.11a	64	5320	6Mbps	-	1
Mode 15	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT20	52	5260	MCS0	Full RU	1
Mode 16	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT20	60	5300	MCS0	Full RU	1
Mode 17	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT20	64	5320	MCS0	Full RU	1
Mode 18	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT40	54	5270	MCS0	Full	1
Mode 19	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT40	62	5310	MCS0	Full	1
Mode 20	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT80	58	5290	MCS0	Full	1
Mode 21	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT80	58	5290	MCS0	PC 20MHz,Loc 1	1
Mode 22	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT160	50	5250	MCS0	Full	1
Mode 23	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT20	64	5320	MCS0	RU52*4	1
Mode 24	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT160	50	5250	MCS0	PC 40MHz,Loc 1	1
Mode 25	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT160	50	5250	MCS0	PC 40MHz,Loc 4	1
Mode 26	U-NII-2C	5.47-5.725	CDD 1S4T	802.11a	100	5500	6Mbps	-	1
Mode 27	U-NII-2C	5.47-5.725	CDD 1S4T	802.11a	116	5580	6Mbps	-	1
Mode 28	U-NII-2C	5.47-5.725	CDD 1S4T	802.11a	140	5700	6Mbps	-	1
Mode 29	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT20	100	5500	MCS0	-	1
Mode 30	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT20	116	5580	MCS0	-	1



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Sample
Mode 31	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT20	140	5700	MCS0	-	1
Mode 32	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT40	102	5510	MCS0	Full	1
Mode 33	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT40	110	5550	MCS0	Full	1
Mode 34	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT40	134	5670	MCS0	Full	1
Mode 35	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT80	106	5530	MCS0	Full	1
Mode 36	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT80	106	5530	MCS0	PC 20MHz,Loc 4	1
Mode 37	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT80	122	5610	MCS0	Full	1
Mode 38	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT80	122	5610	MCS0	PC 20MHz,Loc 1	1
Mode 39	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT160	114	5570	MCS0	Full	1
Mode 40	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT160	114	5570	MCS0	PC 20MHz,Loc 1	1
Mode 41	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT160	114	5570	MCS0	PC 40MHz,Loc 4	1
Mode 42	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT20	100	5500	MCS0	RU52*4	1
Mode 43	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT20	140	5700	MCS0	RU52*4	1
Mode 44	U-NII-2C	5.725-5.85	CDD 1S4T	802.11a	144	5720	6Mbps	-	1
Mode 45	U-NII-2C	5.725-5.85	CDD 1S4T	802.11be EHT20	144	5720	MCS0	Full	1
Mode 46	U-NII-2C	5.725-5.85	CDD 1S4T	802.11be EHT40	142	5710	MCS0	Full	1
Mode 47	U-NII-2C	5.725-5.85	CDD 1S4T	802.11be EHT80	138	5690	MCS0	Full	1
Mode 48	U-NII-3	5.725-5.85	CDD 1S4T	802.11a	149	5745	6Mbps	-	1
Mode 49	U-NII-3	5.725-5.85	CDD 1S4T	802.11a	157	5785	6Mbps	-	1
Mode 50	U-NII-3	5.725-5.85	CDD 1S4T	802.11a	165	5825	6Mbps	-	1
Mode 51	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT20	149	5745	MCS0	Full	1
Mode 52	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT20	157	5785	MCS0	Full	1
Mode 53	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT20	165	5825	MCS0	Full	1
Mode 54	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT40	151	5755	MCS0	Full	1
Mode 55	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT20	149	5745	MCS0	RU52*4	1
Mode 56	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT40	159	5795	MCS0	Full	1
Mode 57	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT80	155	5775	MCS0	Full	1
Mode 58	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT20	165	5825	MCS0	RU52*4	1
Mode 59	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT80	155	5775	MCS0	PC 20MHz,Loc 4	1
Mode 60	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT80	155	5775	MCS0	PC 20MHz,Loc 1	1
Mode 92	U-NII-1	5.15-5.25	CDD 1S4T	802.11a	48	5240	6Mbps	-	2

Note:

- U-NII-1/U-NII-2A/U-NII-2C band-edge test data refer to "Appendix C. Radiated Spurious Emission Band-Edge Test Data for U-NII-1/U-NII-2A/U-NII-2C"
- There are two samples under test, sample 1 is Inpaq antenna and sample 2 is AOT antenna. According to the difference, we choose sample 1 to full test and the sample 2 to verify the worst case for RSE.
- Loc: Puncture Location. PC: channel puncturing.



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	10360.00	44.10	68.20	-24.10	V	PEAK	Pass	Harmonic
2	802.11a	44	10440.00	45.32	68.20	-22.88	H	PEAK	Pass	Harmonic
3	802.11a	48	10480.00	45.11	68.20	-23.09	V	PEAK	Pass	Harmonic
4	802.11be EHT20	36	10360.00	44.20	68.20	-24.00	H	PEAK	Pass	Harmonic
5	802.11be EHT20	44	10440.00	46.44	68.20	-21.76	V	PEAK	Pass	Harmonic
6	802.11be EHT20	48	10480.00	45.87	68.20	-22.33	V	PEAK	Pass	Harmonic
7	802.11be EHT40	38	10380.00	42.96	68.20	-25.24	V	PEAK	Pass	Harmonic
8	802.11be EHT40	46	10460.00	42.92	68.20	-25.28	V	PEAK	Pass	Harmonic
9	802.11be EHT80	42	10420.00	43.01	68.20	-25.19	H	PEAK	Pass	Harmonic
12	802.11a	52	10520.00	45.13	68.20	-23.07	V	PEAK	Pass	Harmonic
13	802.11a	60	10600.00	45.43	74.00	-28.57	H	PEAK	Pass	Harmonic
14	802.11a	64	10640.00	45.03	74.00	-28.97	V	PEAK	Pass	Harmonic
15	802.11be EHT20	52	10520.00	45.20	68.20	-23.00	H	PEAK	Pass	Harmonic
16	802.11be EHT20	60	10600.00	44.93	74.00	-29.07	H	PEAK	Pass	Harmonic
17	802.11be EHT20	64	10640.00	44.41	74.00	-29.59	V	PEAK	Pass	Harmonic
18	802.11be EHT40	54	10540.00	45.70	68.20	-22.50	H	PEAK	Pass	Harmonic
19	802.11be EHT40	62	10620.00	43.06	74.00	-30.94	V	PEAK	Pass	Harmonic
20	802.11be EHT80	58	10580.00	42.78	68.20	-25.42	V	PEAK	Pass	Harmonic
22	802.11be EHT160	50	10500.00	43.83	68.20	-24.37	H	PEAK	Pass	Harmonic
26	802.11a	100	11000.00	45.16	74.00	-28.84	H	PEAK	Pass	Harmonic
27	802.11a	116	11160.00	44.95	74.00	-29.05	H	PEAK	Pass	Harmonic
28	802.11a	140	5398.00	52.06	54.00	-1.94	V	Average	Pass	Harmonic
28	802.11a	140	11400.00	45.49	74.00	-28.51	V	PEAK	Pass	Harmonic
29	802.11be EHT20	100	11000.00	44.88	74.00	-29.12	H	PEAK	Pass	Harmonic
30	802.11be EHT20	116	11160.00	45.69	74.00	-28.31	H	PEAK	Pass	Harmonic
31	802.11be EHT20	140	11400.00	45.66	74.00	-28.34	V	PEAK	Pass	Harmonic
32	802.11be EHT40	102	11020.00	44.55	74.00	-29.45	H	PEAK	Pass	Harmonic
33	802.11be EHT40	110	11100.00	45.53	74.00	-28.47	H	PEAK	Pass	Harmonic
34	802.11be EHT40	134	11340.00	44.82	74.00	-29.18	H	PEAK	Pass	Harmonic
35	802.11be EHT80	106	11060.00	43.43	74.00	-30.57	H	PEAK	Pass	Harmonic
37	802.11be EHT80	122	11220.00	45.73	74.00	-28.27	H	PEAK	Pass	Harmonic
39	802.11be EHT160	114	11140.00	43.36	74.00	-30.64	V	PEAK	Pass	Harmonic
44	802.11a	144	11440.00	45.21	74.00	-28.79	H	PEAK	Pass	Harmonic
45	802.11be EHT20	144	11440.00	45.77	74.00	-28.23	V	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
45	802.11be EHT20	144	11440.00	45.77	74.00	-28.23	V	PEAK	Pass	Harmonic
46	802.11be EHT40	142	11420.00	45.35	74.00	-28.65	V	PEAK	Pass	Harmonic
47	802.11be EHT80	138	11380.00	45.64	74.00	-28.36	V	PEAK	Pass	Harmonic
48	802.11a	149	5648.60	60.94	68.20	-7.26	V	PEAK	Pass	Band Edge
48	802.11a	149	11490.00	45.76	74.00	-28.24	H	PEAK	Pass	Harmonic
49	802.11a	157	5626.60	63.39	68.20	-4.81	V	PEAK	Pass	Band Edge
49	802.11a	157	11570.00	36.60	54.00	-17.40	V	AVERAGE	Pass	Harmonic
50	802.11a	165	5971.42	56.68	68.20	-11.52	V	PEAK	Pass	Band Edge
50	802.11a	165	11650.00	48.32	54.00	-5.68	V	AVERAGE	Pass	Harmonic
51	802.11be EHT20	149	5625.42	60.37	68.20	-7.83	V	PEAK	Pass	Band Edge
51	802.11be EHT20	149	11490.00	45.86	74.00	-28.14	V	PEAK	Pass	Harmonic
52	802.11be EHT20	157	5627.00	63.67	68.20	-4.53	V	PEAK	Pass	Band Edge
52	802.11be EHT20	157	11570.00	36.37	54.00	-17.63	V	AVERAGE	Pass	Harmonic
53	802.11be EHT20	165	5930.22	57.19	68.20	-11.01	V	PEAK	Pass	Band Edge
53	802.11be EHT20	165	11650.00	47.50	54.00	-6.50	V	AVERAGE	Pass	Harmonic
54	802.11be EHT40	151	5634.49	64.77	68.20	-3.43	V	PEAK	Pass	Band Edge
54	802.11be EHT40	151	11510.00	45.13	74.00	-28.87	V	PEAK	Pass	Harmonic
55	802.11be EHT20	149	5634.60	62.65	68.20	-5.55	V	PEAK	Pass	Band Edge
56	802.11be EHT40	159	5628.60	61.33	68.20	-6.87	V	PEAK	Pass	Band Edge
56	802.11be EHT40	159	11590.00	36.59	54.00	-17.41	V	AVERAGE	Pass	Harmonic
57	802.11be EHT80	155	5636.60	67.41	68.20	-0.79	V	PEAK	Pass	Band Edge
57	802.11be EHT80	155	11550.00	45.67	74.00	-28.33	V	PEAK	Pass	Harmonic
58	802.11be EHT20	165	5941.42	59.62	68.20	-8.58	V	PEAK	Pass	Band Edge
59	802.11be EHT80	155	5646.60	61.88	68.20	-6.32	V	PEAK	Pass	Band Edge
60	802.11be EHT80	155	5623.00	62.19	68.20	-6.01	V	PEAK	Pass	Band Edge
92	802.11a	48	5395.98	50.30	54.00	-3.70	V	AVERAGE	Pass	Band Edge
92	802.11a	48	10480.00	45.03	68.20	-23.17	H	PEAK	Pass	Harmonic



Radiated Spurious Emission Test plots

		1																																										
Mode	Band Edge - L																																											
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																											
ANT	CDD 1S4T																																											
Pol.	Horizontal	Fundamental																																										
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>116.90</td> <td>-----</td> <td>-----</td> <td>108.48</td> <td>34.42</td> <td>10.63</td> <td>36.63</td> <td>0.00</td> <td>302</td> <td>147</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	116.90	-----	-----	108.48	34.42	10.63	36.63	0.00	302	147	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5180.00	116.90	-----	-----	108.48	34.42	10.63	36.63	0.00	302	147	PEAK																																
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>110.11</td> <td>-----</td> <td>-----</td> <td>101.69</td> <td>34.42</td> <td>10.63</td> <td>36.63</td> <td>0.00</td> <td>302</td> <td>147</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	110.11	-----	-----	101.69	34.42	10.63	36.63	0.00	302	147	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5180.00	110.11	-----	-----	101.69	34.42	10.63	36.63	0.00	302	147	AVERAGE																																



Mode	1																																					
	Band Edge - L																																					
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																					
ANT	CDD 1S4T																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>124.35</td> <td>-----</td> <td>115.89</td> <td>34.43</td> <td>10.64</td> <td>36.61</td> <td>0.00</td> <td>100 165 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5180.00	124.35	-----	115.89	34.43	10.64	36.61	0.00	100 165 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																														
1 5180.00	124.35	-----	115.89	34.43	10.64	36.61	0.00	100 165 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>116.36</td> <td>-----</td> <td>107.90</td> <td>34.43</td> <td>10.64</td> <td>36.61</td> <td>0.00</td> <td>100 165 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5180.00	116.36	-----	107.90	34.43	10.64	36.61	0.00	100 165 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																														
1 5180.00	116.36	-----	107.90	34.43	10.64	36.61	0.00	100 165 AVERAGE																														



Mode	1																																																																									
	Harmonic																																																																									
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																									
ANT	CDD 1S4T																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>44.04</td> <td>68.20</td> <td>-24.16</td> <td>58.19</td> <td>37.36</td> <td>15.45</td> <td>66.96</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10360.00	44.04	68.20	-24.16	58.19	37.36	15.45	66.96	0.00	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>44.10</td> <td>68.20</td> <td>-24.10</td> <td>58.25</td> <td>37.36</td> <td>15.45</td> <td>66.96</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10360.00	44.10	68.20	-24.10	58.25	37.36	15.45	66.96	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 10360.00	44.04	68.20	-24.16	58.19	37.36	15.45	66.96	0.00																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 10360.00	44.10	68.20	-24.10	58.25	37.36	15.45	66.96	0.00																																																																		



Mode	2																																					
	Band Edge - L																																					
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																					
ANT	CDD 1S4T																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5212.00</td> <td>116.24</td> <td>-----</td> <td>-----</td> <td>107.68</td> <td>34.46</td> <td>10.67</td> <td>36.57</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5212.00	116.24	-----	-----	107.68	34.46	10.67	36.57	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 5212.00	116.24	-----	-----	107.68	34.46	10.67	36.57	0.00																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5212.00</td> <td>108.02</td> <td>-----</td> <td>-----</td> <td>99.46</td> <td>34.46</td> <td>10.67</td> <td>36.57</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5212.00	108.02	-----	-----	99.46	34.46	10.67	36.57	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 5212.00	108.02	-----	-----	99.46	34.46	10.67	36.57	0.00																														



Mode	2																																									
	Band Edge - L																																									
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																									
ANT	CDD 1S4T																																									
Pol.	Vertical	Fundamental																																								
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5224.00</td> <td>122.24</td> <td>-----</td> <td>-----</td> <td>113.65</td> <td>34.47</td> <td>10.67</td> <td>36.55</td> <td>0.00</td> <td>110</td> <td>165</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5224.00	122.24	-----	-----	113.65	34.47	10.67	36.55	0.00	110	165	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5224.00	122.24	-----	-----	113.65	34.47	10.67	36.55	0.00	110	165	Peak																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5224.00</td> <td>113.71</td> <td>-----</td> <td>-----</td> <td>105.12</td> <td>34.47</td> <td>10.67</td> <td>36.55</td> <td>0.00</td> <td>110</td> <td>165</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5224.00	113.71	-----	-----	105.12	34.47	10.67	36.55	0.00	110	165	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5224.00	113.71	-----	-----	105.12	34.47	10.67	36.55	0.00	110	165	Average																															



Mode	2																																																																																											
	Harmonic																																																																																											
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																											
ANT	CDD 1S4T																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10440.00</td> <td>45.32</td> <td>68.20</td> <td>-22.88</td> <td>59.28</td> <td>37.44</td> <td>15.52</td> <td>66.92</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10440.00	45.32	68.20	-22.88	59.28	37.44	15.52	66.92	0.00									--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10440.00</td> <td>44.96</td> <td>68.20</td> <td>-23.24</td> <td>58.92</td> <td>37.44</td> <td>15.52</td> <td>66.92</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10440.00	44.96	68.20	-23.24	58.92	37.44	15.52	66.92	0.00									--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 10440.00	45.32	68.20	-22.88	59.28	37.44	15.52	66.92	0.00																																																																																				
								--- PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 10440.00	44.96	68.20	-23.24	58.92	37.44	15.52	66.92	0.00																																																																																				
								--- PEAK																																																																																				



Mode	3																																									
	Band Edge - L																																									
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																									
ANT	CDD 1S4T																																									
Pol.	Horizontal	Fundamental																																								
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>114.38</td> <td>-----</td> <td>-----</td> <td>105.76</td> <td>34.48</td> <td>10.68</td> <td>36.54</td> <td>0.00</td> <td>295</td> <td>151</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5230.00	114.38	-----	-----	105.76	34.48	10.68	36.54	0.00	295	151	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	5230.00	114.38	-----	-----	105.76	34.48	10.68	36.54	0.00	295	151	Peak																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5236.00</td> <td>106.91</td> <td>-----</td> <td>-----</td> <td>98.28</td> <td>34.48</td> <td>10.68</td> <td>36.53</td> <td>0.00</td> <td>295</td> <td>151</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5236.00	106.91	-----	-----	98.28	34.48	10.68	36.53	0.00	295	151	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	5236.00	106.91	-----	-----	98.28	34.48	10.68	36.53	0.00	295	151	Average																														



Mode	3																																						
	Band Edge - L																																						
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																						
ANT	CDD 1S4T																																						
Pol.	Vertical	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5242.00</td> <td>120.08</td> <td>-----</td> <td>-----</td> <td>111.43</td> <td>34.49</td> <td>10.68</td> <td>36.52</td> <td>0.00</td> <td>105 164 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5242.00	120.08	-----	-----	111.43	34.49	10.68	36.52	0.00	105 164 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5242.00	120.08	-----	-----	111.43	34.49	10.68	36.52	0.00	105 164 Peak																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5242.00</td> <td>112.58</td> <td>-----</td> <td>-----</td> <td>103.93</td> <td>34.49</td> <td>10.68</td> <td>36.52</td> <td>0.00</td> <td>105 164 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5242.00	112.58	-----	-----	103.93	34.49	10.68	36.52	0.00	105 164 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5242.00	112.58	-----	-----	103.93	34.49	10.68	36.52	0.00	105 164 Average																														



Mode	3																																																																									
	Harmonic																																																																									
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																									
ANT	CDD 1S4T																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>44.70</td> <td>68.20</td> <td>-23.50</td> <td>58.55</td> <td>37.48</td> <td>15.56</td> <td>66.89</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10480.00	44.70	68.20	-23.50	58.55	37.48	15.56	66.89	0.00	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>45.11</td> <td>68.20</td> <td>-23.09</td> <td>58.96</td> <td>37.48</td> <td>15.56</td> <td>66.89</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10480.00	45.11	68.20	-23.09	58.96	37.48	15.56	66.89	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 10480.00	44.70	68.20	-23.50	58.55	37.48	15.56	66.89	0.00																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 10480.00	45.11	68.20	-23.09	58.96	37.48	15.56	66.89	0.00																																																																		



Mode	4																																						
	Band Edge - L																																						
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																						
ANT	CDD 1S4T																																						
Pol.	Horizontal	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>117.29</td> <td>-----</td> <td>-----</td> <td>108.87</td> <td>34.42</td> <td>10.63</td> <td>36.63</td> <td>0.00</td> <td>331 145 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5180.00	117.29	-----	-----	108.87	34.42	10.63	36.63	0.00	331 145 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5180.00	117.29	-----	-----	108.87	34.42	10.63	36.63	0.00	331 145 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>108.13</td> <td>-----</td> <td>-----</td> <td>99.71</td> <td>34.42</td> <td>10.63</td> <td>36.63</td> <td>0.00</td> <td>331 145 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5180.00	108.13	-----	-----	99.71	34.42	10.63	36.63	0.00	331 145 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5180.00	108.13	-----	-----	99.71	34.42	10.63	36.63	0.00	331 145 AVERAGE																														



Mode	4																																							
	Band Edge - L																																							
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																							
ANT	CDD 1S4T																																							
Pol.	Vertical	Fundamental																																						
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>123.09</td> <td>-----</td> <td>-----</td> <td>114.60</td> <td>34.44</td> <td>10.65</td> <td>36.60</td> <td>0.00</td> <td>122 165 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	123.09	-----	-----	114.60	34.44	10.65	36.60	0.00	122 165 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5180.00	123.09	-----	-----	114.60	34.44	10.65	36.60	0.00	122 165 PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>114.54</td> <td>-----</td> <td>-----</td> <td>106.08</td> <td>34.43</td> <td>10.64</td> <td>36.61</td> <td>0.00</td> <td>122 165 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	114.54	-----	-----	106.08	34.43	10.64	36.61	0.00	122 165 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5180.00	114.54	-----	-----	106.08	34.43	10.64	36.61	0.00	122 165 AVERAGE																															



Mode	4																																																																																	
	Harmonic																																																																																	
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>44.20</td> <td>68.20</td> <td>-24.00</td> <td>58.35</td> <td>37.36</td> <td>15.45</td> <td>66.96</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10360.00	44.20	68.20	-24.00	58.35	37.36	15.45	66.96	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>43.97</td> <td>68.20</td> <td>-24.23</td> <td>58.12</td> <td>37.36</td> <td>15.45</td> <td>66.96</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10360.00	43.97	68.20	-24.23	58.12	37.36	15.45	66.96	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10360.00	44.20	68.20	-24.00	58.35	37.36	15.45	66.96	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10360.00	43.97	68.20	-24.23	58.12	37.36	15.45	66.96	0.00	---	---	PEAK																																																																							



Mode	5																																						
	Band Edge - L																																						
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full RU_5220MHz																																						
ANT	CDD 1S4T																																						
Pol.	Horizontal	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5212.00</td> <td>116.46</td> <td>-----</td> <td>-----</td> <td>107.90</td> <td>34.46</td> <td>10.67</td> <td>36.57</td> <td>0.00</td> <td>312 150 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5212.00	116.46	-----	-----	107.90	34.46	10.67	36.57	0.00	312 150 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5212.00	116.46	-----	-----	107.90	34.46	10.67	36.57	0.00	312 150 Peak																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5212.00</td> <td>108.13</td> <td>-----</td> <td>-----</td> <td>99.57</td> <td>34.46</td> <td>10.67</td> <td>36.57</td> <td>0.00</td> <td>312 150 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5212.00	108.13	-----	-----	99.57	34.46	10.67	36.57	0.00	312 150 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5212.00	108.13	-----	-----	99.57	34.46	10.67	36.57	0.00	312 150 Average																														



Mode	5																																						
	Band Edge - L																																						
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full RU_5220MHz																																						
ANT	CDD 1S4T																																						
Pol.	Vertical	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5224.00</td> <td>121.37</td> <td>-----</td> <td>-----</td> <td>112.78</td> <td>34.47</td> <td>10.67</td> <td>36.55</td> <td>0.00</td> <td>100 161 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5224.00	121.37	-----	-----	112.78	34.47	10.67	36.55	0.00	100 161 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5224.00	121.37	-----	-----	112.78	34.47	10.67	36.55	0.00	100 161 Peak																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5224.00</td> <td>112.42</td> <td>-----</td> <td>-----</td> <td>103.83</td> <td>34.47</td> <td>10.67</td> <td>36.55</td> <td>0.00</td> <td>100 161 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5224.00	112.42	-----	-----	103.83	34.47	10.67	36.55	0.00	100 161 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5224.00	112.42	-----	-----	103.83	34.47	10.67	36.55	0.00	100 161 Average																														



Mode	5																																																																																											
	Harmonic																																																																																											
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full RU_5220MHz																																																																																											
ANT	CDD 1S4T																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10448.00</td> <td>45.72</td> <td>68.20</td> <td>-22.48</td> <td>59.68</td> <td>37.44</td> <td>15.52</td> <td>66.92</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10448.00	45.72	68.20	-22.48	59.68	37.44	15.52	66.92	0.00									--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10448.00</td> <td>46.44</td> <td>68.20</td> <td>-21.76</td> <td>60.40</td> <td>37.44</td> <td>15.52</td> <td>66.92</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10448.00	46.44	68.20	-21.76	60.40	37.44	15.52	66.92	0.00									--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 10448.00	45.72	68.20	-22.48	59.68	37.44	15.52	66.92	0.00																																																																																				
								--- PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 10448.00	46.44	68.20	-21.76	60.40	37.44	15.52	66.92	0.00																																																																																				
								--- PEAK																																																																																				





Mode	6																																														
	Band Edge																																														
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz																																														
ANT	CDD 1S4T																																														
Pol.	Horizontal	Fundamental																																													
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>116.32</td> <td>-----</td> <td>-----</td> <td>107.70</td> <td>34.48</td> <td>10.68</td> <td>36.54</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>296 149 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5230.00	116.32	-----	-----	107.70	34.48	10.68	36.54	0.00									296 149 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5230.00	116.32	-----	-----	107.70	34.48	10.68	36.54	0.00																																							
								296 149 Peak																																							
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>107.41</td> <td>-----</td> <td>-----</td> <td>98.79</td> <td>34.48</td> <td>10.68</td> <td>36.54</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>296 149 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5230.00	107.41	-----	-----	98.79	34.48	10.68	36.54	0.00									296 149 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5230.00	107.41	-----	-----	98.79	34.48	10.68	36.54	0.00																																							
								296 149 Average																																							



Mode	6																																						
	Band Edge																																						
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz																																						
ANT	CDD 1S4T																																						
Pol.	Vertical	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5236.00</td> <td>120.87</td> <td>-----</td> <td>-----</td> <td>112.24</td> <td>34.48</td> <td>10.68</td> <td>36.53</td> <td>0.00</td> <td>207 360 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5236.00	120.87	-----	-----	112.24	34.48	10.68	36.53	0.00	207 360 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5236.00	120.87	-----	-----	112.24	34.48	10.68	36.53	0.00	207 360 Peak																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5236.00</td> <td>111.89</td> <td>-----</td> <td>-----</td> <td>103.26</td> <td>34.48</td> <td>10.68</td> <td>36.53</td> <td>0.00</td> <td>207 360 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5236.00	111.89	-----	-----	103.26	34.48	10.68	36.53	0.00	207 360 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5236.00	111.89	-----	-----	103.26	34.48	10.68	36.53	0.00	207 360 Average																														



Mode	6																																																																																	
	Harmonic																																																																																	
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak																																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>45.17</td> <td>68.20</td> <td>-23.03</td> <td>59.02</td> <td>37.48</td> <td>15.56</td> <td>66.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	45.17	68.20	-23.03	59.02	37.48	15.56	66.89	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>45.87</td> <td>68.20</td> <td>-22.33</td> <td>59.72</td> <td>37.48</td> <td>15.56</td> <td>66.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	45.87	68.20	-22.33	59.72	37.48	15.56	66.89	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10480.00	45.17	68.20	-23.03	59.02	37.48	15.56	66.89	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10480.00	45.87	68.20	-22.33	59.72	37.48	15.56	66.89	0.00	---	---	PEAK																																																																							



Mode	7																																						
	Band Edge - L																																						
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																						
ANT	CDD 1S4T																																						
Pol.	Horizontal	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5200.00</td> <td>111.22</td> <td>-----</td> <td>-----</td> <td>102.69</td> <td>34.45</td> <td>10.66</td> <td>36.58</td> <td>0.00</td> <td>316 149 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5200.00	111.22	-----	-----	102.69	34.45	10.66	36.58	0.00	316 149 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5200.00	111.22	-----	-----	102.69	34.45	10.66	36.58	0.00	316 149 Peak																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5182.00</td> <td>102.03</td> <td>-----</td> <td>-----</td> <td>93.57</td> <td>34.43</td> <td>10.64</td> <td>36.61</td> <td>0.00</td> <td>316 149 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5182.00	102.03	-----	-----	93.57	34.43	10.64	36.61	0.00	316 149 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5182.00	102.03	-----	-----	93.57	34.43	10.64	36.61	0.00	316 149 Average																														



Mode	7																																														
Mode	Band Edge - L																																														
Mode	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																														
ANT	CDD 1S4T																																														
Pol.	Vertical	Fundamental																																													
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5194.00</td> <td>117.45</td> <td>-----</td> <td>-----</td> <td>108.94</td> <td>34.45</td> <td>10.65</td> <td>36.59</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>102 163 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5194.00	117.45	-----	-----	108.94	34.45	10.65	36.59	0.00									102 163 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5194.00	117.45	-----	-----	108.94	34.45	10.65	36.59	0.00																																							
								102 163 Peak																																							
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5194.00</td> <td>108.26</td> <td>-----</td> <td>-----</td> <td>99.75</td> <td>34.45</td> <td>10.65</td> <td>36.59</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>102 163 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5194.00	108.26	-----	-----	99.75	34.45	10.65	36.59	0.00									102 163 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5194.00	108.26	-----	-----	99.75	34.45	10.65	36.59	0.00																																							
								102 163 Peak																																							



Mode	7																																																																																	
	Harmonic																																																																																	
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10380.00</td> <td>41.99</td> <td>68.20</td> <td>-26.21</td> <td>56.09</td> <td>37.38</td> <td>15.47</td> <td>66.95</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10380.00	41.99	68.20	-26.21	56.09	37.38	15.47	66.95	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10380.00</td> <td>42.96</td> <td>68.20</td> <td>-25.24</td> <td>57.06</td> <td>37.38</td> <td>15.47</td> <td>66.95</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10380.00	42.96	68.20	-25.24	57.06	37.38	15.47	66.95	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10380.00	41.99	68.20	-26.21	56.09	37.38	15.47	66.95	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10380.00	42.96	68.20	-25.24	57.06	37.38	15.47	66.95	0.00	---	---	PEAK																																																																							



Mode	8																																						
	Band Edge - L																																						
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																						
ANT	CDD 1S4T																																						
Pol.	Horizontal	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5224.00</td> <td>113.25</td> <td>-----</td> <td>-----</td> <td>104.66</td> <td>34.47</td> <td>10.67</td> <td>36.55</td> <td>0.00</td> <td>331 147 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5224.00	113.25	-----	-----	104.66	34.47	10.67	36.55	0.00	331 147 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5224.00	113.25	-----	-----	104.66	34.47	10.67	36.55	0.00	331 147 Peak																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5218.00</td> <td>104.35</td> <td>-----</td> <td>-----</td> <td>95.77</td> <td>34.47</td> <td>10.67</td> <td>36.56</td> <td>0.00</td> <td>331 147 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5218.00	104.35	-----	-----	95.77	34.47	10.67	36.56	0.00	331 147 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5218.00	104.35	-----	-----	95.77	34.47	10.67	36.56	0.00	331 147 Average																														



Mode	8																																						
	Band Edge - L																																						
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																						
ANT	CDD 1S4T																																						
Pol.	Vertical	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5236.00</td> <td>118.69</td> <td>-----</td> <td>-----</td> <td>110.06</td> <td>34.48</td> <td>10.68</td> <td>36.53</td> <td>0.00</td> <td>100 162 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5236.00	118.69	-----	-----	110.06	34.48	10.68	36.53	0.00	100 162 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																															
1 5236.00	118.69	-----	-----	110.06	34.48	10.68	36.53	0.00	100 162 Peak																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5236.00</td> <td>110.02</td> <td>-----</td> <td>-----</td> <td>101.39</td> <td>34.48</td> <td>10.68</td> <td>36.53</td> <td>0.00</td> <td>100 162 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5236.00	110.02	-----	-----	101.39	34.48	10.68	36.53	0.00	100 162 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																															
1 5236.00	110.02	-----	-----	101.39	34.48	10.68	36.53	0.00	100 162 Average																														



Mode	8																																																																																											
	Harmonic																																																																																											
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																																																											
ANT	CDD 1S4T																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>42.90</td> <td>68.20</td> <td>-25.30</td> <td>56.81</td> <td>37.46</td> <td>15.54</td> <td>66.91</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10460.00	42.90	68.20	-25.30	56.81	37.46	15.54	66.91	0.00									--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>42.92</td> <td>68.20</td> <td>-25.28</td> <td>56.83</td> <td>37.46</td> <td>15.54</td> <td>66.91</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10460.00	42.92	68.20	-25.28	56.83	37.46	15.54	66.91	0.00									--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 10460.00	42.90	68.20	-25.30	56.81	37.46	15.54	66.91	0.00																																																																																				
								--- PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 10460.00	42.92	68.20	-25.28	56.83	37.46	15.54	66.91	0.00																																																																																				
								--- PEAK																																																																																				



	9																																						
Mode	Band Edge - L																																						
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																						
ANT	CDD 1S4T																																						
Pol.	Horizontal	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5218.00</td> <td>109.13</td> <td>-----</td> <td>-----</td> <td>100.60</td> <td>34.45</td> <td>10.66</td> <td>36.58</td> <td>0.00</td> <td>330 146 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5218.00	109.13	-----	-----	100.60	34.45	10.66	36.58	0.00	330 146 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5218.00	109.13	-----	-----	100.60	34.45	10.66	36.58	0.00	330 146 Peak																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5218.00</td> <td>99.07</td> <td>-----</td> <td>-----</td> <td>90.49</td> <td>34.47</td> <td>10.67</td> <td>36.56</td> <td>0.00</td> <td>330 146 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5218.00	99.07	-----	-----	90.49	34.47	10.67	36.56	0.00	330 146 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5218.00	99.07	-----	-----	90.49	34.47	10.67	36.56	0.00	330 146 Average																														



Mode	9																																						
	Band Edge - L																																						
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																						
ANT	CDD 1S4T																																						
Pol.	Vertical	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5212.00</td> <td>115.08</td> <td>-----</td> <td>-----</td> <td>106.52</td> <td>34.46</td> <td>10.67</td> <td>36.57</td> <td>0.00</td> <td>101 164 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5212.00	115.08	-----	-----	106.52	34.46	10.67	36.57	0.00	101 164 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5212.00	115.08	-----	-----	106.52	34.46	10.67	36.57	0.00	101 164 Peak																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5236.00</td> <td>105.31</td> <td>-----</td> <td>-----</td> <td>96.68</td> <td>34.48</td> <td>10.68</td> <td>36.53</td> <td>0.00</td> <td>101 164 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5236.00	105.31	-----	-----	96.68	34.48	10.68	36.53	0.00	101 164 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5236.00	105.31	-----	-----	96.68	34.48	10.68	36.53	0.00	101 164 Average																														



Mode	9																																																																									
	Harmonic																																																																									
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																																									
ANT	CDD 1S4T																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10420.00</td> <td>43.01</td> <td>68.20</td> <td>-25.19</td> <td>57.01</td> <td>37.42</td> <td>15.51</td> <td>66.93</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10420.00	43.01	68.20	-25.19	57.01	37.42	15.51	66.93	0.00	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10420.00</td> <td>42.94</td> <td>68.20</td> <td>-25.26</td> <td>56.94</td> <td>37.42</td> <td>15.51</td> <td>66.93</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10420.00	42.94	68.20	-25.26	56.94	37.42	15.51	66.93	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 10420.00	43.01	68.20	-25.19	57.01	37.42	15.51	66.93	0.00																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 10420.00	42.94	68.20	-25.26	56.94	37.42	15.51	66.93	0.00																																																																		



Mode	10																																									
	Band Edge - L																																									
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz RU52*4																																									
ANT	CDD 1S4T																																									
Pol.	Horizontal	Fundamental																																								
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>113.60</td> <td>-----</td> <td>-----</td> <td>105.18</td> <td>34.42</td> <td>10.63</td> <td>36.63</td> <td>0.00</td> <td>300</td> <td>147</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	113.60	-----	-----	105.18	34.42	10.63	36.63	0.00	300	147	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5180.00	113.60	-----	-----	105.18	34.42	10.63	36.63	0.00	300	147	PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>106.15</td> <td>-----</td> <td>-----</td> <td>97.73</td> <td>34.42</td> <td>10.63</td> <td>36.63</td> <td>0.00</td> <td>300</td> <td>147</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	106.15	-----	-----	97.73	34.42	10.63	36.63	0.00	300	147	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5180.00	106.15	-----	-----	97.73	34.42	10.63	36.63	0.00	300	147	AVERAGE																															



Mode	10																																										
	Band Edge - L																																										
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz RU52*4																																										
ANT	CDD 1S4T																																										
Pol.	Vertical	Fundamental																																									
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>122.66</td> <td>-----</td> <td>-----</td> <td>114.20</td> <td>34.43</td> <td>10.64</td> <td>36.61</td> <td>0.00</td> <td>100</td> <td>167</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	122.66	-----	-----	114.20	34.43	10.64	36.61	0.00	100	167	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5180.00	122.66	-----	-----	114.20	34.43	10.64	36.61	0.00	100	167	PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>113.84</td> <td>-----</td> <td>-----</td> <td>105.38</td> <td>34.43</td> <td>10.64</td> <td>36.61</td> <td>0.00</td> <td>100</td> <td>167</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	113.84	-----	-----	105.38	34.43	10.64	36.61	0.00	100	167	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5180.00	113.84	-----	-----	105.38	34.43	10.64	36.61	0.00	100	167	AVERAGE																															



Mode	11																																					
	Band Edge - L																																					
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz PC 20MHz,Loc 4																																					
ANT	CDD 1S4T																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5210.00</td> <td>111.69</td> <td>-----</td> <td>103.16</td> <td>34.45</td> <td>10.66</td> <td>36.58</td> <td>0.00</td> <td>328 150 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5210.00	111.69	-----	103.16	34.45	10.66	36.58	0.00	328 150 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																														
1 5210.00	111.69	-----	103.16	34.45	10.66	36.58	0.00	328 150 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5210.00</td> <td>102.20</td> <td>-----</td> <td>93.61</td> <td>34.47</td> <td>10.67</td> <td>36.55</td> <td>0.00</td> <td>328 150 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5210.00	102.20	-----	93.61	34.47	10.67	36.55	0.00	328 150 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																														
1 5210.00	102.20	-----	93.61	34.47	10.67	36.55	0.00	328 150 AVERAGE																														



Mode	11																																						
	Band Edge - L																																						
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz PC 20MHz,Loc 4																																						
ANT	CDD 1S4T																																						
Pol.	Vertical	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5210.00</td> <td>116.99</td> <td>-----</td> <td>-----</td> <td>108.48</td> <td>34.45</td> <td>10.65</td> <td>36.59</td> <td>0.00</td> <td>128 165 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5210.00	116.99	-----	-----	108.48	34.45	10.65	36.59	0.00	128 165 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5210.00	116.99	-----	-----	108.48	34.45	10.65	36.59	0.00	128 165 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5210.00</td> <td>107.99</td> <td>-----</td> <td>-----</td> <td>99.43</td> <td>34.46</td> <td>10.67</td> <td>36.57</td> <td>0.00</td> <td>128 165 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5210.00	107.99	-----	-----	99.43	34.46	10.67	36.57	0.00	128 165 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5210.00	107.99	-----	-----	99.43	34.46	10.67	36.57	0.00	128 165 AVERAGE																														



Mode	12																																								
	Band Edge - L																																								
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																								
ANT	CDD 1S4T																																								
Pol.	Horizontal	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5260.00</td> <td>111.70</td> <td>-----</td> <td>-----</td> <td>102.99</td> <td>34.51</td> <td>10.70</td> <td>36.50</td> <td>0.00</td> <td>100</td> <td>85 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5260.00	111.70	-----	-----	102.99	34.51	10.70	36.50	0.00	100	85 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5260.00	111.70	-----	-----	102.99	34.51	10.70	36.50	0.00	100	85 PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5260.00</td> <td>104.76</td> <td>-----</td> <td>-----</td> <td>96.05</td> <td>34.51</td> <td>10.70</td> <td>36.50</td> <td>0.00</td> <td>100</td> <td>85 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5260.00	104.76	-----	-----	96.05	34.51	10.70	36.50	0.00	100	85 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5260.00	104.76	-----	-----	96.05	34.51	10.70	36.50	0.00	100	85 AVERAGE																															



Mode	12																																								
	Band Edge - L																																								
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																								
ANT	CDD 1S4T																																								
Pol.	Vertical	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5260.00</td> <td>120.55</td> <td>-----</td> <td>-----</td> <td>111.83</td> <td>34.51</td> <td>10.70</td> <td>36.49</td> <td>0.00</td> <td>100</td> <td>166 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5260.00	120.55	-----	-----	111.83	34.51	10.70	36.49	0.00	100	166 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5260.00	120.55	-----	-----	111.83	34.51	10.70	36.49	0.00	100	166 PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5260.00</td> <td>111.23</td> <td>-----</td> <td>-----</td> <td>102.51</td> <td>34.51</td> <td>10.70</td> <td>36.49</td> <td>0.00</td> <td>100</td> <td>166 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5260.00	111.23	-----	-----	102.51	34.51	10.70	36.49	0.00	100	166 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5260.00	111.23	-----	-----	102.51	34.51	10.70	36.49	0.00	100	166 AVERAGE																															



Mode	12																																																																									
	Harmonic																																																																									
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																									
ANT	CDD 1S4T																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10520.00</td> <td>44.62</td> <td>68.20</td> <td>-23.58</td> <td>58.37</td> <td>37.52</td> <td>15.60</td> <td>66.87</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10520.00	44.62	68.20	-23.58	58.37	37.52	15.60	66.87	0.00	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10520.00</td> <td>45.13</td> <td>68.20</td> <td>-23.07</td> <td>58.88</td> <td>37.52</td> <td>15.60</td> <td>66.87</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10520.00	45.13	68.20	-23.07	58.88	37.52	15.60	66.87	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 10520.00	44.62	68.20	-23.58	58.37	37.52	15.60	66.87	0.00																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 10520.00	45.13	68.20	-23.07	58.88	37.52	15.60	66.87	0.00																																																																		



Mode	13																																								
	Band Edge - L																																								
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHZ																																								
ANT	CDD 1S4T																																								
Pol.	Horizontal	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5300.00</td> <td>113.74</td> <td>-----</td> <td>-----</td> <td>104.91</td> <td>34.55</td> <td>10.72</td> <td>36.44</td> <td>0.00</td> <td>143</td> <td>85 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5300.00	113.74	-----	-----	104.91	34.55	10.72	36.44	0.00	143	85 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5300.00	113.74	-----	-----	104.91	34.55	10.72	36.44	0.00	143	85 PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5300.00</td> <td>105.75</td> <td>-----</td> <td>-----</td> <td>96.92</td> <td>34.55</td> <td>10.72</td> <td>36.44</td> <td>0.00</td> <td>143</td> <td>85 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5300.00	105.75	-----	-----	96.92	34.55	10.72	36.44	0.00	143	85 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5300.00	105.75	-----	-----	96.92	34.55	10.72	36.44	0.00	143	85 AVERAGE																															



Mode	13																																							
	Band Edge - L																																							
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHZ																																							
ANT	CDD 1S4T																																							
Pol.	Vertical	Fundamental																																						
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5300.00</td> <td>121.13</td> <td>-----</td> <td>112.30</td> <td>34.55</td> <td>10.72</td> <td>36.44</td> <td>0.00</td> <td>100</td> <td>166 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5300.00	121.13	-----	112.30	34.55	10.72	36.44	0.00	100	166 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5300.00	121.13	-----	112.30	34.55	10.72	36.44	0.00	100	166 PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5300.00</td> <td>111.53</td> <td>-----</td> <td>102.70</td> <td>34.55</td> <td>10.72</td> <td>36.44</td> <td>0.00</td> <td>100</td> <td>166 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5300.00	111.53	-----	102.70	34.55	10.72	36.44	0.00	100	166 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5300.00	111.53	-----	102.70	34.55	10.72	36.44	0.00	100	166 AVERAGE																															



Mode	13																																																																									
	Harmonic																																																																									
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																									
ANT	CDD 1S4T																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>45.43</td> <td>74.00</td> <td>-28.57</td> <td>58.99</td> <td>37.60</td> <td>15.67</td> <td>66.83</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10600.00	45.43	74.00	-28.57	58.99	37.60	15.67	66.83	0.00	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>44.81</td> <td>74.00</td> <td>-29.19</td> <td>58.37</td> <td>37.60</td> <td>15.67</td> <td>66.83</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10600.00	44.81	74.00	-29.19	58.37	37.60	15.67	66.83	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 10600.00	45.43	74.00	-28.57	58.99	37.60	15.67	66.83	0.00																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 10600.00	44.81	74.00	-29.19	58.37	37.60	15.67	66.83	0.00																																																																		



Mode	14																																					
	Band Edge																																					
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHZ																																					
ANT	CDD 1S4T																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>113.36</td> <td>-----</td> <td>104.46</td> <td>34.57</td> <td>10.73</td> <td>36.40</td> <td>0.00</td> <td>139 85 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	113.36	-----	104.46	34.57	10.73	36.40	0.00	139 85 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																														
1 5320.00	113.36	-----	104.46	34.57	10.73	36.40	0.00	139 85 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>105.83</td> <td>-----</td> <td>96.95</td> <td>34.56</td> <td>10.73</td> <td>36.41</td> <td>0.00</td> <td>139 85 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	105.83	-----	96.95	34.56	10.73	36.41	0.00	139 85 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																														
1 5320.00	105.83	-----	96.95	34.56	10.73	36.41	0.00	139 85 AVERAGE																														



		14																																								
Mode	Band Edge																																									
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHZ																																									
ANT	CDD 1S4T																																									
Pol.	Vertical		Fundamental																																							
Peak	Blank		<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>119.98</td> <td>-----</td> <td>-----</td> <td>111.08</td> <td>34.57</td> <td>10.73</td> <td>36.40</td> <td>0.00</td> <td>100</td> <td>165 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	119.98	-----	-----	111.08	34.57	10.73	36.40	0.00	100	165 PEAK
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5320.00	119.98	-----	-----	111.08	34.57	10.73	36.40	0.00	100	165 PEAK																																
Avg	Blank		<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>111.84</td> <td>-----</td> <td>-----</td> <td>102.94</td> <td>34.57</td> <td>10.73</td> <td>36.40</td> <td>0.00</td> <td>100</td> <td>165 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	111.84	-----	-----	102.94	34.57	10.73	36.40	0.00	100	165 AVERAGE
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5320.00	111.84	-----	-----	102.94	34.57	10.73	36.40	0.00	100	165 AVERAGE																																



Mode	14																																																																																											
	Harmonic																																																																																											
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																											
ANT	CDD 1S4T																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>44.51</td> <td>74.00</td> <td>-29.49</td> <td>58.01</td> <td>37.60</td> <td>15.71</td> <td>66.81</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10640.00	44.51	74.00	-29.49	58.01	37.60	15.71	66.81	0.00									--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>45.03</td> <td>74.00</td> <td>-28.97</td> <td>58.53</td> <td>37.60</td> <td>15.71</td> <td>66.81</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10640.00	45.03	74.00	-28.97	58.53	37.60	15.71	66.81	0.00									--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 10640.00	44.51	74.00	-29.49	58.01	37.60	15.71	66.81	0.00																																																																																				
								--- PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 10640.00	45.03	74.00	-28.97	58.53	37.60	15.71	66.81	0.00																																																																																				
								--- PEAK																																																																																				



Mode	15																																									
	Band Edge - L																																									
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																									
ANT	CDD 1S4T																																									
Pol.	Horizontal	Fundamental																																								
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5260.00</td> <td>116.13</td> <td>-----</td> <td>-----</td> <td>107.41</td> <td>34.51</td> <td>10.70</td> <td>36.49</td> <td>0.00</td> <td>210</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5260.00	116.13	-----	-----	107.41	34.51	10.70	36.49	0.00	210	360	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5260.00	116.13	-----	-----	107.41	34.51	10.70	36.49	0.00	210	360	PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5260.00</td> <td>104.43</td> <td>-----</td> <td>-----</td> <td>95.71</td> <td>34.51</td> <td>10.70</td> <td>36.49</td> <td>0.00</td> <td>210</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5260.00	104.43	-----	-----	95.71	34.51	10.70	36.49	0.00	210	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5260.00	104.43	-----	-----	95.71	34.51	10.70	36.49	0.00	210	360	AVERAGE																															



Mode	15																																							
	Band Edge - L																																							
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																							
ANT	CDD 1S4T																																							
Pol.	Vertical	Fundamental																																						
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5260.00</td> <td>122.13</td> <td>-----</td> <td>-----</td> <td>113.41</td> <td>34.51</td> <td>10.70</td> <td>36.49</td> <td>0.00</td> <td>103 166 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5260.00	122.13	-----	-----	113.41	34.51	10.70	36.49	0.00	103 166 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5260.00	122.13	-----	-----	113.41	34.51	10.70	36.49	0.00	103 166 PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5260.00</td> <td>111.26</td> <td>-----</td> <td>-----</td> <td>102.54</td> <td>34.51</td> <td>10.70</td> <td>36.49</td> <td>0.00</td> <td>103 166 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5260.00	111.26	-----	-----	102.54	34.51	10.70	36.49	0.00	103 166 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5260.00	111.26	-----	-----	102.54	34.51	10.70	36.49	0.00	103 166 AVERAGE																															



Mode	15																																																																									
	Harmonic																																																																									
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																																									
ANT	CDD 1S4T																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10520.00</td> <td>45.20</td> <td>68.20</td> <td>-23.00</td> <td>58.95</td> <td>37.52</td> <td>15.60</td> <td>66.87</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10520.00	45.20	68.20	-23.00	58.95	37.52	15.60	66.87	0.00	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10520.00</td> <td>44.85</td> <td>68.20</td> <td>-23.35</td> <td>58.60</td> <td>37.52</td> <td>15.60</td> <td>66.87</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10520.00	44.85	68.20	-23.35	58.60	37.52	15.60	66.87	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 10520.00	45.20	68.20	-23.00	58.95	37.52	15.60	66.87	0.00																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 10520.00	44.85	68.20	-23.35	58.60	37.52	15.60	66.87	0.00																																																																		



Mode	16																																									
	Band Edge - L																																									
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full RU_5300MHz																																									
ANT	CDD 1S4T																																									
Pol.	Horizontal	Fundamental																																								
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5300.00</td> <td>112.63</td> <td>-----</td> <td>103.84</td> <td>34.54</td> <td>10.71</td> <td>36.46</td> <td>0.00</td> <td>305</td> <td>145</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5300.00	112.63	-----	103.84	34.54	10.71	36.46	0.00	305	145	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5300.00	112.63	-----	103.84	34.54	10.71	36.46	0.00	305	145	PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5300.00</td> <td>104.63</td> <td>-----</td> <td>95.84</td> <td>34.54</td> <td>10.71</td> <td>36.46</td> <td>0.00</td> <td>305</td> <td>145</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5300.00	104.63	-----	95.84	34.54	10.71	36.46	0.00	305	145	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5300.00	104.63	-----	95.84	34.54	10.71	36.46	0.00	305	145	AVERAGE																															



Mode	16																																								
	Band Edge - L																																								
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full RU_5300MHz																																								
ANT	CDD 1S4T																																								
Pol.	Vertical	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5300.00</td> <td>120.34</td> <td>-----</td> <td>111.50</td> <td>34.55</td> <td>10.72</td> <td>36.43</td> <td>0.00</td> <td>103</td> <td>165</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5300.00	120.34	-----	111.50	34.55	10.72	36.43	0.00	103	165	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5300.00	120.34	-----	111.50	34.55	10.72	36.43	0.00	103	165	PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5300.00</td> <td>110.98</td> <td>-----</td> <td>102.15</td> <td>34.55</td> <td>10.72</td> <td>36.44</td> <td>0.00</td> <td>103</td> <td>165</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5300.00	110.98	-----	102.15	34.55	10.72	36.44	0.00	103	165	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5300.00	110.98	-----	102.15	34.55	10.72	36.44	0.00	103	165	AVERAGE																														



Mode	16																																																																									
	Harmonic																																																																									
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full RU_5300MHz																																																																									
ANT	CDD 1S4T																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>44.93</td> <td>74.00</td> <td>-29.07</td> <td>58.49</td> <td>37.60</td> <td>15.67</td> <td>66.83</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10600.00	44.93	74.00	-29.07	58.49	37.60	15.67	66.83	0.00	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>44.65</td> <td>74.00</td> <td>-29.35</td> <td>58.21</td> <td>37.60</td> <td>15.67</td> <td>66.83</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10600.00	44.65	74.00	-29.35	58.21	37.60	15.67	66.83	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 10600.00	44.93	74.00	-29.07	58.49	37.60	15.67	66.83	0.00																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 10600.00	44.65	74.00	-29.35	58.21	37.60	15.67	66.83	0.00																																																																		



		17																																									
Mode		Band Edge																																									
		U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full RU_5320MHz																																									
ANT		CDD 1S4T																																									
Pol.	Horizontal	Fundamental																																									
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>112.83</td> <td>-----</td> <td>103.93</td> <td>34.57</td> <td>10.73</td> <td>36.40</td> <td>0.00</td> <td>202</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	112.83	-----	103.93	34.57	10.73	36.40	0.00	202	360	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5320.00	112.83	-----	103.93	34.57	10.73	36.40	0.00	202	360	PEAK																																
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>104.42</td> <td>-----</td> <td>95.52</td> <td>34.57</td> <td>10.73</td> <td>36.40</td> <td>0.00</td> <td>202</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	104.42	-----	95.52	34.57	10.73	36.40	0.00	202	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5320.00	104.42	-----	95.52	34.57	10.73	36.40	0.00	202	360	AVERAGE																																



Mode	17																																							
	Band Edge																																							
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full RU_5320MHz																																							
ANT	CDD 1S4T																																							
Pol.	Vertical	Fundamental																																						
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>121.06</td> <td>-----</td> <td>-----</td> <td>112.16</td> <td>34.57</td> <td>10.73</td> <td>36.40</td> <td>0.00</td> <td>100</td> <td>161 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5320.00	121.06	-----	-----	112.16	34.57	10.73	36.40	0.00	100	161 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																
1 5320.00	121.06	-----	-----	112.16	34.57	10.73	36.40	0.00	100	161 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>110.94</td> <td>-----</td> <td>-----</td> <td>102.04</td> <td>34.57</td> <td>10.73</td> <td>36.40</td> <td>0.00</td> <td>100</td> <td>161 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5320.00	110.94	-----	-----	102.04	34.57	10.73	36.40	0.00	100	161 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																
1 5320.00	110.94	-----	-----	102.04	34.57	10.73	36.40	0.00	100	161 AVERAGE																														



Mode	17																																																																																											
	Harmonic																																																																																											
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full RU_5320MHz																																																																																											
ANT	CDD 1S4T																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>44.32</td> <td>74.00</td> <td>-29.68</td> <td>57.82</td> <td>37.60</td> <td>15.71</td> <td>66.81</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10640.00	44.32	74.00	-29.68	57.82	37.60	15.71	66.81	0.00									--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>44.41</td> <td>74.00</td> <td>-29.59</td> <td>57.91</td> <td>37.60</td> <td>15.71</td> <td>66.81</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10640.00	44.41	74.00	-29.59	57.91	37.60	15.71	66.81	0.00									--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 10640.00	44.32	74.00	-29.68	57.82	37.60	15.71	66.81	0.00																																																																																				
								--- PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 10640.00	44.41	74.00	-29.59	57.91	37.60	15.71	66.81	0.00																																																																																				
								--- PEAK																																																																																				



	18																																							
Mode	Band Edge - L																																							
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																							
ANT	CDD 1S4T																																							
Pol.	Horizontal	Fundamental																																						
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>109.44</td> <td>-----</td> <td>100.70</td> <td>34.52</td> <td>10.70</td> <td>36.48</td> <td>0.00</td> <td>100</td> <td>87 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5270.00	109.44	-----	100.70	34.52	10.70	36.48	0.00	100	87 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5270.00	109.44	-----	100.70	34.52	10.70	36.48	0.00	100	87 PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>101.73</td> <td>-----</td> <td>92.99</td> <td>34.52</td> <td>10.70</td> <td>36.48</td> <td>0.00</td> <td>100</td> <td>87 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5270.00	101.73	-----	92.99	34.52	10.70	36.48	0.00	100	87 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5270.00	101.73	-----	92.99	34.52	10.70	36.48	0.00	100	87 AVERAGE																															



Mode	18																																									
	Band Edge - L																																									
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																									
ANT	CDD 1S4T																																									
Pol.	Vertical	Fundamental																																								
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>117.40</td> <td>-----</td> <td>108.72</td> <td>34.50</td> <td>10.69</td> <td>36.51</td> <td>0.00</td> <td>111</td> <td>165</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	117.40	-----	108.72	34.50	10.69	36.51	0.00	111	165	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5270.00	117.40	-----	108.72	34.50	10.69	36.51	0.00	111	165	PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>108.40</td> <td>-----</td> <td>99.72</td> <td>34.50</td> <td>10.69</td> <td>36.51</td> <td>0.00</td> <td>111</td> <td>165</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	108.40	-----	99.72	34.50	10.69	36.51	0.00	111	165	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5270.00	108.40	-----	99.72	34.50	10.69	36.51	0.00	111	165	AVERAGE																															



Mode	18																																																																											
	Harmonic																																																																											
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																																											
ANT	CDD 1S4T																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10540.00</td> <td>45.70</td> <td>68.20</td> <td>-22.50</td> <td>59.40</td> <td>37.54</td> <td>15.62</td> <td>66.86</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10540.00	45.70	68.20	-22.50	59.40	37.54	15.62	66.86	0.00	--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10540.00</td> <td>45.10</td> <td>68.20</td> <td>-23.10</td> <td>58.80</td> <td>37.54</td> <td>15.62</td> <td>66.86</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10540.00	45.10	68.20	-23.10	58.80	37.54	15.62	66.86	0.00	--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10540.00	45.70	68.20	-22.50	59.40	37.54	15.62	66.86	0.00	--- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10540.00	45.10	68.20	-23.10	58.80	37.54	15.62	66.86	0.00	--- PEAK																																																																			



	19																																						
Mode	Band Edge - L																																						
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																						
ANT	CDD 1S4T																																						
Pol.	Horizontal	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5302.00</td> <td>110.61</td> <td>-----</td> <td>-----</td> <td>101.78</td> <td>34.55</td> <td>10.72</td> <td>36.44</td> <td>0.00</td> <td>289 150 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5302.00	110.61	-----	-----	101.78	34.55	10.72	36.44	0.00	289 150 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5302.00	110.61	-----	-----	101.78	34.55	10.72	36.44	0.00	289 150 Peak																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>101.12</td> <td>-----</td> <td>-----</td> <td>92.24</td> <td>34.56</td> <td>10.73</td> <td>36.41</td> <td>0.00</td> <td>289 150 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5320.00	101.12	-----	-----	92.24	34.56	10.73	36.41	0.00	289 150 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5320.00	101.12	-----	-----	92.24	34.56	10.73	36.41	0.00	289 150 Average																														



Mode	19																																						
	Band Edge - L																																						
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																						
ANT	CDD 1S4T																																						
Pol.	Vertical	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5314.00</td> <td>118.53</td> <td>-----</td> <td>-----</td> <td>109.66</td> <td>34.56</td> <td>10.73</td> <td>36.42</td> <td>0.00</td> <td>101 165 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5314.00	118.53	-----	-----	109.66	34.56	10.73	36.42	0.00	101 165 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																															
1 5314.00	118.53	-----	-----	109.66	34.56	10.73	36.42	0.00	101 165 Peak																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5296.00</td> <td>107.09</td> <td>-----</td> <td>-----</td> <td>98.28</td> <td>34.54</td> <td>10.72</td> <td>36.45</td> <td>0.00</td> <td>101 165 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5296.00	107.09	-----	-----	98.28	34.54	10.72	36.45	0.00	101 165 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																															
1 5296.00	107.09	-----	-----	98.28	34.54	10.72	36.45	0.00	101 165 Average																														



Mode	19																																																																													
	Harmonic																																																																													
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																																													
ANT	CDD 1S4T																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak																																																																														
Avg																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>42.28</td> <td>74.00</td> <td>-31.72</td> <td>55.81</td> <td>37.60</td> <td>15.69</td> <td>66.82</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10620.00	42.28	74.00	-31.72	55.81	37.60	15.69	66.82	0.00	---	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>43.06</td> <td>74.00</td> <td>-30.94</td> <td>56.59</td> <td>37.60</td> <td>15.69</td> <td>66.82</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10620.00	43.06	74.00	-30.94	56.59	37.60	15.69	66.82	0.00	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 10620.00	42.28	74.00	-31.72	55.81	37.60	15.69	66.82	0.00	---																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 10620.00	43.06	74.00	-30.94	56.59	37.60	15.69	66.82	0.00	---																																																																					



Mode	20																																						
	Band Edge																																						
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																						
ANT	CDD 1S4T																																						
Pol.	Horizontal	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5308.00</td> <td>107.21</td> <td>-----</td> <td>-----</td> <td>98.37</td> <td>34.55</td> <td>10.72</td> <td>36.43</td> <td>0.00</td> <td>307 147 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5308.00	107.21	-----	-----	98.37	34.55	10.72	36.43	0.00	307 147 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5308.00	107.21	-----	-----	98.37	34.55	10.72	36.43	0.00	307 147 Peak																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5290.00</td> <td>98.43</td> <td>-----</td> <td>-----</td> <td>89.64</td> <td>34.54</td> <td>10.71</td> <td>36.46</td> <td>0.00</td> <td>307 147 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5290.00	98.43	-----	-----	89.64	34.54	10.71	36.46	0.00	307 147 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5290.00	98.43	-----	-----	89.64	34.54	10.71	36.46	0.00	307 147 Average																														



Mode	20																																								
	Band Edge																																								
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																								
ANT	CDD 1S4T																																								
Pol.	Vertical	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>114.01</td> <td>-----</td> <td>105.22</td> <td>34.54</td> <td>10.71</td> <td>36.46</td> <td>0.00</td> <td>133</td> <td>165</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5290.00	114.01	-----	105.22	34.54	10.71	36.46	0.00	133	165	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5290.00	114.01	-----	105.22	34.54	10.71	36.46	0.00	133	165	Peak																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>103.82</td> <td>-----</td> <td>95.03</td> <td>34.54</td> <td>10.71</td> <td>36.46</td> <td>0.00</td> <td>133</td> <td>165</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5290.00	103.82	-----	95.03	34.54	10.71	36.46	0.00	133	165	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5290.00	103.82	-----	95.03	34.54	10.71	36.46	0.00	133	165	Average																														



Mode	20																																																																													
	Harmonic																																																																													
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																													
ANT	CDD 1S4T																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>42.64</td> <td>68.20</td> <td>-25.56</td> <td>56.25</td> <td>37.58</td> <td>15.65</td> <td>66.84</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10580.00	42.64	68.20	-25.56	56.25	37.58	15.65	66.84	0.00	--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>42.78</td> <td>68.20</td> <td>-25.42</td> <td>56.39</td> <td>37.58</td> <td>15.65</td> <td>66.84</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10580.00	42.78	68.20	-25.42	56.39	37.58	15.65	66.84	0.00	--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 10580.00	42.64	68.20	-25.56	56.25	37.58	15.65	66.84	0.00	--- PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 10580.00	42.78	68.20	-25.42	56.39	37.58	15.65	66.84	0.00	--- PEAK																																																																					



Mode	22																																								
	Band Edge - L																																								
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																								
ANT	CDD 1S4T																																								
Pol.	Horizontal	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5242.00</td> <td>105.41</td> <td>65.0</td> <td>96.76</td> <td>34.49</td> <td>10.68</td> <td>36.52</td> <td>0.00</td> <td>296</td> <td>147</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5242.00	105.41	65.0	96.76	34.49	10.68	36.52	0.00	296	147	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5242.00	105.41	65.0	96.76	34.49	10.68	36.52	0.00	296	147	Peak																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5242.00</td> <td>96.34</td> <td>68.20</td> <td>34.49</td> <td>10.68</td> <td>36.52</td> <td>0.00</td> <td>296</td> <td>147</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5242.00	96.34	68.20	34.49	10.68	36.52	0.00	296	147	Average	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5242.00	96.34	68.20	34.49	10.68	36.52	0.00	296	147	Average																															



Mode	22																																		
	Band Edge - L																																		
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																		
ANT	CDD 1S4T																																		
Pol.	Vertical	Fundamental																																	
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5296.00</td> <td>112.10</td> <td>103.29</td> <td>34.54</td> <td>10.72</td> <td>36.45</td> <td>0.00</td> <td>100</td> <td>162</td> <td>Peak</td> <td></td> </tr> </tbody> </table>	Limit Freq	Limit Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		5296.00	112.10	103.29	34.54	10.72	36.45	0.00	100	162	Peak	
Limit Freq	Limit Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	Aux Factor	APos	TPos	Remark																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																										
5296.00	112.10	103.29	34.54	10.72	36.45	0.00	100	162	Peak																										
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5236.00</td> <td>101.76</td> <td>93.13</td> <td>34.48</td> <td>10.68</td> <td>36.53</td> <td>0.00</td> <td>100</td> <td>162</td> <td>Average</td> <td></td> </tr> </tbody> </table>	Limit Freq	Limit Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		5236.00	101.76	93.13	34.48	10.68	36.53	0.00	100	162	Average	
Limit Freq	Limit Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	Aux Factor	APos	TPos	Remark																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																										
5236.00	101.76	93.13	34.48	10.68	36.53	0.00	100	162	Average																										



Mode	22																																																																																	
	Harmonic																																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak																																																																																		
Avg																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10500.00</td> <td>43.83</td> <td>68.20</td> <td>-24.37</td> <td>57.63</td> <td>37.50</td> <td>15.58</td> <td>66.88</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10500.00	43.83	68.20	-24.37	57.63	37.50	15.58	66.88	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10500.00</td> <td>43.22</td> <td>68.20</td> <td>-24.98</td> <td>57.02</td> <td>37.50</td> <td>15.58</td> <td>66.88</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10500.00	43.22	68.20	-24.98	57.02	37.50	15.58	66.88	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10500.00	43.83	68.20	-24.37	57.63	37.50	15.58	66.88	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10500.00	43.22	68.20	-24.98	57.02	37.50	15.58	66.88	0.00	---	---	PEAK																																																																							



Mode	23																																								
	Band Edge																																								
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full RU_5320MHz RU52*4																																								
ANT	CDD 1S4T																																								
Pol.	Horizontal	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>112.12</td> <td>-----</td> <td>-----</td> <td>103.24</td> <td>34.56</td> <td>10.73</td> <td>36.41</td> <td>0.00</td> <td>101</td> <td>90 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	112.12	-----	-----	103.24	34.56	10.73	36.41	0.00	101	90 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5320.00	112.12	-----	-----	103.24	34.56	10.73	36.41	0.00	101	90 PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>103.39</td> <td>-----</td> <td>-----</td> <td>94.51</td> <td>34.56</td> <td>10.73</td> <td>36.41</td> <td>0.00</td> <td>101</td> <td>90 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	103.39	-----	-----	94.51	34.56	10.73	36.41	0.00	101	90 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5320.00	103.39	-----	-----	94.51	34.56	10.73	36.41	0.00	101	90 AVERAGE																															



Mode	23																																					
	Band Edge																																					
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full RU_5320MHz RU52*4																																					
ANT	CDD 1S4T																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>121.05</td> <td>-----</td> <td>112.15</td> <td>34.57</td> <td>10.73</td> <td>36.40</td> <td>0.00</td> <td>100 168 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5320.00	121.05	-----	112.15	34.57	10.73	36.40	0.00	100 168 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																														
1 5320.00	121.05	-----	112.15	34.57	10.73	36.40	0.00	100 168 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>109.78</td> <td>-----</td> <td>100.88</td> <td>34.57</td> <td>10.73</td> <td>36.40</td> <td>0.00</td> <td>100 168 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5320.00	109.78	-----	100.88	34.57	10.73	36.40	0.00	100 168 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																														
1 5320.00	109.78	-----	100.88	34.57	10.73	36.40	0.00	100 168 AVERAGE																														



Mode	24																																									
	Band Edge - L																																									
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz PC 40MHz,Loc 1																																									
ANT	CDD 1S4T																																									
Pol.	Horizontal	Fundamental																																								
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5250.00</td> <td>104.89</td> <td>-----</td> <td>-----</td> <td>96.15</td> <td>34.52</td> <td>10.70</td> <td>36.48</td> <td>0.00</td> <td>138</td> <td>90</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5250.00	104.89	-----	-----	96.15	34.52	10.70	36.48	0.00	138	90	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5250.00	104.89	-----	-----	96.15	34.52	10.70	36.48	0.00	138	90	PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5250.00</td> <td>95.48</td> <td>-----</td> <td>-----</td> <td>86.61</td> <td>34.56</td> <td>10.73</td> <td>36.42</td> <td>0.00</td> <td>138</td> <td>90</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5250.00	95.48	-----	-----	86.61	34.56	10.73	36.42	0.00	138	90	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5250.00	95.48	-----	-----	86.61	34.56	10.73	36.42	0.00	138	90	AVERAGE																															



Mode	24																																								
	Band Edge - L																																								
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz PC 40MHz,Loc 1																																								
ANT	CDD 1S4T																																								
Pol.	Vertical	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5250.00</td> <td>112.58</td> <td>-----</td> <td>-----</td> <td>104.00</td> <td>34.47</td> <td>10.67</td> <td>36.56</td> <td>0.00</td> <td>100</td> <td>168</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5250.00	112.58	-----	-----	104.00	34.47	10.67	36.56	0.00	100	168	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																	
1 5250.00	112.58	-----	-----	104.00	34.47	10.67	36.56	0.00	100	168	PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5250.00</td> <td>101.93</td> <td>-----</td> <td>-----</td> <td>93.30</td> <td>34.48</td> <td>10.68</td> <td>36.53</td> <td>0.00</td> <td>100</td> <td>168</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5250.00	101.93	-----	-----	93.30	34.48	10.68	36.53	0.00	100	168	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																	
1 5250.00	101.93	-----	-----	93.30	34.48	10.68	36.53	0.00	100	168	AVERAGE																														



Mode	25																																						
	Band Edge - L																																						
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz PC 40MHz,Loc 4																																						
ANT	CDD 1S4T																																						
Pol.	Horizontal	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5250.00</td> <td>105.92</td> <td>-----</td> <td>-----</td> <td>97.21</td> <td>34.51</td> <td>10.70</td> <td>36.50</td> <td>0.00</td> <td>153 360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5250.00	105.92	-----	-----	97.21	34.51	10.70	36.50	0.00	153 360 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5250.00	105.92	-----	-----	97.21	34.51	10.70	36.50	0.00	153 360 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5250.00</td> <td>94.88</td> <td>-----</td> <td>-----</td> <td>86.23</td> <td>34.49</td> <td>10.68</td> <td>36.52</td> <td>0.00</td> <td>153 360 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5250.00	94.88	-----	-----	86.23	34.49	10.68	36.52	0.00	153 360 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5250.00	94.88	-----	-----	86.23	34.49	10.68	36.52	0.00	153 360 AVERAGE																														



Mode	25																																							
	Band Edge - L																																							
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz PC 40MHz,Loc 4																																							
ANT	CDD 1S4T																																							
Pol.	Vertical	Fundamental																																						
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5250.00</td> <td>112.01</td> <td>103.50</td> <td>34.45</td> <td>10.65</td> <td>36.59</td> <td>0.00</td> <td>100</td> <td>164</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5250.00	112.01	103.50	34.45	10.65	36.59	0.00	100	164	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5250.00	112.01	103.50	34.45	10.65	36.59	0.00	100	164	PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5250.00</td> <td>101.76</td> <td>93.13</td> <td>34.48</td> <td>10.68</td> <td>36.53</td> <td>0.00</td> <td>100</td> <td>164</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5250.00	101.76	93.13	34.48	10.68	36.53	0.00	100	164	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5250.00	101.76	93.13	34.48	10.68	36.53	0.00	100	164	AVERAGE																															



Mode	26																																							
	Band Edge																																							
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																							
ANT	CDD 1S4T																																							
Pol.	Horizontal	Fundamental																																						
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>114.52</td> <td>-----</td> <td>-----</td> <td>105.04</td> <td>34.74</td> <td>10.89</td> <td>36.15</td> <td>0.00</td> <td>270 279 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	114.52	-----	-----	105.04	34.74	10.89	36.15	0.00	270 279 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5500.00	114.52	-----	-----	105.04	34.74	10.89	36.15	0.00	270 279 PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>105.04</td> <td>-----</td> <td>-----</td> <td>95.56</td> <td>34.74</td> <td>10.89</td> <td>36.15</td> <td>0.00</td> <td>270 279 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	105.04	-----	-----	95.56	34.74	10.89	36.15	0.00	270 279 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5500.00	105.04	-----	-----	95.56	34.74	10.89	36.15	0.00	270 279 AVERAGE																															



Mode	26																																							
	Band Edge																																							
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																							
ANT	CDD 1S4T																																							
Pol.	Vertical	Fundamental																																						
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>119.57</td> <td>-----</td> <td>-----</td> <td>110.09</td> <td>34.74</td> <td>10.89</td> <td>36.15</td> <td>0.00</td> <td>100</td> <td>95 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5500.00	119.57	-----	-----	110.09	34.74	10.89	36.15	0.00	100	95 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																
1 5500.00	119.57	-----	-----	110.09	34.74	10.89	36.15	0.00	100	95 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>111.04</td> <td>-----</td> <td>-----</td> <td>101.58</td> <td>34.73</td> <td>10.89</td> <td>36.16</td> <td>0.00</td> <td>100</td> <td>95 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5500.00	111.04	-----	-----	101.58	34.73	10.89	36.16	0.00	100	95 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																
1 5500.00	111.04	-----	-----	101.58	34.73	10.89	36.16	0.00	100	95 AVERAGE																														



Mode	26																																																																													
	Harmonic																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																													
ANT	CDD 1S4T																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak																																																																														
Avg																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>45.16</td> <td>74.00</td> <td>-28.84</td> <td>57.83</td> <td>37.90</td> <td>16.04</td> <td>66.61</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11000.00	45.16	74.00	-28.84	57.83	37.90	16.04	66.61	0.00	---	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>44.72</td> <td>74.00</td> <td>-29.28</td> <td>57.39</td> <td>37.90</td> <td>16.04</td> <td>66.61</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11000.00	44.72	74.00	-29.28	57.39	37.90	16.04	66.61	0.00	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11000.00	45.16	74.00	-28.84	57.83	37.90	16.04	66.61	0.00	---																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11000.00	44.72	74.00	-29.28	57.39	37.90	16.04	66.61	0.00	---																																																																					



Mode	27																																								
	Band Edge - L																																								
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																								
ANT	CDD 1S4T																																								
Pol.	Horizontal	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5580.00</td> <td>113.66</td> <td>-----</td> <td>103.91</td> <td>34.81</td> <td>10.98</td> <td>36.04</td> <td>0.00</td> <td>300</td> <td>227</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5580.00	113.66	-----	103.91	34.81	10.98	36.04	0.00	300	227	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5580.00	113.66	-----	103.91	34.81	10.98	36.04	0.00	300	227	PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5580.00</td> <td>104.63</td> <td>-----</td> <td>94.88</td> <td>34.81</td> <td>10.98</td> <td>36.04</td> <td>0.00</td> <td>300</td> <td>227</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5580.00	104.63	-----	94.88	34.81	10.98	36.04	0.00	300	227	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5580.00	104.63	-----	94.88	34.81	10.98	36.04	0.00	300	227	AVERAGE																															



Mode	27																																						
	Band Edge - L																																						
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																						
ANT	CDD 1S4T																																						
Pol.	Vertical	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5580.00</td> <td>120.44</td> <td>-----</td> <td>-----</td> <td>110.69</td> <td>34.81</td> <td>10.98</td> <td>36.04</td> <td>0.00</td> <td>102 93 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5580.00	120.44	-----	-----	110.69	34.81	10.98	36.04	0.00	102 93 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5580.00	120.44	-----	-----	110.69	34.81	10.98	36.04	0.00	102 93 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5580.00</td> <td>111.72</td> <td>-----</td> <td>-----</td> <td>101.97</td> <td>34.81</td> <td>10.98</td> <td>36.04</td> <td>0.00</td> <td>102 93 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5580.00	111.72	-----	-----	101.97	34.81	10.98	36.04	0.00	102 93 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5580.00	111.72	-----	-----	101.97	34.81	10.98	36.04	0.00	102 93 AVERAGE																														



Mode	27																																																																													
	Harmonic																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																													
ANT	CDD 1S4T																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>44.95</td> <td>74.00</td> <td>-29.05</td> <td>57.46</td> <td>37.86</td> <td>16.15</td> <td>66.52</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11160.00	44.95	74.00	-29.05	57.46	37.86	16.15	66.52	0.00	---	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>44.78</td> <td>74.00</td> <td>-29.22</td> <td>57.29</td> <td>37.86</td> <td>16.15</td> <td>66.52</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11160.00	44.78	74.00	-29.22	57.29	37.86	16.15	66.52	0.00	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11160.00	44.95	74.00	-29.05	57.46	37.86	16.15	66.52	0.00	---																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11160.00	44.78	74.00	-29.22	57.29	37.86	16.15	66.52	0.00	---																																																																					



	28																																						
Mode	Band Edge																																						
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																						
ANT	CDD 1S4T																																						
Pol.	Horizontal	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>113.22</td> <td>-----</td> <td>-----</td> <td>104.10</td> <td>34.93</td> <td>11.15</td> <td>36.96</td> <td>0.00</td> <td>100 356 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5700.00	113.22	-----	-----	104.10	34.93	11.15	36.96	0.00	100 356 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5700.00	113.22	-----	-----	104.10	34.93	11.15	36.96	0.00	100 356 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>104.81</td> <td>-----</td> <td>-----</td> <td>95.69</td> <td>34.93</td> <td>11.15</td> <td>36.96</td> <td>0.00</td> <td>100 356 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5700.00	104.81	-----	-----	95.69	34.93	11.15	36.96	0.00	100 356 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5700.00	104.81	-----	-----	95.69	34.93	11.15	36.96	0.00	100 356 AVERAGE																														



	28																																																
Mode	Band Edge																																																
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																
ANT	CDD 1S4T																																																
Pol.	Vertical	Fundamental																																															
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>120.86</td> <td>-----</td> <td>-----</td> <td>111.74</td> <td>34.93</td> <td>11.15</td> <td>36.96</td> <td>0.00</td> <td>101 93 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5700.00	120.86	-----	-----	111.74	34.93	11.15	36.96	0.00	101 93 PEAK										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																									
1 5700.00	120.86	-----	-----	111.74	34.93	11.15	36.96	0.00	101 93 PEAK																																								
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5398.00</td> <td>52.06</td> <td>54.00</td> <td>-1.94</td> <td>42.95</td> <td>34.64</td> <td>10.77</td> <td>36.30</td> <td>0.00</td> <td>101 93 Average</td> </tr> <tr> <td>2 5700.00</td> <td>111.52</td> <td>-----</td> <td>-----</td> <td>102.40</td> <td>34.93</td> <td>11.15</td> <td>36.96</td> <td>0.00</td> <td>101 93 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5398.00	52.06	54.00	-1.94	42.95	34.64	10.77	36.30	0.00	101 93 Average	2 5700.00	111.52	-----	-----	102.40	34.93	11.15	36.96	0.00	101 93 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																									
1 5398.00	52.06	54.00	-1.94	42.95	34.64	10.77	36.30	0.00	101 93 Average																																								
2 5700.00	111.52	-----	-----	102.40	34.93	11.15	36.96	0.00	101 93 AVERAGE																																								



Mode	28																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak																																																																																		
Avg																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>45.00</td> <td>74.00</td> <td>-29.00</td> <td>57.09</td> <td>38.00</td> <td>16.30</td> <td>66.39</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	45.00	74.00	-29.00	57.09	38.00	16.30	66.39	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>45.49</td> <td>74.00</td> <td>-28.51</td> <td>57.58</td> <td>38.00</td> <td>16.30</td> <td>66.39</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	45.49	74.00	-28.51	57.58	38.00	16.30	66.39	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11400.00	45.00	74.00	-29.00	57.09	38.00	16.30	66.39	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11400.00	45.49	74.00	-28.51	57.58	38.00	16.30	66.39	0.00	---	---	PEAK																																																																							



Mode	29																																						
	Band Edge																																						
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHZ																																						
ANT	CDD 1S4T																																						
Pol.	Horizontal	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>113.32</td> <td>-----</td> <td>-----</td> <td>103.84</td> <td>34.74</td> <td>10.89</td> <td>36.15</td> <td>0.00</td> <td>308 280 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5500.00	113.32	-----	-----	103.84	34.74	10.89	36.15	0.00	308 280 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																															
1 5500.00	113.32	-----	-----	103.84	34.74	10.89	36.15	0.00	308 280 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>104.61</td> <td>-----</td> <td>-----</td> <td>95.33</td> <td>34.74</td> <td>10.89</td> <td>36.15</td> <td>0.00</td> <td>308 280 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5500.00	104.61	-----	-----	95.33	34.74	10.89	36.15	0.00	308 280 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																															
1 5500.00	104.61	-----	-----	95.33	34.74	10.89	36.15	0.00	308 280 AVERAGE																														



Mode	29																																								
	Band Edge																																								
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHZ																																								
ANT	CDD 1S4T																																								
Pol.	Vertical	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>120.74</td> <td>-----</td> <td>-----</td> <td>111.28</td> <td>34.73</td> <td>10.89</td> <td>36.16</td> <td>0.00</td> <td>100</td> <td>93 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	120.74	-----	-----	111.28	34.73	10.89	36.16	0.00	100	93 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5500.00	120.74	-----	-----	111.28	34.73	10.89	36.16	0.00	100	93 PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>111.19</td> <td>-----</td> <td>-----</td> <td>101.73</td> <td>34.73</td> <td>10.89</td> <td>36.16</td> <td>0.00</td> <td>100</td> <td>93 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	111.19	-----	-----	101.73	34.73	10.89	36.16	0.00	100	93 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5500.00	111.19	-----	-----	101.73	34.73	10.89	36.16	0.00	100	93 AVERAGE																															



Mode	29																																																																																			
	Harmonic																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal	Vertical																																																																																		
Peak																																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>44.88</td> <td>74.00</td> <td>-29.12</td> <td>57.55</td> <td>37.90</td> <td>16.04</td> <td>66.61</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11000.00	44.88	74.00	-29.12	57.55	37.90	16.04	66.61	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>44.42</td> <td>74.00</td> <td>-29.58</td> <td>57.09</td> <td>37.90</td> <td>16.04</td> <td>66.61</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11000.00	44.42	74.00	-29.58	57.09	37.90	16.04	66.61	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 11000.00	44.88	74.00	-29.12	57.55	37.90	16.04	66.61	0.00	---	---	PEAK																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 11000.00	44.42	74.00	-29.58	57.09	37.90	16.04	66.61	0.00	---	---	PEAK																																																																									



Mode	30																																								
	Band Edge - L																																								
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																								
ANT	CDD 1S4T																																								
Pol.	Horizontal	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5580.00</td> <td>112.08</td> <td>-----</td> <td>-----</td> <td>102.33</td> <td>34.81</td> <td>10.98</td> <td>36.04</td> <td>0.00</td> <td>300</td> <td>227</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5580.00	112.08	-----	-----	102.33	34.81	10.98	36.04	0.00	300	227	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1 5580.00	112.08	-----	-----	102.33	34.81	10.98	36.04	0.00	300	227	PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5580.00</td> <td>103.90</td> <td>-----</td> <td>-----</td> <td>94.15</td> <td>34.81</td> <td>10.98</td> <td>36.04</td> <td>0.00</td> <td>300</td> <td>227</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5580.00	103.90	-----	-----	94.15	34.81	10.98	36.04	0.00	300	227	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1 5580.00	103.90	-----	-----	94.15	34.81	10.98	36.04	0.00	300	227	AVERAGE																														



Mode	30																																								
	Band Edge - L																																								
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																								
ANT	CDD 1S4T																																								
Pol.	Vertical	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5580.00</td> <td>120.01</td> <td>-----</td> <td>-----</td> <td>110.26</td> <td>34.81</td> <td>10.98</td> <td>36.04</td> <td>0.00</td> <td>120</td> <td>91 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5580.00	120.01	-----	-----	110.26	34.81	10.98	36.04	0.00	120	91 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5580.00	120.01	-----	-----	110.26	34.81	10.98	36.04	0.00	120	91 PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5580.00</td> <td>111.33</td> <td>-----</td> <td>-----</td> <td>101.58</td> <td>34.81</td> <td>10.98</td> <td>36.04</td> <td>0.00</td> <td>120</td> <td>91 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5580.00	111.33	-----	-----	101.58	34.81	10.98	36.04	0.00	120	91 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5580.00	111.33	-----	-----	101.58	34.81	10.98	36.04	0.00	120	91 AVERAGE																															



Mode	30																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																																																															
ANT	CDD 1S4T																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak																																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>45.69</td> <td>74.00</td> <td>-28.31</td> <td>58.20</td> <td>37.86</td> <td>16.15</td> <td>66.52</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11160.00	45.69	74.00	-28.31	58.20	37.86	16.15	66.52	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>44.90</td> <td>74.00</td> <td>-29.10</td> <td>57.41</td> <td>37.86</td> <td>16.15</td> <td>66.52</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11160.00	44.90	74.00	-29.10	57.41	37.86	16.15	66.52	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11160.00	45.69	74.00	-28.31	58.20	37.86	16.15	66.52	0.00	---	---	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 11160.00	44.90	74.00	-29.10	57.41	37.86	16.15	66.52	0.00	---	---	PEAK																																																																					



Mode	31																																														
	Band Edge																																														
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																														
ANT	CDD 1S4T																																														
Pol.	Horizontal	Fundamental																																													
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>113.33</td> <td>-----</td> <td>-----</td> <td>104.30</td> <td>34.93</td> <td>11.16</td> <td>37.06</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>344 241 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5700.00	113.33	-----	-----	104.30	34.93	11.16	37.06	0.00									344 241 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																							
1 5700.00	113.33	-----	-----	104.30	34.93	11.16	37.06	0.00																																							
								344 241 PEAK																																							
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>104.64</td> <td>-----</td> <td>-----</td> <td>95.61</td> <td>34.93</td> <td>11.16</td> <td>37.06</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>344 241 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5700.00	104.64	-----	-----	95.61	34.93	11.16	37.06	0.00									344 241 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																							
1 5700.00	104.64	-----	-----	95.61	34.93	11.16	37.06	0.00																																							
								344 241 AVERAGE																																							



Mode	31																																								
	Band Edge																																								
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHZ																																								
ANT	CDD 1S4T																																								
Pol.	Vertical	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>119.09</td> <td>-----</td> <td>109.97</td> <td>34.93</td> <td>11.15</td> <td>36.96</td> <td>0.00</td> <td>102</td> <td>93 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	119.09	-----	109.97	34.93	11.15	36.96	0.00	102	93 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	5700.00	119.09	-----	109.97	34.93	11.15	36.96	0.00	102	93 PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>110.92</td> <td>-----</td> <td>101.80</td> <td>34.93</td> <td>11.15</td> <td>36.96</td> <td>0.00</td> <td>102</td> <td>93 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	110.92	-----	101.80	34.93	11.15	36.96	0.00	102	93 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	5700.00	110.92	-----	101.80	34.93	11.15	36.96	0.00	102	93 AVERAGE																															



Mode	31																																																																																											
	Harmonic																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																																																											
ANT	CDD 1S4T																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak																																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>45.16</td> <td>74.00</td> <td>-28.84</td> <td>57.25</td> <td>38.00</td> <td>16.30</td> <td>66.39</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11400.00	45.16	74.00	-28.84	57.25	38.00	16.30	66.39	0.00									--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>45.66</td> <td>74.00</td> <td>-28.34</td> <td>57.75</td> <td>38.00</td> <td>16.30</td> <td>66.39</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11400.00	45.66	74.00	-28.34	57.75	38.00	16.30	66.39	0.00									--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11400.00	45.16	74.00	-28.84	57.25	38.00	16.30	66.39	0.00																																																																																				
								--- PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11400.00	45.66	74.00	-28.34	57.75	38.00	16.30	66.39	0.00																																																																																				
								--- PEAK																																																																																				



Mode	32																																								
	Band Edge - L																																								
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																								
ANT	CDD 1S4T																																								
Pol.	Horizontal	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5518.00</td> <td>109.21</td> <td>-----</td> <td>99.68</td> <td>34.75</td> <td>10.91</td> <td>36.13</td> <td>0.00</td> <td>294</td> <td>118</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5518.00	109.21	-----	99.68	34.75	10.91	36.13	0.00	294	118	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5518.00	109.21	-----	99.68	34.75	10.91	36.13	0.00	294	118	Peak																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5518.00</td> <td>100.66</td> <td>-----</td> <td>91.13</td> <td>34.75</td> <td>10.91</td> <td>36.13</td> <td>0.00</td> <td>294</td> <td>118</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5518.00	100.66	-----	91.13	34.75	10.91	36.13	0.00	294	118	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5518.00	100.66	-----	91.13	34.75	10.91	36.13	0.00	294	118	Average																														



Mode	32																																																																	
	Band Edge - L																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																	
ANT	CDD 1S4T																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>5512.00</td> <td>117.69</td> <td>-----</td> <td>-----</td> <td>108.18</td> <td>34.75</td> <td>10.90</td> <td>36.14</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>107</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>90</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	5512.00	117.69	-----	-----	108.18	34.75	10.90	36.14							0.00									107								90								Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
5512.00	117.69	-----	-----	108.18	34.75	10.90	36.14																																																											
						0.00																																																												
							107																																																											
							90																																																											
							Peak																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>5494.00</td> <td>107.52</td> <td>-----</td> <td>-----</td> <td>98.08</td> <td>34.73</td> <td>10.88</td> <td>36.17</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>107</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>90</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	5494.00	107.52	-----	-----	98.08	34.73	10.88	36.17							0.00									107								90								Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
5494.00	107.52	-----	-----	98.08	34.73	10.88	36.17																																																											
						0.00																																																												
							107																																																											
							90																																																											
							Average																																																											



Mode	32																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak																																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>44.55</td> <td>74.00</td> <td>-29.45</td> <td>57.21</td> <td>37.88</td> <td>16.06</td> <td>66.60</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11020.00	44.55	74.00	-29.45	57.21	37.88	16.06	66.60	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>44.53</td> <td>74.00</td> <td>-29.47</td> <td>57.19</td> <td>37.88</td> <td>16.06</td> <td>66.60</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11020.00	44.53	74.00	-29.47	57.19	37.88	16.06	66.60	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11020.00	44.55	74.00	-29.45	57.21	37.88	16.06	66.60	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11020.00	44.53	74.00	-29.47	57.19	37.88	16.06	66.60	0.00	---	---	PEAK																																																																							



Mode	33																																									
	Band Edge - L																																									
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																									
ANT	CDD 1S4T																																									
Pol.	Horizontal	Fundamental																																								
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5550.00</td> <td>110.96</td> <td>-----</td> <td>-----</td> <td>101.37</td> <td>34.77</td> <td>10.93</td> <td>36.11</td> <td>0.00</td> <td>261</td> <td>277</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5550.00	110.96	-----	-----	101.37	34.77	10.93	36.11	0.00	261	277	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5550.00	110.96	-----	-----	101.37	34.77	10.93	36.11	0.00	261	277	PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5550.00</td> <td>101.86</td> <td>-----</td> <td>-----</td> <td>92.27</td> <td>34.77</td> <td>10.93</td> <td>36.11</td> <td>0.00</td> <td>261</td> <td>277</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5550.00	101.86	-----	-----	92.27	34.77	10.93	36.11	0.00	261	277	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5550.00	101.86	-----	-----	92.27	34.77	10.93	36.11	0.00	261	277	AVERAGE																															



Mode	33																																								
	Band Edge - L																																								
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																								
ANT	CDD 1S4T																																								
Pol.	Vertical	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5550.00</td> <td>117.38</td> <td>-----</td> <td>-----</td> <td>107.73</td> <td>34.78</td> <td>10.95</td> <td>36.08</td> <td>0.00</td> <td>100</td> <td>95 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5550.00	117.38	-----	-----	107.73	34.78	10.95	36.08	0.00	100	95 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5550.00	117.38	-----	-----	107.73	34.78	10.95	36.08	0.00	100	95 PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5550.00</td> <td>108.00</td> <td>-----</td> <td>-----</td> <td>98.44</td> <td>34.76</td> <td>10.92</td> <td>36.12</td> <td>0.00</td> <td>100</td> <td>95 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5550.00	108.00	-----	-----	98.44	34.76	10.92	36.12	0.00	100	95 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5550.00	108.00	-----	-----	98.44	34.76	10.92	36.12	0.00	100	95 AVERAGE																															



Mode	33																																																																									
	Harmonic																																																																									
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																																									
ANT	CDD 1S4T																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak																																																																										
Avg																																																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>45.53</td> <td>74.00</td> <td>-28.47</td> <td>58.17</td> <td>37.80</td> <td>16.11</td> <td>66.55</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11100.00	45.53	74.00	-28.47	58.17	37.80	16.11	66.55	0.00	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>44.92</td> <td>74.00</td> <td>-29.08</td> <td>57.56</td> <td>37.80</td> <td>16.11</td> <td>66.55</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11100.00	44.92	74.00	-29.08	57.56	37.80	16.11	66.55	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 11100.00	45.53	74.00	-28.47	58.17	37.80	16.11	66.55	0.00																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 11100.00	44.92	74.00	-29.08	57.56	37.80	16.11	66.55	0.00																																																																		







Mode	34																																							
	Band Edge - L																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																							
ANT	CDD 1S4T																																							
Pol.	Horizontal	Fundamental																																						
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5670.00</td> <td>111.59</td> <td>-----</td> <td>-----</td> <td>101.84</td> <td>34.88</td> <td>11.08</td> <td>36.21</td> <td>0.00</td> <td>100</td> <td>358 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5670.00	111.59	-----	-----	101.84	34.88	11.08	36.21	0.00	100	358 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																
1 5670.00	111.59	-----	-----	101.84	34.88	11.08	36.21	0.00	100	358 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5670.00</td> <td>101.88</td> <td>-----</td> <td>-----</td> <td>92.13</td> <td>34.88</td> <td>11.08</td> <td>36.21</td> <td>0.00</td> <td>100</td> <td>358 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5670.00	101.88	-----	-----	92.13	34.88	11.08	36.21	0.00	100	358 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																
1 5670.00	101.88	-----	-----	92.13	34.88	11.08	36.21	0.00	100	358 AVERAGE																														



Mode	34																																					
	Band Edge - L																																					
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																					
ANT	CDD 1S4T																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5670.00</td> <td>117.90</td> <td>-----</td> <td>108.15</td> <td>34.88</td> <td>11.08</td> <td>36.21</td> <td>0.00</td> <td>100 95 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5670.00	117.90	-----	108.15	34.88	11.08	36.21	0.00	100 95 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																														
1 5670.00	117.90	-----	108.15	34.88	11.08	36.21	0.00	100 95 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5670.00</td> <td>108.75</td> <td>-----</td> <td>98.92</td> <td>34.88</td> <td>11.07</td> <td>36.12</td> <td>0.00</td> <td>100 95 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5670.00	108.75	-----	98.92	34.88	11.07	36.12	0.00	100 95 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																														
1 5670.00	108.75	-----	98.92	34.88	11.07	36.12	0.00	100 95 AVERAGE																														



Mode	34																																																																													
	Harmonic																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																													
ANT	CDD 1S4T																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak																																																																														
Avg																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>44.82</td> <td>74.00</td> <td>-29.18</td> <td>57.04</td> <td>37.94</td> <td>16.26</td> <td>66.42</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11340.00	44.82	74.00	-29.18	57.04	37.94	16.26	66.42	0.00	---	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>44.47</td> <td>74.00</td> <td>-29.53</td> <td>56.69</td> <td>37.94</td> <td>16.26</td> <td>66.42</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11340.00	44.47	74.00	-29.53	56.69	37.94	16.26	66.42	0.00	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11340.00	44.82	74.00	-29.18	57.04	37.94	16.26	66.42	0.00	---																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11340.00	44.47	74.00	-29.53	56.69	37.94	16.26	66.42	0.00	---																																																																					



	35																																						
Mode	Band Edge																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																						
ANT	CDD 1S4T																																						
Pol.	Horizontal	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5518.00</td> <td>110.31</td> <td>-----</td> <td>-----</td> <td>100.78</td> <td>34.75</td> <td>10.91</td> <td>36.13</td> <td>0.00</td> <td>366 246 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5518.00	110.31	-----	-----	100.78	34.75	10.91	36.13	0.00	366 246 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5518.00	110.31	-----	-----	100.78	34.75	10.91	36.13	0.00	366 246 Peak																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5518.00</td> <td>97.76</td> <td>-----</td> <td>-----</td> <td>88.23</td> <td>34.75</td> <td>10.91</td> <td>36.13</td> <td>0.00</td> <td>366 246 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5518.00	97.76	-----	-----	88.23	34.75	10.91	36.13	0.00	366 246 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5518.00	97.76	-----	-----	88.23	34.75	10.91	36.13	0.00	366 246 Average																														



	35																																							
Mode	Band Edge																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																							
ANT	CDD 1S4T																																							
Pol.	Vertical	Fundamental																																						
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5512.00</td> <td>114.49</td> <td>-----</td> <td>104.98</td> <td>34.75</td> <td>10.90</td> <td>36.14</td> <td>0.00</td> <td>105</td> <td>91 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5512.00	114.49	-----	104.98	34.75	10.90	36.14	0.00	105	91 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																
1	5512.00	114.49	-----	104.98	34.75	10.90	36.14	0.00	105	91 Peak																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>104.18</td> <td>-----</td> <td>94.62</td> <td>34.76</td> <td>10.92</td> <td>36.12</td> <td>0.00</td> <td>105</td> <td>91 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5530.00	104.18	-----	94.62	34.76	10.92	36.12	0.00	105	91 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																
1	5530.00	104.18	-----	94.62	34.76	10.92	36.12	0.00	105	91 Average																														



Mode	35																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>43.43</td> <td>74.00</td> <td>-30.57</td> <td>56.08</td> <td>37.84</td> <td>16.08</td> <td>66.57</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11060.00	43.43	74.00	-30.57	56.08	37.84	16.08	66.57	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>43.41</td> <td>74.00</td> <td>-30.59</td> <td>56.06</td> <td>37.84</td> <td>16.08</td> <td>66.57</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11060.00	43.41	74.00	-30.59	56.06	37.84	16.08	66.57	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11060.00	43.43	74.00	-30.57	56.08	37.84	16.08	66.57	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11060.00	43.41	74.00	-30.59	56.06	37.84	16.08	66.57	0.00	---	---	PEAK																																																																							



Mode	36																																																																
	Band Edge																																																																
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz PC 20MHz,Loc 4																																																																
ANT	CDD 1S4T																																																																
Pol.	Horizontal	Fundamental																																																															
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5530.00</td> <td>106.44</td> <td>-----</td> <td>-----</td> <td>96.98</td> <td>34.73</td> <td>10.89</td> <td>36.16</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>120</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5530.00	106.44	-----	-----	96.98	34.73	10.89	36.16	0.00									300									120									PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																									
1 5530.00	106.44	-----	-----	96.98	34.73	10.89	36.16	0.00																																																									
								300																																																									
								120																																																									
								PEAK																																																									
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5530.00</td> <td>96.51</td> <td>-----</td> <td>-----</td> <td>87.05</td> <td>34.73</td> <td>10.89</td> <td>36.16</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>120</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5530.00	96.51	-----	-----	87.05	34.73	10.89	36.16	0.00									300									120									AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																									
1 5530.00	96.51	-----	-----	87.05	34.73	10.89	36.16	0.00																																																									
								300																																																									
								120																																																									
								AVERAGE																																																									



		36																																																																	
Mode	Band Edge																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz PC 20MHz,Loc 4																																																																		
ANT	CDD 1S4T																																																																		
Pol.	Vertical	Fundamental																																																																	
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>114.84</td> <td>-----</td> <td>105.40</td> <td>34.73</td> <td>10.88</td> <td>36.17</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>117</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>97</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5530.00	114.84	-----	105.40	34.73	10.88	36.17							0.00									117								97								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1	5530.00	114.84	-----	105.40	34.73	10.88	36.17																																																												
						0.00																																																													
							117																																																												
							97																																																												
							PEAK																																																												
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>104.42</td> <td>-----</td> <td>94.98</td> <td>34.73</td> <td>10.88</td> <td>36.17</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>117</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>97</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5530.00	104.42	-----	94.98	34.73	10.88	36.17							0.00									117								97								AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1	5530.00	104.42	-----	94.98	34.73	10.88	36.17																																																												
						0.00																																																													
							117																																																												
							97																																																												
							AVERAGE																																																												



	37																																									
Mode	Band Edge - L																																									
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																									
ANT	CDD 1S4T																																									
Pol.	Horizontal	Fundamental																																								
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5610.00</td> <td>109.45</td> <td>-----</td> <td>-----</td> <td>99.49</td> <td>34.86</td> <td>11.06</td> <td>35.96</td> <td>0.00</td> <td>253</td> <td>117 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5610.00	109.45	-----	-----	99.49	34.86	11.06	35.96	0.00	253	117 PEAK	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5610.00	109.45	-----	-----	99.49	34.86	11.06	35.96	0.00	253	117 PEAK																																
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5610.00</td> <td>99.93</td> <td>-----</td> <td>-----</td> <td>89.97</td> <td>34.86</td> <td>11.06</td> <td>35.96</td> <td>0.00</td> <td>253</td> <td>117 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5610.00	99.93	-----	-----	89.97	34.86	11.06	35.96	0.00	253	117 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																
1 5610.00	99.93	-----	-----	89.97	34.86	11.06	35.96	0.00	253	117 AVERAGE																																



	37																																												
Mode	Band Edge - L																																												
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																												
ANT	CDD 1S4T																																												
Pol.	Vertical	Fundamental																																											
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>115.36</td> <td>-----</td> <td>105.56</td> <td>34.82</td> <td>11.00</td> <td>36.02</td> <td>0.00</td> <td>100</td> <td>96</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	115.36	-----	105.56	34.82	11.00	36.02	0.00	100	96	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5610.00	115.36	-----	105.56	34.82	11.00	36.02	0.00	100	96	PEAK																																		
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>105.45</td> <td>-----</td> <td>95.74</td> <td>34.80</td> <td>10.97</td> <td>36.06</td> <td>0.00</td> <td>100</td> <td>96</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	105.45	-----	95.74	34.80	10.97	36.06	0.00	100	96	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5610.00	105.45	-----	95.74	34.80	10.97	36.06	0.00	100	96	AVERAGE																																		



Mode	37																																																																																											
	Harmonic																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																											
ANT	CDD 1S4T																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak																																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>45.73</td> <td>74.00</td> <td>-28.27</td> <td>58.13</td> <td>37.90</td> <td>16.18</td> <td>66.48</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11220.00	45.73	74.00	-28.27	58.13	37.90	16.18	66.48	0.00									--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>45.11</td> <td>74.00</td> <td>-28.89</td> <td>57.51</td> <td>37.90</td> <td>16.18</td> <td>66.48</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11220.00	45.11	74.00	-28.89	57.51	37.90	16.18	66.48	0.00									--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11220.00	45.73	74.00	-28.27	58.13	37.90	16.18	66.48	0.00																																																																																				
								--- PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11220.00	45.11	74.00	-28.89	57.51	37.90	16.18	66.48	0.00																																																																																				
								--- PEAK																																																																																				



Mode	38																																									
	Band Edge - L																																									
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz PC 20MHz,Loc 1																																									
ANT	CDD 1S4T																																									
Pol.	Horizontal	Fundamental																																								
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5610.00</td> <td>108.39</td> <td>-----</td> <td>-----</td> <td>98.50</td> <td>34.85</td> <td>11.03</td> <td>35.99</td> <td>0.00</td> <td>282</td> <td>121</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5610.00	108.39	-----	-----	98.50	34.85	11.03	35.99	0.00	282	121	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5610.00	108.39	-----	-----	98.50	34.85	11.03	35.99	0.00	282	121	PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5610.00</td> <td>98.63</td> <td>-----</td> <td>-----</td> <td>88.74</td> <td>34.85</td> <td>11.03</td> <td>35.99</td> <td>0.00</td> <td>282</td> <td>121</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5610.00	98.63	-----	-----	88.74	34.85	11.03	35.99	0.00	282	121	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5610.00	98.63	-----	-----	88.74	34.85	11.03	35.99	0.00	282	121	AVERAGE																															



Mode	38																																								
	Band Edge - L																																								
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz PC 20MHz,Loc 1																																								
ANT	CDD 1S4T																																								
Pol.	Vertical	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5610.00</td> <td>114.55</td> <td>-----</td> <td>-----</td> <td>104.77</td> <td>34.62</td> <td>10.99</td> <td>36.03</td> <td>0.00</td> <td>115</td> <td>97 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5610.00	114.55	-----	-----	104.77	34.62	10.99	36.03	0.00	115	97 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5610.00	114.55	-----	-----	104.77	34.62	10.99	36.03	0.00	115	97 PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5610.00</td> <td>105.20</td> <td>-----</td> <td>-----</td> <td>95.26</td> <td>34.86</td> <td>11.05</td> <td>35.97</td> <td>0.00</td> <td>115</td> <td>97 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5610.00	105.20	-----	-----	95.26	34.86	11.05	35.97	0.00	115	97 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5610.00	105.20	-----	-----	95.26	34.86	11.05	35.97	0.00	115	97 AVERAGE																															



Mode	39																																																	
	Band Edge - L																																																	
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																	
ANT	CDD 1S4T																																																	
Pol.	Horizontal	Fundamental																																																
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5572.00</td> <td>104.22</td> <td>-----</td> <td>-----</td> <td>94.51</td> <td>34.80</td> <td>10.97</td> <td>36.06</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>327 42 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5572.00	104.22	-----	-----	94.51	34.80	10.97	36.06							0.00									327 42 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																											
1 5572.00	104.22	-----	-----	94.51	34.80	10.97	36.06																																											
						0.00																																												
							327 42 Peak																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5572.00</td> <td>94.33</td> <td>-----</td> <td>-----</td> <td>84.62</td> <td>34.80</td> <td>10.97</td> <td>36.06</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>327 42 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5572.00	94.33	-----	-----	84.62	34.80	10.97	36.06							0.00									327 42 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																											
1 5572.00	94.33	-----	-----	84.62	34.80	10.97	36.06																																											
						0.00																																												
							327 42 Average																																											



Mode	39																																														
	Band Edge - L																																														
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																														
ANT	CDD 1S4T																																														
Pol.	Vertical	Fundamental																																													
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>5554.00</td> <td>110.97</td> <td>-----</td> <td>-----</td> <td>101.32</td> <td>34.78</td> <td>10.95</td> <td>36.08</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>89 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	5554.00	110.97	-----	-----	101.32	34.78	10.95	36.08	0.00									89 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
5554.00	110.97	-----	-----	101.32	34.78	10.95	36.08	0.00																																							
								89 Peak																																							
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>5554.00</td> <td>100.96</td> <td>-----</td> <td>-----</td> <td>91.31</td> <td>34.78</td> <td>10.95</td> <td>36.08</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>89 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	5554.00	100.96	-----	-----	91.31	34.78	10.95	36.08	0.00									89 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
5554.00	100.96	-----	-----	91.31	34.78	10.95	36.08	0.00																																							
								89 Average																																							



Mode	39																																																																																											
	Harmonic																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																																																											
ANT	CDD 1S4T																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak																																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11140.00</td> <td>42.73</td> <td>74.00</td> <td>-31.27</td> <td>55.29</td> <td>37.84</td> <td>16.13</td> <td>66.53</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11140.00	42.73	74.00	-31.27	55.29	37.84	16.13	66.53	0.00									--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11140.00</td> <td>43.36</td> <td>74.00</td> <td>-30.64</td> <td>55.92</td> <td>37.84</td> <td>16.13</td> <td>66.53</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11140.00	43.36	74.00	-30.64	55.92	37.84	16.13	66.53	0.00									--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11140.00	42.73	74.00	-31.27	55.29	37.84	16.13	66.53	0.00																																																																																				
								--- PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11140.00	43.36	74.00	-30.64	55.92	37.84	16.13	66.53	0.00																																																																																				
								--- PEAK																																																																																				



Mode	40																																							
	Band Edge - L																																							
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz PC 20MHz,Loc 1																																							
ANT	CDD 1S4T																																							
Pol.	Horizontal	Fundamental																																						
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5570.00</td> <td>103.94</td> <td>-----</td> <td>-----</td> <td>94.23</td> <td>34.80</td> <td>10.97</td> <td>36.06</td> <td>0.00</td> <td>303 43 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5570.00	103.94	-----	-----	94.23	34.80	10.97	36.06	0.00	303 43 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5570.00	103.94	-----	-----	94.23	34.80	10.97	36.06	0.00	303 43 PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5570.00</td> <td>94.07</td> <td>-----</td> <td>-----</td> <td>84.48</td> <td>34.77</td> <td>10.93</td> <td>36.11</td> <td>0.00</td> <td>303 43 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5570.00	94.07	-----	-----	84.48	34.77	10.93	36.11	0.00	303 43 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5570.00	94.07	-----	-----	84.48	34.77	10.93	36.11	0.00	303 43 AVERAGE																															



Mode	40																																														
	Band Edge - L																																														
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz PC 20MHz,Loc 1																																														
ANT	CDD 1S4T																																														
Pol.	Vertical	Fundamental																																													
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5570.00</td> <td>110.84</td> <td>-----</td> <td>-----</td> <td>100.90</td> <td>34.86</td> <td>11.05</td> <td>35.97</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>105</td> <td>90 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5570.00	110.84	-----	-----	100.90	34.86	11.05	35.97	0.00								105	90 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5570.00	110.84	-----	-----	100.90	34.86	11.05	35.97	0.00																																							
							105	90 PEAK																																							
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5570.00</td> <td>101.28</td> <td>-----</td> <td>-----</td> <td>91.34</td> <td>34.86</td> <td>11.05</td> <td>35.97</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>105</td> <td>90 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5570.00	101.28	-----	-----	91.34	34.86	11.05	35.97	0.00								105	90 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5570.00	101.28	-----	-----	91.34	34.86	11.05	35.97	0.00																																							
							105	90 AVERAGE																																							



Mode	41																																					
	Band Edge - L																																					
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz PC 40MHz,Loc 4																																					
ANT	CDD 1S4T																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5570.00</td> <td>103.83</td> <td>-----</td> <td>94.22</td> <td>34.77</td> <td>10.94</td> <td>36.10</td> <td>0.00</td> <td>300 119 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5570.00	103.83	-----	94.22	34.77	10.94	36.10	0.00	300 119 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																														
1 5570.00	103.83	-----	94.22	34.77	10.94	36.10	0.00	300 119 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5570.00</td> <td>93.33</td> <td>-----</td> <td>83.72</td> <td>34.77</td> <td>10.94</td> <td>36.10</td> <td>0.00</td> <td>300 119 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5570.00	93.33	-----	83.72	34.77	10.94	36.10	0.00	300 119 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																														
1 5570.00	93.33	-----	83.72	34.77	10.94	36.10	0.00	300 119 AVERAGE																														



Mode	41																																					
	Band Edge - L																																					
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz PC 40MHz,Loc 4																																					
ANT	CDD 1S4T																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5570.00</td> <td>113.31</td> <td>-----</td> <td>101.75</td> <td>34.76</td> <td>10.92</td> <td>36.12</td> <td>0.00</td> <td>116 96 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5570.00	113.31	-----	101.75	34.76	10.92	36.12	0.00	116 96 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																														
1 5570.00	113.31	-----	101.75	34.76	10.92	36.12	0.00	116 96 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5570.00</td> <td>101.34</td> <td>-----</td> <td>91.90</td> <td>34.73</td> <td>10.88</td> <td>36.17</td> <td>0.00</td> <td>116 96 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5570.00	101.34	-----	91.90	34.73	10.88	36.17	0.00	116 96 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																														
1 5570.00	101.34	-----	91.90	34.73	10.88	36.17	0.00	116 96 AVERAGE																														



Mode	42																																								
	Band Edge - L																																								
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz PC RU52*4																																								
ANT	CDD 1S4T																																								
Pol.	Horizontal	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>110.05</td> <td>-----</td> <td>-----</td> <td>100.57</td> <td>34.74</td> <td>10.89</td> <td>36.15</td> <td>0.00</td> <td>305</td> <td>281 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	110.05	-----	-----	100.57	34.74	10.89	36.15	0.00	305	281 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5500.00	110.05	-----	-----	100.57	34.74	10.89	36.15	0.00	305	281 PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>102.81</td> <td>-----</td> <td>-----</td> <td>93.33</td> <td>34.74</td> <td>10.89</td> <td>36.15</td> <td>0.00</td> <td>305</td> <td>281 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	102.81	-----	-----	93.33	34.74	10.89	36.15	0.00	305	281 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5500.00	102.81	-----	-----	93.33	34.74	10.89	36.15	0.00	305	281 AVERAGE																															



Mode	42																																								
	Band Edge - L																																								
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz PC RU52*4																																								
ANT	CDD 1S4T																																								
Pol.	Vertical	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>118.64</td> <td>-----</td> <td>-----</td> <td>109.18</td> <td>34.73</td> <td>10.89</td> <td>36.16</td> <td>0.00</td> <td>100</td> <td>98 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	118.64	-----	-----	109.18	34.73	10.89	36.16	0.00	100	98 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5500.00	118.64	-----	-----	109.18	34.73	10.89	36.16	0.00	100	98 PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>109.82</td> <td>-----</td> <td>-----</td> <td>100.36</td> <td>34.73</td> <td>10.89</td> <td>36.16</td> <td>0.00</td> <td>100</td> <td>98 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	109.82	-----	-----	100.36	34.73	10.89	36.16	0.00	100	98 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5500.00	109.82	-----	-----	100.36	34.73	10.89	36.16	0.00	100	98 AVERAGE																															





Mode	43																																						
	Band Edge - L																																						
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz PC RU52*4																																						
ANT	CDD 1S4T																																						
Pol.	Horizontal	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>112.75</td> <td>-----</td> <td>-----</td> <td>103.72</td> <td>34.93</td> <td>11.16</td> <td>37.06</td> <td>0.00</td> <td>318 249 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5700.00	112.75	-----	-----	103.72	34.93	11.16	37.06	0.00	318 249 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5700.00	112.75	-----	-----	103.72	34.93	11.16	37.06	0.00	318 249 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>104.07</td> <td>-----</td> <td>-----</td> <td>95.04</td> <td>34.93</td> <td>11.16</td> <td>37.06</td> <td>0.00</td> <td>318 249 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5700.00	104.07	-----	-----	95.04	34.93	11.16	37.06	0.00	318 249 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5700.00	104.07	-----	-----	95.04	34.93	11.16	37.06	0.00	318 249 AVERAGE																														



Mode	43																																							
	Band Edge - L																																							
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz PC RU52*4																																							
ANT	CDD 1S4T																																							
Pol.	Vertical	Fundamental																																						
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>120.62</td> <td>-----</td> <td>-----</td> <td>111.35</td> <td>34.92</td> <td>11.13</td> <td>36.78</td> <td>0.00</td> <td>163</td> <td>0° PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5700.00	120.62	-----	-----	111.35	34.92	11.13	36.78	0.00	163	0° PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																
1 5700.00	120.62	-----	-----	111.35	34.92	11.13	36.78	0.00	163	0° PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>110.31</td> <td>-----</td> <td>-----</td> <td>101.04</td> <td>34.92</td> <td>11.13</td> <td>36.78</td> <td>0.00</td> <td>163</td> <td>0° AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5700.00	110.31	-----	-----	101.04	34.92	11.13	36.78	0.00	163	0° AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																
1 5700.00	110.31	-----	-----	101.04	34.92	11.13	36.78	0.00	163	0° AVERAGE																														





Mode	3	
	18G-40G	
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz	
ANT	CDD 1S4T	
Pol.	Horizontal	Vertical
Peak Avg		



Mode	3																																																																																																																																																																									
	30M-1G																																																																																																																																																																									
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHZ																																																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>Read Level (dBuV)</th> <th>Cable Loss (dB)</th> <th>Antenna Factor (dB/m)</th> <th>Preamp Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>71.71</td><td>28.49</td><td>-11.51</td><td>40.00</td><td>47.60</td><td>1.25</td><td>12.44</td><td>32.80</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>149.31</td><td>23.17</td><td>-20.33</td><td>43.50</td><td>37.72</td><td>1.84</td><td>16.43</td><td>32.82</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>296.75</td><td>18.78</td><td>-27.22</td><td>46.00</td><td>29.70</td><td>2.63</td><td>19.27</td><td>32.82</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>397.63</td><td>22.86</td><td>-23.14</td><td>46.00</td><td>31.03</td><td>3.04</td><td>21.62</td><td>32.83</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>557.68</td><td>26.06</td><td>-19.94</td><td>46.00</td><td>30.49</td><td>3.60</td><td>25.08</td><td>33.11</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>862.26</td><td>29.71</td><td>-16.29</td><td>46.00</td><td>30.86</td><td>4.48</td><td>26.61</td><td>32.24</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	Read Level (dBuV)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	71.71	28.49	-11.51	40.00	47.60	1.25	12.44	32.80	---	---	Peak	2	149.31	23.17	-20.33	43.50	37.72	1.84	16.43	32.82	---	---	Peak	3	296.75	18.78	-27.22	46.00	29.70	2.63	19.27	32.82	---	---	Peak	4	397.63	22.86	-23.14	46.00	31.03	3.04	21.62	32.83	---	---	Peak	5	557.68	26.06	-19.94	46.00	30.49	3.60	25.08	33.11	---	---	Peak	6	862.26	29.71	-16.29	46.00	30.86	4.48	26.61	32.24	---	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>Read Level (dBuV)</th> <th>Cable Loss (dB)</th> <th>Antenna Factor (dB/m)</th> <th>Preamp Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>130.88</td><td>22.31</td><td>-21.19</td><td>43.50</td><td>36.76</td><td>1.72</td><td>16.67</td><td>32.84</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>152.22</td><td>22.73</td><td>-20.77</td><td>43.50</td><td>37.31</td><td>1.86</td><td>16.38</td><td>32.82</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>300.63</td><td>32.77</td><td>-13.23</td><td>46.00</td><td>43.61</td><td>2.64</td><td>19.34</td><td>32.82</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>392.78</td><td>27.99</td><td>-18.01</td><td>46.00</td><td>36.31</td><td>3.02</td><td>21.50</td><td>32.84</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>490.75</td><td>23.35</td><td>-22.65</td><td>46.00</td><td>29.51</td><td>3.39</td><td>23.40</td><td>32.95</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>640.13</td><td>26.03</td><td>-19.97</td><td>46.00</td><td>29.97</td><td>3.86</td><td>25.17</td><td>32.97</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	Read Level (dBuV)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	130.88	22.31	-21.19	43.50	36.76	1.72	16.67	32.84	---	---	Peak	2	152.22	22.73	-20.77	43.50	37.31	1.86	16.38	32.82	---	---	Peak	3	300.63	32.77	-13.23	46.00	43.61	2.64	19.34	32.82	---	---	Peak	4	392.78	27.99	-18.01	46.00	36.31	3.02	21.50	32.84	---	---	Peak	5	490.75	23.35	-22.65	46.00	29.51	3.39	23.40	32.95	---	---	Peak	6	640.13	26.03	-19.97	46.00	29.97	3.86	25.17	32.97	---	---	Peak
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	Read Level (dBuV)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																															
1	71.71	28.49	-11.51	40.00	47.60	1.25	12.44	32.80	---	---	Peak																																																																																																																																																															
2	149.31	23.17	-20.33	43.50	37.72	1.84	16.43	32.82	---	---	Peak																																																																																																																																																															
3	296.75	18.78	-27.22	46.00	29.70	2.63	19.27	32.82	---	---	Peak																																																																																																																																																															
4	397.63	22.86	-23.14	46.00	31.03	3.04	21.62	32.83	---	---	Peak																																																																																																																																																															
5	557.68	26.06	-19.94	46.00	30.49	3.60	25.08	33.11	---	---	Peak																																																																																																																																																															
6	862.26	29.71	-16.29	46.00	30.86	4.48	26.61	32.24	---	---	Peak																																																																																																																																																															
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	Read Level (dBuV)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																															
1	130.88	22.31	-21.19	43.50	36.76	1.72	16.67	32.84	---	---	Peak																																																																																																																																																															
2	152.22	22.73	-20.77	43.50	37.31	1.86	16.38	32.82	---	---	Peak																																																																																																																																																															
3	300.63	32.77	-13.23	46.00	43.61	2.64	19.34	32.82	---	---	Peak																																																																																																																																																															
4	392.78	27.99	-18.01	46.00	36.31	3.02	21.50	32.84	---	---	Peak																																																																																																																																																															
5	490.75	23.35	-22.65	46.00	29.51	3.39	23.40	32.95	---	---	Peak																																																																																																																																																															
6	640.13	26.03	-19.97	46.00	29.97	3.86	25.17	32.97	---	---	Peak																																																																																																																																																															



Mode	44																																																																														
	Harmonic																																																																														
	U-NII-2C_5.725-5.85_802.11a_CH144_5720MHz																																																																														
ANT	CDD 1S4T																																																																														
Pol.	Horizontal	Vertical																																																																													
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a red stepped line for the limit, a red dashed line for the average, and a blue noisy line for the actual measurement. A peak is marked at 11440.00 MHz.</p>	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a red stepped line for the limit, a red dashed line for the average, and a blue noisy line for the actual measurement. A peak is marked at 11440.00 MHz.</p>																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>45.21</td> <td>74.00</td> <td>-28.79</td> <td>57.17</td> <td>38.08</td> <td>16.32</td> <td>66.36</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	45.21	74.00	-28.79	57.17	38.08	16.32	66.36	0.00	---	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>45.13</td> <td>74.00</td> <td>-28.87</td> <td>57.09</td> <td>38.08</td> <td>16.32</td> <td>66.36</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11440.00	45.13	74.00	-28.87	57.09	38.08	16.32	66.36	0.00	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 11440.00	45.21	74.00	-28.79	57.17	38.08	16.32	66.36	0.00	---																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1 11440.00	45.13	74.00	-28.87	57.09	38.08	16.32	66.36	0.00	---																																																																						



Mode	45																																																																																
	Harmonic																																																																																
	U-NII-2C_5.725-5.85_802.11BE EHT20_CH144_Full_5720MHz																																																																																
ANT	CDD 1S4T																																																																																
Pol.	Horizontal	Vertical																																																																															
Peak Avg																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>45.48</td> <td>74.00</td> <td>-28.52</td> <td>57.44</td> <td>38.08</td> <td>16.32</td> <td>66.36</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	45.48	74.00	-28.52	57.44	38.08	16.32	66.36	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>45.77</td> <td>74.00</td> <td>-28.23</td> <td>57.73</td> <td>38.08</td> <td>16.32</td> <td>66.36</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	45.77	74.00	-28.23	57.73	38.08	16.32	66.36	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1 11440.00	45.48	74.00	-28.52	57.44	38.08	16.32	66.36	0.00	---	---	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1 11440.00	45.77	74.00	-28.23	57.73	38.08	16.32	66.36	0.00	---	---	PEAK																																																																						



Mode	46																																																																											
	Harmonic																																																																											
	U-NII-2C_5.725-5.85_802.11BE EHT40_CH142_Full_5710MHz																																																																											
ANT	CDD 1S4T																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>45.12</td> <td>74.00</td> <td>-28.88</td> <td>57.14</td> <td>38.04</td> <td>16.31</td> <td>66.37</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11420.00	45.12	74.00	-28.88	57.14	38.04	16.31	66.37	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>45.35</td> <td>74.00</td> <td>-28.65</td> <td>57.37</td> <td>38.04</td> <td>16.31</td> <td>66.37</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11420.00	45.35	74.00	-28.65	57.37	38.04	16.31	66.37	0.00	--- --- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11420.00	45.12	74.00	-28.88	57.14	38.04	16.31	66.37	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11420.00	45.35	74.00	-28.65	57.37	38.04	16.31	66.37	0.00	--- --- PEAK																																																																			






Mode	47																																																																										
	Harmonic																																																																										
	U-NII-2C_5.725-5.85_802.11BE EHT80_CH138_Full_5690MHz																																																																										
ANT	CDD 1S4T																																																																										
Pol.	Horizontal	Vertical																																																																									
Peak Avg																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>45.51</td> <td>74.00</td> <td>-28.49</td> <td>57.64</td> <td>37.98</td> <td>16.29</td> <td>66.40</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11380.00	45.51	74.00	-28.49	57.64	37.98	16.29	66.40	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>45.64</td> <td>74.00</td> <td>-28.36</td> <td>57.77</td> <td>37.98</td> <td>16.29</td> <td>66.40</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11380.00	45.64	74.00	-28.36	57.77	37.98	16.29	66.40	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11380.00	45.51	74.00	-28.49	57.64	37.98	16.29	66.40	0.00	--- --- PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11380.00	45.64	74.00	-28.36	57.77	37.98	16.29	66.40	0.00	--- --- PEAK																																																																		



48																																																																																	
Mode	Band Edge																																																																																
U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																	
ANT	CDD 1S4T																																																																																
Pol.	Horizontal																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5640.60</td> <td>58.43</td> <td>68.20</td> <td>-9.77</td> <td>48.47</td> <td>34.87</td> <td>11.06</td> <td>35.97</td> <td>0.00</td> <td>279</td> <td>41</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.60</td> <td>56.84</td> <td>68.65</td> <td>-11.81</td> <td>47.02</td> <td>34.88</td> <td>11.07</td> <td>36.13</td> <td>0.00</td> <td>279</td> <td>41</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5708.60</td> <td>65.05</td> <td>107.71</td> <td>-42.66</td> <td>56.01</td> <td>34.93</td> <td>11.15</td> <td>37.04</td> <td>0.00</td> <td>279</td> <td>41</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5722.07</td> <td>77.68</td> <td>115.61</td> <td>-37.93</td> <td>68.82</td> <td>34.94</td> <td>11.17</td> <td>37.25</td> <td>0.00</td> <td>279</td> <td>41</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5640.60	58.43	68.20	-9.77	48.47	34.87	11.06	35.97	0.00	279	41	PEAK	2	5650.60	56.84	68.65	-11.81	47.02	34.88	11.07	36.13	0.00	279	41	PEAK	3	5708.60	65.05	107.71	-42.66	56.01	34.93	11.15	37.04	0.00	279	41	PEAK	4	5722.07	77.68	115.61	-37.93	68.82	34.94	11.17	37.25	0.00	279	41	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5640.60	58.43	68.20	-9.77	48.47	34.87	11.06	35.97	0.00	279	41	PEAK																																																																					
2	5650.60	56.84	68.65	-11.81	47.02	34.88	11.07	36.13	0.00	279	41	PEAK																																																																					
3	5708.60	65.05	107.71	-42.66	56.01	34.93	11.15	37.04	0.00	279	41	PEAK																																																																					
4	5722.07	77.68	115.61	-37.93	68.82	34.94	11.17	37.25	0.00	279	41	PEAK																																																																					
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>119.24</td> <td>-----</td> <td>-----</td> <td>110.73</td> <td>34.97</td> <td>11.21</td> <td>37.67</td> <td>0.00</td> <td>279</td> <td>41</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	119.24	-----	-----	110.73	34.97	11.21	37.67	0.00	279	41	PEAK																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5745.00	119.24	-----	-----	110.73	34.97	11.21	37.67	0.00	279	41	PEAK																																																																					
Avg	Blank																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>110.66</td> <td>-----</td> <td>-----</td> <td>102.15</td> <td>34.97</td> <td>11.21</td> <td>37.67</td> <td>0.00</td> <td>279</td> <td>41</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	110.66	-----	-----	102.15	34.97	11.21	37.67	0.00	279	41	AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5745.00	110.66	-----	-----	102.15	34.97	11.21	37.67	0.00	279	41	AVERAGE																																																																					



		48																																																																																																																														
Mode	Band Edge																																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																															
ANT	CDD 1S4T																																																																																																																															
Pol.	Vertical	Fundamental																																																																																																																														
Peak																																																																																																																																
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5648.60</td> <td>60.94</td> <td>68.20</td> <td>-7.26</td> <td>51.09</td> <td>34.87</td> <td>11.07</td> <td>36.09</td> <td>0.00</td> <td>179</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5652.60</td> <td>59.81</td> <td>70.14</td> <td>-10.33</td> <td>50.01</td> <td>34.88</td> <td>11.08</td> <td>36.16</td> <td>0.00</td> <td>100</td> <td>179</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5785.02</td> <td>70.64</td> <td>106.71</td> <td>-36.07</td> <td>61.54</td> <td>34.93</td> <td>11.15</td> <td>36.98</td> <td>0.00</td> <td>100</td> <td>179</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5725.00</td> <td>89.38</td> <td>122.30</td> <td>-32.92</td> <td>80.54</td> <td>34.95</td> <td>11.18</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>179</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5648.60	60.94	68.20	-7.26	51.09	34.87	11.07	36.09	0.00	179	PEAK	2	5652.60	59.81	70.14	-10.33	50.01	34.88	11.08	36.16	0.00	100	179	PEAK	3	5785.02	70.64	106.71	-36.07	61.54	34.93	11.15	36.98	0.00	100	179	PEAK	4	5725.00	89.38	122.30	-32.92	80.54	34.95	11.18	37.29	0.00	100	179	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>125.11</td> <td>-----</td> <td>-----</td> <td>116.53</td> <td>34.96</td> <td>11.20</td> <td>37.58</td> <td>0.00</td> <td>100</td> <td>179</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	125.11	-----	-----	116.53	34.96	11.20	37.58	0.00	100	179
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5648.60	60.94	68.20	-7.26	51.09	34.87	11.07	36.09	0.00	179	PEAK																																																																																																																					
2	5652.60	59.81	70.14	-10.33	50.01	34.88	11.08	36.16	0.00	100	179	PEAK																																																																																																																				
3	5785.02	70.64	106.71	-36.07	61.54	34.93	11.15	36.98	0.00	100	179	PEAK																																																																																																																				
4	5725.00	89.38	122.30	-32.92	80.54	34.95	11.18	37.29	0.00	100	179	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5745.00	125.11	-----	-----	116.53	34.96	11.20	37.58	0.00	100	179	PEAK																																																																																																																				
Avg	Blank																																																																																																																															
			<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>116.41</td> <td>-----</td> <td>-----</td> <td>107.83</td> <td>34.96</td> <td>11.20</td> <td>37.58</td> <td>0.00</td> <td>100</td> <td>179</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	116.41	-----	-----	107.83	34.96	11.20	37.58	0.00	100	179	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5745.00	116.41	-----	-----	107.83	34.96	11.20	37.58	0.00	100	179	AVERAGE																																																																																																																				



Mode	48																																																																																		
	Harmonic																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																		
ANT	CDD 1S4T																																																																																		
Pol.	Horizontal	Vertical																																																																																	
Peak Avg																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>45.76</td> <td>74.00</td> <td>-28.24</td> <td>57.56</td> <td>38.18</td> <td>16.36</td> <td>66.34</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	45.76	74.00	-28.24	57.56	38.18	16.36	66.34	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>45.45</td> <td>74.00</td> <td>-28.55</td> <td>57.25</td> <td>38.18</td> <td>16.36</td> <td>66.34</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	45.45	74.00	-28.55	57.25	38.18	16.36	66.34	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 11490.00	45.76	74.00	-28.24	57.56	38.18	16.36	66.34	0.00	---	---	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 11490.00	45.45	74.00	-28.55	57.25	38.18	16.36	66.34	0.00	---	---	PEAK																																																																								



49																																																																																	
Mode	Band Edge - L																																																																																
U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																	
ANT	CDD 1S4T																																																																																
Pol.	Horizontal																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5635.80</td> <td>60.46</td> <td>68.20</td> <td>-7.74</td> <td>50.52</td> <td>34.86</td> <td>11.85</td> <td>35.97</td> <td>0.00</td> <td>328</td> <td>39</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.22</td> <td>57.39</td> <td>68.37</td> <td>-10.98</td> <td>47.56</td> <td>34.88</td> <td>11.07</td> <td>36.12</td> <td>0.00</td> <td>328</td> <td>39</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5780.22</td> <td>56.18</td> <td>105.36</td> <td>-49.18</td> <td>47.02</td> <td>34.92</td> <td>11.14</td> <td>36.90</td> <td>0.00</td> <td>328</td> <td>39</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.00</td> <td>53.84</td> <td>110.90</td> <td>-57.06</td> <td>44.95</td> <td>34.94</td> <td>11.17</td> <td>37.22</td> <td>0.00</td> <td>328</td> <td>39</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5635.80	60.46	68.20	-7.74	50.52	34.86	11.85	35.97	0.00	328	39	PEAK	2	5650.22	57.39	68.37	-10.98	47.56	34.88	11.07	36.12	0.00	328	39	PEAK	3	5780.22	56.18	105.36	-49.18	47.02	34.92	11.14	36.90	0.00	328	39	PEAK	4	5728.00	53.84	110.90	-57.06	44.95	34.94	11.17	37.22	0.00	328	39	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5635.80	60.46	68.20	-7.74	50.52	34.86	11.85	35.97	0.00	328	39	PEAK																																																																					
2	5650.22	57.39	68.37	-10.98	47.56	34.88	11.07	36.12	0.00	328	39	PEAK																																																																					
3	5780.22	56.18	105.36	-49.18	47.02	34.92	11.14	36.90	0.00	328	39	PEAK																																																																					
4	5728.00	53.84	110.90	-57.06	44.95	34.94	11.17	37.22	0.00	328	39	PEAK																																																																					
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>116.86</td> <td>-----</td> <td>-----</td> <td>108.83</td> <td>35.00</td> <td>11.26</td> <td>38.23</td> <td>0.00</td> <td>328</td> <td>39</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	116.86	-----	-----	108.83	35.00	11.26	38.23	0.00	328	39	PEAK																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5785.00	116.86	-----	-----	108.83	35.00	11.26	38.23	0.00	328	39	PEAK																																																																					
Avg	Blank																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>109.32</td> <td>-----</td> <td>-----</td> <td>101.29</td> <td>35.00</td> <td>11.26</td> <td>38.23</td> <td>0.00</td> <td>328</td> <td>39</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	109.32	-----	-----	101.29	35.00	11.26	38.23	0.00	328	39	AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5785.00	109.32	-----	-----	101.29	35.00	11.26	38.23	0.00	328	39	AVERAGE																																																																					



Mode	49																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>53.90</td> <td>110.90</td> <td>-57.00</td> <td>46.82</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>328</td> <td>39</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.60</td> <td>53.73</td> <td>105.41</td> <td>-51.68</td> <td>46.59</td> <td>35.09</td> <td>11.35</td> <td>39.30</td> <td>0.00</td> <td>328</td> <td>39</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.60</td> <td>54.36</td> <td>68.50</td> <td>-14.14</td> <td>47.05</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>328</td> <td>39</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5947.00</td> <td>55.36</td> <td>68.20</td> <td>-12.84</td> <td>47.96</td> <td>35.16</td> <td>11.42</td> <td>39.18</td> <td>0.00</td> <td>328</td> <td>39</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	53.90	110.90	-57.00	46.82	35.07	11.34	39.33	0.00	328	39	PEAK	2	5874.60	53.73	105.41	-51.68	46.59	35.09	11.35	39.30	0.00	328	39	PEAK	3	5924.60	54.36	68.50	-14.14	47.05	35.13	11.40	39.22	0.00	328	39	PEAK	4	5947.00	55.36	68.20	-12.84	47.96	35.16	11.42	39.18	0.00	328	39	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5855.00	53.90	110.90	-57.00	46.82	35.07	11.34	39.33	0.00	328	39	PEAK																																																																						
2	5874.60	53.73	105.41	-51.68	46.59	35.09	11.35	39.30	0.00	328	39	PEAK																																																																						
3	5924.60	54.36	68.50	-14.14	47.05	35.13	11.40	39.22	0.00	328	39	PEAK																																																																						
4	5947.00	55.36	68.20	-12.84	47.96	35.16	11.42	39.18	0.00	328	39	PEAK																																																																						



	49																																																																																																																																
Mode	Band Edge - L																																																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																
ANT	CDD 1S4T																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5626.60</td> <td>63.39</td> <td>68.20</td> <td>-4.81</td> <td>53.48</td> <td>34.85</td> <td>11.04</td> <td>35.98</td> <td>0.00</td> <td>101</td> <td>178</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.00</td> <td>57.56</td> <td>68.95</td> <td>-11.39</td> <td>47.74</td> <td>34.88</td> <td>11.07</td> <td>36.13</td> <td>0.00</td> <td>101</td> <td>178</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5704.60</td> <td>58.70</td> <td>106.59</td> <td>-47.89</td> <td>49.59</td> <td>34.93</td> <td>11.15</td> <td>36.97</td> <td>0.00</td> <td>101</td> <td>178</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.22</td> <td>58.27</td> <td>111.41</td> <td>-53.14</td> <td>49.38</td> <td>34.94</td> <td>11.17</td> <td>37.22</td> <td>0.00</td> <td>101</td> <td>178</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5626.60	63.39	68.20	-4.81	53.48	34.85	11.04	35.98	0.00	101	178	PEAK	2	5651.00	57.56	68.95	-11.39	47.74	34.88	11.07	36.13	0.00	101	178	PEAK	3	5704.60	58.70	106.59	-47.89	49.59	34.93	11.15	36.97	0.00	101	178	PEAK	4	5728.22	58.27	111.41	-53.14	49.38	34.94	11.17	37.22	0.00	101	178	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>124.51</td> <td>-----</td> <td>-----</td> <td>116.41</td> <td>35.00</td> <td>11.25</td> <td>38.15</td> <td>0.00</td> <td>101</td> <td>178</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	124.51	-----	-----	116.41	35.00	11.25	38.15	0.00	101	178	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5626.60	63.39	68.20	-4.81	53.48	34.85	11.04	35.98	0.00	101	178	PEAK																																																																																																																					
2	5651.00	57.56	68.95	-11.39	47.74	34.88	11.07	36.13	0.00	101	178	PEAK																																																																																																																					
3	5704.60	58.70	106.59	-47.89	49.59	34.93	11.15	36.97	0.00	101	178	PEAK																																																																																																																					
4	5728.22	58.27	111.41	-53.14	49.38	34.94	11.17	37.22	0.00	101	178	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5785.00	124.51	-----	-----	116.41	35.00	11.25	38.15	0.00	101	178	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>115.58</td> <td>-----</td> <td>-----</td> <td>107.48</td> <td>35.00</td> <td>11.25</td> <td>38.15</td> <td>0.00</td> <td>101</td> <td>178</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	115.58	-----	-----	107.48	35.00	11.25	38.15	0.00	101	178	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5785.00	115.58	-----	-----	107.48	35.00	11.25	38.15	0.00	101	178	AVERAGE																																																																																																																					






Mode	49																																																																													
	Band Edge - R																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																													
ANT	CDD 1S4T																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5855.00</td> <td>54.13</td> <td>110.90</td> <td>-56.77</td> <td>47.05</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>101</td> <td>178</td> <td>PEAK</td> </tr> <tr> <td>2 5872.87</td> <td>55.43</td> <td>105.90</td> <td>-50.47</td> <td>48.29</td> <td>35.09</td> <td>11.35</td> <td>39.30</td> <td>0.00</td> <td>101</td> <td>178</td> <td>PEAK</td> </tr> <tr> <td>3 5924.22</td> <td>54.06</td> <td>68.77</td> <td>-14.71</td> <td>46.75</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>101</td> <td>178</td> <td>PEAK</td> </tr> <tr> <td>4 5939.42</td> <td>56.41</td> <td>68.20</td> <td>-11.79</td> <td>49.03</td> <td>35.15</td> <td>11.42</td> <td>39.19</td> <td>0.00</td> <td>101</td> <td>178</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5855.00	54.13	110.90	-56.77	47.05	35.07	11.34	39.33	0.00	101	178	PEAK	2 5872.87	55.43	105.90	-50.47	48.29	35.09	11.35	39.30	0.00	101	178	PEAK	3 5924.22	54.06	68.77	-14.71	46.75	35.13	11.40	39.22	0.00	101	178	PEAK	4 5939.42	56.41	68.20	-11.79	49.03	35.15	11.42	39.19	0.00	101	178	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5855.00	54.13	110.90	-56.77	47.05	35.07	11.34	39.33	0.00	101	178	PEAK																																																																			
2 5872.87	55.43	105.90	-50.47	48.29	35.09	11.35	39.30	0.00	101	178	PEAK																																																																			
3 5924.22	54.06	68.77	-14.71	46.75	35.13	11.40	39.22	0.00	101	178	PEAK																																																																			
4 5939.42	56.41	68.20	-11.79	49.03	35.15	11.42	39.19	0.00	101	178	PEAK																																																																			






Mode	49																																																																																													
	Harmonic																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Horizontal	Vertical																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>45.83</td> <td>74.00</td> <td>-28.17</td> <td>57.55</td> <td>38.20</td> <td>16.41</td> <td>66.33</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	45.83	74.00	-28.17	57.55	38.20	16.41	66.33	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>47.86</td> <td>74.00</td> <td>-26.14</td> <td>59.58</td> <td>38.20</td> <td>16.41</td> <td>66.33</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2 11570.00</td> <td>36.60</td> <td>54.00</td> <td>-17.40</td> <td>48.32</td> <td>38.20</td> <td>16.41</td> <td>66.33</td> <td>0.00</td> <td>100</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	47.86	74.00	-26.14	59.58	38.20	16.41	66.33	0.00	100	0	PEAK	2 11570.00	36.60	54.00	-17.40	48.32	38.20	16.41	66.33	0.00	100	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 11570.00	45.83	74.00	-28.17	57.55	38.20	16.41	66.33	0.00	---	---	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 11570.00	47.86	74.00	-26.14	59.58	38.20	16.41	66.33	0.00	100	0	PEAK																																																																																			
2 11570.00	36.60	54.00	-17.40	48.32	38.20	16.41	66.33	0.00	100	0	AVERAGE																																																																																			



	50																																																																																																																											
Mode	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																											
ANT	CDD 1S4T																																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																																										
Peak	 <table border="1" data-bbox="263 1064 790 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>58.28</td> <td>110.90</td> <td>-52.62</td> <td>51.20</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>300</td> <td>152 PEAK</td> </tr> <tr> <td>2</td> <td>5858.22</td> <td>63.12</td> <td>110.00</td> <td>-46.88</td> <td>56.03</td> <td>35.07</td> <td>11.34</td> <td>39.32</td> <td>0.00</td> <td>300</td> <td>152 PEAK</td> </tr> <tr> <td>3</td> <td>5924.22</td> <td>53.06</td> <td>68.77</td> <td>-15.71</td> <td>45.75</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>300</td> <td>152 PEAK</td> </tr> <tr> <td>4</td> <td>5996.22</td> <td>56.51</td> <td>68.20</td> <td>-11.69</td> <td>48.94</td> <td>35.20</td> <td>11.47</td> <td>39.10</td> <td>0.00</td> <td>300</td> <td>152 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	58.28	110.90	-52.62	51.20	35.07	11.34	39.33	0.00	300	152 PEAK	2	5858.22	63.12	110.00	-46.88	56.03	35.07	11.34	39.32	0.00	300	152 PEAK	3	5924.22	53.06	68.77	-15.71	45.75	35.13	11.40	39.22	0.00	300	152 PEAK	4	5996.22	56.51	68.20	-11.69	48.94	35.20	11.47	39.10	0.00	300	152 PEAK	 <table border="1" data-bbox="909 1064 1436 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>114.10</td> <td>-----</td> <td>-----</td> <td>106.48</td> <td>35.03</td> <td>11.30</td> <td>38.71</td> <td>0.00</td> <td>300</td> <td>152 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	114.10	-----	-----	106.48	35.03	11.30	38.71	0.00	300	152 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5855.00	58.28	110.90	-52.62	51.20	35.07	11.34	39.33	0.00	300	152 PEAK																																																																																																																	
2	5858.22	63.12	110.00	-46.88	56.03	35.07	11.34	39.32	0.00	300	152 PEAK																																																																																																																	
3	5924.22	53.06	68.77	-15.71	45.75	35.13	11.40	39.22	0.00	300	152 PEAK																																																																																																																	
4	5996.22	56.51	68.20	-11.69	48.94	35.20	11.47	39.10	0.00	300	152 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	114.10	-----	-----	106.48	35.03	11.30	38.71	0.00	300	152 PEAK																																																																																																																	
Avg	Blank	 <table border="1" data-bbox="909 1747 1436 1915"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>106.97</td> <td>-----</td> <td>-----</td> <td>99.35</td> <td>35.03</td> <td>11.30</td> <td>38.71</td> <td>0.00</td> <td>300</td> <td>152 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.97	-----	-----	99.35	35.03	11.30	38.71	0.00	300	152 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	106.97	-----	-----	99.35	35.03	11.30	38.71	0.00	300	152 AVERAGE																																																																																																																	



Mode	50																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																													
ANT	CDD 1S4T																																																																																																																													
Pol.	Vertical	Fundamental																																																																																																																												
Peak	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>66.12</td> <td>110.90</td> <td>-44.78</td> <td>59.04</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>100</td> <td>176 PEAK</td> </tr> <tr> <td>2</td> <td>5861.42</td> <td>65.95</td> <td>109.10</td> <td>-43.15</td> <td>58.86</td> <td>35.07</td> <td>11.34</td> <td>39.32</td> <td>0.00</td> <td>100</td> <td>176 PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>54.08</td> <td>68.20</td> <td>-14.12</td> <td>46.77</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>100</td> <td>176 PEAK</td> </tr> <tr> <td>4</td> <td>5971.42</td> <td>56.68</td> <td>68.20</td> <td>-11.52</td> <td>49.19</td> <td>35.18</td> <td>11.45</td> <td>39.14</td> <td>0.00</td> <td>100</td> <td>176 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	66.12	110.90	-44.78	59.04	35.07	11.34	39.33	0.00	100	176 PEAK	2	5861.42	65.95	109.10	-43.15	58.86	35.07	11.34	39.32	0.00	100	176 PEAK	3	5925.00	54.08	68.20	-14.12	46.77	35.13	11.40	39.22	0.00	100	176 PEAK	4	5971.42	56.68	68.20	-11.52	49.19	35.18	11.45	39.14	0.00	100	176 PEAK	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5823.33</td> <td>124.40</td> <td>122.30</td> <td>2.10</td> <td>116.89</td> <td>35.04</td> <td>11.31</td> <td>38.84</td> <td>0.00</td> <td>100</td> <td>176 Peak</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5823.33	124.40	122.30	2.10	116.89	35.04	11.31	38.84	0.00	100	176 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5855.00	66.12	110.90	-44.78	59.04	35.07	11.34	39.33	0.00	100	176 PEAK																																																																																																																			
2	5861.42	65.95	109.10	-43.15	58.86	35.07	11.34	39.32	0.00	100	176 PEAK																																																																																																																			
3	5925.00	54.08	68.20	-14.12	46.77	35.13	11.40	39.22	0.00	100	176 PEAK																																																																																																																			
4	5971.42	56.68	68.20	-11.52	49.19	35.18	11.45	39.14	0.00	100	176 PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss Factor	Factor			Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5823.33	124.40	122.30	2.10	116.89	35.04	11.31	38.84	0.00	100	176 Peak																																																																																																																			
Avg	Blank	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>113.25</td> <td>-----</td> <td>-----</td> <td>105.71</td> <td>35.04</td> <td>11.30</td> <td>38.80</td> <td>0.00</td> <td>100</td> <td>176 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	113.25	-----	-----	105.71	35.04	11.30	38.80	0.00	100	176 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	113.25	-----	-----	105.71	35.04	11.30	38.80	0.00	100	176 AVERAGE																																																																																																																			






Mode	50																																																																																												
	Harmonic																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																												
ANT	CDD 1S4T																																																																																												
Pol.	Horizontal	Vertical																																																																																											
Peak Avg																																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>45.56</td> <td>74.00</td> <td>-28.44</td> <td>57.18</td> <td>38.25</td> <td>16.46</td> <td>66.33</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	45.56	74.00	-28.44	57.18	38.25	16.46	66.33	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>60.69</td> <td>74.00</td> <td>-13.31</td> <td>72.31</td> <td>38.25</td> <td>16.46</td> <td>66.33</td> <td>0.00</td> <td>122</td> <td>167</td> <td>PEAK</td> </tr> <tr> <td>2 11650.00</td> <td>48.32</td> <td>54.00</td> <td>-5.68</td> <td>59.93</td> <td>38.26</td> <td>16.46</td> <td>66.33</td> <td>0.00</td> <td>122</td> <td>167</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	60.69	74.00	-13.31	72.31	38.25	16.46	66.33	0.00	122	167	PEAK	2 11650.00	48.32	54.00	-5.68	59.93	38.26	16.46	66.33	0.00	122	167
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 11650.00	45.56	74.00	-28.44	57.18	38.25	16.46	66.33	0.00	---	---	PEAK																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 11650.00	60.69	74.00	-13.31	72.31	38.25	16.46	66.33	0.00	122	167	PEAK																																																																																		
2 11650.00	48.32	54.00	-5.68	59.93	38.26	16.46	66.33	0.00	122	167	AVERAGE																																																																																		



51																																																																																	
Mode	Band Edge																																																																																
U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz																																																																																	
ANT	CDD 1S4T																																																																																
Pol.	Horizontal																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5641.80</td> <td>57.82</td> <td>68.20</td> <td>-10.38</td> <td>47.88</td> <td>34.87</td> <td>11.06</td> <td>35.99</td> <td>0.00</td> <td>277</td> <td>42</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.00</td> <td>56.52</td> <td>68.95</td> <td>-12.43</td> <td>46.70</td> <td>34.88</td> <td>11.07</td> <td>36.13</td> <td>0.00</td> <td>277</td> <td>42</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>70.86</td> <td>110.90</td> <td>-40.04</td> <td>61.97</td> <td>34.94</td> <td>11.17</td> <td>37.22</td> <td>0.00</td> <td>277</td> <td>42</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.02</td> <td>78.55</td> <td>113.23</td> <td>-34.68</td> <td>69.67</td> <td>34.94</td> <td>11.17</td> <td>37.23</td> <td>0.00</td> <td>277</td> <td>42</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5641.80	57.82	68.20	-10.38	47.88	34.87	11.06	35.99	0.00	277	42	PEAK	2	5651.00	56.52	68.95	-12.43	46.70	34.88	11.07	36.13	0.00	277	42	PEAK	3	5720.00	70.86	110.90	-40.04	61.97	34.94	11.17	37.22	0.00	277	42	PEAK	4	5721.02	78.55	113.23	-34.68	69.67	34.94	11.17	37.23	0.00	277	42	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5641.80	57.82	68.20	-10.38	47.88	34.87	11.06	35.99	0.00	277	42	PEAK																																																																					
2	5651.00	56.52	68.95	-12.43	46.70	34.88	11.07	36.13	0.00	277	42	PEAK																																																																					
3	5720.00	70.86	110.90	-40.04	61.97	34.94	11.17	37.22	0.00	277	42	PEAK																																																																					
4	5721.02	78.55	113.23	-34.68	69.67	34.94	11.17	37.23	0.00	277	42	PEAK																																																																					
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>118.16</td> <td>-----</td> <td>-----</td> <td>109.65</td> <td>34.97</td> <td>11.21</td> <td>37.67</td> <td>0.00</td> <td>277</td> <td>42</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	118.16	-----	-----	109.65	34.97	11.21	37.67	0.00	277	42	PEAK																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5745.00	118.16	-----	-----	109.65	34.97	11.21	37.67	0.00	277	42	PEAK																																																																					
Avg	Blank																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>110.02</td> <td>-----</td> <td>-----</td> <td>101.51</td> <td>34.97</td> <td>11.21</td> <td>37.67</td> <td>0.00</td> <td>277</td> <td>42</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	110.02	-----	-----	101.51	34.97	11.21	37.67	0.00	277	42	AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5745.00	110.02	-----	-----	101.51	34.97	11.21	37.67	0.00	277	42	AVERAGE																																																																					



51																																																																																	
Mode	Band Edge																																																																																
U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz																																																																																	
ANT	CDD 1S4T																																																																																
Pol.	Vertical																																																																																
Peak	 <table border="1" data-bbox="263 1052 798 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.42</td> <td>60.37</td> <td>68.20</td> <td>-7.83</td> <td>50.46</td> <td>34.85</td> <td>11.04</td> <td>35.98</td> <td>0.00</td> <td>100</td> <td>181</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.60</td> <td>58.19</td> <td>68.65</td> <td>-10.46</td> <td>48.37</td> <td>34.88</td> <td>11.07</td> <td>36.13</td> <td>0.00</td> <td>100</td> <td>181</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5718.22</td> <td>85.26</td> <td>110.40</td> <td>-25.14</td> <td>76.34</td> <td>34.94</td> <td>11.17</td> <td>37.19</td> <td>0.00</td> <td>100</td> <td>181</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5722.60</td> <td>94.64</td> <td>116.83</td> <td>-22.19</td> <td>85.79</td> <td>34.94</td> <td>11.17</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>181</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5625.42	60.37	68.20	-7.83	50.46	34.85	11.04	35.98	0.00	100	181	PEAK	2	5650.60	58.19	68.65	-10.46	48.37	34.88	11.07	36.13	0.00	100	181	PEAK	3	5718.22	85.26	110.40	-25.14	76.34	34.94	11.17	37.19	0.00	100	181	PEAK	4	5722.60	94.64	116.83	-22.19	85.79	34.94	11.17	37.26	0.00	100	181	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5625.42	60.37	68.20	-7.83	50.46	34.85	11.04	35.98	0.00	100	181	PEAK																																																																					
2	5650.60	58.19	68.65	-10.46	48.37	34.88	11.07	36.13	0.00	100	181	PEAK																																																																					
3	5718.22	85.26	110.40	-25.14	76.34	34.94	11.17	37.19	0.00	100	181	PEAK																																																																					
4	5722.60	94.64	116.83	-22.19	85.79	34.94	11.17	37.26	0.00	100	181	PEAK																																																																					
Fundamental	 <table border="1" data-bbox="901 1108 1436 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>125.49</td> <td>-----</td> <td>-----</td> <td>116.91</td> <td>34.96</td> <td>11.20</td> <td>37.58</td> <td>0.00</td> <td>100</td> <td>181</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	125.49	-----	-----	116.91	34.96	11.20	37.58	0.00	100	181	PEAK																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5745.00	125.49	-----	-----	116.91	34.96	11.20	37.58	0.00	100	181	PEAK																																																																					
Avg	Blank																																																																																
	 <table border="1" data-bbox="901 1792 1436 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>115.58</td> <td>-----</td> <td>-----</td> <td>107.00</td> <td>34.96</td> <td>11.20</td> <td>37.58</td> <td>0.00</td> <td>100</td> <td>181</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	115.58	-----	-----	107.00	34.96	11.20	37.58	0.00	100	181	AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5745.00	115.58	-----	-----	107.00	34.96	11.20	37.58	0.00	100	181	AVERAGE																																																																					



	51																																																																										
Mode	Harmonic																																																																										
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz																																																																										
ANT	CDD 1S4T																																																																										
Pol.	Horizontal	Vertical																																																																									
Peak Avg																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>45.43</td> <td>74.00</td> <td>-28.57</td> <td>57.23</td> <td>38.18</td> <td>16.36</td> <td>66.34</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	45.43	74.00	-28.57	57.23	38.18	16.36	66.34	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>45.86</td> <td>74.00</td> <td>-28.14</td> <td>57.66</td> <td>38.18</td> <td>16.36</td> <td>66.34</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	45.86	74.00	-28.14	57.66	38.18	16.36	66.34	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11490.00	45.43	74.00	-28.57	57.23	38.18	16.36	66.34	0.00	--- --- PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11490.00	45.86	74.00	-28.14	57.66	38.18	16.36	66.34	0.00	--- --- PEAK																																																																		






52																																																																																	
Mode	Band Edge - L																																																																																
U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																	
ANT	CDD 1S4T																																																																																
Pol.	Horizontal																																																																																
Peak	Fundamental																																																																																
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5635.42</td> <td>59.90</td> <td>68.20</td> <td>-8.30</td> <td>49.96</td> <td>34.86</td> <td>11.05</td> <td>35.97</td> <td>0.00</td> <td>300</td> <td>43 PEAK</td> </tr> <tr> <td>2</td> <td>5650.58</td> <td>55.95</td> <td>68.63</td> <td>-12.68</td> <td>46.13</td> <td>34.88</td> <td>11.07</td> <td>36.13</td> <td>0.00</td> <td>300</td> <td>43 PEAK</td> </tr> <tr> <td>3</td> <td>5782.22</td> <td>56.18</td> <td>105.92</td> <td>-49.74</td> <td>47.06</td> <td>34.92</td> <td>11.14</td> <td>36.94</td> <td>0.00</td> <td>300</td> <td>43 PEAK</td> </tr> <tr> <td>4</td> <td>5728.00</td> <td>53.58</td> <td>110.90</td> <td>-57.32</td> <td>44.69</td> <td>34.94</td> <td>11.17</td> <td>37.22</td> <td>0.00</td> <td>300</td> <td>43 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5635.42	59.90	68.20	-8.30	49.96	34.86	11.05	35.97	0.00	300	43 PEAK	2	5650.58	55.95	68.63	-12.68	46.13	34.88	11.07	36.13	0.00	300	43 PEAK	3	5782.22	56.18	105.92	-49.74	47.06	34.92	11.14	36.94	0.00	300	43 PEAK	4	5728.00	53.58	110.90	-57.32	44.69	34.94	11.17	37.22	0.00	300	43 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	5635.42	59.90	68.20	-8.30	49.96	34.86	11.05	35.97	0.00	300	43 PEAK																																																																						
2	5650.58	55.95	68.63	-12.68	46.13	34.88	11.07	36.13	0.00	300	43 PEAK																																																																						
3	5782.22	56.18	105.92	-49.74	47.06	34.92	11.14	36.94	0.00	300	43 PEAK																																																																						
4	5728.00	53.58	110.90	-57.32	44.69	34.94	11.17	37.22	0.00	300	43 PEAK																																																																						
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>116.50</td> <td>-----</td> <td>-----</td> <td>108.47</td> <td>35.00</td> <td>11.26</td> <td>38.23</td> <td>0.00</td> <td>300</td> <td>43 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	116.50	-----	-----	108.47	35.00	11.26	38.23	0.00	300	43 PEAK																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	5785.00	116.50	-----	-----	108.47	35.00	11.26	38.23	0.00	300	43 PEAK																																																																						
Avg	Blank																																																																																
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>108.37</td> <td>-----</td> <td>-----</td> <td>100.34</td> <td>35.00</td> <td>11.26</td> <td>38.23</td> <td>0.00</td> <td>300</td> <td>43 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	108.37	-----	-----	100.34	35.00	11.26	38.23	0.00	300	43 AVERAGE																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	5785.00	108.37	-----	-----	100.34	35.00	11.26	38.23	0.00	300	43 AVERAGE																																																																						



	52																																																																																			
Mode	Band Edge - R																																																																																			
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak																																																																																				
	Blank																																																																																			
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>53.55</td> <td>110.90</td> <td>-57.35</td> <td>46.47</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>300</td> <td>43</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.22</td> <td>54.57</td> <td>106.00</td> <td>-51.51</td> <td>47.43</td> <td>35.09</td> <td>11.35</td> <td>39.30</td> <td>0.00</td> <td>300</td> <td>43</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>53.04</td> <td>68.20</td> <td>-15.16</td> <td>45.73</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>300</td> <td>43</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5962.60</td> <td>56.60</td> <td>68.20</td> <td>-11.60</td> <td>49.14</td> <td>35.17</td> <td>11.44</td> <td>39.15</td> <td>0.00</td> <td>300</td> <td>43</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	53.55	110.90	-57.35	46.47	35.07	11.34	39.33	0.00	300	43	PEAK	2	5872.22	54.57	106.00	-51.51	47.43	35.09	11.35	39.30	0.00	300	43	PEAK	3	5925.00	53.04	68.20	-15.16	45.73	35.13	11.40	39.22	0.00	300	43	PEAK	4	5962.60	56.60	68.20	-11.60	49.14	35.17	11.44	39.15	0.00	300	43	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5855.00	53.55	110.90	-57.35	46.47	35.07	11.34	39.33	0.00	300	43	PEAK																																																																								
2	5872.22	54.57	106.00	-51.51	47.43	35.09	11.35	39.30	0.00	300	43	PEAK																																																																								
3	5925.00	53.04	68.20	-15.16	45.73	35.13	11.40	39.22	0.00	300	43	PEAK																																																																								
4	5962.60	56.60	68.20	-11.60	49.14	35.17	11.44	39.15	0.00	300	43	PEAK																																																																								



52																																																																																	
Mode	Band Edge - L																																																																																
U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																	
ANT	CDD 1S4T																																																																																
Pol.	Vertical																																																																																
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a blue signal line and a red limit line. A peak is visible at approximately 5785 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5600 to 6000 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5627.00</td> <td>63.67</td> <td>68.20</td> <td>-4.53</td> <td>53.76</td> <td>34.85</td> <td>11.04</td> <td>35.98</td> <td>0.00</td> <td>158</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.00</td> <td>57.83</td> <td>68.95</td> <td>-11.12</td> <td>48.01</td> <td>34.88</td> <td>11.07</td> <td>36.13</td> <td>0.00</td> <td>158</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5781.02</td> <td>60.82</td> <td>105.59</td> <td>-44.77</td> <td>51.68</td> <td>34.92</td> <td>11.14</td> <td>36.92</td> <td>0.00</td> <td>158</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.00</td> <td>60.54</td> <td>110.90</td> <td>-50.36</td> <td>51.65</td> <td>34.94</td> <td>11.17</td> <td>37.22</td> <td>0.00</td> <td>158</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5627.00	63.67	68.20	-4.53	53.76	34.85	11.04	35.98	0.00	158	360	PEAK	2	5651.00	57.83	68.95	-11.12	48.01	34.88	11.07	36.13	0.00	158	360	PEAK	3	5781.02	60.82	105.59	-44.77	51.68	34.92	11.14	36.92	0.00	158	360	PEAK	4	5728.00	60.54	110.90	-50.36	51.65	34.94	11.17	37.22	0.00	158	360	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5627.00	63.67	68.20	-4.53	53.76	34.85	11.04	35.98	0.00	158	360	PEAK																																																																					
2	5651.00	57.83	68.95	-11.12	48.01	34.88	11.07	36.13	0.00	158	360	PEAK																																																																					
3	5781.02	60.82	105.59	-44.77	51.68	34.92	11.14	36.92	0.00	158	360	PEAK																																																																					
4	5728.00	60.54	110.90	-50.36	51.65	34.94	11.17	37.22	0.00	158	360	PEAK																																																																					
Fundamental	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a blue signal line and a red limit line. A sharp peak is visible at 5785 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>123.53</td> <td>-----</td> <td>-----</td> <td>115.35</td> <td>34.99</td> <td>11.24</td> <td>38.05</td> <td>0.00</td> <td>158</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	123.53	-----	-----	115.35	34.99	11.24	38.05	0.00	158	360	PEAK																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5785.00	123.53	-----	-----	115.35	34.99	11.24	38.05	0.00	158	360	PEAK																																																																					
Avg	<p style="text-align: center;">Blank</p>  <p>Level (dBuV/m) vs Frequency (MHz) plot for Average polarization. The plot shows a blue signal line and a red limit line. A peak is visible at 5785 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>115.04</td> <td>-----</td> <td>-----</td> <td>106.86</td> <td>34.99</td> <td>11.24</td> <td>38.05</td> <td>0.00</td> <td>158</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	115.04	-----	-----	106.86	34.99	11.24	38.05	0.00	158	360	AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5785.00	115.04	-----	-----	106.86	34.99	11.24	38.05	0.00	158	360	AVERAGE																																																																					



Mode	52																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																							
ANT	CDD 1S4T																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>56.67</td> <td>110.90</td> <td>-54.23</td> <td>49.59</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>158</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5875.00</td> <td>54.29</td> <td>105.30</td> <td>-51.01</td> <td>47.15</td> <td>35.09</td> <td>11.35</td> <td>39.30</td> <td>0.00</td> <td>158</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5921.80</td> <td>55.82</td> <td>70.57</td> <td>-14.75</td> <td>48.51</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>158</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5938.22</td> <td>56.32</td> <td>68.20</td> <td>-11.88</td> <td>48.98</td> <td>35.14</td> <td>11.41</td> <td>39.21</td> <td>0.00</td> <td>158</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg	1	5855.00	56.67	110.90	-54.23	49.59	35.07	11.34	39.33	0.00	158	360	PEAK	2	5875.00	54.29	105.30	-51.01	47.15	35.09	11.35	39.30	0.00	158	360	PEAK	3	5921.80	55.82	70.57	-14.75	48.51	35.13	11.40	39.22	0.00	158	360	PEAK	4	5938.22	56.32	68.20	-11.88	48.98	35.14	11.41	39.21	0.00	158	360	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg																																																																
1	5855.00	56.67	110.90	-54.23	49.59	35.07	11.34	39.33	0.00	158	360	PEAK																																																												
2	5875.00	54.29	105.30	-51.01	47.15	35.09	11.35	39.30	0.00	158	360	PEAK																																																												
3	5921.80	55.82	70.57	-14.75	48.51	35.13	11.40	39.22	0.00	158	360	PEAK																																																												
4	5938.22	56.32	68.20	-11.88	48.98	35.14	11.41	39.21	0.00	158	360	PEAK																																																												






	52																																																																																												
Mode	Harmonic																																																																																												
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																												
ANT	CDD 1S4T																																																																																												
Pol.	Horizontal	Vertical																																																																																											
Peak Avg																																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>45.48</td> <td>74.00</td> <td>-28.52</td> <td>57.20</td> <td>38.20</td> <td>16.41</td> <td>66.33</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	45.48	74.00	-28.52	57.20	38.20	16.41	66.33	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>48.04</td> <td>74.00</td> <td>-25.96</td> <td>59.76</td> <td>38.20</td> <td>16.41</td> <td>66.33</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2 11570.00</td> <td>36.37</td> <td>54.00</td> <td>-17.63</td> <td>48.09</td> <td>38.20</td> <td>16.41</td> <td>66.33</td> <td>0.00</td> <td>100</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	48.04	74.00	-25.96	59.76	38.20	16.41	66.33	0.00	100	0	PEAK	2 11570.00	36.37	54.00	-17.63	48.09	38.20	16.41	66.33	0.00	100	0
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 11570.00	45.48	74.00	-28.52	57.20	38.20	16.41	66.33	0.00	---	---	PEAK																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 11570.00	48.04	74.00	-25.96	59.76	38.20	16.41	66.33	0.00	100	0	PEAK																																																																																		
2 11570.00	36.37	54.00	-17.63	48.09	38.20	16.41	66.33	0.00	100	0	AVERAGE																																																																																		



53																																																																																				
Mode	Band Edge																																																																																			
U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz																																																																																				
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal																																																																																			
Peak	Fundamental																																																																																			
<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5851.42</td> <td>78.15</td> <td>119.06</td> <td>-40.91</td> <td>71.03</td> <td>35.07</td> <td>11.33</td> <td>39.28</td> <td>0.00</td> <td>316</td> <td>243</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.22</td> <td>57.86</td> <td>105.52</td> <td>-47.66</td> <td>50.72</td> <td>35.09</td> <td>11.35</td> <td>39.30</td> <td>0.00</td> <td>316</td> <td>243</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.60</td> <td>54.63</td> <td>68.50</td> <td>-13.87</td> <td>47.32</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>316</td> <td>243</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5969.80</td> <td>55.36</td> <td>68.20</td> <td>-12.84</td> <td>47.88</td> <td>35.18</td> <td>11.44</td> <td>39.14</td> <td>0.00</td> <td>316</td> <td>243</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5851.42	78.15	119.06	-40.91	71.03	35.07	11.33	39.28	0.00	316	243	PEAK	2	5874.22	57.86	105.52	-47.66	50.72	35.09	11.35	39.30	0.00	316	243	PEAK	3	5924.60	54.63	68.50	-13.87	47.32	35.13	11.40	39.22	0.00	316	243	PEAK	4	5969.80	55.36	68.20	-12.84	47.88	35.18	11.44	39.14	0.00	316	243	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	5851.42	78.15	119.06	-40.91	71.03	35.07	11.33	39.28	0.00	316	243	PEAK																																																																								
2	5874.22	57.86	105.52	-47.66	50.72	35.09	11.35	39.30	0.00	316	243	PEAK																																																																								
3	5924.60	54.63	68.50	-13.87	47.32	35.13	11.40	39.22	0.00	316	243	PEAK																																																																								
4	5969.80	55.36	68.20	-12.84	47.88	35.18	11.44	39.14	0.00	316	243	PEAK																																																																								
<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>116.41</td> <td>-----</td> <td>-----</td> <td>108.96</td> <td>35.04</td> <td>11.31</td> <td>38.90</td> <td>0.00</td> <td>316</td> <td>243</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	116.41	-----	-----	108.96	35.04	11.31	38.90	0.00	316	243	PEAK																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	5825.00	116.41	-----	-----	108.96	35.04	11.31	38.90	0.00	316	243	PEAK																																																																								
Avg	Blank																																																																																			
<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>107.93</td> <td>-----</td> <td>-----</td> <td>100.56</td> <td>35.05</td> <td>11.31</td> <td>38.99</td> <td>0.00</td> <td>316</td> <td>243</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	107.93	-----	-----	100.56	35.05	11.31	38.99	0.00	316	243	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	5825.00	107.93	-----	-----	100.56	35.05	11.31	38.99	0.00	316	243	AVERAGE																																																																								



		53																																																																																																																															
Mode	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz																																																																																																																																
ANT	CDD 1S4T																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak	 <table border="1" data-bbox="263 1052 790 1232"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5850.22</td> <td>86.78</td> <td>121.79</td> <td>-35.01</td> <td>79.65</td> <td>35.06</td> <td>11.33</td> <td>39.26</td> <td>0.00</td> <td>166</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5859.42</td> <td>72.97</td> <td>109.66</td> <td>-36.69</td> <td>65.88</td> <td>35.07</td> <td>11.34</td> <td>39.32</td> <td>0.00</td> <td>166</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.60</td> <td>55.28</td> <td>68.50</td> <td>-13.22</td> <td>47.97</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>166</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5930.22</td> <td>57.19</td> <td>68.20</td> <td>-11.01</td> <td>49.85</td> <td>35.14</td> <td>11.41</td> <td>39.21</td> <td>0.00</td> <td>166</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5850.22	86.78	121.79	-35.01	79.65	35.06	11.33	39.26	0.00	166	360	PEAK	2	5859.42	72.97	109.66	-36.69	65.88	35.07	11.34	39.32	0.00	166	360	PEAK	3	5924.60	55.28	68.50	-13.22	47.97	35.13	11.40	39.22	0.00	166	360	PEAK	4	5930.22	57.19	68.20	-11.01	49.85	35.14	11.41	39.21	0.00	166	360	PEAK	 <table border="1" data-bbox="901 1108 1428 1232"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>122.18</td> <td>-----</td> <td>-----</td> <td>114.56</td> <td>35.03</td> <td>11.30</td> <td>38.71</td> <td>0.00</td> <td>166</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	122.18	-----	-----	114.56	35.03	11.30	38.71	0.00	166	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5850.22	86.78	121.79	-35.01	79.65	35.06	11.33	39.26	0.00	166	360	PEAK																																																																																																																					
2	5859.42	72.97	109.66	-36.69	65.88	35.07	11.34	39.32	0.00	166	360	PEAK																																																																																																																					
3	5924.60	55.28	68.50	-13.22	47.97	35.13	11.40	39.22	0.00	166	360	PEAK																																																																																																																					
4	5930.22	57.19	68.20	-11.01	49.85	35.14	11.41	39.21	0.00	166	360	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	122.18	-----	-----	114.56	35.03	11.30	38.71	0.00	166	360	PEAK																																																																																																																					
Avg	Blank	 <table border="1" data-bbox="901 1792 1428 1915"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>113.86</td> <td>-----</td> <td>-----</td> <td>106.24</td> <td>35.03</td> <td>11.30</td> <td>38.71</td> <td>0.00</td> <td>166</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	113.86	-----	-----	106.24	35.03	11.30	38.71	0.00	166	360	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	113.86	-----	-----	106.24	35.03	11.30	38.71	0.00	166	360	AVERAGE																																																																																																																					



	53																																																																																													
Mode	Harmonic																																																																																													
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Horizontal	Vertical																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>45.37</td> <td>74.00</td> <td>-28.63</td> <td>56.99</td> <td>38.25</td> <td>16.46</td> <td>66.33</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	45.37	74.00	-28.63	56.99	38.25	16.46	66.33	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>60.92</td> <td>74.00</td> <td>-13.08</td> <td>72.54</td> <td>38.25</td> <td>16.46</td> <td>66.33</td> <td>0.00</td> <td>123</td> <td>168</td> <td>PEAK</td> </tr> <tr> <td>2 11650.00</td> <td>47.50</td> <td>54.00</td> <td>-6.50</td> <td>59.11</td> <td>38.26</td> <td>16.46</td> <td>66.33</td> <td>0.00</td> <td>123</td> <td>168</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	60.92	74.00	-13.08	72.54	38.25	16.46	66.33	0.00	123	168	PEAK	2 11650.00	47.50	54.00	-6.50	59.11	38.26	16.46	66.33	0.00	123	168	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 11650.00	45.37	74.00	-28.63	56.99	38.25	16.46	66.33	0.00	---	---	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 11650.00	60.92	74.00	-13.08	72.54	38.25	16.46	66.33	0.00	123	168	PEAK																																																																																			
2 11650.00	47.50	54.00	-6.50	59.11	38.26	16.46	66.33	0.00	123	168	AVERAGE																																																																																			



	54																																																																																																										
Mode	Band Edge - L																																																																																																										
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																																										
ANT	CDD 1S4T																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5612.32</td> <td>60.10</td> <td>68.20</td> <td>-8.10</td> <td>50.24</td> <td>34.84</td> <td>11.02</td> <td>36.00</td> <td>0.00</td> <td>349</td> <td>39</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.61</td> <td>58.50</td> <td>68.65</td> <td>-10.15</td> <td>48.68</td> <td>34.88</td> <td>11.07</td> <td>36.13</td> <td>0.00</td> <td>349</td> <td>39</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.90</td> <td>87.40</td> <td>110.87</td> <td>-23.47</td> <td>78.50</td> <td>34.94</td> <td>11.17</td> <td>37.21</td> <td>0.00</td> <td>349</td> <td>39</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.00</td> <td>87.38</td> <td>110.91</td> <td>-23.53</td> <td>78.49</td> <td>34.94</td> <td>11.17</td> <td>37.22</td> <td>0.00</td> <td>349</td> <td>39</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1	5612.32	60.10	68.20	-8.10	50.24	34.84	11.02	36.00	0.00	349	39	PEAK	2	5650.61	58.50	68.65	-10.15	48.68	34.88	11.07	36.13	0.00	349	39	PEAK	3	5719.90	87.40	110.87	-23.47	78.50	34.94	11.17	37.21	0.00	349	39	PEAK	4	5728.00	87.38	110.91	-23.53	78.49	34.94	11.17	37.22	0.00	349	39	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>115.35</td> <td>-----</td> <td>-----</td> <td>106.68</td> <td>34.96</td> <td>11.19</td> <td>37.48</td> <td>0.00</td> <td>349</td> <td>39</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1	5755.00	115.35	-----	-----	106.68	34.96	11.19	37.48	0.00	349	39	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																																		
1	5612.32	60.10	68.20	-8.10	50.24	34.84	11.02	36.00	0.00	349	39	PEAK																																																																																															
2	5650.61	58.50	68.65	-10.15	48.68	34.88	11.07	36.13	0.00	349	39	PEAK																																																																																															
3	5719.90	87.40	110.87	-23.47	78.50	34.94	11.17	37.21	0.00	349	39	PEAK																																																																																															
4	5728.00	87.38	110.91	-23.53	78.49	34.94	11.17	37.22	0.00	349	39	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																																		
1	5755.00	115.35	-----	-----	106.68	34.96	11.19	37.48	0.00	349	39	PEAK																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>107.27</td> <td>-----</td> <td>-----</td> <td>98.60</td> <td>34.96</td> <td>11.19</td> <td>37.48</td> <td>0.00</td> <td>349</td> <td>39</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1	5755.00	107.27	-----	-----	98.60	34.96	11.19	37.48	0.00	349	39	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																																		
1	5755.00	107.27	-----	-----	98.60	34.96	11.19	37.48	0.00	349	39	AVERAGE																																																																																															



Mode	54																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																									
ANT	CDD 1S4T																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.99</td> <td>52.24</td> <td>110.92</td> <td>-58.68</td> <td>45.16</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>349</td> <td>39</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.54</td> <td>56.05</td> <td>106.55</td> <td>-50.50</td> <td>48.92</td> <td>35.08</td> <td>11.35</td> <td>39.30</td> <td>0.00</td> <td>349</td> <td>39</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.56</td> <td>54.99</td> <td>68.52</td> <td>-13.53</td> <td>47.68</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>349</td> <td>39</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5925.93</td> <td>55.79</td> <td>68.20</td> <td>-12.41</td> <td>48.46</td> <td>35.14</td> <td>11.40</td> <td>39.21</td> <td>0.00</td> <td>349</td> <td>39</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.99	52.24	110.92	-58.68	45.16	35.07	11.34	39.33	0.00	349	39	PEAK	2	5870.54	56.05	106.55	-50.50	48.92	35.08	11.35	39.30	0.00	349	39	PEAK	3	5924.56	54.99	68.52	-13.53	47.68	35.13	11.40	39.22	0.00	349	39	PEAK	4	5925.93	55.79	68.20	-12.41	48.46	35.14	11.40	39.21	0.00	349	39	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.99	52.24	110.92	-58.68	45.16	35.07	11.34	39.33	0.00	349	39	PEAK																																																														
2	5870.54	56.05	106.55	-50.50	48.92	35.08	11.35	39.30	0.00	349	39	PEAK																																																														
3	5924.56	54.99	68.52	-13.53	47.68	35.13	11.40	39.22	0.00	349	39	PEAK																																																														
4	5925.93	55.79	68.20	-12.41	48.46	35.14	11.40	39.21	0.00	349	39	PEAK																																																														



54																																																																																	
Mode	Band Edge - L																																																																																
U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																	
ANT	CDD 1S4T																																																																																
Pol.	Vertical																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5634.49</td> <td>64.77</td> <td>68.20</td> <td>-3.43</td> <td>54.83</td> <td>34.86</td> <td>11.85</td> <td>35.97</td> <td>0.00</td> <td>101</td> <td>94</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5652.78</td> <td>63.68</td> <td>70.27</td> <td>-6.59</td> <td>53.88</td> <td>34.88</td> <td>11.88</td> <td>36.16</td> <td>0.00</td> <td>101</td> <td>94</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5718.50</td> <td>96.90</td> <td>110.48</td> <td>-13.58</td> <td>87.98</td> <td>34.94</td> <td>11.17</td> <td>37.19</td> <td>0.00</td> <td>101</td> <td>94</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.00</td> <td>95.24</td> <td>110.91</td> <td>-15.67</td> <td>86.35</td> <td>34.94</td> <td>11.17</td> <td>37.22</td> <td>0.00</td> <td>101</td> <td>94</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5634.49	64.77	68.20	-3.43	54.83	34.86	11.85	35.97	0.00	101	94	PEAK	2	5652.78	63.68	70.27	-6.59	53.88	34.88	11.88	36.16	0.00	101	94	PEAK	3	5718.50	96.90	110.48	-13.58	87.98	34.94	11.17	37.19	0.00	101	94	PEAK	4	5728.00	95.24	110.91	-15.67	86.35	34.94	11.17	37.22	0.00	101	94	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5634.49	64.77	68.20	-3.43	54.83	34.86	11.85	35.97	0.00	101	94	PEAK																																																																					
2	5652.78	63.68	70.27	-6.59	53.88	34.88	11.88	36.16	0.00	101	94	PEAK																																																																					
3	5718.50	96.90	110.48	-13.58	87.98	34.94	11.17	37.19	0.00	101	94	PEAK																																																																					
4	5728.00	95.24	110.91	-15.67	86.35	34.94	11.17	37.22	0.00	101	94	PEAK																																																																					
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>122.61</td> <td>-----</td> <td>-----</td> <td>113.86</td> <td>34.95</td> <td>11.19</td> <td>37.39</td> <td>0.00</td> <td>101</td> <td>94</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	122.61	-----	-----	113.86	34.95	11.19	37.39	0.00	101	94	PEAK																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5755.00	122.61	-----	-----	113.86	34.95	11.19	37.39	0.00	101	94	PEAK																																																																					
Avg	Blank																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>112.71</td> <td>-----</td> <td>-----</td> <td>103.96</td> <td>34.95</td> <td>11.19</td> <td>37.39</td> <td>0.00</td> <td>101</td> <td>94</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	112.71	-----	-----	103.96	34.95	11.19	37.39	0.00	101	94	AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5755.00	112.71	-----	-----	103.96	34.95	11.19	37.39	0.00	101	94	AVERAGE																																																																					



Mode	54																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																							
ANT	CDD 1S4T																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 5854.95</td> <td>58.08</td> <td>111.02</td> <td>-52.94</td> <td>51.00</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>101 94 PEAK</td> </tr> <tr> <td>2 5874.45</td> <td>56.34</td> <td>105.45</td> <td>-49.11</td> <td>49.20</td> <td>35.09</td> <td>11.35</td> <td>39.30</td> <td>0.00</td> <td>101 94 PEAK</td> </tr> <tr> <td>3 5925.00</td> <td>54.33</td> <td>68.20</td> <td>-13.87</td> <td>47.02</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>101 94 PEAK</td> </tr> <tr> <td>4 5927.28</td> <td>56.53</td> <td>68.20</td> <td>-11.67</td> <td>49.20</td> <td>35.14</td> <td>11.40</td> <td>39.21</td> <td>0.00</td> <td>101 94 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5854.95	58.08	111.02	-52.94	51.00	35.07	11.34	39.33	0.00	101 94 PEAK	2 5874.45	56.34	105.45	-49.11	49.20	35.09	11.35	39.30	0.00	101 94 PEAK	3 5925.00	54.33	68.20	-13.87	47.02	35.13	11.40	39.22	0.00	101 94 PEAK	4 5927.28	56.53	68.20	-11.67	49.20	35.14	11.40	39.21	0.00	101 94 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																															
1 5854.95	58.08	111.02	-52.94	51.00	35.07	11.34	39.33	0.00	101 94 PEAK																																																															
2 5874.45	56.34	105.45	-49.11	49.20	35.09	11.35	39.30	0.00	101 94 PEAK																																																															
3 5925.00	54.33	68.20	-13.87	47.02	35.13	11.40	39.22	0.00	101 94 PEAK																																																															
4 5927.28	56.53	68.20	-11.67	49.20	35.14	11.40	39.21	0.00	101 94 PEAK																																																															






	54																																																																																			
Mode	Harmonic																																																																																			
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal	Vertical																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>44.94</td> <td>74.00</td> <td>-29.06</td> <td>56.70</td> <td>38.20</td> <td>16.37</td> <td>66.33</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11510.00	44.94	74.00	-29.06	56.70	38.20	16.37	66.33	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>45.13</td> <td>74.00</td> <td>-28.87</td> <td>56.89</td> <td>38.20</td> <td>16.37</td> <td>66.33</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11510.00	45.13	74.00	-28.87	56.89	38.20	16.37	66.33	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 11510.00	44.94	74.00	-29.06	56.70	38.20	16.37	66.33	0.00	---	---	PEAK																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 11510.00	45.13	74.00	-28.87	56.89	38.20	16.37	66.33	0.00	---	---	PEAK																																																																									



55																																																																																	
Mode	Band Edge																																																																																
U-NII-3_5.725-5.85_802.11BE EHT20_CH149_RU52*4_5745MHz																																																																																	
ANT	CDD 1S4T																																																																																
Pol.	Horizontal																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5622.60</td> <td>61.23</td> <td>68.20</td> <td>-6.97</td> <td>51.33</td> <td>34.85</td> <td>11.03</td> <td>35.98</td> <td>0.00</td> <td>325</td> <td>248</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.22</td> <td>59.79</td> <td>68.37</td> <td>-8.58</td> <td>49.96</td> <td>34.88</td> <td>11.07</td> <td>36.12</td> <td>0.00</td> <td>325</td> <td>248</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5712.22</td> <td>71.81</td> <td>108.72</td> <td>-36.91</td> <td>62.81</td> <td>34.93</td> <td>11.16</td> <td>37.09</td> <td>0.00</td> <td>325</td> <td>248</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.60</td> <td>75.70</td> <td>112.27</td> <td>-36.57</td> <td>66.81</td> <td>34.94</td> <td>11.17</td> <td>37.22</td> <td>0.00</td> <td>325</td> <td>248</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5622.60	61.23	68.20	-6.97	51.33	34.85	11.03	35.98	0.00	325	248	PEAK	2	5650.22	59.79	68.37	-8.58	49.96	34.88	11.07	36.12	0.00	325	248	PEAK	3	5712.22	71.81	108.72	-36.91	62.81	34.93	11.16	37.09	0.00	325	248	PEAK	4	5720.60	75.70	112.27	-36.57	66.81	34.94	11.17	37.22	0.00	325	248	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5622.60	61.23	68.20	-6.97	51.33	34.85	11.03	35.98	0.00	325	248	PEAK																																																																					
2	5650.22	59.79	68.37	-8.58	49.96	34.88	11.07	36.12	0.00	325	248	PEAK																																																																					
3	5712.22	71.81	108.72	-36.91	62.81	34.93	11.16	37.09	0.00	325	248	PEAK																																																																					
4	5720.60	75.70	112.27	-36.57	66.81	34.94	11.17	37.22	0.00	325	248	PEAK																																																																					
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>117.74</td> <td>-----</td> <td>-----</td> <td>109.23</td> <td>34.97</td> <td>11.21</td> <td>37.67</td> <td>0.00</td> <td>325</td> <td>248</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	117.74	-----	-----	109.23	34.97	11.21	37.67	0.00	325	248	PEAK																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5745.00	117.74	-----	-----	109.23	34.97	11.21	37.67	0.00	325	248	PEAK																																																																					
Avg	Blank																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>108.58</td> <td>-----</td> <td>-----</td> <td>100.07</td> <td>34.97</td> <td>11.21</td> <td>37.67</td> <td>0.00</td> <td>325</td> <td>248</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	108.58	-----	-----	100.07	34.97	11.21	37.67	0.00	325	248	AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5745.00	108.58	-----	-----	100.07	34.97	11.21	37.67	0.00	325	248	AVERAGE																																																																					



55																																																																																	
Mode	Band Edge																																																																																
U-NII-3_5.725-5.85_802.11BE EHT20_CH149_RU52*4_5745MHz																																																																																	
ANT	CDD 1S4T																																																																																
Pol.	Vertical																																																																																
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a peak at 5745 MHz. A red limit line is shown at 113.8 dBuV/m. The blue trace represents the measured signal.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5634.60</td> <td>62.65</td> <td>68.20</td> <td>-5.55</td> <td>52.71</td> <td>34.86</td> <td>11.85</td> <td>35.97</td> <td>0.00</td> <td>157</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.22</td> <td>61.53</td> <td>68.37</td> <td>-6.84</td> <td>51.70</td> <td>34.88</td> <td>11.07</td> <td>36.12</td> <td>0.00</td> <td>157</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5718.60</td> <td>90.23</td> <td>110.51</td> <td>-20.28</td> <td>81.31</td> <td>34.94</td> <td>11.17</td> <td>37.19</td> <td>0.00</td> <td>157</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.42</td> <td>93.27</td> <td>114.14</td> <td>-20.87</td> <td>84.40</td> <td>34.94</td> <td>11.17</td> <td>37.24</td> <td>0.00</td> <td>157</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5634.60	62.65	68.20	-5.55	52.71	34.86	11.85	35.97	0.00	157	0	PEAK	2	5650.22	61.53	68.37	-6.84	51.70	34.88	11.07	36.12	0.00	157	0	PEAK	3	5718.60	90.23	110.51	-20.28	81.31	34.94	11.17	37.19	0.00	157	0	PEAK	4	5721.42	93.27	114.14	-20.87	84.40	34.94	11.17	37.24	0.00	157	0	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5634.60	62.65	68.20	-5.55	52.71	34.86	11.85	35.97	0.00	157	0	PEAK																																																																					
2	5650.22	61.53	68.37	-6.84	51.70	34.88	11.07	36.12	0.00	157	0	PEAK																																																																					
3	5718.60	90.23	110.51	-20.28	81.31	34.94	11.17	37.19	0.00	157	0	PEAK																																																																					
4	5721.42	93.27	114.14	-20.87	84.40	34.94	11.17	37.24	0.00	157	0	PEAK																																																																					
Peak	 <p>Fundamental Peak Spectrum Plot. The plot shows a peak at 5745 MHz. A red limit line is shown at 113.8 dBuV/m. The blue trace represents the measured signal.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>124.66</td> <td>-----</td> <td>-----</td> <td>115.99</td> <td>34.96</td> <td>11.19</td> <td>37.48</td> <td>0.00</td> <td>157</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	124.66	-----	-----	115.99	34.96	11.19	37.48	0.00	157	0	PEAK																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5745.00	124.66	-----	-----	115.99	34.96	11.19	37.48	0.00	157	0	PEAK																																																																					
Avg	Blank																																																																																
Avg	 <p>Vertical Average Spectrum Plot. The plot shows a peak at 5745 MHz. A red limit line is shown at 113.8 dBuV/m. The blue trace represents the averaged signal.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>115.04</td> <td>-----</td> <td>-----</td> <td>106.29</td> <td>34.95</td> <td>11.19</td> <td>37.39</td> <td>0.00</td> <td>157</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	115.04	-----	-----	106.29	34.95	11.19	37.39	0.00	157	0	AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5745.00	115.04	-----	-----	106.29	34.95	11.19	37.39	0.00	157	0	AVERAGE																																																																					






56																																																																																				
Mode	Band Edge - L																																																																																			
U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																				
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal																																																																																			
Peak	Fundamental																																																																																			
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5645.80</td> <td>59.53</td> <td>68.20</td> <td>-8.67</td> <td>49.64</td> <td>34.87</td> <td>11.07</td> <td>36.05</td> <td>0.00</td> <td>328</td> <td>41</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.42</td> <td>57.30</td> <td>69.26</td> <td>-11.96</td> <td>47.49</td> <td>34.88</td> <td>11.07</td> <td>36.14</td> <td>0.00</td> <td>328</td> <td>41</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5781.82</td> <td>59.44</td> <td>105.59</td> <td>-46.15</td> <td>50.30</td> <td>34.92</td> <td>11.14</td> <td>36.92</td> <td>0.00</td> <td>328</td> <td>41</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.22</td> <td>66.08</td> <td>111.41</td> <td>-45.33</td> <td>57.19</td> <td>34.94</td> <td>11.17</td> <td>37.22</td> <td>0.00</td> <td>328</td> <td>41</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5645.80	59.53	68.20	-8.67	49.64	34.87	11.07	36.05	0.00	328	41	PEAK	2	5651.42	57.30	69.26	-11.96	47.49	34.88	11.07	36.14	0.00	328	41	PEAK	3	5781.82	59.44	105.59	-46.15	50.30	34.92	11.14	36.92	0.00	328	41	PEAK	4	5728.22	66.08	111.41	-45.33	57.19	34.94	11.17	37.22	0.00	328	41	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	5645.80	59.53	68.20	-8.67	49.64	34.87	11.07	36.05	0.00	328	41	PEAK																																																																								
2	5651.42	57.30	69.26	-11.96	47.49	34.88	11.07	36.14	0.00	328	41	PEAK																																																																								
3	5781.82	59.44	105.59	-46.15	50.30	34.92	11.14	36.92	0.00	328	41	PEAK																																																																								
4	5728.22	66.08	111.41	-45.33	57.19	34.94	11.17	37.22	0.00	328	41	PEAK																																																																								
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>115.80</td> <td>-----</td> <td>-----</td> <td>107.93</td> <td>35.01</td> <td>11.28</td> <td>38.42</td> <td>0.00</td> <td>328</td> <td>41</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	115.80	-----	-----	107.93	35.01	11.28	38.42	0.00	328	41	PEAK																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	5795.00	115.80	-----	-----	107.93	35.01	11.28	38.42	0.00	328	41	PEAK																																																																								
Avg	Blank																																																																																			
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>106.89</td> <td>-----</td> <td>-----</td> <td>98.79</td> <td>35.00</td> <td>11.25</td> <td>38.15</td> <td>0.00</td> <td>328</td> <td>41</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	106.89	-----	-----	98.79	35.00	11.25	38.15	0.00	328	41	AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	5795.00	106.89	-----	-----	98.79	35.00	11.25	38.15	0.00	328	41	AVERAGE																																																																								



Mode	56																																																																
	Band Edge - R																																																																
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																
ANT	CDD 1S4T																																																																
Pol.	Horizontal	Fundamental																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5855.00</td> <td>57.13</td> <td>110.90</td> <td>-53.77</td> <td>50.05</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> </tr> <tr> <td>2 5860.22</td> <td>63.19</td> <td>109.44</td> <td>-46.25</td> <td>56.10</td> <td>35.07</td> <td>11.34</td> <td>39.32</td> <td>0.00</td> </tr> <tr> <td>3 5924.60</td> <td>53.67</td> <td>68.50</td> <td>-14.83</td> <td>46.36</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> </tr> <tr> <td>4 5976.60</td> <td>56.41</td> <td>68.20</td> <td>-11.79</td> <td>48.91</td> <td>35.18</td> <td>11.45</td> <td>39.13</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5855.00	57.13	110.90	-53.77	50.05	35.07	11.34	39.33	0.00	2 5860.22	63.19	109.44	-46.25	56.10	35.07	11.34	39.32	0.00	3 5924.60	53.67	68.50	-14.83	46.36	35.13	11.40	39.22	0.00	4 5976.60	56.41	68.20	-11.79	48.91	35.18	11.45	39.13	0.00	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																									
1 5855.00	57.13	110.90	-53.77	50.05	35.07	11.34	39.33	0.00																																																									
2 5860.22	63.19	109.44	-46.25	56.10	35.07	11.34	39.32	0.00																																																									
3 5924.60	53.67	68.50	-14.83	46.36	35.13	11.40	39.22	0.00																																																									
4 5976.60	56.41	68.20	-11.79	48.91	35.18	11.45	39.13	0.00																																																									



56																																																															
Mode	Band Edge - L																																																														
U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																															
ANT	CDD 1S4T																																																														
Pol.	Vertical																																																														
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 5795 MHz. The plot includes a red limit line and a blue signal line. Three peaks are marked with vertical lines and numbered 1, 2, and 3.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5628.60</td> <td>61.33</td> <td>68.20</td> <td>-6.87</td> <td>51.41</td> <td>34.86</td> <td>11.04</td> <td>35.98</td> <td>0.00</td> <td>109</td> <td>91 PEAK</td> </tr> <tr> <td>2 5650.00</td> <td>60.60</td> <td>68.20</td> <td>-7.60</td> <td>50.77</td> <td>34.88</td> <td>11.07</td> <td>36.12</td> <td>0.00</td> <td>109</td> <td>91 PEAK</td> </tr> <tr> <td>3 5716.60</td> <td>71.03</td> <td>109.95</td> <td>-38.92</td> <td>62.09</td> <td>34.94</td> <td>11.16</td> <td>37.16</td> <td>0.00</td> <td>109</td> <td>91 PEAK</td> </tr> <tr> <td>4 5721.42</td> <td>67.00</td> <td>114.14</td> <td>-47.14</td> <td>58.13</td> <td>34.94</td> <td>11.17</td> <td>37.24</td> <td>0.00</td> <td>109</td> <td>91 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg	1 5628.60	61.33	68.20	-6.87	51.41	34.86	11.04	35.98	0.00	109	91 PEAK	2 5650.00	60.60	68.20	-7.60	50.77	34.88	11.07	36.12	0.00	109	91 PEAK	3 5716.60	71.03	109.95	-38.92	62.09	34.94	11.16	37.16	0.00	109	91 PEAK	4 5721.42	67.00	114.14	-47.14	58.13	34.94	11.17	37.24	0.00	109	91 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg																																																							
1 5628.60	61.33	68.20	-6.87	51.41	34.86	11.04	35.98	0.00	109	91 PEAK																																																					
2 5650.00	60.60	68.20	-7.60	50.77	34.88	11.07	36.12	0.00	109	91 PEAK																																																					
3 5716.60	71.03	109.95	-38.92	62.09	34.94	11.16	37.16	0.00	109	91 PEAK																																																					
4 5721.42	67.00	114.14	-47.14	58.13	34.94	11.17	37.24	0.00	109	91 PEAK																																																					
Fundamental	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a sharp peak at 5795 MHz. The plot includes a red limit line and a blue signal line.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5795.00</td> <td>121.27</td> <td>-----</td> <td>-----</td> <td>113.09</td> <td>34.99</td> <td>11.24</td> <td>38.05</td> <td>0.00</td> <td>109</td> <td>91 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg	1 5795.00	121.27	-----	-----	113.09	34.99	11.24	38.05	0.00	109	91 PEAK																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg																																																							
1 5795.00	121.27	-----	-----	113.09	34.99	11.24	38.05	0.00	109	91 PEAK																																																					
Avg	Blank																																																														
	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 5795 MHz. The plot includes a red dashed limit line and a blue signal line.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5795.00</td> <td>112.75</td> <td>-----</td> <td>-----</td> <td>104.57</td> <td>34.99</td> <td>11.24</td> <td>38.05</td> <td>0.00</td> <td>109</td> <td>91 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg	1 5795.00	112.75	-----	-----	104.57	34.99	11.24	38.05	0.00	109	91 AVERAGE																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg																																																							
1 5795.00	112.75	-----	-----	104.57	34.99	11.24	38.05	0.00	109	91 AVERAGE																																																					



Mode	56																																																																																			
	Band Edge - R																																																																																			
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>68.62</td> <td>110.90</td> <td>-42.28</td> <td>61.54</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>109</td> <td>91</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5856.60</td> <td>69.95</td> <td>110.45</td> <td>-40.50</td> <td>62.87</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>109</td> <td>91</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.22</td> <td>56.36</td> <td>68.77</td> <td>-12.41</td> <td>49.05</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>109</td> <td>91</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5928.60</td> <td>56.07</td> <td>68.20</td> <td>-12.13</td> <td>48.73</td> <td>35.14</td> <td>11.41</td> <td>39.21</td> <td>0.00</td> <td>109</td> <td>91</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	68.62	110.90	-42.28	61.54	35.07	11.34	39.33	0.00	109	91	PEAK	2	5856.60	69.95	110.45	-40.50	62.87	35.07	11.34	39.33	0.00	109	91	PEAK	3	5924.22	56.36	68.77	-12.41	49.05	35.13	11.40	39.22	0.00	109	91	PEAK	4	5928.60	56.07	68.20	-12.13	48.73	35.14	11.41	39.21	0.00	109	91	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5855.00	68.62	110.90	-42.28	61.54	35.07	11.34	39.33	0.00	109	91	PEAK																																																																								
2	5856.60	69.95	110.45	-40.50	62.87	35.07	11.34	39.33	0.00	109	91	PEAK																																																																								
3	5924.22	56.36	68.77	-12.41	49.05	35.13	11.40	39.22	0.00	109	91	PEAK																																																																								
4	5928.60	56.07	68.20	-12.13	48.73	35.14	11.41	39.21	0.00	109	91	PEAK																																																																								



	56																																																																																												
Mode	Harmonic																																																																																												
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																												
ANT	CDD 1S4T																																																																																												
Pol.	Horizontal	Vertical																																																																																											
Peak Avg																																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>45.68</td> <td>74.00</td> <td>-28.32</td> <td>57.39</td> <td>38.20</td> <td>16.42</td> <td>66.33</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11590.00	45.68	74.00	-28.32	57.39	38.20	16.42	66.33	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>49.05</td> <td>74.00</td> <td>-24.95</td> <td>60.76</td> <td>38.20</td> <td>16.42</td> <td>66.33</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2 11590.00</td> <td>36.59</td> <td>54.00</td> <td>-17.41</td> <td>48.30</td> <td>38.20</td> <td>16.42</td> <td>66.33</td> <td>0.00</td> <td>100</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11590.00	49.05	74.00	-24.95	60.76	38.20	16.42	66.33	0.00	100	0	PEAK	2 11590.00	36.59	54.00	-17.41	48.30	38.20	16.42	66.33	0.00	100	0
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 11590.00	45.68	74.00	-28.32	57.39	38.20	16.42	66.33	0.00	---	---	PEAK																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 11590.00	49.05	74.00	-24.95	60.76	38.20	16.42	66.33	0.00	100	0	PEAK																																																																																		
2 11590.00	36.59	54.00	-17.41	48.30	38.20	16.42	66.33	0.00	100	0	AVERAGE																																																																																		






57																																																																																																																											
Mode	Band Edge - L																																																																																																																										
U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																																																											
ANT	CDD 1S4T																																																																																																																										
Pol.	Horizontal																																																																																																																										
Peak	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5617.80</td> <td>60.29</td> <td>68.20</td> <td>-7.91</td> <td>50.40</td> <td>34.85</td> <td>11.03</td> <td>35.99</td> <td>0.00</td> <td>351</td> <td>39 PEAK</td> </tr> <tr> <td>2</td> <td>5651.00</td> <td>58.97</td> <td>68.95</td> <td>-9.98</td> <td>49.15</td> <td>34.88</td> <td>11.07</td> <td>36.13</td> <td>0.00</td> <td>351</td> <td>39 PEAK</td> </tr> <tr> <td>3</td> <td>5780.22</td> <td>70.98</td> <td>105.36</td> <td>-34.38</td> <td>61.82</td> <td>34.92</td> <td>11.14</td> <td>36.90</td> <td>0.00</td> <td>351</td> <td>39 PEAK</td> </tr> <tr> <td>4</td> <td>5728.00</td> <td>73.41</td> <td>110.90</td> <td>-37.49</td> <td>64.52</td> <td>34.94</td> <td>11.17</td> <td>37.22</td> <td>0.00</td> <td>351</td> <td>39 PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>110.18</td> <td>-----</td> <td>-----</td> <td>101.51</td> <td>34.96</td> <td>11.19</td> <td>37.48</td> <td>0.00</td> <td>351</td> <td>39 PEAK</td> </tr> </tbody> </table> </div> </div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5617.80	60.29	68.20	-7.91	50.40	34.85	11.03	35.99	0.00	351	39 PEAK	2	5651.00	58.97	68.95	-9.98	49.15	34.88	11.07	36.13	0.00	351	39 PEAK	3	5780.22	70.98	105.36	-34.38	61.82	34.92	11.14	36.90	0.00	351	39 PEAK	4	5728.00	73.41	110.90	-37.49	64.52	34.94	11.17	37.22	0.00	351	39 PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	110.18	-----	-----	101.51	34.96	11.19	37.48	0.00	351	39 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5617.80	60.29	68.20	-7.91	50.40	34.85	11.03	35.99	0.00	351	39 PEAK																																																																																																																
2	5651.00	58.97	68.95	-9.98	49.15	34.88	11.07	36.13	0.00	351	39 PEAK																																																																																																																
3	5780.22	70.98	105.36	-34.38	61.82	34.92	11.14	36.90	0.00	351	39 PEAK																																																																																																																
4	5728.00	73.41	110.90	-37.49	64.52	34.94	11.17	37.22	0.00	351	39 PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5775.00	110.18	-----	-----	101.51	34.96	11.19	37.48	0.00	351	39 PEAK																																																																																																																
Avg	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%; text-align: center;"> <p>Blank</p> </div> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>102.16</td> <td>-----</td> <td>-----</td> <td>93.49</td> <td>34.96</td> <td>11.19</td> <td>37.48</td> <td>0.00</td> <td>351</td> <td>39 AVERAGE</td> </tr> </tbody> </table> </div> </div>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	102.16	-----	-----	93.49	34.96	11.19	37.48	0.00	351	39 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5775.00	102.16	-----	-----	93.49	34.96	11.19	37.48	0.00	351	39 AVERAGE																																																																																																																



	57																																																																																			
Mode	Band Edge - R																																																																																			
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak																																																																																				
	Blank																																																																																			
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>55.58</td> <td>110.90</td> <td>-55.32</td> <td>48.50</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>351</td> <td>39</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5858.18</td> <td>63.88</td> <td>110.01</td> <td>-46.13</td> <td>56.79</td> <td>35.07</td> <td>11.34</td> <td>39.32</td> <td>0.00</td> <td>351</td> <td>39</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5922.60</td> <td>54.84</td> <td>69.97</td> <td>-15.13</td> <td>47.53</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>351</td> <td>39</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5938.22</td> <td>55.53</td> <td>68.20</td> <td>-12.67</td> <td>48.19</td> <td>35.14</td> <td>11.41</td> <td>39.21</td> <td>0.00</td> <td>351</td> <td>39</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	55.58	110.90	-55.32	48.50	35.07	11.34	39.33	0.00	351	39	PEAK	2	5858.18	63.88	110.01	-46.13	56.79	35.07	11.34	39.32	0.00	351	39	PEAK	3	5922.60	54.84	69.97	-15.13	47.53	35.13	11.40	39.22	0.00	351	39	PEAK	4	5938.22	55.53	68.20	-12.67	48.19	35.14	11.41	39.21	0.00	351	39	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5855.00	55.58	110.90	-55.32	48.50	35.07	11.34	39.33	0.00	351	39	PEAK																																																																								
2	5858.18	63.88	110.01	-46.13	56.79	35.07	11.34	39.32	0.00	351	39	PEAK																																																																								
3	5922.60	54.84	69.97	-15.13	47.53	35.13	11.40	39.22	0.00	351	39	PEAK																																																																								
4	5938.22	55.53	68.20	-12.67	48.19	35.14	11.41	39.21	0.00	351	39	PEAK																																																																								



57																																																																																
Mode	Band Edge - L																																																																															
U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																
ANT	CDD 1S4T																																																																															
Pol.	Vertical																																																																															
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 5718.60 MHz. The plot includes a red limit line and a blue signal trace. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5600 to 6000 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5636.60</td> <td>67.41</td> <td>68.20</td> <td>-0.79</td> <td>57.46</td> <td>34.86</td> <td>11.85</td> <td>35.96</td> <td>0.00</td> <td>104</td> <td>95 PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>61.70</td> <td>68.20</td> <td>-6.50</td> <td>51.87</td> <td>34.88</td> <td>11.07</td> <td>36.12</td> <td>0.00</td> <td>104</td> <td>95 PEAK</td> </tr> <tr> <td>3</td> <td>5718.60</td> <td>86.79</td> <td>110.51</td> <td>-23.72</td> <td>77.87</td> <td>34.94</td> <td>11.17</td> <td>37.19</td> <td>0.00</td> <td>104</td> <td>95 PEAK</td> </tr> <tr> <td>4</td> <td>5728.22</td> <td>82.91</td> <td>111.41</td> <td>-28.50</td> <td>74.02</td> <td>34.94</td> <td>11.17</td> <td>37.22</td> <td>0.00</td> <td>104</td> <td>95 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5636.60	67.41	68.20	-0.79	57.46	34.86	11.85	35.96	0.00	104	95 PEAK	2	5650.00	61.70	68.20	-6.50	51.87	34.88	11.07	36.12	0.00	104	95 PEAK	3	5718.60	86.79	110.51	-23.72	77.87	34.94	11.17	37.19	0.00	104	95 PEAK	4	5728.22	82.91	111.41	-28.50	74.02	34.94	11.17	37.22	0.00	104	95 PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	5636.60	67.41	68.20	-0.79	57.46	34.86	11.85	35.96	0.00	104	95 PEAK																																																																					
2	5650.00	61.70	68.20	-6.50	51.87	34.88	11.07	36.12	0.00	104	95 PEAK																																																																					
3	5718.60	86.79	110.51	-23.72	77.87	34.94	11.17	37.19	0.00	104	95 PEAK																																																																					
4	5728.22	82.91	111.41	-28.50	74.02	34.94	11.17	37.22	0.00	104	95 PEAK																																																																					
Fundamental	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 5775.00 MHz. The plot includes a red limit line and a blue signal trace. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>118.09</td> <td>-----</td> <td>-----</td> <td>109.42</td> <td>34.96</td> <td>11.19</td> <td>37.48</td> <td>0.00</td> <td>104</td> <td>95 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	118.09	-----	-----	109.42	34.96	11.19	37.48	0.00	104	95 PEAK																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	5775.00	118.09	-----	-----	109.42	34.96	11.19	37.48	0.00	104	95 PEAK																																																																					
Avg	Blank																																																																															
	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 5775.00 MHz. The plot includes a red limit line and a blue signal trace. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>107.89</td> <td>-----</td> <td>-----</td> <td>99.14</td> <td>34.95</td> <td>11.19</td> <td>37.39</td> <td>0.00</td> <td>104</td> <td>95 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	107.89	-----	-----	99.14	34.95	11.19	37.39	0.00	104	95 AVERAGE																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	5775.00	107.89	-----	-----	99.14	34.95	11.19	37.39	0.00	104	95 AVERAGE																																																																					






	57																																																																																	
Mode	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>73.39</td> <td>110.90</td> <td>-37.51</td> <td>66.31</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>104</td> <td>95</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5859.42</td> <td>75.99</td> <td>109.66</td> <td>-33.67</td> <td>68.90</td> <td>35.07</td> <td>11.34</td> <td>39.32</td> <td>0.00</td> <td>104</td> <td>95</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>55.86</td> <td>68.20</td> <td>-12.34</td> <td>48.55</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>104</td> <td>95</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5925.02</td> <td>55.89</td> <td>68.20</td> <td>-12.31</td> <td>48.57</td> <td>35.13</td> <td>11.40</td> <td>39.21</td> <td>0.00</td> <td>104</td> <td>95</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	73.39	110.90	-37.51	66.31	35.07	11.34	39.33	0.00	104	95	PEAK	2	5859.42	75.99	109.66	-33.67	68.90	35.07	11.34	39.32	0.00	104	95	PEAK	3	5925.00	55.86	68.20	-12.34	48.55	35.13	11.40	39.22	0.00	104	95	PEAK	4	5925.02	55.89	68.20	-12.31	48.57	35.13	11.40	39.21	0.00	104	95	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5855.00	73.39	110.90	-37.51	66.31	35.07	11.34	39.33	0.00	104	95	PEAK																																																																						
2	5859.42	75.99	109.66	-33.67	68.90	35.07	11.34	39.32	0.00	104	95	PEAK																																																																						
3	5925.00	55.86	68.20	-12.34	48.55	35.13	11.40	39.22	0.00	104	95	PEAK																																																																						
4	5925.02	55.89	68.20	-12.31	48.57	35.13	11.40	39.21	0.00	104	95	PEAK																																																																						



	57																																																																																			
Mode	Harmonic																																																																																			
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal	Vertical																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>45.47</td> <td>74.00</td> <td>-28.53</td> <td>57.21</td> <td>38.20</td> <td>16.39</td> <td>66.33</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11550.00	45.47	74.00	-28.53	57.21	38.20	16.39	66.33	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>45.67</td> <td>74.00</td> <td>-28.33</td> <td>57.41</td> <td>38.20</td> <td>16.39</td> <td>66.33</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1 11550.00	45.67	74.00	-28.33	57.41	38.20	16.39	66.33	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 11550.00	45.47	74.00	-28.53	57.21	38.20	16.39	66.33	0.00	---	---	PEAK																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																									
1 11550.00	45.67	74.00	-28.33	57.41	38.20	16.39	66.33	0.00	---	---	PEAK																																																																									



	58																																																																																																																								
Mode	Band Edge - L																																																																																																																								
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_RU52*4_5825MHz																																																																																																																								
ANT	CDD 1S4T																																																																																																																								
Pol.	Horizontal	Fundamental																																																																																																																							
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 5825 MHz. The plot includes a red limit line and a blue signal trace. Four peaks are marked with numbers 1, 2, 3, and 4.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>64.52</td> <td>110.90</td> <td>-46.38</td> <td>57.44</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>267</td> <td>63</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5857.80</td> <td>66.10</td> <td>110.11</td> <td>-44.01</td> <td>59.02</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>267</td> <td>63</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.60</td> <td>57.58</td> <td>68.50</td> <td>-10.92</td> <td>50.27</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>267</td> <td>63</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5954.22</td> <td>59.55</td> <td>68.20</td> <td>-8.65</td> <td>52.13</td> <td>35.16</td> <td>11.43</td> <td>39.17</td> <td>0.00</td> <td>267</td> <td>63</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5855.00	64.52	110.90	-46.38	57.44	35.07	11.34	39.33	0.00	267	63	PEAK	2	5857.80	66.10	110.11	-44.01	59.02	35.07	11.34	39.33	0.00	267	63	PEAK	3	5924.60	57.58	68.50	-10.92	50.27	35.13	11.40	39.22	0.00	267	63	PEAK	4	5954.22	59.55	68.20	-8.65	52.13	35.16	11.43	39.17	0.00	267	63	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 5825 MHz. The plot includes a red limit line and a blue signal trace. A single peak is marked with 'U-NII-3'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5815.33</td> <td>116.72</td> <td>122.30</td> <td>-5.58</td> <td>109.10</td> <td>35.03</td> <td>11.30</td> <td>38.71</td> <td>0.00</td> <td>267</td> <td>63</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5815.33	116.72	122.30	-5.58	109.10	35.03	11.30	38.71	0.00	267	63	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5855.00	64.52	110.90	-46.38	57.44	35.07	11.34	39.33	0.00	267	63	PEAK																																																																																																													
2	5857.80	66.10	110.11	-44.01	59.02	35.07	11.34	39.33	0.00	267	63	PEAK																																																																																																													
3	5924.60	57.58	68.50	-10.92	50.27	35.13	11.40	39.22	0.00	267	63	PEAK																																																																																																													
4	5954.22	59.55	68.20	-8.65	52.13	35.16	11.43	39.17	0.00	267	63	PEAK																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5815.33	116.72	122.30	-5.58	109.10	35.03	11.30	38.71	0.00	267	63	Peak																																																																																																													
Avg	Blank	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 5825 MHz. The plot includes a red limit line and a blue signal trace. A single peak is marked with 'U-NII-3(AVG)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5815.33</td> <td>106.81</td> <td>122.30</td> <td>-15.49</td> <td>99.19</td> <td>35.03</td> <td>11.30</td> <td>38.71</td> <td>0.00</td> <td>267</td> <td>63</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5815.33	106.81	122.30	-15.49	99.19	35.03	11.30	38.71	0.00	267	63	Average																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5815.33	106.81	122.30	-15.49	99.19	35.03	11.30	38.71	0.00	267	63	Average																																																																																																													



Mode	58																																																																																																																										
	Band Edge - L																																																																																																																										
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_RU52*4_5825MHz																																																																																																																										
ANT	CDD 1S4T																																																																																																																										
Pol.	Vertical	Fundamental																																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>72.00</td> <td>110.90</td> <td>-38.90</td> <td>64.92</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>141</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5855.20</td> <td>72.00</td> <td>110.84</td> <td>-38.84</td> <td>64.92</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>141</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.42</td> <td>59.66</td> <td>69.37</td> <td>-9.71</td> <td>52.35</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>141</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5941.42</td> <td>59.62</td> <td>68.20</td> <td>-8.58</td> <td>52.24</td> <td>35.15</td> <td>11.42</td> <td>39.19</td> <td>0.00</td> <td>141</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	72.00	110.90	-38.90	64.92	35.07	11.34	39.33	0.00	141	360	PEAK	2	5855.20	72.00	110.84	-38.84	64.92	35.07	11.34	39.33	0.00	141	360	PEAK	3	5923.42	59.66	69.37	-9.71	52.35	35.13	11.40	39.22	0.00	141	360	PEAK	4	5941.42	59.62	68.20	-8.58	52.24	35.15	11.42	39.19	0.00	141	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5815.33</td> <td>122.61</td> <td>122.30</td> <td>0.31</td> <td>114.99</td> <td>35.03</td> <td>11.30</td> <td>38.71</td> <td>0.00</td> <td>141</td> <td>360</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5815.33	122.61	122.30	0.31	114.99	35.03	11.30	38.71	0.00	141	360	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5855.00	72.00	110.90	-38.90	64.92	35.07	11.34	39.33	0.00	141	360	PEAK																																																																																																															
2	5855.20	72.00	110.84	-38.84	64.92	35.07	11.34	39.33	0.00	141	360	PEAK																																																																																																															
3	5923.42	59.66	69.37	-9.71	52.35	35.13	11.40	39.22	0.00	141	360	PEAK																																																																																																															
4	5941.42	59.62	68.20	-8.58	52.24	35.15	11.42	39.19	0.00	141	360	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5815.33	122.61	122.30	0.31	114.99	35.03	11.30	38.71	0.00	141	360	Peak																																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5815.33</td> <td>113.30</td> <td>122.30</td> <td>-9.00</td> <td>105.68</td> <td>35.03</td> <td>11.30</td> <td>38.71</td> <td>0.00</td> <td>141</td> <td>360</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5815.33	113.30	122.30	-9.00	105.68	35.03	11.30	38.71	0.00	141	360	Average																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5815.33	113.30	122.30	-9.00	105.68	35.03	11.30	38.71	0.00	141	360	Average																																																																																																															