









Mode	59																																																																																																																														
	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 4_5775MHz																																																																																																																														
ANT	CDD 1S4T																																																																																																																														
Pol.	Horizontal	Fundamental																																																																																																																													
Peak	 <table border="1" data-bbox="263 1108 790 1288"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5619.80</td> <td>60.22</td> <td>68.20</td> <td>-7.98</td> <td>50.33</td> <td>34.85</td> <td>11.03</td> <td>35.99</td> <td>0.00</td> <td>311</td> <td>245</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.22</td> <td>57.95</td> <td>68.37</td> <td>-10.42</td> <td>48.12</td> <td>34.88</td> <td>11.07</td> <td>36.12</td> <td>0.00</td> <td>311</td> <td>245</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5785.02</td> <td>68.09</td> <td>106.71</td> <td>-38.62</td> <td>58.99</td> <td>34.93</td> <td>11.15</td> <td>36.98</td> <td>0.00</td> <td>311</td> <td>245</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5722.60</td> <td>73.30</td> <td>116.83</td> <td>-43.53</td> <td>64.45</td> <td>34.94</td> <td>11.17</td> <td>37.26</td> <td>0.00</td> <td>311</td> <td>245</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5619.80	60.22	68.20	-7.98	50.33	34.85	11.03	35.99	0.00	311	245	PEAK	2	5650.22	57.95	68.37	-10.42	48.12	34.88	11.07	36.12	0.00	311	245	PEAK	3	5785.02	68.09	106.71	-38.62	58.99	34.93	11.15	36.98	0.00	311	245	PEAK	4	5722.60	73.30	116.83	-43.53	64.45	34.94	11.17	37.26	0.00	311	245	PEAK	 <table border="1" data-bbox="901 1108 1428 1288"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>110.91</td> <td>-----</td> <td>-----</td> <td>102.56</td> <td>34.98</td> <td>11.23</td> <td>37.86</td> <td>0.00</td> <td>311</td> <td>245</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	110.91	-----	-----	102.56	34.98	11.23	37.86	0.00	311	245	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5619.80	60.22	68.20	-7.98	50.33	34.85	11.03	35.99	0.00	311	245	PEAK																																																																																																																			
2	5650.22	57.95	68.37	-10.42	48.12	34.88	11.07	36.12	0.00	311	245	PEAK																																																																																																																			
3	5785.02	68.09	106.71	-38.62	58.99	34.93	11.15	36.98	0.00	311	245	PEAK																																																																																																																			
4	5722.60	73.30	116.83	-43.53	64.45	34.94	11.17	37.26	0.00	311	245	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5775.00	110.91	-----	-----	102.56	34.98	11.23	37.86	0.00	311	245	PEAK																																																																																																																			
Avg	Blank	 <table border="1" data-bbox="901 1780 1428 1960"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>101.17</td> <td>-----</td> <td>-----</td> <td>92.59</td> <td>34.96</td> <td>11.20</td> <td>37.58</td> <td>0.00</td> <td>311</td> <td>245</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	101.17	-----	-----	92.59	34.96	11.20	37.58	0.00	311	245	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5775.00	101.17	-----	-----	92.59	34.96	11.20	37.58	0.00	311	245	AVERAGE																																																																																																																			



<b>Mode</b>	<b>59</b>																																																																									
	<b>Band Edge - R</b>																																																																									
	<b>U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 4_5775MHz</b>																																																																									
<b>ANT</b>	<b>CDD 1S4T</b>																																																																									
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																								
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>54.50</td> <td>110.90</td> <td>-56.40</td> <td>47.42</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>311</td> <td>245</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.60</td> <td>56.31</td> <td>105.41</td> <td>-49.10</td> <td>49.17</td> <td>35.09</td> <td>11.35</td> <td>39.30</td> <td>0.00</td> <td>311</td> <td>245</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>55.41</td> <td>68.20</td> <td>-12.79</td> <td>48.10</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>311</td> <td>245</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5940.60</td> <td>56.38</td> <td>68.20</td> <td>-11.82</td> <td>49.00</td> <td>35.15</td> <td>11.42</td> <td>39.19</td> <td>0.00</td> <td>311</td> <td>245</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5855.00	54.50	110.90	-56.40	47.42	35.07	11.34	39.33	0.00	311	245	PEAK	2	5874.60	56.31	105.41	-49.10	49.17	35.09	11.35	39.30	0.00	311	245	PEAK	3	5925.00	55.41	68.20	-12.79	48.10	35.13	11.40	39.22	0.00	311	245	PEAK	4	5940.60	56.38	68.20	-11.82	49.00	35.15	11.42	39.19	0.00	311	245	PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5855.00	54.50	110.90	-56.40	47.42	35.07	11.34	39.33	0.00	311	245	PEAK																																																														
2	5874.60	56.31	105.41	-49.10	49.17	35.09	11.35	39.30	0.00	311	245	PEAK																																																														
3	5925.00	55.41	68.20	-12.79	48.10	35.13	11.40	39.22	0.00	311	245	PEAK																																																														
4	5940.60	56.38	68.20	-11.82	49.00	35.15	11.42	39.19	0.00	311	245	PEAK																																																														



<b>59</b>																																																																																	
<b>Mode</b>	<b>Band Edge - L</b>																																																																																
<b>U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 4_5775MHz</b>																																																																																	
<b>ANT</b>	<b>CDD 1S4T</b>																																																																																
<b>Pol.</b>	<b>Vertical</b>																																																																																
<b>Peak</b>	 <table border="1" data-bbox="263 1052 798 1232"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5646.60</td> <td>61.88</td> <td>68.20</td> <td>-6.32</td> <td>52.00</td> <td>34.87</td> <td>11.07</td> <td>36.06</td> <td>0.00</td> <td>169</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>5652.22</td> <td>61.75</td> <td>69.86</td> <td>-8.11</td> <td>51.94</td> <td>34.88</td> <td>11.08</td> <td>36.15</td> <td>0.00</td> <td>169</td> <td>0 PEAK</td> </tr> <tr> <td>3</td> <td>5786.60</td> <td>81.63</td> <td>107.15</td> <td>-25.52</td> <td>72.55</td> <td>34.93</td> <td>11.15</td> <td>37.00</td> <td>0.00</td> <td>169</td> <td>0 PEAK</td> </tr> <tr> <td>4</td> <td>5728.00</td> <td>81.90</td> <td>110.90</td> <td>-29.00</td> <td>73.01</td> <td>34.94</td> <td>11.17</td> <td>37.22</td> <td>0.00</td> <td>169</td> <td>0 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5646.60	61.88	68.20	-6.32	52.00	34.87	11.07	36.06	0.00	169	0 PEAK	2	5652.22	61.75	69.86	-8.11	51.94	34.88	11.08	36.15	0.00	169	0 PEAK	3	5786.60	81.63	107.15	-25.52	72.55	34.93	11.15	37.00	0.00	169	0 PEAK	4	5728.00	81.90	110.90	-29.00	73.01	34.94	11.17	37.22	0.00	169	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5646.60	61.88	68.20	-6.32	52.00	34.87	11.07	36.06	0.00	169	0 PEAK																																																																						
2	5652.22	61.75	69.86	-8.11	51.94	34.88	11.08	36.15	0.00	169	0 PEAK																																																																						
3	5786.60	81.63	107.15	-25.52	72.55	34.93	11.15	37.00	0.00	169	0 PEAK																																																																						
4	5728.00	81.90	110.90	-29.00	73.01	34.94	11.17	37.22	0.00	169	0 PEAK																																																																						
<b>Fundamental</b>	 <table border="1" data-bbox="893 1052 1436 1232"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>117.50</td> <td>-----</td> <td>-----</td> <td>108.92</td> <td>34.96</td> <td>11.20</td> <td>37.58</td> <td>0.00</td> <td>169</td> <td>0 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5775.00	117.50	-----	-----	108.92	34.96	11.20	37.58	0.00	169	0 PEAK																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5775.00	117.50	-----	-----	108.92	34.96	11.20	37.58	0.00	169	0 PEAK																																																																						
<b>Avg</b>	<b>Blank</b>																																																																																
	 <table border="1" data-bbox="893 1724 1436 1904"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>107.03</td> <td>-----</td> <td>-----</td> <td>98.45</td> <td>34.96</td> <td>11.20</td> <td>37.58</td> <td>0.00</td> <td>169</td> <td>0 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5775.00	107.03	-----	-----	98.45	34.96	11.20	37.58	0.00	169	0 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5775.00	107.03	-----	-----	98.45	34.96	11.20	37.58	0.00	169	0 AVERAGE																																																																						



	<b>59</b>																																																																												
<b>Mode</b>	<b>Band Edge - R</b>																																																																												
	<b>U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 4_5775MHz</b>																																																																												
<b>ANT</b>	<b>CDD 1S4T</b>																																																																												
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																											
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>60.57</td> <td>110.90</td> <td>-50.33</td> <td>53.49</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>169</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>5862.60</td> <td>63.60</td> <td>108.77</td> <td>-45.17</td> <td>56.50</td> <td>35.08</td> <td>11.34</td> <td>39.32</td> <td>0.00</td> <td>169</td> <td>0 PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>55.65</td> <td>68.20</td> <td>-12.55</td> <td>48.34</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>169</td> <td>0 PEAK</td> </tr> <tr> <td>4</td> <td>5948.22</td> <td>56.76</td> <td>68.20</td> <td>-11.44</td> <td>49.36</td> <td>35.16</td> <td>11.42</td> <td>39.18</td> <td>0.00</td> <td>169</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	5855.00	60.57	110.90	-50.33	53.49	35.07	11.34	39.33	0.00	169	0 PEAK	2	5862.60	63.60	108.77	-45.17	56.50	35.08	11.34	39.32	0.00	169	0 PEAK	3	5925.00	55.65	68.20	-12.55	48.34	35.13	11.40	39.22	0.00	169	0 PEAK	4	5948.22	56.76	68.20	-11.44	49.36	35.16	11.42	39.18	0.00	169	0 PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																					
1	5855.00	60.57	110.90	-50.33	53.49	35.07	11.34	39.33	0.00	169	0 PEAK																																																																		
2	5862.60	63.60	108.77	-45.17	56.50	35.08	11.34	39.32	0.00	169	0 PEAK																																																																		
3	5925.00	55.65	68.20	-12.55	48.34	35.13	11.40	39.22	0.00	169	0 PEAK																																																																		
4	5948.22	56.76	68.20	-11.44	49.36	35.16	11.42	39.18	0.00	169	0 PEAK																																																																		






<b>60</b>																																																																																	
<b>Mode</b>	<b>Band Edge - L</b>																																																																																
<b>U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 1_5775MHz</b>																																																																																	
<b>ANT</b>	<b>CDD 1S4T</b>																																																																																
<b>Pol.</b>	<b>Horizontal</b>																																																																																
<b>Peak</b>	<b>Fundamental</b>																																																																																
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.80</td> <td>60.29</td> <td>68.20</td> <td>-7.91</td> <td>50.38</td> <td>34.85</td> <td>11.04</td> <td>35.98</td> <td>0.00</td> <td>295</td> <td>246</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.22</td> <td>58.38</td> <td>68.37</td> <td>-9.99</td> <td>48.55</td> <td>34.88</td> <td>11.07</td> <td>36.12</td> <td>0.00</td> <td>295</td> <td>246</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5704.24</td> <td>61.23</td> <td>106.49</td> <td>-45.26</td> <td>52.12</td> <td>34.93</td> <td>11.15</td> <td>36.97</td> <td>0.00</td> <td>295</td> <td>246</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.42</td> <td>63.33</td> <td>114.14</td> <td>-50.81</td> <td>54.46</td> <td>34.94</td> <td>11.17</td> <td>37.24</td> <td>0.00</td> <td>295</td> <td>246</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5625.80	60.29	68.20	-7.91	50.38	34.85	11.04	35.98	0.00	295	246	PEAK	2	5650.22	58.38	68.37	-9.99	48.55	34.88	11.07	36.12	0.00	295	246	PEAK	3	5704.24	61.23	106.49	-45.26	52.12	34.93	11.15	36.97	0.00	295	246	PEAK	4	5721.42	63.33	114.14	-50.81	54.46	34.94	11.17	37.24	0.00	295	246	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5625.80	60.29	68.20	-7.91	50.38	34.85	11.04	35.98	0.00	295	246	PEAK																																																																					
2	5650.22	58.38	68.37	-9.99	48.55	34.88	11.07	36.12	0.00	295	246	PEAK																																																																					
3	5704.24	61.23	106.49	-45.26	52.12	34.93	11.15	36.97	0.00	295	246	PEAK																																																																					
4	5721.42	63.33	114.14	-50.81	54.46	34.94	11.17	37.24	0.00	295	246	PEAK																																																																					
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>109.39</td> <td>-----</td> <td>-----</td> <td>101.04</td> <td>34.98</td> <td>11.23</td> <td>37.86</td> <td>0.00</td> <td>295</td> <td>246</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	109.39	-----	-----	101.04	34.98	11.23	37.86	0.00	295	246	PEAK																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5775.00	109.39	-----	-----	101.04	34.98	11.23	37.86	0.00	295	246	PEAK																																																																					
<b>Avg</b>	<b>Blank</b>																																																																																
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>100.37</td> <td>-----</td> <td>-----</td> <td>92.02</td> <td>34.98</td> <td>11.23</td> <td>37.86</td> <td>0.00</td> <td>295</td> <td>246</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	100.37	-----	-----	92.02	34.98	11.23	37.86	0.00	295	246	AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5775.00	100.37	-----	-----	92.02	34.98	11.23	37.86	0.00	295	246	AVERAGE																																																																					



<b>Mode</b>	<b>60</b>																																																																																
	<b>Band Edge - R</b>																																																																																
	<b>U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 1_5775MHz</b>																																																																																
<b>ANT</b>	<b>CDD 1S4T</b>																																																																																
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																															
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>55.02</td> <td>110.90</td> <td>-55.88</td> <td>47.94</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>295</td> <td>246</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.42</td> <td>57.73</td> <td>106.30</td> <td>-48.57</td> <td>50.60</td> <td>35.08</td> <td>11.35</td> <td>39.30</td> <td>0.00</td> <td>295</td> <td>246</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.80</td> <td>56.90</td> <td>69.09</td> <td>-12.19</td> <td>49.59</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>295</td> <td>246</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5933.42</td> <td>56.79</td> <td>68.20</td> <td>-11.41</td> <td>49.44</td> <td>35.14</td> <td>11.41</td> <td>39.20</td> <td>0.00</td> <td>295</td> <td>246</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	5855.00	55.02	110.90	-55.88	47.94	35.07	11.34	39.33	0.00	295	246	PEAK	2	5871.42	57.73	106.30	-48.57	50.60	35.08	11.35	39.30	0.00	295	246	PEAK	3	5923.80	56.90	69.09	-12.19	49.59	35.13	11.40	39.22	0.00	295	246	PEAK	4	5933.42	56.79	68.20	-11.41	49.44	35.14	11.41	39.20	0.00	295	246	PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																									
1	5855.00	55.02	110.90	-55.88	47.94	35.07	11.34	39.33	0.00	295	246	PEAK																																																																					
2	5871.42	57.73	106.30	-48.57	50.60	35.08	11.35	39.30	0.00	295	246	PEAK																																																																					
3	5923.80	56.90	69.09	-12.19	49.59	35.13	11.40	39.22	0.00	295	246	PEAK																																																																					
4	5933.42	56.79	68.20	-11.41	49.44	35.14	11.41	39.20	0.00	295	246	PEAK																																																																					



Mode	60																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 1_5775MHz																																																																																																																											
ANT	CDD 1S4T																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5623.00</td> <td>62.19</td> <td>68.20</td> <td>-6.01</td> <td>52.29</td> <td>34.85</td> <td>11.03</td> <td>35.98</td> <td>0.00</td> <td>100</td> <td>99 PEAK</td> </tr> <tr> <td>2</td> <td>5651.80</td> <td>60.45</td> <td>69.54</td> <td>-9.09</td> <td>50.65</td> <td>34.88</td> <td>11.07</td> <td>36.15</td> <td>0.00</td> <td>100</td> <td>99 PEAK</td> </tr> <tr> <td>3</td> <td>5717.80</td> <td>81.11</td> <td>110.28</td> <td>-29.17</td> <td>72.18</td> <td>34.94</td> <td>11.17</td> <td>37.18</td> <td>0.00</td> <td>100</td> <td>99 PEAK</td> </tr> <tr> <td>4</td> <td>5728.00</td> <td>75.03</td> <td>110.90</td> <td>-35.87</td> <td>66.14</td> <td>34.94</td> <td>11.17</td> <td>37.22</td> <td>0.00</td> <td>100</td> <td>99 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5623.00	62.19	68.20	-6.01	52.29	34.85	11.03	35.98	0.00	100	99 PEAK	2	5651.80	60.45	69.54	-9.09	50.65	34.88	11.07	36.15	0.00	100	99 PEAK	3	5717.80	81.11	110.28	-29.17	72.18	34.94	11.17	37.18	0.00	100	99 PEAK	4	5728.00	75.03	110.90	-35.87	66.14	34.94	11.17	37.22	0.00	100	99 PEAK	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>116.07</td> <td>-----</td> <td>-----</td> <td>107.89</td> <td>34.99</td> <td>11.24</td> <td>38.05</td> <td>0.00</td> <td>100</td> <td>99 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	116.07	-----	-----	107.89	34.99	11.24	38.05	0.00	100	99 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5623.00	62.19	68.20	-6.01	52.29	34.85	11.03	35.98	0.00	100	99 PEAK																																																																																																																	
2	5651.80	60.45	69.54	-9.09	50.65	34.88	11.07	36.15	0.00	100	99 PEAK																																																																																																																	
3	5717.80	81.11	110.28	-29.17	72.18	34.94	11.17	37.18	0.00	100	99 PEAK																																																																																																																	
4	5728.00	75.03	110.90	-35.87	66.14	34.94	11.17	37.22	0.00	100	99 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5775.00	116.07	-----	-----	107.89	34.99	11.24	38.05	0.00	100	99 PEAK																																																																																																																	
Avg	Blank	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>106.79</td> <td>-----</td> <td>-----</td> <td>98.37</td> <td>34.97</td> <td>11.22</td> <td>37.77</td> <td>0.00</td> <td>100</td> <td>99 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	106.79	-----	-----	98.37	34.97	11.22	37.77	0.00	100	99 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5775.00	106.79	-----	-----	98.37	34.97	11.22	37.77	0.00	100	99 AVERAGE																																																																																																																	





<b>Mode</b>	<b>60</b>																																																																													
	<b>Band Edge - R</b>																																																																													
	<b>U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 1_5775MHz</b>																																																																													
<b>ANT</b>	<b>CDD 1S4T</b>																																																																													
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																												
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5854.60</td> <td>68.46</td> <td>111.81</td> <td>-43.35</td> <td>61.38</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>100</td> <td>99</td> <td>PEAK</td> </tr> <tr> <td>2 5855.00</td> <td>66.69</td> <td>110.90</td> <td>-44.21</td> <td>59.61</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>100</td> <td>99</td> <td>PEAK</td> </tr> <tr> <td>3 5925.00</td> <td>54.36</td> <td>68.20</td> <td>-13.84</td> <td>47.05</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>100</td> <td>99</td> <td>PEAK</td> </tr> <tr> <td>4 5933.42</td> <td>58.33</td> <td>68.20</td> <td>-9.87</td> <td>50.98</td> <td>35.14</td> <td>11.41</td> <td>39.20</td> <td>0.00</td> <td>100</td> <td>99</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.60	68.46	111.81	-43.35	61.38	35.07	11.34	39.33	0.00	100	99	PEAK	2 5855.00	66.69	110.90	-44.21	59.61	35.07	11.34	39.33	0.00	100	99	PEAK	3 5925.00	54.36	68.20	-13.84	47.05	35.13	11.40	39.22	0.00	100	99	PEAK	4 5933.42	58.33	68.20	-9.87	50.98	35.14	11.41	39.20	0.00	100	99	PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5854.60	68.46	111.81	-43.35	61.38	35.07	11.34	39.33	0.00	100	99	PEAK																																																																			
2 5855.00	66.69	110.90	-44.21	59.61	35.07	11.34	39.33	0.00	100	99	PEAK																																																																			
3 5925.00	54.36	68.20	-13.84	47.05	35.13	11.40	39.22	0.00	100	99	PEAK																																																																			
4 5933.42	58.33	68.20	-9.87	50.98	35.14	11.41	39.20	0.00	100	99	PEAK																																																																			









		92																																																																																		
Mode	Band Edge - L																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5096.64</td> <td>57.90</td> <td>74.00</td> <td>-16.10</td> <td>49.77</td> <td>34.34</td> <td>10.54</td> <td>36.75</td> <td>0.00</td> <td>101</td> <td>166</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5096.64	57.90	74.00	-16.10	49.77	34.34	10.54	36.75	0.00	101	166	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>115.79</td> <td>-----</td> <td>-----</td> <td>107.11</td> <td>34.50</td> <td>10.69</td> <td>36.51</td> <td>0.00</td> <td>101</td> <td>166</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	115.79	-----	-----	107.11	34.50	10.69	36.51	0.00	101	166	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5096.64	57.90	74.00	-16.10	49.77	34.34	10.54	36.75	0.00	101	166	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5240.00	115.79	-----	-----	107.11	34.50	10.69	36.51	0.00	101	166	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5093.60</td> <td>46.76</td> <td>54.00</td> <td>-7.24</td> <td>38.59</td> <td>34.35</td> <td>10.55</td> <td>36.73</td> <td>0.00</td> <td>101</td> <td>166</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5093.60	46.76	54.00	-7.24	38.59	34.35	10.55	36.73	0.00	101	166	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>107.52</td> <td>-----</td> <td>-----</td> <td>98.84</td> <td>34.50</td> <td>10.69</td> <td>36.51</td> <td>0.00</td> <td>101</td> <td>166</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	107.52	-----	-----	98.84	34.50	10.69	36.51	0.00	101	166	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5093.60	46.76	54.00	-7.24	38.59	34.35	10.55	36.73	0.00	101	166	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5240.00	107.52	-----	-----	98.84	34.50	10.69	36.51	0.00	101	166	AVERAGE																																																																								



	<b>92</b>																																																		
<b>Mode</b>	<b>Band Edge - R</b>																																																		
	<b>U-NII-1_5.15-5.25_802.11a_CH48_5240MHz</b>																																																		
<b>ANT</b>	<b>CDD 1S4T</b>																																																		
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																	
<b>Peak</b>	 <table border="1" data-bbox="263 1108 774 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5448.34</td> <td>57.65</td> <td>74.00</td> <td>-16.35</td> <td>48.36</td> <td>34.69</td> <td>10.83</td> <td>36.23</td> <td>0.00</td> <td>101</td> <td>166</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	5448.34	57.65	74.00	-16.35	48.36	34.69	10.83	36.23	0.00	101	166	PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	5448.34	57.65	74.00	-16.35	48.36	34.69	10.83	36.23	0.00	101	166	PEAK																																							
<b>Avg</b>	 <table border="1" data-bbox="263 1792 774 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5399.06</td> <td>45.11</td> <td>54.00</td> <td>-8.89</td> <td>36.00</td> <td>34.64</td> <td>10.77</td> <td>36.30</td> <td>0.00</td> <td>101</td> <td>166</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	5399.06	45.11	54.00	-8.89	36.00	34.64	10.77	36.30	0.00	101	166	AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	5399.06	45.11	54.00	-8.89	36.00	34.64	10.77	36.30	0.00	101	166	AVERAGE																																							



		92																																																																																		
Mode	Band Edge - L																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a sharp peak at 5096 MHz. A red horizontal line indicates the limit at approximately 65.0 dBuV/m. The actual peak level is 113.8 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5093.12</td> <td>60.91</td> <td>74.00</td> <td>-13.09</td> <td>52.74</td> <td>34.35</td> <td>10.55</td> <td>36.73</td> <td>0.00</td> <td>100</td> <td>173</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5093.12	60.91	74.00	-13.09	52.74	34.35	10.55	36.73	0.00	100	173	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a sharp peak at 5240 MHz. A red horizontal line indicates the limit at approximately 65.0 dBuV/m. The actual peak level is 121.81 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>121.81</td> <td>-----</td> <td>-----</td> <td>113.16</td> <td>34.49</td> <td>10.68</td> <td>36.52</td> <td>0.00</td> <td>100</td> <td>173</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	121.81	-----	-----	113.16	34.49	10.68	36.52	0.00	100	173	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5093.12	60.91	74.00	-13.09	52.74	34.35	10.55	36.73	0.00	100	173	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5240.00	121.81	-----	-----	113.16	34.49	10.68	36.52	0.00	100	173	PEAK																																																																								
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows the average level across the frequency range. A red horizontal line indicates the limit at approximately 48.8 dBuV/m. The average level at 5096 MHz is 48.72 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5093.60</td> <td>48.72</td> <td>54.00</td> <td>-5.28</td> <td>40.55</td> <td>34.35</td> <td>10.55</td> <td>36.73</td> <td>0.00</td> <td>100</td> <td>173</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5093.60	48.72	54.00	-5.28	40.55	34.35	10.55	36.73	0.00	100	173	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows the average level across the frequency range. A red horizontal line indicates the limit at approximately 48.8 dBuV/m. The average level at 5240 MHz is 112.95 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>112.95</td> <td>-----</td> <td>-----</td> <td>104.30</td> <td>34.49</td> <td>10.68</td> <td>36.52</td> <td>0.00</td> <td>100</td> <td>173</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	112.95	-----	-----	104.30	34.49	10.68	36.52	0.00	100	173	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5093.60	48.72	54.00	-5.28	40.55	34.35	10.55	36.73	0.00	100	173	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5240.00	112.95	-----	-----	104.30	34.49	10.68	36.52	0.00	100	173	AVERAGE																																																																								



	<b>92</b>																																																		
<b>Mode</b>	<b>Band Edge - R</b>																																																		
	<b>U-NII-1_5.15-5.25_802.11a_CH48_5240MHz</b>																																																		
<b>ANT</b>	<b>CDD 1S4T</b>																																																		
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																	
<b>Peak</b>	<table border="1" data-bbox="263 1115 774 1238"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5396.86</td> <td>61.48</td> <td>74.00</td> <td>-12.52</td> <td>52.37</td> <td>34.64</td> <td>10.77</td> <td>36.30</td> <td>0.00</td> <td>100</td> <td>173</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	5396.86	61.48	74.00	-12.52	52.37	34.64	10.77	36.30	0.00	100	173	PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	5396.86	61.48	74.00	-12.52	52.37	34.64	10.77	36.30	0.00	100	173	PEAK																																							
<b>Avg</b>	<table border="1" data-bbox="263 1794 774 1917"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5395.98</td> <td>50.30</td> <td>54.00</td> <td>-3.70</td> <td>41.20</td> <td>34.64</td> <td>10.77</td> <td>36.31</td> <td>0.00</td> <td>100</td> <td>173</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	5395.98	50.30	54.00	-3.70	41.20	34.64	10.77	36.31	0.00	100	173	AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	5395.98	50.30	54.00	-3.70	41.20	34.64	10.77	36.31	0.00	100	173	AVERAGE																																							



Mode	92																																																																																
	Harmonic																																																																																
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																
ANT	CDD 1S4T																																																																																
Pol.	Horizontal	Vertical																																																																															
Peak Avg																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>45.03</td> <td>68.20</td> <td>-23.17</td> <td>58.88</td> <td>37.48</td> <td>15.56</td> <td>66.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	45.03	68.20	-23.17	58.88	37.48	15.56	66.89	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>44.61</td> <td>68.20</td> <td>-23.59</td> <td>58.46</td> <td>37.48</td> <td>15.56</td> <td>66.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	44.61	68.20	-23.59	58.46	37.48	15.56	66.89	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1 10480.00	45.03	68.20	-23.17	58.88	37.48	15.56	66.89	0.00	---	---	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1 10480.00	44.61	68.20	-23.59	58.46	37.48	15.56	66.89	0.00	---	---	PEAK																																																																						



<TX Beamforming mode>

Radiated Spurious Emission Test Modes

Table with 10 columns: Mode, Band, Band (GHz), Antenna, Modulation, Channel, Frequency, Data Rate, RU, Remark. It lists 31 test modes (Mode 61 to Mode 91) with their respective parameters.



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
61	802.11be EHT20	36	10360.00	44.65	68.20	-23.55	H	PEAK	Pass	Harmonic
62	802.11be EHT20	44	10440.00	44.84	68.20	-23.36	H	PEAK	Pass	Harmonic
63	802.11be EHT20	48	10480.00	45.69	68.20	-22.51	H	PEAK	Pass	Harmonic
64	802.11be EHT40	38	10380.00	43.64	68.20	-24.56	V	PEAK	Pass	Harmonic
65	802.11be EHT40	46	10460.00	43.57	68.20	-24.63	V	PEAK	Pass	Harmonic
66	802.11be EHT80	42	10420.00	45.97	68.20	-22.23	H	PEAK	Pass	Harmonic
67	802.11be EHT20	52	10520.00	44.57	68.20	-23.63	V	PEAK	Pass	Harmonic
68	802.11be EHT20	60	10600.00	44.33	74.00	-29.67	V	PEAK	Pass	Harmonic
69	802.11be EHT20	64	10640.00	43.78	74.00	-30.22	H	PEAK	Pass	Harmonic
70	802.11be EHT40	54	10540.00	43.75	68.20	-24.45	V	PEAK	Pass	Harmonic
71	802.11be EHT40	62	10620.00	42.93	74.00	-31.07	V	PEAK	Pass	Harmonic
72	802.11be EHT80	58	10580.00	44.81	68.20	-23.39	H	PEAK	Pass	Harmonic
73	802.11be EHT160	50	10500.00	45.24	68.20	-22.96	V	PEAK	Pass	Harmonic
74	802.11be EHT20	100	11000.00	44.61	74.00	-29.39	H	PEAK	Pass	Harmonic
75	802.11be EHT20	116	11160.00	44.92	74.00	-29.08	H	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
76	802.11be EHT20	140	11400.00	44.63	74.00	-29.37	H	PEAK	Pass	Harmonic
77	802.11be EHT40	102	11020.00	45.70	74.00	-28.30	H	PEAK	Pass	Harmonic
78	802.11be EHT40	110	11100.00	45.79	74.00	-28.21	H	PEAK	Pass	Harmonic
79	802.11be EHT40	134	11340.00	45.07	74.00	-28.93	H	PEAK	Pass	Harmonic
80	802.11be EHT80	106	11060.00	45.42	74.00	-28.58	H	PEAK	Pass	Harmonic
81	802.11be EHT80	122	11220.00	46.37	74.00	-27.63	V	PEAK	Pass	Harmonic
82	802.11be EHT160	114	11140.00	45.17	74.00	-28.83	H	PEAK	Pass	Harmonic
83	802.11BE EHT20	144	11440.00	44.94	74.00	-29.06	H	PEAK	Pass	Harmonic
84	802.11BE EHT40	142	11420.00	45.90	74.00	-28.10	H	PEAK	Pass	Harmonic
85	802.11BE EHT80	138	11380.00	45.91	74.00	-28.09	H	PEAK	Pass	Harmonic
86	802.11BE EHT20	149	5646.60	67.35	68.20	-0.85	V	PEAK	Pass	Band Edge
86	802.11BE EHT20	149	11490.20	46.36	74.00	-27.64	V	Peak	Pass	Harmonic
87	802.11BE EHT20	157	5639.00	67.38	68.20	-0.82	V	PEAK	Pass	Band Edge
87	802.11BE EHT20	157	11570.50	47.82	74.00	-26.18	V	Peak	Pass	Harmonic
88	802.11BE EHT20	165	5955.80	63.66	68.20	-4.54	H	PEAK	Pass	Band Edge
88	802.11BE EHT20	165	11650.00	47.97	54.00	-6.03	V	AVERAGE	Pass	Harmonic
89	802.11BE EHT40	151	5650.15	67.85	68.31	-0.46	V	PEAK	Pass	Band Edge
89	802.11BE EHT40	151	11510.00	43.14	74.00	-30.86	V	PEAK	Pass	Harmonic
90	802.11BE EHT40	159	5635.00	66.74	68.20	-1.46	V	PEAK	Pass	Band Edge
90	802.11BE EHT40	159	11590.30	48.78	74.00	-25.22	V	Peak	Pass	Harmonic
91	802.11BE EHT80	155	5647.00	67.20	68.20	-1.00	V	PEAK	Pass	Band Edge
91	802.11BE EHT80	155	11550.00	45.84	74.00	-28.16	H	PEAK	Pass	Harmonic





Radiated Spurious Emission Test plots

Mode	61																																						
	Band Edge - L																																						
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																						
ANT	TXBF1S4T																																						
Pol.	Horizontal	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5188.00</td> <td>113.42</td> <td>-----</td> <td>104.93</td> <td>34.44</td> <td>10.65</td> <td>36.60</td> <td>0.00</td> <td>327 146 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5188.00	113.42	-----	104.93	34.44	10.65	36.60	0.00	327 146 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1	5188.00	113.42	-----	104.93	34.44	10.65	36.60	0.00	327 146 Peak																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5170.00</td> <td>103.71</td> <td>-----</td> <td>95.29</td> <td>34.42</td> <td>10.63</td> <td>36.63</td> <td>0.00</td> <td>327 146 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5170.00	103.71	-----	95.29	34.42	10.63	36.63	0.00	327 146 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1	5170.00	103.71	-----	95.29	34.42	10.63	36.63	0.00	327 146 Average																														



Mode	61																																																																	
	Band Edge - L																																																																	
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																																	
ANT	TXBF1S4T																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>5188.00</td> <td>122.31</td> <td>-----</td> <td>-----</td> <td>113.82</td> <td>34.44</td> <td>10.65</td> <td>36.60</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>121</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>162</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	5188.00	122.31	-----	-----	113.82	34.44	10.65	36.60							0.00									121								162								Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
5188.00	122.31	-----	-----	113.82	34.44	10.65	36.60																																																											
						0.00																																																												
							121																																																											
							162																																																											
							Peak																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>5188.00</td> <td>112.20</td> <td>-----</td> <td>-----</td> <td>103.71</td> <td>34.44</td> <td>10.65</td> <td>36.60</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>121</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>162</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	5188.00	112.20	-----	-----	103.71	34.44	10.65	36.60							0.00									121								162								Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
5188.00	112.20	-----	-----	103.71	34.44	10.65	36.60																																																											
						0.00																																																												
							121																																																											
							162																																																											
							Average																																																											



Mode	61																																																																											
	Harmonic																																																																											
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																																											
ANT	TXBF1S4T																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>44.65</td> <td>68.20</td> <td>-23.55</td> <td>58.80</td> <td>37.36</td> <td>15.45</td> <td>66.96</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10360.00	44.65	68.20	-23.55	58.80	37.36	15.45	66.96	0.00	--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>44.45</td> <td>68.20</td> <td>-23.75</td> <td>58.60</td> <td>37.36</td> <td>15.45</td> <td>66.96</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10360.00	44.45	68.20	-23.75	58.60	37.36	15.45	66.96	0.00	--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10360.00	44.65	68.20	-23.55	58.80	37.36	15.45	66.96	0.00	--- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10360.00	44.45	68.20	-23.75	58.60	37.36	15.45	66.96	0.00	--- PEAK																																																																			



Mode	62																																								
	Band Edge																																								
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full RU_5220MHz																																								
ANT	TXBF1S4T																																								
Pol.	Horizontal	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>113.63</td> <td>-----</td> <td>105.01</td> <td>34.48</td> <td>10.68</td> <td>36.54</td> <td>0.00</td> <td>100</td> <td>205</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5230.00	113.63	-----	105.01	34.48	10.68	36.54	0.00	100	205	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5230.00	113.63	-----	105.01	34.48	10.68	36.54	0.00	100	205	Peak																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>103.62</td> <td>-----</td> <td>95.00</td> <td>34.48</td> <td>10.68</td> <td>36.54</td> <td>0.00</td> <td>100</td> <td>205</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5230.00	103.62	-----	95.00	34.48	10.68	36.54	0.00	100	205	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5230.00	103.62	-----	95.00	34.48	10.68	36.54	0.00	100	205	Average																														



Mode	62																																							
	Band Edge																																							
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full RU_5220MHz																																							
ANT	TXBF1S4T																																							
Pol.	Vertical	Fundamental																																						
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5224.00</td> <td>118.75</td> <td>-----</td> <td>-----</td> <td>110.16</td> <td>34.47</td> <td>10.67</td> <td>36.55</td> <td>0.00</td> <td>211</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5224.00	118.75	-----	-----	110.16	34.47	10.67	36.55	0.00	211	0 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																
1 5224.00	118.75	-----	-----	110.16	34.47	10.67	36.55	0.00	211	0 Peak																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5224.00</td> <td>108.84</td> <td>-----</td> <td>-----</td> <td>100.25</td> <td>34.47</td> <td>10.67</td> <td>36.55</td> <td>0.00</td> <td>211</td> <td>0 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5224.00	108.84	-----	-----	100.25	34.47	10.67	36.55	0.00	211	0 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																
1 5224.00	108.84	-----	-----	100.25	34.47	10.67	36.55	0.00	211	0 Average																														



<b>Mode</b>	<b>62</b>																																																																																	
	<b>Harmonic</b>																																																																																	
	<b>U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full RU_5220MHz</b>																																																																																	
<b>ANT</b>	<b>TXBF1S4T</b>																																																																																	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																																
<b>Peak Avg</b>																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10448.00</td> <td>44.84</td> <td>68.20</td> <td>-23.36</td> <td>58.80</td> <td>37.44</td> <td>15.52</td> <td>66.92</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10448.00	44.84	68.20	-23.36	58.80	37.44	15.52	66.92	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10448.00</td> <td>44.49</td> <td>68.20</td> <td>-23.71</td> <td>58.45</td> <td>37.44</td> <td>15.52</td> <td>66.92</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10448.00	44.49	68.20	-23.71	58.45	37.44	15.52	66.92	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10448.00	44.84	68.20	-23.36	58.80	37.44	15.52	66.92	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1 10448.00	44.49	68.20	-23.71	58.45	37.44	15.52	66.92	0.00	---	---	PEAK																																																																							



Mode	63																																						
	Band Edge - L																																						
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz																																						
ANT	TXBF1S4T																																						
Pol.	Horizontal	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>116.65</td> <td>-----</td> <td>-----</td> <td>108.03</td> <td>34.48</td> <td>10.68</td> <td>36.54</td> <td>0.00</td> <td>103 207 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5230.00	116.65	-----	-----	108.03	34.48	10.68	36.54	0.00	103 207 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5230.00	116.65	-----	-----	108.03	34.48	10.68	36.54	0.00	103 207 Peak																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>104.10</td> <td>-----</td> <td>-----</td> <td>95.48</td> <td>34.48</td> <td>10.68</td> <td>36.54</td> <td>0.00</td> <td>103 207 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5230.00	104.10	-----	-----	95.48	34.48	10.68	36.54	0.00	103 207 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5230.00	104.10	-----	-----	95.48	34.48	10.68	36.54	0.00	103 207 Average																														



Mode	63																																								
	Band Edge - L																																								
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz																																								
ANT	TXBF1S4T																																								
Pol.	Vertical	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5242.00</td> <td>121.82</td> <td>-----</td> <td>-----</td> <td>113.17</td> <td>34.49</td> <td>10.68</td> <td>36.52</td> <td>0.00</td> <td>202</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5242.00	121.82	-----	-----	113.17	34.49	10.68	36.52	0.00	202	0 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5242.00	121.82	-----	-----	113.17	34.49	10.68	36.52	0.00	202	0 Peak																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5248.00</td> <td>111.21</td> <td>-----</td> <td>-----</td> <td>102.53</td> <td>34.50</td> <td>10.69</td> <td>36.51</td> <td>0.00</td> <td>202</td> <td>0 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5248.00	111.21	-----	-----	102.53	34.50	10.69	36.51	0.00	202	0 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5248.00	111.21	-----	-----	102.53	34.50	10.69	36.51	0.00	202	0 Average																															





Mode	63																																																																													
	Harmonic																																																																													
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz																																																																													
ANT	TXBF1S4T																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak																																																																														
Avg																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>45.69</td> <td>68.20</td> <td>-22.51</td> <td>59.54</td> <td>37.48</td> <td>15.56</td> <td>66.89</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	45.69	68.20	-22.51	59.54	37.48	15.56	66.89	0.00	---	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>45.49</td> <td>68.20</td> <td>-22.71</td> <td>59.34</td> <td>37.48</td> <td>15.56</td> <td>66.89</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	45.49	68.20	-22.71	59.34	37.48	15.56	66.89	0.00	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 10480.00	45.69	68.20	-22.51	59.54	37.48	15.56	66.89	0.00	---																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 10480.00	45.49	68.20	-22.71	59.34	37.48	15.56	66.89	0.00	---																																																																					



Mode	64																																							
	Band Edge - L																																							
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																							
ANT	TXBF1S4T																																							
Pol.	Horizontal	Fundamental																																						
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5190.00</td> <td>107.16</td> <td>-----</td> <td>98.74</td> <td>34.42</td> <td>10.63</td> <td>36.63</td> <td>0.00</td> <td>100</td> <td>197 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5190.00	107.16	-----	98.74	34.42	10.63	36.63	0.00	100	197 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5190.00	107.16	-----	98.74	34.42	10.63	36.63	0.00	100	197 PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5190.00</td> <td>97.68</td> <td>-----</td> <td>89.24</td> <td>34.43</td> <td>10.63</td> <td>36.62</td> <td>0.00</td> <td>100</td> <td>197 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5190.00	97.68	-----	89.24	34.43	10.63	36.62	0.00	100	197 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5190.00	97.68	-----	89.24	34.43	10.63	36.62	0.00	100	197 AVERAGE																															



Mode	64																																								
	Band Edge - L																																								
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																								
ANT	TXBF1S4T																																								
Pol.	Vertical	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5190.00</td> <td>116.27</td> <td>-----</td> <td>-----</td> <td>107.78</td> <td>34.44</td> <td>10.65</td> <td>36.60</td> <td>0.00</td> <td>108</td> <td>164</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5190.00	116.27	-----	-----	107.78	34.44	10.65	36.60	0.00	108	164	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1 5190.00	116.27	-----	-----	107.78	34.44	10.65	36.60	0.00	108	164	PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5190.00</td> <td>106.41</td> <td>-----</td> <td>-----</td> <td>97.97</td> <td>34.43</td> <td>10.63</td> <td>36.62</td> <td>0.00</td> <td>108</td> <td>164</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5190.00	106.41	-----	-----	97.97	34.43	10.63	36.62	0.00	108	164	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1 5190.00	106.41	-----	-----	97.97	34.43	10.63	36.62	0.00	108	164	AVERAGE																														



Mode	64																																																																													
	Harmonic																																																																													
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																																													
ANT	TXBF1S4T																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10380.00</td> <td>43.10</td> <td>68.20</td> <td>-25.10</td> <td>57.20</td> <td>37.38</td> <td>15.47</td> <td>66.95</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10380.00	43.10	68.20	-25.10	57.20	37.38	15.47	66.95	0.00	---	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10380.00</td> <td>43.64</td> <td>68.20</td> <td>-24.56</td> <td>57.74</td> <td>37.38</td> <td>15.47</td> <td>66.95</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10380.00	43.64	68.20	-24.56	57.74	37.38	15.47	66.95	0.00	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 10380.00	43.10	68.20	-25.10	57.20	37.38	15.47	66.95	0.00	---																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 10380.00	43.64	68.20	-24.56	57.74	37.38	15.47	66.95	0.00	---																																																																					



Mode	65																																							
	Band Edge - L																																							
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																							
ANT	TXBF1S4T																																							
Pol.	Horizontal	Fundamental																																						
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>111.96</td> <td>-----</td> <td>-----</td> <td>103.34</td> <td>34.48</td> <td>10.68</td> <td>36.54</td> <td>0.00</td> <td>100</td> <td>207 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5230.00	111.96	-----	-----	103.34	34.48	10.68	36.54	0.00	100	207 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																
1 5230.00	111.96	-----	-----	103.34	34.48	10.68	36.54	0.00	100	207 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>102.51</td> <td>-----</td> <td>-----</td> <td>93.89</td> <td>34.48</td> <td>10.68</td> <td>36.54</td> <td>0.00</td> <td>100</td> <td>207 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5230.00	102.51	-----	-----	93.89	34.48	10.68	36.54	0.00	100	207 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																
1 5230.00	102.51	-----	-----	93.89	34.48	10.68	36.54	0.00	100	207 AVERAGE																														



Mode	65																																								
	Band Edge - L																																								
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																								
ANT	TXBF1S4T																																								
Pol.	Vertical	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>118.72</td> <td>-----</td> <td>-----</td> <td>110.06</td> <td>34.49</td> <td>10.69</td> <td>36.52</td> <td>0.00</td> <td>199</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5230.00	118.72	-----	-----	110.06	34.49	10.69	36.52	0.00	199	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5230.00	118.72	-----	-----	110.06	34.49	10.69	36.52	0.00	199	0 PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>108.25</td> <td>-----</td> <td>-----</td> <td>99.59</td> <td>34.49</td> <td>10.69</td> <td>36.52</td> <td>0.00</td> <td>199</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5230.00	108.25	-----	-----	99.59	34.49	10.69	36.52	0.00	199	0 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5230.00	108.25	-----	-----	99.59	34.49	10.69	36.52	0.00	199	0 AVERAGE																															



Mode	65																																																																													
	Harmonic																																																																													
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																																													
ANT	TXBF1S4T																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak																																																																														
Avg																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>43.21</td> <td>68.20</td> <td>-24.99</td> <td>57.12</td> <td>37.46</td> <td>15.54</td> <td>66.91</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10460.00	43.21	68.20	-24.99	57.12	37.46	15.54	66.91	0.00	---	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>43.57</td> <td>68.20</td> <td>-24.63</td> <td>57.48</td> <td>37.46</td> <td>15.54</td> <td>66.91</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10460.00	43.57	68.20	-24.63	57.48	37.46	15.54	66.91	0.00	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 10460.00	43.21	68.20	-24.99	57.12	37.46	15.54	66.91	0.00	---																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 10460.00	43.57	68.20	-24.63	57.48	37.46	15.54	66.91	0.00	---																																																																					



Mode	66																																														
	Band Edge -																																														
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																														
ANT	TXBF1S4T																																														
Pol.	Horizontal	Fundamental																																													
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5210.00</td> <td>107.84</td> <td>-----</td> <td>-----</td> <td>99.39</td> <td>34.43</td> <td>10.64</td> <td>36.62</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300 129 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5210.00	107.84	-----	-----	99.39	34.43	10.64	36.62	0.00									300 129 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5210.00	107.84	-----	-----	99.39	34.43	10.64	36.62	0.00																																							
								300 129 PEAK																																							
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5210.00</td> <td>97.35</td> <td>-----</td> <td>-----</td> <td>88.93</td> <td>34.42</td> <td>10.63</td> <td>36.63</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300 129 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5210.00	97.35	-----	-----	88.93	34.42	10.63	36.63	0.00									300 129 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5210.00	97.35	-----	-----	88.93	34.42	10.63	36.63	0.00																																							
								300 129 AVERAGE																																							





Mode	66																																							
	Band Edge -																																							
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																							
ANT	TXBF1S4T																																							
Pol.	Vertical	Fundamental																																						
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5210.00</td> <td>103.09</td> <td>-----</td> <td>-----</td> <td>94.50</td> <td>34.47</td> <td>10.67</td> <td>36.55</td> <td>0.00</td> <td>100</td> <td>203 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5210.00	103.09	-----	-----	94.50	34.47	10.67	36.55	0.00	100	203 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																
1 5210.00	103.09	-----	-----	94.50	34.47	10.67	36.55	0.00	100	203 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5210.00</td> <td>94.93</td> <td>-----</td> <td>-----</td> <td>86.34</td> <td>34.47</td> <td>10.67</td> <td>36.55</td> <td>0.00</td> <td>100</td> <td>203 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5210.00	94.93	-----	-----	86.34	34.47	10.67	36.55	0.00	100	203 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																
1 5210.00	94.93	-----	-----	86.34	34.47	10.67	36.55	0.00	100	203 AVERAGE																														



<b>Mode</b>	<b>66</b>																																																																																	
	<b>Harmonic</b>																																																																																	
	<b>U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz</b>																																																																																	
<b>ANT</b>	<b>TXBF1S4T</b>																																																																																	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																																
<b>Peak</b>																																																																																		
<b>Avg</b>																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10420.00</td> <td>45.97</td> <td>68.20</td> <td>-22.23</td> <td>59.97</td> <td>37.42</td> <td>15.51</td> <td>66.93</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10420.00	45.97	68.20	-22.23	59.97	37.42	15.51	66.93	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10420.00</td> <td>44.92</td> <td>68.20</td> <td>-23.28</td> <td>58.92</td> <td>37.42</td> <td>15.51</td> <td>66.93</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10420.00	44.92	68.20	-23.28	58.92	37.42	15.51	66.93	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10420.00	45.97	68.20	-22.23	59.97	37.42	15.51	66.93	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10420.00	44.92	68.20	-23.28	58.92	37.42	15.51	66.93	0.00	---	---	PEAK																																																																							



Mode	67																																								
	Band Edge																																								
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																								
ANT	TXBF1S4T																																								
Pol.	Horizontal	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5266.00</td> <td>107.75</td> <td>-----</td> <td>99.03</td> <td>34.51</td> <td>10.70</td> <td>36.49</td> <td>0.00</td> <td>300</td> <td>277</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5266.00	107.75	-----	99.03	34.51	10.70	36.49	0.00	300	277	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5266.00	107.75	-----	99.03	34.51	10.70	36.49	0.00	300	277	Peak																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5266.00</td> <td>99.39</td> <td>-----</td> <td>90.67</td> <td>34.51</td> <td>10.70</td> <td>36.49</td> <td>0.00</td> <td>300</td> <td>277</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5266.00	99.39	-----	90.67	34.51	10.70	36.49	0.00	300	277	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5266.00	99.39	-----	90.67	34.51	10.70	36.49	0.00	300	277	Average																														



Mode	67																																							
	Band Edge																																							
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																							
ANT	TXBF1S4T																																							
Pol.	Vertical	Fundamental																																						
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5266.00</td> <td>119.07</td> <td>-----</td> <td>110.35</td> <td>34.51</td> <td>10.70</td> <td>36.49</td> <td>0.00</td> <td>211</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5266.00	119.07	-----	110.35	34.51	10.70	36.49	0.00	211	0 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																
1	5266.00	119.07	-----	110.35	34.51	10.70	36.49	0.00	211	0 Peak																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5266.00</td> <td>107.85</td> <td>-----</td> <td>99.13</td> <td>34.51</td> <td>10.70</td> <td>36.49</td> <td>0.00</td> <td>211</td> <td>0 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5266.00	107.85	-----	99.13	34.51	10.70	36.49	0.00	211	0 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																
1	5266.00	107.85	-----	99.13	34.51	10.70	36.49	0.00	211	0 Average																														



Mode	67																																																																																			
	Harmonic																																																																																			
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																																																			
ANT	TXBF1S4T																																																																																			
Pol.	Horizontal	Vertical																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10520.00</td> <td>44.45</td> <td>68.20</td> <td>-23.75</td> <td>58.20</td> <td>37.52</td> <td>15.60</td> <td>66.87</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10520.00	44.45	68.20	-23.75	58.20	37.52	15.60	66.87	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1 10520.00</td> <td>44.57</td> <td>68.20</td> <td>-23.63</td> <td>58.32</td> <td>37.52</td> <td>15.60</td> <td>66.87</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1 10520.00	44.57	68.20	-23.63	58.32	37.52	15.60	66.87	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 10520.00	44.45	68.20	-23.75	58.20	37.52	15.60	66.87	0.00	---	---	PEAK																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																									
1 10520.00	44.57	68.20	-23.63	58.32	37.52	15.60	66.87	0.00	---	---	PEAK																																																																									



Mode	68																																								
	Band Edge - L																																								
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full RU_5300MHz																																								
ANT	TXBF1S4T																																								
Pol.	Horizontal	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>110.45</td> <td>-----</td> <td>101.66</td> <td>34.54</td> <td>10.71</td> <td>36.46</td> <td>0.00</td> <td>300</td> <td>181</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5290.00	110.45	-----	101.66	34.54	10.71	36.46	0.00	300	181	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5290.00	110.45	-----	101.66	34.54	10.71	36.46	0.00	300	181	Peak																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>102.29</td> <td>-----</td> <td>93.50</td> <td>34.54</td> <td>10.71</td> <td>36.46</td> <td>0.00</td> <td>300</td> <td>181</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5290.00	102.29	-----	93.50	34.54	10.71	36.46	0.00	300	181	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5290.00	102.29	-----	93.50	34.54	10.71	36.46	0.00	300	181	Average																														



Mode	68																																														
	Band Edge - L																																														
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full RU_5300MHz																																														
ANT	TXBF1S4T																																														
Pol.	Vertical	Fundamental																																													
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>5308.00</td> <td>119.14</td> <td>-----</td> <td>-----</td> <td>110.30</td> <td>34.55</td> <td>10.72</td> <td>36.43</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>206 0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	5308.00	119.14	-----	-----	110.30	34.55	10.72	36.43	0.00									206 0 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
5308.00	119.14	-----	-----	110.30	34.55	10.72	36.43	0.00																																							
								206 0 Peak																																							
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>5308.00</td> <td>107.84</td> <td>-----</td> <td>-----</td> <td>99.00</td> <td>34.55</td> <td>10.72</td> <td>36.43</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>206 0 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	5308.00	107.84	-----	-----	99.00	34.55	10.72	36.43	0.00									206 0 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
5308.00	107.84	-----	-----	99.00	34.55	10.72	36.43	0.00																																							
								206 0 Average																																							



<b>Mode</b>	<b>68</b>																																																																															
	<b>Harmonic</b>																																																																															
	<b>U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full RU_5300MHz</b>																																																																															
<b>ANT</b>	<b>TXBF1S4T</b>																																																																															
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																														
<b>Peak</b>																																																																																
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>43.49</td> <td>74.00</td> <td>-30.51</td> <td>57.05</td> <td>37.60</td> <td>15.67</td> <td>66.83</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10600.00	43.49	74.00	-30.51	57.05	37.60	15.67	66.83	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>44.33</td> <td>74.00</td> <td>-29.67</td> <td>57.89</td> <td>37.60</td> <td>15.67</td> <td>66.83</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10600.00	44.33	74.00	-29.67	57.89	37.60	15.67	66.83	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 10600.00	43.49	74.00	-30.51	57.05	37.60	15.67	66.83	0.00	---	---	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 10600.00	44.33	74.00	-29.67	57.89	37.60	15.67	66.83	0.00	---	---	PEAK																																																																					





Mode	69																																																									
	Band Edge - L																																																									
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full RU_5320MHz																																																									
ANT	TXBF1S4T																																																									
Pol.	Horizontal	Fundamental																																																								
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>114.70</td> <td>-----</td> <td>105.83</td> <td>34.56</td> <td>10.73</td> <td>36.42</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>113</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>360</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	114.70	-----	105.83	34.56	10.73	36.42							0.00	113								360								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1	5320.00	114.70	-----	105.83	34.56	10.73	36.42																																																			
						0.00	113																																																			
							360																																																			
							PEAK																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>105.28</td> <td>-----</td> <td>96.41</td> <td>34.56</td> <td>10.73</td> <td>36.42</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>113</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>360</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	105.28	-----	96.41	34.56	10.73	36.42							0.00	113								360								AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1	5320.00	105.28	-----	96.41	34.56	10.73	36.42																																																			
						0.00	113																																																			
							360																																																			
							AVERAGE																																																			



Mode	69																																							
	Band Edge - L																																							
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full RU_5320MHz																																							
ANT	TXBF1S4T																																							
Pol.	Vertical	Fundamental																																						
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>120.51</td> <td>-----</td> <td>-----</td> <td>111.64</td> <td>34.56</td> <td>10.73</td> <td>36.42</td> <td>0.00</td> <td>194 360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	120.51	-----	-----	111.64	34.56	10.73	36.42	0.00	194 360 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5320.00	120.51	-----	-----	111.64	34.56	10.73	36.42	0.00	194 360 PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>111.01</td> <td>-----</td> <td>-----</td> <td>102.11</td> <td>34.57</td> <td>10.73</td> <td>36.40</td> <td>0.00</td> <td>194 360 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	111.01	-----	-----	102.11	34.57	10.73	36.40	0.00	194 360 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5320.00	111.01	-----	-----	102.11	34.57	10.73	36.40	0.00	194 360 AVERAGE																															



4

Mode	69																																																																															
	Harmonic																																																																															
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full RU_5320MHz																																																																															
ANT	TXBF1S4T																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak																																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10648.00</td> <td>43.78</td> <td>74.00</td> <td>-30.22</td> <td>57.28</td> <td>37.60</td> <td>15.71</td> <td>66.81</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10648.00	43.78	74.00	-30.22	57.28	37.60	15.71	66.81	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10648.00</td> <td>42.97</td> <td>74.00</td> <td>-31.03</td> <td>56.47</td> <td>37.60</td> <td>15.71</td> <td>66.81</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10648.00	42.97	74.00	-31.03	56.47	37.60	15.71	66.81	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 10648.00	43.78	74.00	-30.22	57.28	37.60	15.71	66.81	0.00	---	---	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																								
1 10648.00	42.97	74.00	-31.03	56.47	37.60	15.71	66.81	0.00	---	---	PEAK																																																																					



Mode	70																																						
	Band Edge - L																																						
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																						
ANT	TXBF1S4T																																						
Pol.	Horizontal	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>117.04</td> <td>-----</td> <td>-----</td> <td>108.30</td> <td>34.52</td> <td>10.70</td> <td>36.48</td> <td>0.00</td> <td>110 360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5270.00	117.04	-----	-----	108.30	34.52	10.70	36.48	0.00	110 360 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5270.00	117.04	-----	-----	108.30	34.52	10.70	36.48	0.00	110 360 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>107.07</td> <td>-----</td> <td>-----</td> <td>98.33</td> <td>34.52</td> <td>10.70</td> <td>36.48</td> <td>0.00</td> <td>110 360 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5270.00	107.07	-----	-----	98.33	34.52	10.70	36.48	0.00	110 360 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5270.00	107.07	-----	-----	98.33	34.52	10.70	36.48	0.00	110 360 AVERAGE																														



Mode	70																																						
	Band Edge - L																																						
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																						
ANT	TXBF1S4T																																						
Pol.	Vertical	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>112.18</td> <td>-----</td> <td>-----</td> <td>103.50</td> <td>34.50</td> <td>10.69</td> <td>36.51</td> <td>0.00</td> <td>370 171 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5270.00	112.18	-----	-----	103.50	34.50	10.69	36.51	0.00	370 171 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5270.00	112.18	-----	-----	103.50	34.50	10.69	36.51	0.00	370 171 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>103.77</td> <td>-----</td> <td>-----</td> <td>95.09</td> <td>34.50</td> <td>10.69</td> <td>36.51</td> <td>0.00</td> <td>370 171 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5270.00	103.77	-----	-----	95.09	34.50	10.69	36.51	0.00	370 171 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5270.00	103.77	-----	-----	95.09	34.50	10.69	36.51	0.00	370 171 AVERAGE																														



Mode	70																																																																																											
	Harmonic																																																																																											
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																																																											
ANT	TXBF1S4T																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak																																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10540.00</td> <td>42.57</td> <td>68.20</td> <td>-25.63</td> <td>56.27</td> <td>37.54</td> <td>15.62</td> <td>66.86</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10540.00	42.57	68.20	-25.63	56.27	37.54	15.62	66.86	0.00									--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10540.00</td> <td>43.75</td> <td>68.20</td> <td>-24.45</td> <td>57.45</td> <td>37.54</td> <td>15.62</td> <td>66.86</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10540.00	43.75	68.20	-24.45	57.45	37.54	15.62	66.86	0.00									--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 10540.00	42.57	68.20	-25.63	56.27	37.54	15.62	66.86	0.00																																																																																				
								--- PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 10540.00	43.75	68.20	-24.45	57.45	37.54	15.62	66.86	0.00																																																																																				
								--- PEAK																																																																																				



	<b>71</b>																																																									
<b>Mode</b>	<b>Band Edge -</b>																																																									
	<b>U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz</b>																																																									
<b>ANT</b>	<b>TXBF1S4T</b>																																																									
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																								
<b>Peak</b>	<b>Blank</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5310.00</td> <td>110.21</td> <td>-----</td> <td>-----</td> <td>101.41</td> <td>34.54</td> <td>10.71</td> <td>36.45</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>368</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>149</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5310.00	110.21	-----	-----	101.41	34.54	10.71	36.45							0.00	368								149								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1 5310.00	110.21	-----	-----	101.41	34.54	10.71	36.45																																																			
						0.00	368																																																			
							149																																																			
							PEAK																																																			
<b>Avg</b>	<b>Blank</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5310.00</td> <td>100.65</td> <td>-----</td> <td>-----</td> <td>91.85</td> <td>34.54</td> <td>10.71</td> <td>36.45</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>368</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>149</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5310.00	100.65	-----	-----	91.85	34.54	10.71	36.45							0.00	368								149								AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1 5310.00	100.65	-----	-----	91.85	34.54	10.71	36.45																																																			
						0.00	368																																																			
							149																																																			
							AVERAGE																																																			



Mode	71																																								
	Band Edge -																																								
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																								
ANT	TXBF1S4T																																								
Pol.	Vertical	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>116.03</td> <td>-----</td> <td>107.21</td> <td>34.54</td> <td>10.72</td> <td>36.44</td> <td>0.00</td> <td>201</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5310.00	116.03	-----	107.21	34.54	10.72	36.44	0.00	201	360	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5310.00	116.03	-----	107.21	34.54	10.72	36.44	0.00	201	360	PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>105.60</td> <td>-----</td> <td>96.73</td> <td>34.56</td> <td>10.73</td> <td>36.42</td> <td>0.00</td> <td>201</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5310.00	105.60	-----	96.73	34.56	10.73	36.42	0.00	201	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5310.00	105.60	-----	96.73	34.56	10.73	36.42	0.00	201	360	AVERAGE																														







<b>Mode</b>	<b>71</b>																																																																													
	<b>Harmonic</b>																																																																													
	<b>U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz</b>																																																																													
<b>ANT</b>	<b>TXBF1S4T</b>																																																																													
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																												
<b>Peak</b>																																																																														
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>42.53</td> <td>74.00</td> <td>-31.47</td> <td>56.06</td> <td>37.60</td> <td>15.69</td> <td>66.82</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10620.00	42.53	74.00	-31.47	56.06	37.60	15.69	66.82	0.00	---	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>42.93</td> <td>74.00</td> <td>-31.07</td> <td>56.46</td> <td>37.60</td> <td>15.69</td> <td>66.82</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10620.00	42.93	74.00	-31.07	56.46	37.60	15.69	66.82	0.00	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 10620.00	42.53	74.00	-31.47	56.06	37.60	15.69	66.82	0.00	---																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 10620.00	42.93	74.00	-31.07	56.46	37.60	15.69	66.82	0.00	---																																																																					



	72																																								
Mode	Band Edge -																																								
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																								
ANT	TXBF1S4T																																								
Pol.	Horizontal	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5290.00</td> <td>103.35</td> <td>-----</td> <td>94.57</td> <td>34.53</td> <td>10.71</td> <td>36.46</td> <td>0.00</td> <td>300</td> <td>185</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5290.00	103.35	-----	94.57	34.53	10.71	36.46	0.00	300	185	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5290.00	103.35	-----	94.57	34.53	10.71	36.46	0.00	300	185	PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5290.00</td> <td>94.22</td> <td>-----</td> <td>85.44</td> <td>34.53</td> <td>10.71</td> <td>36.46</td> <td>0.00</td> <td>300</td> <td>185</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5290.00	94.22	-----	85.44	34.53	10.71	36.46	0.00	300	185	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5290.00	94.22	-----	85.44	34.53	10.71	36.46	0.00	300	185	AVERAGE																															



Mode	72																																								
	Band Edge -																																								
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																								
ANT	TXBF1S4T																																								
Pol.	Vertical	Fundamental																																							
Peak	Blank	 <table border="1" data-bbox="917 1153 1412 1265"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>112.84</td> <td>-----</td> <td>-----</td> <td>104.12</td> <td>34.51</td> <td>10.70</td> <td>36.49</td> <td>0.00</td> <td>225</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5290.00	112.84	-----	-----	104.12	34.51	10.70	36.49	0.00	225	0	PEAK
Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																														
1	5290.00	112.84	-----	-----	104.12	34.51	10.70	36.49	0.00	225	0	PEAK																													
Avg	Blank	 <table border="1" data-bbox="917 1834 1412 1946"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>101.41</td> <td>-----</td> <td>-----</td> <td>92.73</td> <td>34.50</td> <td>10.69</td> <td>36.51</td> <td>0.00</td> <td>225</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5290.00	101.41	-----	-----	92.73	34.50	10.69	36.51	0.00	225	0	AVERAGE
Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																														
1	5290.00	101.41	-----	-----	92.73	34.50	10.69	36.51	0.00	225	0	AVERAGE																													



Mode	72																																																																																	
	Harmonic																																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																																	
ANT	TXBF1S4T																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak																																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>44.81</td> <td>68.20</td> <td>-23.39</td> <td>58.42</td> <td>37.58</td> <td>15.65</td> <td>66.84</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10580.00	44.81	68.20	-23.39	58.42	37.58	15.65	66.84	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>44.47</td> <td>68.20</td> <td>-23.73</td> <td>58.08</td> <td>37.58</td> <td>15.65</td> <td>66.84</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10580.00	44.47	68.20	-23.73	58.08	37.58	15.65	66.84	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10580.00	44.81	68.20	-23.39	58.42	37.58	15.65	66.84	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10580.00	44.47	68.20	-23.73	58.08	37.58	15.65	66.84	0.00	---	---	PEAK																																																																							



	73																																								
Mode	Band Edge - L																																								
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																								
ANT	TXBF1S4T																																								
Pol.	Horizontal	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>100.09</td> <td>-----</td> <td>91.64</td> <td>34.43</td> <td>10.64</td> <td>36.62</td> <td>0.00</td> <td>327</td> <td>84</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5250.00	100.09	-----	91.64	34.43	10.64	36.62	0.00	327	84	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5250.00	100.09	-----	91.64	34.43	10.64	36.62	0.00	327	84	PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>90.34</td> <td>-----</td> <td>81.92</td> <td>34.42</td> <td>10.63</td> <td>36.63</td> <td>0.00</td> <td>327</td> <td>84</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5250.00	90.34	-----	81.92	34.42	10.63	36.63	0.00	327	84	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5250.00	90.34	-----	81.92	34.42	10.63	36.63	0.00	327	84	AVERAGE																														



Mode	73																																																	
	Band Edge - L																																																	
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																	
ANT	TXBF1S4T																																																	
Pol.	Vertical	Fundamental																																																
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>5248.00</td> <td>110.48</td> <td>-----</td> <td>-----</td> <td>101.80</td> <td>34.50</td> <td>10.69</td> <td>36.51</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>59 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	5248.00	110.48	-----	-----	101.80	34.50	10.69	36.51							0.00	100								59 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																											
5248.00	110.48	-----	-----	101.80	34.50	10.69	36.51																																											
						0.00	100																																											
							59 Peak																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>5296.00</td> <td>98.45</td> <td>-----</td> <td>-----</td> <td>89.64</td> <td>34.54</td> <td>10.72</td> <td>36.45</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>59 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	5296.00	98.45	-----	-----	89.64	34.54	10.72	36.45							0.00	100								59 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																											
5296.00	98.45	-----	-----	89.64	34.54	10.72	36.45																																											
						0.00	100																																											
							59 Average																																											



Mode	73																																																																																											
	Harmonic																																																																																											
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																																																											
ANT	TXBF1S4T																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak																																																																																												
Avg																																																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10500.00</td> <td>44.27</td> <td>68.20</td> <td>-23.93</td> <td>58.07</td> <td>37.50</td> <td>15.58</td> <td>66.88</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10500.00	44.27	68.20	-23.93	58.07	37.50	15.58	66.88	0.00									--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10500.00</td> <td>45.24</td> <td>68.20</td> <td>-22.96</td> <td>59.04</td> <td>37.50</td> <td>15.58</td> <td>66.88</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10500.00	45.24	68.20	-22.96	59.04	37.50	15.58	66.88	0.00									--- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 10500.00	44.27	68.20	-23.93	58.07	37.50	15.58	66.88	0.00																																																																																				
								--- PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 10500.00	45.24	68.20	-22.96	59.04	37.50	15.58	66.88	0.00																																																																																				
								--- PEAK																																																																																				



Mode	74																																						
	Band Edge - L																																						
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz																																						
ANT	TXBF1S4T																																						
Pol.	Horizontal	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>108.05</td> <td>-----</td> <td>-----</td> <td>98.59</td> <td>34.73</td> <td>10.89</td> <td>36.16</td> <td>0.00</td> <td>368 304 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5500.00	108.05	-----	-----	98.59	34.73	10.89	36.16	0.00	368 304 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5500.00	108.05	-----	-----	98.59	34.73	10.89	36.16	0.00	368 304 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>98.11</td> <td>-----</td> <td>-----</td> <td>88.63</td> <td>34.74</td> <td>10.89</td> <td>36.15</td> <td>0.00</td> <td>368 304 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5500.00	98.11	-----	-----	88.63	34.74	10.89	36.15	0.00	368 304 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5500.00	98.11	-----	-----	88.63	34.74	10.89	36.15	0.00	368 304 AVERAGE																														





Mode	74																																						
	Band Edge - L																																						
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHZ																																						
ANT	TXBF1S4T																																						
Pol.	Vertical	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>119.40</td> <td>-----</td> <td>-----</td> <td>109.96</td> <td>34.73</td> <td>10.88</td> <td>36.17</td> <td>0.00</td> <td>131 92 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5500.00	119.40	-----	-----	109.96	34.73	10.88	36.17	0.00	131 92 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5500.00	119.40	-----	-----	109.96	34.73	10.88	36.17	0.00	131 92 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>100.50</td> <td>-----</td> <td>-----</td> <td>99.06</td> <td>34.73</td> <td>10.88</td> <td>36.17</td> <td>0.00</td> <td>131 92 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5500.00	100.50	-----	-----	99.06	34.73	10.88	36.17	0.00	131 92 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5500.00	100.50	-----	-----	99.06	34.73	10.88	36.17	0.00	131 92 AVERAGE																														



Mode	74																																																																													
	Harmonic																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz																																																																													
ANT	TXBF1S4T																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>44.61</td> <td>74.00</td> <td>-29.39</td> <td>57.28</td> <td>37.90</td> <td>16.04</td> <td>66.61</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11000.00	44.61	74.00	-29.39	57.28	37.90	16.04	66.61	0.00	---	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>44.58</td> <td>74.00</td> <td>-29.42</td> <td>57.25</td> <td>37.90</td> <td>16.04</td> <td>66.61</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11000.00	44.58	74.00	-29.42	57.25	37.90	16.04	66.61	0.00	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11000.00	44.61	74.00	-29.39	57.28	37.90	16.04	66.61	0.00	---																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11000.00	44.58	74.00	-29.42	57.25	37.90	16.04	66.61	0.00	---																																																																					



	75																																														
Mode	Band Edge - L																																														
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																														
ANT	TXBF1S4T																																														
Pol.	Horizontal	Fundamental																																													
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5580.00</td> <td>108.50</td> <td>-----</td> <td>-----</td> <td>98.79</td> <td>34.80</td> <td>10.97</td> <td>36.06</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>303 169 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5580.00	108.50	-----	-----	98.79	34.80	10.97	36.06	0.00									303 169 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5580.00	108.50	-----	-----	98.79	34.80	10.97	36.06	0.00																																							
								303 169 PEAK																																							
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5580.00</td> <td>98.55</td> <td>-----</td> <td>-----</td> <td>88.84</td> <td>34.80</td> <td>10.97</td> <td>36.06</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>303 169 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5580.00	98.55	-----	-----	88.84	34.80	10.97	36.06	0.00									303 169 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5580.00	98.55	-----	-----	88.84	34.80	10.97	36.06	0.00																																							
								303 169 AVERAGE																																							



Mode	75																																			
	Band Edge - L																																			
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHZ																																			
ANT	TXBF1S4T																																			
Pol.	Vertical	Fundamental																																		
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5580.00</td> <td>117.56</td> <td>-----</td> <td>107.78</td> <td>34.82</td> <td>10.99</td> <td>36.03</td> <td>0.00</td> <td>116</td> <td>91 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5580.00	117.56	-----	107.78	34.82	10.99	36.03	0.00	116	91 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																													
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																													
1 5580.00	117.56	-----	107.78	34.82	10.99	36.03	0.00	116	91 PEAK																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5580.00</td> <td>107.52</td> <td>-----</td> <td>97.81</td> <td>34.80</td> <td>10.97</td> <td>36.06</td> <td>0.00</td> <td>116</td> <td>91 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5580.00	107.52	-----	97.81	34.80	10.97	36.06	0.00	116	91 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																													
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																													
1 5580.00	107.52	-----	97.81	34.80	10.97	36.06	0.00	116	91 AVERAGE																											



Mode	75																																																																										
	Harmonic																																																																										
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																																																										
ANT	TXBF1S4T																																																																										
Pol.	Horizontal	Vertical																																																																									
Peak Avg																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>44.92</td> <td>74.00</td> <td>-29.08</td> <td>57.43</td> <td>37.86</td> <td>16.15</td> <td>66.52</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11160.00	44.92	74.00	-29.08	57.43	37.86	16.15	66.52	0.00	--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>44.39</td> <td>74.00</td> <td>-29.61</td> <td>56.90</td> <td>37.86</td> <td>16.15</td> <td>66.52</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11160.00	44.39	74.00	-29.61	56.90	37.86	16.15	66.52	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11160.00	44.92	74.00	-29.08	57.43	37.86	16.15	66.52	0.00	--- PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1 11160.00	44.39	74.00	-29.61	56.90	37.86	16.15	66.52	0.00	--- PEAK																																																																		



	76																																						
Mode	Band Edge																																						
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																						
ANT	TXBF1S4T																																						
Pol.	Horizontal	Fundamental																																					
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>108.32</td> <td>-----</td> <td>-----</td> <td>99.13</td> <td>34.92</td> <td>11.14</td> <td>36.87</td> <td>0.00</td> <td>314 257 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5700.00	108.32	-----	-----	99.13	34.92	11.14	36.87	0.00	314 257 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5700.00	108.32	-----	-----	99.13	34.92	11.14	36.87	0.00	314 257 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>100.03</td> <td>-----</td> <td>-----</td> <td>90.84</td> <td>34.92</td> <td>11.14</td> <td>36.87</td> <td>0.00</td> <td>314 257 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5700.00	100.03	-----	-----	90.84	34.92	11.14	36.87	0.00	314 257 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5700.00	100.03	-----	-----	90.84	34.92	11.14	36.87	0.00	314 257 AVERAGE																														



Mode	76																																												
	Band Edge -																																												
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHZ																																												
ANT	TXBF1S4T																																												
Pol.	Vertical	Fundamental																																											
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>118.63</td> <td>-----</td> <td>-----</td> <td>109.36</td> <td>34.92</td> <td>11.13</td> <td>36.78</td> <td>0.00</td> <td>162</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5700.00	118.63	-----	-----	109.36	34.92	11.13	36.78	0.00	162	0	PEAK
Limit	Read	Ant	Cable	Aux	APos	TPos																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5700.00	118.63	-----	-----	109.36	34.92	11.13	36.78	0.00	162	0	PEAK																																		
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>108.98</td> <td>-----</td> <td>-----</td> <td>99.71</td> <td>34.92</td> <td>11.13</td> <td>36.78</td> <td>0.00</td> <td>162</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5700.00	108.98	-----	-----	99.71	34.92	11.13	36.78	0.00	162	0	AVERAGE
Limit	Read	Ant	Cable	Aux	APos	TPos																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5700.00	108.98	-----	-----	99.71	34.92	11.13	36.78	0.00	162	0	AVERAGE																																		



Mode	76																																																																													
	Harmonic																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																																													
ANT	TXBF1S4T																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak																																																																														
Avg																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>44.63</td> <td>74.00</td> <td>-29.37</td> <td>56.72</td> <td>38.00</td> <td>16.30</td> <td>66.39</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	44.63	74.00	-29.37	56.72	38.00	16.30	66.39	0.00	---	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>44.33</td> <td>74.00</td> <td>-29.67</td> <td>56.42</td> <td>38.00</td> <td>16.30</td> <td>66.39</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	44.33	74.00	-29.67	56.42	38.00	16.30	66.39	0.00	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11400.00	44.63	74.00	-29.37	56.72	38.00	16.30	66.39	0.00	---																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11400.00	44.33	74.00	-29.67	56.42	38.00	16.30	66.39	0.00	---																																																																					





	77																																														
Mode	Band Edge																																														
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																														
ANT	TXBF1S4T																																														
Pol.	Horizontal	Fundamental																																													
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5510.00</td> <td>109.64</td> <td>-----</td> <td>-----</td> <td>100.19</td> <td>34.73</td> <td>10.88</td> <td>36.16</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>371 257 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5510.00	109.64	-----	-----	100.19	34.73	10.88	36.16	0.00									371 257 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5510.00	109.64	-----	-----	100.19	34.73	10.88	36.16	0.00																																							
								371 257 PEAK																																							
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5510.00</td> <td>98.69</td> <td>-----</td> <td>-----</td> <td>89.25</td> <td>34.73</td> <td>10.88</td> <td>36.17</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>371 257 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5510.00	98.69	-----	-----	89.25	34.73	10.88	36.17	0.00									371 257 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5510.00	98.69	-----	-----	89.25	34.73	10.88	36.17	0.00																																							
								371 257 AVERAGE																																							



	77																																							
Mode	Band Edge -																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																							
ANT	TXBF1S4T																																							
Pol.	Vertical	Fundamental																																						
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5510.00</td> <td>115.67</td> <td>-----</td> <td>-----</td> <td>106.23</td> <td>34.73</td> <td>10.88</td> <td>36.17</td> <td>0.00</td> <td>118</td> <td>92 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5510.00	115.67	-----	-----	106.23	34.73	10.88	36.17	0.00	118	92 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																
1 5510.00	115.67	-----	-----	106.23	34.73	10.88	36.17	0.00	118	92 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5510.00</td> <td>105.51</td> <td>-----</td> <td>-----</td> <td>96.06</td> <td>34.73</td> <td>10.88</td> <td>36.16</td> <td>0.00</td> <td>118</td> <td>92 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5510.00	105.51	-----	-----	96.06	34.73	10.88	36.16	0.00	118	92 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																
1 5510.00	105.51	-----	-----	96.06	34.73	10.88	36.16	0.00	118	92 AVERAGE																														



Mode	77																																																																																				
	Harmonic																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																																				
ANT	TXBF1S4T																																																																																				
Pol.	Horizontal	Vertical																																																																																			
Peak Avg																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>45.70</td> <td>74.00</td> <td>-28.30</td> <td>58.36</td> <td>37.88</td> <td>16.06</td> <td>66.60</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11020.00	45.70	74.00	-28.30	58.36	37.88	16.06	66.60	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>45.03</td> <td>74.00</td> <td>-28.97</td> <td>57.69</td> <td>37.88</td> <td>16.06</td> <td>66.60</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11020.00	45.03	74.00	-28.97	57.69	37.88	16.06	66.60	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1 11020.00	45.70	74.00	-28.30	58.36	37.88	16.06	66.60	0.00	---	---	PEAK																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1 11020.00	45.03	74.00	-28.97	57.69	37.88	16.06	66.60	0.00	---	---	PEAK																																																																										



Mode	78																																																									
	Band Edge																																																									
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																									
ANT	TXBF1S4T																																																									
Pol.	Horizontal	Fundamental																																																								
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5550.00</td> <td>111.03</td> <td>-----</td> <td>-----</td> <td>101.40</td> <td>34.78</td> <td>10.94</td> <td>36.09</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>169</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5550.00	111.03	-----	-----	101.40	34.78	10.94	36.09							0.00	300								169								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1 5550.00	111.03	-----	-----	101.40	34.78	10.94	36.09																																																			
						0.00	300																																																			
							169																																																			
							PEAK																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5550.00</td> <td>101.09</td> <td>-----</td> <td>-----</td> <td>91.41</td> <td>34.79</td> <td>10.96</td> <td>36.07</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>169</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5550.00	101.09	-----	-----	91.41	34.79	10.96	36.07							0.00	300								169								AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1 5550.00	101.09	-----	-----	91.41	34.79	10.96	36.07																																																			
						0.00	300																																																			
							169																																																			
							AVERAGE																																																			



Mode	78																																							
	Band Edge -																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																							
ANT	TXBF1S4T																																							
Pol.	Vertical	Fundamental																																						
Peak	Blank	<table border="1" data-bbox="909 1153 1404 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5550.00</td> <td>119.04</td> <td>-----</td> <td>-----</td> <td>109.41</td> <td>34.78</td> <td>10.94</td> <td>36.09</td> <td>0.00</td> <td>101</td> <td>91 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5550.00	119.04	-----	-----	109.41	34.78	10.94	36.09	0.00	101	91 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																
1 5550.00	119.04	-----	-----	109.41	34.78	10.94	36.09	0.00	101	91 PEAK																														
Avg	Blank	<table border="1" data-bbox="909 1825 1404 1948"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5550.00</td> <td>109.27</td> <td>-----</td> <td>-----</td> <td>99.64</td> <td>34.78</td> <td>10.94</td> <td>36.09</td> <td>0.00</td> <td>101</td> <td>91 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5550.00	109.27	-----	-----	99.64	34.78	10.94	36.09	0.00	101	91 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																
1 5550.00	109.27	-----	-----	99.64	34.78	10.94	36.09	0.00	101	91 AVERAGE																														



Mode	78																																																																																					
	Harmonic																																																																																					
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																																																					
ANT	TXBF1S4T																																																																																					
Pol.	Horizontal	Vertical																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>45.79</td> <td>74.00</td> <td>-28.21</td> <td>58.43</td> <td>37.80</td> <td>16.11</td> <td>66.55</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11100.00	45.79	74.00	-28.21	58.43	37.80	16.11	66.55	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>45.39</td> <td>74.00</td> <td>-28.61</td> <td>58.03</td> <td>37.80</td> <td>16.11</td> <td>66.55</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11100.00	45.39	74.00	-28.61	58.03	37.80	16.11	66.55	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 11100.00	45.79	74.00	-28.21	58.43	37.80	16.11	66.55	0.00	---	---	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 11100.00	45.39	74.00	-28.61	58.03	37.80	16.11	66.55	0.00	---	---	PEAK																																																																											



	<b>79</b>																																						
<b>Mode</b>	<b>Band Edge</b>																																						
	<b>U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz</b>																																						
<b>ANT</b>	<b>TXBF1S4T</b>																																						
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																					
<b>Peak</b>	<b>Blank</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5670.00</td> <td>107.73</td> <td>-----</td> <td>-----</td> <td>97.90</td> <td>34.88</td> <td>11.07</td> <td>36.12</td> <td>0.00</td> <td>152 360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5670.00	107.73	-----	-----	97.90	34.88	11.07	36.12	0.00	152 360 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5670.00	107.73	-----	-----	97.90	34.88	11.07	36.12	0.00	152 360 PEAK																														
<b>Avg</b>	<b>Blank</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5670.00</td> <td>98.04</td> <td>-----</td> <td>-----</td> <td>88.21</td> <td>34.88</td> <td>11.07</td> <td>36.12</td> <td>0.00</td> <td>152 360 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5670.00	98.04	-----	-----	88.21	34.88	11.07	36.12	0.00	152 360 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																															
1 5670.00	98.04	-----	-----	88.21	34.88	11.07	36.12	0.00	152 360 AVERAGE																														



Mode	79																																							
	Band Edge -																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																							
ANT	TXBF1S4T																																							
Pol.	Vertical	Fundamental																																						
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5670.00</td> <td>118.15</td> <td>-----</td> <td>108.40</td> <td>34.88</td> <td>11.08</td> <td>36.21</td> <td>0.00</td> <td>141</td> <td>176 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5670.00	118.15	-----	108.40	34.88	11.08	36.21	0.00	141	176 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5670.00	118.15	-----	108.40	34.88	11.08	36.21	0.00	141	176 PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5670.00</td> <td>106.57</td> <td>-----</td> <td>96.74</td> <td>34.88</td> <td>11.07</td> <td>36.12</td> <td>0.00</td> <td>141</td> <td>176 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5670.00	106.57	-----	96.74	34.88	11.07	36.12	0.00	141	176 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5670.00	106.57	-----	96.74	34.88	11.07	36.12	0.00	141	176 AVERAGE																															





Mode	79																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																	
ANT	TXBF1S4T																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>45.07</td> <td>74.00</td> <td>-28.93</td> <td>57.29</td> <td>37.94</td> <td>16.26</td> <td>66.42</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11340.00	45.07	74.00	-28.93	57.29	37.94	16.26	66.42	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>44.92</td> <td>74.00</td> <td>-29.08</td> <td>57.14</td> <td>37.94</td> <td>16.26</td> <td>66.42</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11340.00	44.92	74.00	-29.08	57.14	37.94	16.26	66.42	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11340.00	45.07	74.00	-28.93	57.29	37.94	16.26	66.42	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11340.00	44.92	74.00	-29.08	57.14	37.94	16.26	66.42	0.00	---	---	PEAK																																																																							



Mode	80																																																																	
	Band Edge																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																	
ANT	TXBF1S4T																																																																	
Pol.	Horizontal	Fundamental																																																																
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>104.95</td> <td>-----</td> <td>95.25</td> <td>34.80</td> <td>10.96</td> <td>36.06</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>313</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>182</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5530.00	104.95	-----	95.25	34.80	10.96	36.06							0.00									313								182								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1	5530.00	104.95	-----	95.25	34.80	10.96	36.06																																																											
						0.00																																																												
							313																																																											
							182																																																											
							PEAK																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>95.58</td> <td>-----</td> <td>85.88</td> <td>34.80</td> <td>10.96</td> <td>36.06</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>313</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>182</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5530.00	95.58	-----	85.88	34.80	10.96	36.06							0.00									313								182								AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1	5530.00	95.58	-----	85.88	34.80	10.96	36.06																																																											
						0.00																																																												
							313																																																											
							182																																																											
							AVERAGE																																																											



Mode	80																																					
	Band Edge -																																					
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																					
ANT	TXBF1S4T																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5530.00</td> <td>114.42</td> <td>- - - - -</td> <td>- - - - -</td> <td>104.91</td> <td>34.75</td> <td>10.90</td> <td>36.14</td> <td>0.00 100 94 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5530.00	114.42	- - - - -	- - - - -	104.91	34.75	10.90	36.14	0.00 100 94 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 5530.00	114.42	- - - - -	- - - - -	104.91	34.75	10.90	36.14	0.00 100 94 PEAK																														
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5530.00</td> <td>102.28</td> <td>- - - - -</td> <td>- - - - -</td> <td>92.77</td> <td>34.75</td> <td>10.90</td> <td>36.14</td> <td>0.00 100 94 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5530.00	102.28	- - - - -	- - - - -	92.77	34.75	10.90	36.14	0.00 100 94 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 5530.00	102.28	- - - - -	- - - - -	92.77	34.75	10.90	36.14	0.00 100 94 AVERAGE																														





Mode	80																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																	
ANT	TXBF1S4T																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak																																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11068.00</td> <td>45.42</td> <td>74.00</td> <td>-28.58</td> <td>58.07</td> <td>37.84</td> <td>16.08</td> <td>66.57</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11068.00	45.42	74.00	-28.58	58.07	37.84	16.08	66.57	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11068.00</td> <td>45.28</td> <td>74.00</td> <td>-28.72</td> <td>57.93</td> <td>37.84</td> <td>16.08</td> <td>66.57</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11068.00	45.28	74.00	-28.72	57.93	37.84	16.08	66.57	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11068.00	45.42	74.00	-28.58	58.07	37.84	16.08	66.57	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11068.00	45.28	74.00	-28.72	57.93	37.84	16.08	66.57	0.00	---	---	PEAK																																																																							



	<b>81</b>																																														
<b>Mode</b>	<b>Band Edge</b>																																														
	<b>U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz</b>																																														
<b>ANT</b>	<b>TXBF1S4T</b>																																														
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																													
<b>Peak</b>	<b>Blank</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5610.00</td> <td>104.94</td> <td>-----</td> <td>-----</td> <td>95.08</td> <td>34.84</td> <td>11.02</td> <td>36.00</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300 168 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5610.00	104.94	-----	-----	95.08	34.84	11.02	36.00	0.00									300 168 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5610.00	104.94	-----	-----	95.08	34.84	11.02	36.00	0.00																																							
								300 168 PEAK																																							
<b>Avg</b>	<b>Blank</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5610.00</td> <td>95.42</td> <td>-----</td> <td>-----</td> <td>85.58</td> <td>34.84</td> <td>11.01</td> <td>36.01</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300 168 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5610.00	95.42	-----	-----	85.58	34.84	11.01	36.01	0.00									300 168 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5610.00	95.42	-----	-----	85.58	34.84	11.01	36.01	0.00																																							
								300 168 AVERAGE																																							



Mode	81																																												
	Band Edge -																																												
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																												
ANT	TXBF1S4T																																												
Pol.	Vertical	Fundamental																																											
Peak	Blank	 <table border="1" data-bbox="917 1153 1428 1276"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>115.34</td> <td>-----</td> <td>-----</td> <td>105.40</td> <td>34.86</td> <td>11.05</td> <td>35.97</td> <td>0.00</td> <td>115</td> <td>90 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	115.34	-----	-----	105.40	34.86	11.05	35.97	0.00	115	90 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5610.00	115.34	-----	-----	105.40	34.86	11.05	35.97	0.00	115	90 PEAK																																		
Avg	Blank	 <table border="1" data-bbox="917 1834 1428 1957"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>102.61</td> <td>-----</td> <td>-----</td> <td>92.65</td> <td>34.86</td> <td>11.06</td> <td>35.96</td> <td>0.00</td> <td>115</td> <td>90 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	102.61	-----	-----	92.65	34.86	11.06	35.96	0.00	115	90 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5610.00	102.61	-----	-----	92.65	34.86	11.06	35.96	0.00	115	90 AVERAGE																																		



Mode	81																																																																													
	Harmonic																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																													
ANT	TXBF1S4T																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak																																																																														
Avg																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11228.00</td> <td>46.30</td> <td>74.00</td> <td>-27.70</td> <td>58.70</td> <td>37.90</td> <td>16.18</td> <td>66.48</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11228.00	46.30	74.00	-27.70	58.70	37.90	16.18	66.48	0.00	---	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11228.00</td> <td>46.37</td> <td>74.00</td> <td>-27.63</td> <td>58.77</td> <td>37.90</td> <td>16.18</td> <td>66.48</td> <td>0.00</td> <td>---</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11228.00	46.37	74.00	-27.63	58.77	37.90	16.18	66.48	0.00	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11228.00	46.30	74.00	-27.70	58.70	37.90	16.18	66.48	0.00	---																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11228.00	46.37	74.00	-27.63	58.77	37.90	16.18	66.48	0.00	---																																																																					



Mode	82																																								
	Band Edge																																								
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																								
ANT	TXBF1S4T																																								
Pol.	Horizontal	Fundamental																																							
Peak	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5570.00</td> <td>97.60</td> <td>-----</td> <td>87.89</td> <td>34.80</td> <td>10.97</td> <td>36.06</td> <td>0.00</td> <td>141</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5570.00	97.60	-----	87.89	34.80	10.97	36.06	0.00	141	360	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5570.00	97.60	-----	87.89	34.80	10.97	36.06	0.00	141	360	PEAK																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5570.00</td> <td>87.24</td> <td>-----</td> <td>77.53</td> <td>34.80</td> <td>10.97</td> <td>36.06</td> <td>0.00</td> <td>141</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5570.00	87.24	-----	77.53	34.80	10.97	36.06	0.00	141	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5570.00	87.24	-----	77.53	34.80	10.97	36.06	0.00	141	360	AVERAGE																															









Mode	82																																												
	Band Edge -																																												
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																												
ANT	TXBF1S4T																																												
Pol.	Vertical	Fundamental																																											
Peak	Blank	<table border="1" data-bbox="906 1146 1417 1265"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>109.57</td> <td>-----</td> <td>-----</td> <td>100.04</td> <td>34.75</td> <td>10.91</td> <td>36.13</td> <td>0.00</td> <td>114</td> <td>90 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	109.57	-----	-----	100.04	34.75	10.91	36.13	0.00	114	90 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5570.00	109.57	-----	-----	100.04	34.75	10.91	36.13	0.00	114	90 PEAK																																		
Avg	Blank	<table border="1" data-bbox="906 1832 1417 1951"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>98.74</td> <td>-----</td> <td>-----</td> <td>89.21</td> <td>34.75</td> <td>10.91</td> <td>36.13</td> <td>0.00</td> <td>114</td> <td>90 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	98.74	-----	-----	89.21	34.75	10.91	36.13	0.00	114	90 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5570.00	98.74	-----	-----	89.21	34.75	10.91	36.13	0.00	114	90 AVERAGE																																		



<b>Mode</b>	<b>82</b>																																																																																	
	<b>Harmonic</b>																																																																																	
	<b>U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz</b>																																																																																	
<b>ANT</b>	<b>TXBF1S4T</b>																																																																																	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																																
<b>Peak</b>																																																																																		
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11140.00</td> <td>45.17</td> <td>74.00</td> <td>-28.83</td> <td>57.73</td> <td>37.84</td> <td>16.13</td> <td>66.53</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11140.00	45.17	74.00	-28.83	57.73	37.84	16.13	66.53	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11140.00</td> <td>44.73</td> <td>74.00</td> <td>-29.27</td> <td>57.29</td> <td>37.84</td> <td>16.13</td> <td>66.53</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11140.00	44.73	74.00	-29.27	57.29	37.84	16.13	66.53	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11140.00	45.17	74.00	-28.83	57.73	37.84	16.13	66.53	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11140.00	44.73	74.00	-29.27	57.29	37.84	16.13	66.53	0.00	---	---	PEAK																																																																							



Mode	83																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.725-5.85_802.11BE EHT20_CH144_Full_5720MHz																																																																																	
ANT	TXBF1S4T																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak																																																																																		
Avg																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>44.94</td> <td>74.00</td> <td>-29.06</td> <td>56.90</td> <td>38.08</td> <td>16.32</td> <td>66.36</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	44.94	74.00	-29.06	56.90	38.08	16.32	66.36	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>44.12</td> <td>74.00</td> <td>-29.88</td> <td>56.08</td> <td>38.08</td> <td>16.32</td> <td>66.36</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	44.12	74.00	-29.88	56.08	38.08	16.32	66.36	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11440.00	44.94	74.00	-29.06	56.90	38.08	16.32	66.36	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11440.00	44.12	74.00	-29.88	56.08	38.08	16.32	66.36	0.00	---	---	PEAK																																																																							



Mode	84																																																																																
	Harmonic																																																																																
	U-NII-2C_5.725-5.85_802.11BE EHT40_CH142_Full_5710MHz																																																																																
ANT	TXBF1S4T																																																																																
Pol.	Horizontal	Vertical																																																																															
Peak Avg																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>45.90</td> <td>74.00</td> <td>-28.10</td> <td>57.92</td> <td>38.04</td> <td>16.31</td> <td>66.37</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11420.00	45.90	74.00	-28.10	57.92	38.04	16.31	66.37	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>45.68</td> <td>74.00</td> <td>-28.32</td> <td>57.70</td> <td>38.04</td> <td>16.31</td> <td>66.37</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11420.00	45.68	74.00	-28.32	57.70	38.04	16.31	66.37	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1 11420.00	45.90	74.00	-28.10	57.92	38.04	16.31	66.37	0.00	---	---	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1 11420.00	45.68	74.00	-28.32	57.70	38.04	16.31	66.37	0.00	---	---	PEAK																																																																						






Mode	85																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.725-5.85_802.11BE EHT80_CH138_Full_5690MHz																																																																																	
ANT	TXBF1S4T																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>45.91</td> <td>74.00</td> <td>-28.09</td> <td>58.04</td> <td>37.98</td> <td>16.29</td> <td>66.40</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11380.00	45.91	74.00	-28.09	58.04	37.98	16.29	66.40	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>45.59</td> <td>74.00</td> <td>-28.41</td> <td>57.72</td> <td>37.98</td> <td>16.29</td> <td>66.40</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11380.00	45.59	74.00	-28.41	57.72	37.98	16.29	66.40	0.00	---	---
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11380.00	45.91	74.00	-28.09	58.04	37.98	16.29	66.40	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1 11380.00	45.59	74.00	-28.41	57.72	37.98	16.29	66.40	0.00	---	---	PEAK																																																																							



		<b>86</b>																																																																																																																															
<b>Mode</b>	<b>Band Edge</b>																																																																																																																																
	<b>U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz</b>																																																																																																																																
<b>ANT</b>	<b>TXBF1S4T</b>																																																																																																																																
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																																																															
<b>Peak</b>																																																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5601.02</td> <td>65.22</td> <td>68.20</td> <td>-2.98</td> <td>55.41</td> <td>34.83</td> <td>11.00</td> <td>36.02</td> <td>0.00</td> <td>303</td> <td>244</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>61.91</td> <td>68.20</td> <td>-6.29</td> <td>52.08</td> <td>34.88</td> <td>11.07</td> <td>36.12</td> <td>0.00</td> <td>303</td> <td>244</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>87.43</td> <td>110.90</td> <td>-23.47</td> <td>78.54</td> <td>34.94</td> <td>11.17</td> <td>37.22</td> <td>0.00</td> <td>303</td> <td>244</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.50</td> <td>87.43</td> <td>112.04</td> <td>-24.61</td> <td>78.54</td> <td>34.94</td> <td>11.17</td> <td>37.22</td> <td>0.00</td> <td>303</td> <td>244</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5601.02	65.22	68.20	-2.98	55.41	34.83	11.00	36.02	0.00	303	244	PEAK	2	5650.00	61.91	68.20	-6.29	52.08	34.88	11.07	36.12	0.00	303	244	PEAK	3	5720.00	87.43	110.90	-23.47	78.54	34.94	11.17	37.22	0.00	303	244	PEAK	4	5728.50	87.43	112.04	-24.61	78.54	34.94	11.17	37.22	0.00	303	244	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>121.21</td> <td>-----</td> <td>-----</td> <td>112.46</td> <td>34.95</td> <td>11.19</td> <td>37.39</td> <td>0.00</td> <td>303</td> <td>244</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	121.21	-----	-----	112.46	34.95	11.19	37.39	0.00	303	244
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5601.02	65.22	68.20	-2.98	55.41	34.83	11.00	36.02	0.00	303	244	PEAK																																																																																																																					
2	5650.00	61.91	68.20	-6.29	52.08	34.88	11.07	36.12	0.00	303	244	PEAK																																																																																																																					
3	5720.00	87.43	110.90	-23.47	78.54	34.94	11.17	37.22	0.00	303	244	PEAK																																																																																																																					
4	5728.50	87.43	112.04	-24.61	78.54	34.94	11.17	37.22	0.00	303	244	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5745.00	121.21	-----	-----	112.46	34.95	11.19	37.39	0.00	303	244	PEAK																																																																																																																					
<b>Avg</b>	<b>Blank</b>																																																																																																																																
			<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>112.13</td> <td>-----</td> <td>-----</td> <td>103.38</td> <td>34.95</td> <td>11.19</td> <td>37.39</td> <td>0.00</td> <td>303</td> <td>244</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	112.13	-----	-----	103.38	34.95	11.19	37.39	0.00	303	244	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5745.00	112.13	-----	-----	103.38	34.95	11.19	37.39	0.00	303	244	AVERAGE																																																																																																																					



		<b>86</b>																																																																																																													
<b>Mode</b>	<b>Band Edge</b>																																																																																																														
	<b>U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz</b>																																																																																																														
<b>ANT</b>	<b>TXBF1S4T</b>																																																																																																														
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																																													
<b>Peak</b>	 <table border="1" data-bbox="247 1064 774 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Peak #</th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5646.60</td> <td>67.35</td> <td>68.20</td> <td>-0.85</td> <td>57.47</td> <td>34.87</td> <td>11.07</td> <td>36.06</td> <td>0.00</td> <td>148</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5652.22</td> <td>64.89</td> <td>69.86</td> <td>-4.97</td> <td>55.08</td> <td>34.68</td> <td>11.08</td> <td>36.15</td> <td>0.00</td> <td>148</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.80</td> <td>98.15</td> <td>110.84</td> <td>-12.69</td> <td>89.25</td> <td>34.94</td> <td>11.17</td> <td>37.21</td> <td>0.00</td> <td>148</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5722.22</td> <td>104.88</td> <td>115.97</td> <td>-11.09</td> <td>96.02</td> <td>34.94</td> <td>11.17</td> <td>37.25</td> <td>0.00</td> <td>148</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable Preamp	Aux	APos	TPos		Peak #	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5646.60	67.35	68.20	-0.85	57.47	34.87	11.07	36.06	0.00	148	0	PEAK	2	5652.22	64.89	69.86	-4.97	55.08	34.68	11.08	36.15	0.00	148	0	PEAK	3	5719.80	98.15	110.84	-12.69	89.25	34.94	11.17	37.21	0.00	148	0	PEAK	4	5722.22	104.88	115.97	-11.09	96.02	34.94	11.17	37.25	0.00	148	0	PEAK	 <table border="1" data-bbox="885 1064 1412 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Peak #</th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>126.21</td> <td>-----</td> <td>-----</td> <td>117.46</td> <td>34.95</td> <td>11.19</td> <td>37.39</td> <td>0.00</td> <td>148</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable Preamp	Aux	APos	TPos		Peak #	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5745.00	126.21	-----	-----	117.46	34.95	11.19	37.39	0.00	148	0	PEAK
		Limit	Read	Ant	Cable Preamp	Aux	APos	TPos																																																																																																							
Peak #	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																			
1	5646.60	67.35	68.20	-0.85	57.47	34.87	11.07	36.06	0.00	148	0	PEAK																																																																																																			
2	5652.22	64.89	69.86	-4.97	55.08	34.68	11.08	36.15	0.00	148	0	PEAK																																																																																																			
3	5719.80	98.15	110.84	-12.69	89.25	34.94	11.17	37.21	0.00	148	0	PEAK																																																																																																			
4	5722.22	104.88	115.97	-11.09	96.02	34.94	11.17	37.25	0.00	148	0	PEAK																																																																																																			
	Limit	Read	Ant	Cable Preamp	Aux	APos	TPos																																																																																																								
Peak #	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																			
1	5745.00	126.21	-----	-----	117.46	34.95	11.19	37.39	0.00	148	0	PEAK																																																																																																			
<b>Avg</b>	<b>Blank</b>	 <table border="1" data-bbox="885 1736 1412 1915"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Peak #</th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>117.13</td> <td>-----</td> <td>-----</td> <td>108.38</td> <td>34.95</td> <td>11.19</td> <td>37.39</td> <td>0.00</td> <td>148</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable Preamp	Aux	APos	TPos		Peak #	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5745.00	117.13	-----	-----	108.38	34.95	11.19	37.39	0.00	148	0	AVERAGE																																																																									
	Limit	Read	Ant	Cable Preamp	Aux	APos	TPos																																																																																																								
Peak #	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																			
1	5745.00	117.13	-----	-----	108.38	34.95	11.19	37.39	0.00	148	0	AVERAGE																																																																																																			



Mode	86																																																																											
	Harmonic																																																																											
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz																																																																											
ANT	TXBF1S4T																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>44.95</td> <td>74.00</td> <td>-29.05</td> <td>56.75</td> <td>38.18</td> <td>16.36</td> <td>66.34</td> <td>0.00</td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	44.95	74.00	-29.05	56.75	38.18	16.36	66.34	0.00	--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11490.20</td> <td>46.36</td> <td>74.00</td> <td>-27.64</td> <td>58.16</td> <td>38.18</td> <td>16.36</td> <td>66.34</td> <td>0.00</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.20	46.36	74.00	-27.64	58.16	38.18	16.36	66.34	0.00	--- Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11490.00	44.95	74.00	-29.05	56.75	38.18	16.36	66.34	0.00	--- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11490.20	46.36	74.00	-27.64	58.16	38.18	16.36	66.34	0.00	--- Peak																																																																			





<b>87</b>																																																																																				
<b>Mode</b>	<b>Band Edge - L</b>																																																																																			
<b>U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz</b>																																																																																				
<b>ANT</b>	<b>TXBF1S4T</b>																																																																																			
<b>Pol.</b>	<b>Horizontal</b>																																																																																			
<b>Peak</b>	<b>Fundamental</b>																																																																																			
<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5621.80</td> <td>66.11</td> <td>68.20</td> <td>-2.09</td> <td>56.22</td> <td>34.85</td> <td>11.03</td> <td>35.99</td> <td>0.00</td> <td>300</td> <td>258</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.60</td> <td>62.84</td> <td>68.65</td> <td>-5.81</td> <td>53.02</td> <td>34.88</td> <td>11.07</td> <td>36.13</td> <td>0.00</td> <td>300</td> <td>258</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5782.22</td> <td>64.25</td> <td>105.92</td> <td>-41.67</td> <td>55.13</td> <td>34.92</td> <td>11.14</td> <td>36.94</td> <td>0.00</td> <td>300</td> <td>258</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.00</td> <td>62.28</td> <td>110.90</td> <td>-48.62</td> <td>53.39</td> <td>34.94</td> <td>11.17</td> <td>37.22</td> <td>0.00</td> <td>300</td> <td>258</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5621.80	66.11	68.20	-2.09	56.22	34.85	11.03	35.99	0.00	300	258	PEAK	2	5650.60	62.84	68.65	-5.81	53.02	34.88	11.07	36.13	0.00	300	258	PEAK	3	5782.22	64.25	105.92	-41.67	55.13	34.92	11.14	36.94	0.00	300	258	PEAK	4	5728.00	62.28	110.90	-48.62	53.39	34.94	11.17	37.22	0.00	300	258	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	5621.80	66.11	68.20	-2.09	56.22	34.85	11.03	35.99	0.00	300	258	PEAK																																																																								
2	5650.60	62.84	68.65	-5.81	53.02	34.88	11.07	36.13	0.00	300	258	PEAK																																																																								
3	5782.22	64.25	105.92	-41.67	55.13	34.92	11.14	36.94	0.00	300	258	PEAK																																																																								
4	5728.00	62.28	110.90	-48.62	53.39	34.94	11.17	37.22	0.00	300	258	PEAK																																																																								
<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>119.88</td> <td>-----</td> <td>-----</td> <td>111.70</td> <td>34.99</td> <td>11.24</td> <td>38.05</td> <td>0.00</td> <td>300</td> <td>258</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	119.88	-----	-----	111.70	34.99	11.24	38.05	0.00	300	258	PEAK																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	5785.00	119.88	-----	-----	111.70	34.99	11.24	38.05	0.00	300	258	PEAK																																																																								
<b>Avg</b>	<b>Blank</b>																																																																																			
<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5785.00</td> <td>110.41</td> <td>-----</td> <td>-----</td> <td>102.23</td> <td>34.99</td> <td>11.24</td> <td>38.05</td> <td>0.00</td> <td>300</td> <td>258</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	110.41	-----	-----	102.23	34.99	11.24	38.05	0.00	300	258	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	5785.00	110.41	-----	-----	102.23	34.99	11.24	38.05	0.00	300	258	AVERAGE																																																																								



<b>Mode</b>	<b>87</b>																																																																									
	<b>Band Edge - R</b>																																																																									
	<b>U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz</b>																																																																									
<b>ANT</b>	<b>TXBF1S4T</b>																																																																									
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																								
<b>Peak</b>	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.22</td> <td>61.56</td> <td>112.67</td> <td>-51.11</td> <td>54.48</td> <td>35.07</td> <td>11.33</td> <td>39.32</td> <td>0.00</td> <td>300</td> <td>258</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5875.00</td> <td>62.51</td> <td>105.30</td> <td>-42.79</td> <td>55.37</td> <td>35.09</td> <td>11.35</td> <td>39.30</td> <td>0.00</td> <td>300</td> <td>258</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>60.89</td> <td>68.20</td> <td>-7.31</td> <td>53.58</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>300</td> <td>258</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5938.22</td> <td>62.93</td> <td>68.20</td> <td>-5.27</td> <td>55.59</td> <td>35.14</td> <td>11.41</td> <td>39.21</td> <td>0.00</td> <td>300</td> <td>258</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Peak	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg	1	5854.22	61.56	112.67	-51.11	54.48	35.07	11.33	39.32	0.00	300	258	PEAK	2	5875.00	62.51	105.30	-42.79	55.37	35.09	11.35	39.30	0.00	300	258	PEAK	3	5925.00	60.89	68.20	-7.31	53.58	35.13	11.40	39.22	0.00	300	258	PEAK	4	5938.22	62.93	68.20	-5.27	55.59	35.14	11.41	39.21	0.00	300	258	PEAK	<b>Blank</b>
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Peak	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg																																																																	
1	5854.22	61.56	112.67	-51.11	54.48	35.07	11.33	39.32	0.00	300	258	PEAK																																																														
2	5875.00	62.51	105.30	-42.79	55.37	35.09	11.35	39.30	0.00	300	258	PEAK																																																														
3	5925.00	60.89	68.20	-7.31	53.58	35.13	11.40	39.22	0.00	300	258	PEAK																																																														
4	5938.22	62.93	68.20	-5.27	55.59	35.14	11.41	39.21	0.00	300	258	PEAK																																																														





<b>87</b>																																																																															
<b>Mode</b>	<b>Band Edge - L</b>																																																																														
<b>U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz</b>																																																																															
<b>ANT</b>	<b>TXBF1S4T</b>																																																																														
<b>Pol.</b>	<b>Vertical</b>																																																																														
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5639.00</td> <td>67.38</td> <td>68.20</td> <td>-0.82</td> <td>57.41</td> <td>34.87</td> <td>11.06</td> <td>35.96</td> <td>0.00</td> <td>160</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2 5650.22</td> <td>63.93</td> <td>68.37</td> <td>-4.44</td> <td>54.10</td> <td>34.88</td> <td>11.07</td> <td>36.12</td> <td>0.00</td> <td>160</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3 5700.60</td> <td>64.19</td> <td>105.47</td> <td>-41.28</td> <td>55.04</td> <td>34.92</td> <td>11.14</td> <td>36.91</td> <td>0.00</td> <td>160</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4 5720.60</td> <td>66.15</td> <td>112.27</td> <td>-46.12</td> <td>57.26</td> <td>34.94</td> <td>11.17</td> <td>37.22</td> <td>0.00</td> <td>160</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5639.00	67.38	68.20	-0.82	57.41	34.87	11.06	35.96	0.00	160	360	PEAK	2 5650.22	63.93	68.37	-4.44	54.10	34.88	11.07	36.12	0.00	160	360	PEAK	3 5700.60	64.19	105.47	-41.28	55.04	34.92	11.14	36.91	0.00	160	360	PEAK	4 5720.60	66.15	112.27	-46.12	57.26	34.94	11.17	37.22	0.00	160	360	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																						
1 5639.00	67.38	68.20	-0.82	57.41	34.87	11.06	35.96	0.00	160	360	PEAK																																																																				
2 5650.22	63.93	68.37	-4.44	54.10	34.88	11.07	36.12	0.00	160	360	PEAK																																																																				
3 5700.60	64.19	105.47	-41.28	55.04	34.92	11.14	36.91	0.00	160	360	PEAK																																																																				
4 5720.60	66.15	112.27	-46.12	57.26	34.94	11.17	37.22	0.00	160	360	PEAK																																																																				
<b>Fundamental</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5785.00</td> <td>126.40</td> <td>-----</td> <td>-----</td> <td>118.22</td> <td>34.99</td> <td>11.24</td> <td>38.05</td> <td>0.00</td> <td>160</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5785.00	126.40	-----	-----	118.22	34.99	11.24	38.05	0.00	160	360	PEAK																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																						
1 5785.00	126.40	-----	-----	118.22	34.99	11.24	38.05	0.00	160	360	PEAK																																																																				
<b>Avg</b>	<b>Blank</b>																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5785.00</td> <td>117.00</td> <td>-----</td> <td>-----</td> <td>108.82</td> <td>34.99</td> <td>11.24</td> <td>38.05</td> <td>0.00</td> <td>160</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5785.00	117.00	-----	-----	108.82	34.99	11.24	38.05	0.00	160	360	AVERAGE																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																						
1 5785.00	117.00	-----	-----	108.82	34.99	11.24	38.05	0.00	160	360	AVERAGE																																																																				



	<b>87</b>																																																																																				
<b>Mode</b>	<b>Band Edge - R</b>																																																																																				
	<b>U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz</b>																																																																																				
<b>ANT</b>	<b>TXBF1S4T</b>																																																																																				
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																			
<b>Peak</b>																																																																																					
	<b>Blank</b>																																																																																				
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.22</td> <td>64.56</td> <td>112.67</td> <td>-48.11</td> <td>57.48</td> <td>35.07</td> <td>11.33</td> <td>39.32</td> <td>0.00</td> <td>160</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.60</td> <td>62.13</td> <td>105.41</td> <td>-43.28</td> <td>54.99</td> <td>35.09</td> <td>11.35</td> <td>39.30</td> <td>0.00</td> <td>160</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>60.93</td> <td>68.20</td> <td>-7.27</td> <td>53.62</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>160</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5938.22</td> <td>63.03</td> <td>68.20</td> <td>-5.17</td> <td>55.66</td> <td>35.15</td> <td>11.41</td> <td>39.19</td> <td>0.00</td> <td>160</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.22	64.56	112.67	-48.11	57.48	35.07	11.33	39.32	0.00	160	360	PEAK	2	5874.60	62.13	105.41	-43.28	54.99	35.09	11.35	39.30	0.00	160	360	PEAK	3	5925.00	60.93	68.20	-7.27	53.62	35.13	11.40	39.22	0.00	160	360	PEAK	4	5938.22	63.03	68.20	-5.17	55.66	35.15	11.41	39.19	0.00	160	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.22	64.56	112.67	-48.11	57.48	35.07	11.33	39.32	0.00	160	360	PEAK																																																																									
2	5874.60	62.13	105.41	-43.28	54.99	35.09	11.35	39.30	0.00	160	360	PEAK																																																																									
3	5925.00	60.93	68.20	-7.27	53.62	35.13	11.40	39.22	0.00	160	360	PEAK																																																																									
4	5938.22	63.03	68.20	-5.17	55.66	35.15	11.41	39.19	0.00	160	360	PEAK																																																																									






	<b>87</b>																																																																																																																																																	
<b>Mode</b>	<b>Harmonic</b>																																																																																																																																																	
	<b>U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz</b>																																																																																																																																																	
<b>ANT</b>	<b>TXBF1S4T</b>																																																																																																																																																	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																																																																																																
<b>Peak</b>																																																																																																																																																		
<b>Avg</b>																																																																																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>44.66</td> <td>74.00</td> <td>-29.34</td> <td>56.38</td> <td>38.20</td> <td>16.41</td> <td>66.33</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>cm</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	44.66	74.00	-29.34	56.38	38.20	16.41	66.33	0.00									0.00									cm									deg									--- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.50</td> <td>47.82</td> <td>74.00</td> <td>-26.18</td> <td>59.54</td> <td>38.20</td> <td>16.41</td> <td>66.33</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>cm</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.50	47.82	74.00	-26.18	59.54	38.20	16.41	66.33	0.00									0.00									cm									deg									--- Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																										
1 11570.00	44.66	74.00	-29.34	56.38	38.20	16.41	66.33	0.00																																																																																																																																										
								0.00																																																																																																																																										
								cm																																																																																																																																										
								deg																																																																																																																																										
								--- PEAK																																																																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																										
1 11570.50	47.82	74.00	-26.18	59.54	38.20	16.41	66.33	0.00																																																																																																																																										
								0.00																																																																																																																																										
								cm																																																																																																																																										
								deg																																																																																																																																										
								--- Peak																																																																																																																																										



<b>88</b>																																																																																				
<b>Mode</b>	<b>Band Edge</b>																																																																																			
<b>U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz</b>																																																																																				
<b>ANT</b>	<b>TXBF1S4T</b>																																																																																			
<b>Pol.</b>	<b>Horizontal</b>																																																																																			
<b>Peak</b>	<b>Fundamental</b>																																																																																			
<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5852.60</td> <td>70.65</td> <td>116.37</td> <td>-45.72</td> <td>63.55</td> <td>35.07</td> <td>11.33</td> <td>39.30</td> <td>0.00</td> <td>159</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5862.60</td> <td>64.74</td> <td>108.77</td> <td>-44.03</td> <td>57.64</td> <td>35.08</td> <td>11.34</td> <td>39.32</td> <td>0.00</td> <td>159</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.22</td> <td>62.67</td> <td>68.77</td> <td>-6.10</td> <td>55.36</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>159</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5955.80</td> <td>63.66</td> <td>68.20</td> <td>-4.54</td> <td>56.23</td> <td>35.16</td> <td>11.43</td> <td>39.16</td> <td>0.00</td> <td>159</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5852.60	70.65	116.37	-45.72	63.55	35.07	11.33	39.30	0.00	159	360	PEAK	2	5862.60	64.74	108.77	-44.03	57.64	35.08	11.34	39.32	0.00	159	360	PEAK	3	5924.22	62.67	68.77	-6.10	55.36	35.13	11.40	39.22	0.00	159	360	PEAK	4	5955.80	63.66	68.20	-4.54	56.23	35.16	11.43	39.16	0.00	159	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5852.60	70.65	116.37	-45.72	63.55	35.07	11.33	39.30	0.00	159	360	PEAK																																																																								
2	5862.60	64.74	108.77	-44.03	57.64	35.08	11.34	39.32	0.00	159	360	PEAK																																																																								
3	5924.22	62.67	68.77	-6.10	55.36	35.13	11.40	39.22	0.00	159	360	PEAK																																																																								
4	5955.80	63.66	68.20	-4.54	56.23	35.16	11.43	39.16	0.00	159	360	PEAK																																																																								
<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>118.22</td> <td>-----</td> <td>-----</td> <td>110.77</td> <td>35.04</td> <td>11.31</td> <td>38.90</td> <td>0.00</td> <td>159</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	118.22	-----	-----	110.77	35.04	11.31	38.90	0.00	159	360	PEAK																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5825.00	118.22	-----	-----	110.77	35.04	11.31	38.90	0.00	159	360	PEAK																																																																								
<b>Avg</b>	<b>Blank</b>																																																																																			
<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>107.20</td> <td>-----</td> <td>-----</td> <td>99.75</td> <td>35.04</td> <td>11.31</td> <td>38.90</td> <td>0.00</td> <td>159</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.20	-----	-----	99.75	35.04	11.31	38.90	0.00	159	360	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5825.00	107.20	-----	-----	99.75	35.04	11.31	38.90	0.00	159	360	AVERAGE																																																																								



	<b>88</b>																																																																																																																													
<b>Mode</b>	<b>Band Edge</b>																																																																																																																													
	<b>U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz</b>																																																																																																																													
<b>ANT</b>	<b>TXBF1S4T</b>																																																																																																																													
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																																																												
<b>Peak</b>	 <table border="1" data-bbox="263 1052 774 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.22</td> <td>87.63</td> <td>112.67</td> <td>-25.04</td> <td>80.55</td> <td>35.07</td> <td>11.33</td> <td>39.32</td> <td>0.00</td> <td>162</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>5855.42</td> <td>86.20</td> <td>110.78</td> <td>-24.58</td> <td>79.12</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>162</td> <td>0 PEAK</td> </tr> <tr> <td>3</td> <td>5923.80</td> <td>61.12</td> <td>69.09</td> <td>-7.97</td> <td>53.81</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>162</td> <td>0 PEAK</td> </tr> <tr> <td>4</td> <td>5974.22</td> <td>63.06</td> <td>68.20</td> <td>-5.14</td> <td>55.56</td> <td>35.18</td> <td>11.45</td> <td>39.13</td> <td>0.00</td> <td>162</td> <td>0 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5854.22	87.63	112.67	-25.04	80.55	35.07	11.33	39.32	0.00	162	0 PEAK	2	5855.42	86.20	110.78	-24.58	79.12	35.07	11.34	39.33	0.00	162	0 PEAK	3	5923.80	61.12	69.09	-7.97	53.81	35.13	11.40	39.22	0.00	162	0 PEAK	4	5974.22	63.06	68.20	-5.14	55.56	35.18	11.45	39.13	0.00	162	0 PEAK	 <table border="1" data-bbox="901 1108 1412 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>125.77</td> <td>-----</td> <td>-----</td> <td>118.15</td> <td>35.03</td> <td>11.30</td> <td>38.71</td> <td>0.00</td> <td>162</td> <td>0 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	125.77	-----	-----	118.15	35.03	11.30	38.71	0.00	162	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5854.22	87.63	112.67	-25.04	80.55	35.07	11.33	39.32	0.00	162	0 PEAK																																																																																																																			
2	5855.42	86.20	110.78	-24.58	79.12	35.07	11.34	39.33	0.00	162	0 PEAK																																																																																																																			
3	5923.80	61.12	69.09	-7.97	53.81	35.13	11.40	39.22	0.00	162	0 PEAK																																																																																																																			
4	5974.22	63.06	68.20	-5.14	55.56	35.18	11.45	39.13	0.00	162	0 PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	125.77	-----	-----	118.15	35.03	11.30	38.71	0.00	162	0 PEAK																																																																																																																			
<b>Avg</b>	<b>Blank</b>	 <table border="1" data-bbox="901 1792 1412 1915"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>116.19</td> <td>-----</td> <td>-----</td> <td>108.57</td> <td>35.03</td> <td>11.30</td> <td>38.71</td> <td>0.00</td> <td>162</td> <td>0 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	116.19	-----	-----	108.57	35.03	11.30	38.71	0.00	162	0 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	116.19	-----	-----	108.57	35.03	11.30	38.71	0.00	162	0 AVERAGE																																																																																																																			



Mode	88																																																																																					
	Harmonic																																																																																					
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz																																																																																					
ANT	TXBF1S4T																																																																																					
Pol.	Horizontal	Vertical																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11649.70</td> <td>46.88</td> <td>74.00</td> <td>-27.12</td> <td>58.50</td> <td>38.25</td> <td>16.46</td> <td>66.33</td> <td>0.00</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11649.70	46.88	74.00	-27.12	58.50	38.25	16.46	66.33	0.00	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>61.57</td> <td>74.00</td> <td>-12.43</td> <td>73.19</td> <td>38.25</td> <td>16.46</td> <td>66.33</td> <td>0.00</td> <td>127 0 PEAK</td> </tr> <tr> <td>2 11650.00</td> <td>47.97</td> <td>54.00</td> <td>-6.03</td> <td>59.59</td> <td>38.25</td> <td>16.46</td> <td>66.33</td> <td>0.00</td> <td>127 0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11650.00	61.57	74.00	-12.43	73.19	38.25	16.46	66.33	0.00	127 0 PEAK	2 11650.00	47.97	54.00	-6.03	59.59	38.25	16.46	66.33	0.00	127 0 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																														
1 11649.70	46.88	74.00	-27.12	58.50	38.25	16.46	66.33	0.00	--- Peak																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																														
1 11650.00	61.57	74.00	-12.43	73.19	38.25	16.46	66.33	0.00	127 0 PEAK																																																																													
2 11650.00	47.97	54.00	-6.03	59.59	38.25	16.46	66.33	0.00	127 0 AVERAGE																																																																													








	<b>89</b>																																																																																																																																				
<b>Mode</b>	<b>Band Edge - L</b>																																																																																																																																				
	<b>U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz</b>																																																																																																																																				
<b>ANT</b>	<b>TXBF1S4T</b>																																																																																																																																				
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																																																																			
<b>Peak</b>	<table border="1" data-bbox="271 1064 774 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5629.37</td> <td>59.95</td> <td>68.20</td> <td>-8.25</td> <td>50.03</td> <td>34.86</td> <td>11.04</td> <td>35.98</td> <td>0.00</td> <td>344</td> <td>287</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.07</td> <td>59.26</td> <td>69.00</td> <td>-9.74</td> <td>49.44</td> <td>34.88</td> <td>11.07</td> <td>36.13</td> <td>0.00</td> <td>344</td> <td>287</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5714.94</td> <td>78.47</td> <td>109.49</td> <td>-31.02</td> <td>69.51</td> <td>34.94</td> <td>11.16</td> <td>37.14</td> <td>0.00</td> <td>344</td> <td>287</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.68</td> <td>71.79</td> <td>112.44</td> <td>-40.65</td> <td>62.91</td> <td>34.94</td> <td>11.17</td> <td>37.23</td> <td>0.00</td> <td>344</td> <td>287</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5629.37	59.95	68.20	-8.25	50.03	34.86	11.04	35.98	0.00	344	287	PEAK	2	5651.07	59.26	69.00	-9.74	49.44	34.88	11.07	36.13	0.00	344	287	PEAK	3	5714.94	78.47	109.49	-31.02	69.51	34.94	11.16	37.14	0.00	344	287	PEAK	4	5728.68	71.79	112.44	-40.65	62.91	34.94	11.17	37.23	0.00	344	287	PEAK	<table border="1" data-bbox="917 1108 1420 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>114.33</td> <td>-----</td> <td>-----</td> <td>105.75</td> <td>34.96</td> <td>11.20</td> <td>37.58</td> <td>0.00</td> <td>344</td> <td>287</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	114.33	-----	-----	105.75	34.96	11.20	37.58	0.00	344	287	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5629.37	59.95	68.20	-8.25	50.03	34.86	11.04	35.98	0.00	344	287	PEAK																																																																																																																									
2	5651.07	59.26	69.00	-9.74	49.44	34.88	11.07	36.13	0.00	344	287	PEAK																																																																																																																									
3	5714.94	78.47	109.49	-31.02	69.51	34.94	11.16	37.14	0.00	344	287	PEAK																																																																																																																									
4	5728.68	71.79	112.44	-40.65	62.91	34.94	11.17	37.23	0.00	344	287	PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5755.00	114.33	-----	-----	105.75	34.96	11.20	37.58	0.00	344	287	PEAK																																																																																																																									
<b>Avg</b>	<b>Blank</b>	<table border="1" data-bbox="917 1792 1420 1915"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>103.50</td> <td>-----</td> <td>-----</td> <td>94.83</td> <td>34.96</td> <td>11.19</td> <td>37.48</td> <td>0.00</td> <td>344</td> <td>287</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	103.50	-----	-----	94.83	34.96	11.19	37.48	0.00	344	287	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5755.00	103.50	-----	-----	94.83	34.96	11.19	37.48	0.00	344	287	AVERAGE																																																																																																																									



	<b>89</b>																																																																																			
<b>Mode</b>	<b>Band Edge - R</b>																																																																																			
	<b>U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz</b>																																																																																			
<b>ANT</b>	<b>TXBF1S4T</b>																																																																																			
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																		
<b>Peak</b>																																																																																				
	<b>Blank</b>																																																																																			
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.74</td> <td>55.49</td> <td>111.49</td> <td>-56.00</td> <td>48.41</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>344</td> <td>287</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.28</td> <td>55.77</td> <td>105.78</td> <td>-50.01</td> <td>48.63</td> <td>35.09</td> <td>11.35</td> <td>39.30</td> <td>0.00</td> <td>344</td> <td>287</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.94</td> <td>56.92</td> <td>68.24</td> <td>-11.32</td> <td>49.61</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>344</td> <td>287</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5937.62</td> <td>57.20</td> <td>68.20</td> <td>-11.00</td> <td>49.83</td> <td>35.15</td> <td>11.41</td> <td>39.19</td> <td>0.00</td> <td>344</td> <td>287</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.74	55.49	111.49	-56.00	48.41	35.07	11.34	39.33	0.00	344	287	PEAK	2	5873.28	55.77	105.78	-50.01	48.63	35.09	11.35	39.30	0.00	344	287	PEAK	3	5924.94	56.92	68.24	-11.32	49.61	35.13	11.40	39.22	0.00	344	287	PEAK	4	5937.62	57.20	68.20	-11.00	49.83	35.15	11.41	39.19	0.00	344	287	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.74	55.49	111.49	-56.00	48.41	35.07	11.34	39.33	0.00	344	287	PEAK																																																																								
2	5873.28	55.77	105.78	-50.01	48.63	35.09	11.35	39.30	0.00	344	287	PEAK																																																																								
3	5924.94	56.92	68.24	-11.32	49.61	35.13	11.40	39.22	0.00	344	287	PEAK																																																																								
4	5937.62	57.20	68.20	-11.00	49.83	35.15	11.41	39.19	0.00	344	287	PEAK																																																																								



		<b>89</b>																																																																																																																															
<b>Mode</b>	<b>Band Edge - L</b>																																																																																																																																
	<b>U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz</b>																																																																																																																																
<b>ANT</b>	<b>TXBF1S4T</b>																																																																																																																																
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																																																															
<b>Peak</b>	 <table border="1" data-bbox="263 1052 766 1232"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.50</td> <td>67.71</td> <td>68.20</td> <td>-0.49</td> <td>57.80</td> <td>34.85</td> <td>11.04</td> <td>35.98</td> <td>0.00</td> <td>118</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.15</td> <td>67.85</td> <td>68.31</td> <td>-0.46</td> <td>58.02</td> <td>34.88</td> <td>11.07</td> <td>36.12</td> <td>0.00</td> <td>118</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5787.49</td> <td>95.66</td> <td>107.40</td> <td>-11.74</td> <td>86.60</td> <td>34.93</td> <td>11.15</td> <td>37.02</td> <td>0.00</td> <td>118</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.20</td> <td>92.81</td> <td>111.36</td> <td>-18.55</td> <td>83.92</td> <td>34.94</td> <td>11.17</td> <td>37.22</td> <td>0.00</td> <td>118</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5625.50	67.71	68.20	-0.49	57.80	34.85	11.04	35.98	0.00	118	360	PEAK	2	5650.15	67.85	68.31	-0.46	58.02	34.88	11.07	36.12	0.00	118	360	PEAK	3	5787.49	95.66	107.40	-11.74	86.60	34.93	11.15	37.02	0.00	118	360	PEAK	4	5728.20	92.81	111.36	-18.55	83.92	34.94	11.17	37.22	0.00	118	360	PEAK	 <table border="1" data-bbox="901 1052 1404 1232"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>122.15</td> <td>-----</td> <td>-----</td> <td>113.48</td> <td>34.96</td> <td>11.19</td> <td>37.48</td> <td>0.00</td> <td>118</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	122.15	-----	-----	113.48	34.96	11.19	37.48	0.00	118	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5625.50	67.71	68.20	-0.49	57.80	34.85	11.04	35.98	0.00	118	360	PEAK																																																																																																																					
2	5650.15	67.85	68.31	-0.46	58.02	34.88	11.07	36.12	0.00	118	360	PEAK																																																																																																																					
3	5787.49	95.66	107.40	-11.74	86.60	34.93	11.15	37.02	0.00	118	360	PEAK																																																																																																																					
4	5728.20	92.81	111.36	-18.55	83.92	34.94	11.17	37.22	0.00	118	360	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5755.00	122.15	-----	-----	113.48	34.96	11.19	37.48	0.00	118	360	PEAK																																																																																																																					
<b>Avg</b>	<b>Blank</b>	 <table border="1" data-bbox="901 1736 1404 1915"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>110.48</td> <td>-----</td> <td>-----</td> <td>101.73</td> <td>34.95</td> <td>11.19</td> <td>37.39</td> <td>0.00</td> <td>118</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	110.48	-----	-----	101.73	34.95	11.19	37.39	0.00	118	360	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5755.00	110.48	-----	-----	101.73	34.95	11.19	37.39	0.00	118	360	AVERAGE																																																																																																																					



Mode	89																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																				
ANT	TXBF1S4T																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.73</td> <td>60.96</td> <td>111.51</td> <td>-50.55</td> <td>53.88</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>118</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.72</td> <td>62.24</td> <td>106.50</td> <td>-44.26</td> <td>55.11</td> <td>35.08</td> <td>11.35</td> <td>39.30</td> <td>0.00</td> <td>118</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.98</td> <td>59.51</td> <td>68.96</td> <td>-9.45</td> <td>52.20</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>118</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5943.26</td> <td>57.56</td> <td>68.20</td> <td>-10.64</td> <td>50.18</td> <td>35.15</td> <td>11.42</td> <td>39.19</td> <td>0.00</td> <td>118</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.73	60.96	111.51	-50.55	53.88	35.07	11.34	39.33	0.00	118	360	PEAK	2	5870.72	62.24	106.50	-44.26	55.11	35.08	11.35	39.30	0.00	118	360	PEAK	3	5923.98	59.51	68.96	-9.45	52.20	35.13	11.40	39.22	0.00	118	360	PEAK	4	5943.26	57.56	68.20	-10.64	50.18	35.15	11.42	39.19	0.00	118	360	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.73	60.96	111.51	-50.55	53.88	35.07	11.34	39.33	0.00	118	360	PEAK																																																																									
2	5870.72	62.24	106.50	-44.26	55.11	35.08	11.35	39.30	0.00	118	360	PEAK																																																																									
3	5923.98	59.51	68.96	-9.45	52.20	35.13	11.40	39.22	0.00	118	360	PEAK																																																																									
4	5943.26	57.56	68.20	-10.64	50.18	35.15	11.42	39.19	0.00	118	360	PEAK																																																																									



Mode	89																																																																																			
	Harmonic																																																																																			
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																			
ANT	TXBF1S4T																																																																																			
Pol.	Horizontal	Vertical																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>42.53</td> <td>74.00</td> <td>-31.47</td> <td>54.29</td> <td>38.20</td> <td>16.37</td> <td>66.33</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11510.00	42.53	74.00	-31.47	54.29	38.20	16.37	66.33	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>43.14</td> <td>74.00</td> <td>-30.86</td> <td>54.90</td> <td>38.20</td> <td>16.37</td> <td>66.33</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11510.00	43.14	74.00	-30.86	54.90	38.20	16.37	66.33	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 11510.00	42.53	74.00	-31.47	54.29	38.20	16.37	66.33	0.00	---	---	PEAK																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 11510.00	43.14	74.00	-30.86	54.90	38.20	16.37	66.33	0.00	---	---	PEAK																																																																									






		<b>90</b>																																																																																																																															
<b>Mode</b>	<b>Band Edge - L</b>																																																																																																																																
	<b>U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz</b>																																																																																																																																
<b>ANT</b>	<b>TXBF1S4T</b>																																																																																																																																
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																																																															
<b>Peak</b>																																																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5632.22</td> <td>66.14</td> <td>68.20</td> <td>-2.06</td> <td>56.20</td> <td>34.86</td> <td>11.85</td> <td>35.97</td> <td>0.00</td> <td>358</td> <td>337</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.00</td> <td>61.79</td> <td>68.95</td> <td>-7.16</td> <td>51.97</td> <td>34.88</td> <td>11.07</td> <td>36.13</td> <td>0.00</td> <td>358</td> <td>337</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5781.82</td> <td>63.10</td> <td>105.59</td> <td>-42.49</td> <td>53.96</td> <td>34.92</td> <td>11.14</td> <td>36.92</td> <td>0.00</td> <td>358</td> <td>337</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5728.00</td> <td>63.54</td> <td>110.90</td> <td>-47.36</td> <td>54.65</td> <td>34.94</td> <td>11.17</td> <td>37.22</td> <td>0.00</td> <td>358</td> <td>337</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5632.22	66.14	68.20	-2.06	56.20	34.86	11.85	35.97	0.00	358	337	PEAK	2	5651.00	61.79	68.95	-7.16	51.97	34.88	11.07	36.13	0.00	358	337	PEAK	3	5781.82	63.10	105.59	-42.49	53.96	34.92	11.14	36.92	0.00	358	337	PEAK	4	5728.00	63.54	110.90	-47.36	54.65	34.94	11.17	37.22	0.00	358	337	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>115.64</td> <td>-----</td> <td>-----</td> <td>107.54</td> <td>35.00</td> <td>11.25</td> <td>38.15</td> <td>0.00</td> <td>358</td> <td>337</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	115.64	-----	-----	107.54	35.00	11.25	38.15	0.00	358	337
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5632.22	66.14	68.20	-2.06	56.20	34.86	11.85	35.97	0.00	358	337	PEAK																																																																																																																					
2	5651.00	61.79	68.95	-7.16	51.97	34.88	11.07	36.13	0.00	358	337	PEAK																																																																																																																					
3	5781.82	63.10	105.59	-42.49	53.96	34.92	11.14	36.92	0.00	358	337	PEAK																																																																																																																					
4	5728.00	63.54	110.90	-47.36	54.65	34.94	11.17	37.22	0.00	358	337	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5795.00	115.64	-----	-----	107.54	35.00	11.25	38.15	0.00	358	337	PEAK																																																																																																																					
<b>Avg</b>	<b>Blank</b>																																																																																																																																
			<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>105.41</td> <td>-----</td> <td>-----</td> <td>97.23</td> <td>34.99</td> <td>11.24</td> <td>38.05</td> <td>0.00</td> <td>358</td> <td>337</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	105.41	-----	-----	97.23	34.99	11.24	38.05	0.00	358	337	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5795.00	105.41	-----	-----	97.23	34.99	11.24	38.05	0.00	358	337	AVERAGE																																																																																																																					



<b>Mode</b>	<b>90</b>																																																																																
	<b>Band Edge - R</b>																																																																																
	<b>U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz</b>																																																																																
<b>ANT</b>	<b>TXBF1S4T</b>																																																																																
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																															
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>62.49</td> <td>110.90</td> <td>-48.41</td> <td>55.41</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>358</td> <td>337</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.22</td> <td>61.89</td> <td>105.52</td> <td>-43.63</td> <td>54.75</td> <td>35.09</td> <td>11.35</td> <td>39.30</td> <td>0.00</td> <td>358</td> <td>337</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.22</td> <td>61.42</td> <td>68.77</td> <td>-7.35</td> <td>54.11</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>358</td> <td>337</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5948.22</td> <td>62.89</td> <td>68.20</td> <td>-5.31</td> <td>55.51</td> <td>35.15</td> <td>11.42</td> <td>39.19</td> <td>0.00</td> <td>358</td> <td>337</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	5855.00	62.49	110.90	-48.41	55.41	35.07	11.34	39.33	0.00	358	337	PEAK	2	5874.22	61.89	105.52	-43.63	54.75	35.09	11.35	39.30	0.00	358	337	PEAK	3	5924.22	61.42	68.77	-7.35	54.11	35.13	11.40	39.22	0.00	358	337	PEAK	4	5948.22	62.89	68.20	-5.31	55.51	35.15	11.42	39.19	0.00	358	337	PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																									
1	5855.00	62.49	110.90	-48.41	55.41	35.07	11.34	39.33	0.00	358	337	PEAK																																																																					
2	5874.22	61.89	105.52	-43.63	54.75	35.09	11.35	39.30	0.00	358	337	PEAK																																																																					
3	5924.22	61.42	68.77	-7.35	54.11	35.13	11.40	39.22	0.00	358	337	PEAK																																																																					
4	5948.22	62.89	68.20	-5.31	55.51	35.15	11.42	39.19	0.00	358	337	PEAK																																																																					



<b>90</b>																																																																																
<b>Mode</b>	<b>Band Edge - L</b>																																																																															
<b>U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz</b>																																																																																
<b>ANT</b>	<b>TXBF1S4T</b>																																																																															
<b>Pol.</b>	<b>Vertical</b>																																																																															
<b>Peak</b>	 <table border="1" data-bbox="263 1052 798 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5635.00</td> <td>66.74</td> <td>68.20</td> <td>-1.46</td> <td>56.80</td> <td>34.86</td> <td>11.05</td> <td>35.97</td> <td>0.00</td> <td>153</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>5650.22</td> <td>64.71</td> <td>68.37</td> <td>-3.66</td> <td>54.88</td> <td>34.88</td> <td>11.07</td> <td>36.12</td> <td>0.00</td> <td>153</td> <td>0 PEAK</td> </tr> <tr> <td>3</td> <td>5711.00</td> <td>79.92</td> <td>108.38</td> <td>-28.46</td> <td>70.90</td> <td>34.93</td> <td>11.16</td> <td>37.07</td> <td>0.00</td> <td>153</td> <td>0 PEAK</td> </tr> <tr> <td>4</td> <td>5728.00</td> <td>79.91</td> <td>110.90</td> <td>-30.99</td> <td>71.02</td> <td>34.94</td> <td>11.17</td> <td>37.22</td> <td>0.00</td> <td>153</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5635.00	66.74	68.20	-1.46	56.80	34.86	11.05	35.97	0.00	153	0 PEAK	2	5650.22	64.71	68.37	-3.66	54.88	34.88	11.07	36.12	0.00	153	0 PEAK	3	5711.00	79.92	108.38	-28.46	70.90	34.93	11.16	37.07	0.00	153	0 PEAK	4	5728.00	79.91	110.90	-30.99	71.02	34.94	11.17	37.22	0.00	153	0 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	5635.00	66.74	68.20	-1.46	56.80	34.86	11.05	35.97	0.00	153	0 PEAK																																																																					
2	5650.22	64.71	68.37	-3.66	54.88	34.88	11.07	36.12	0.00	153	0 PEAK																																																																					
3	5711.00	79.92	108.38	-28.46	70.90	34.93	11.16	37.07	0.00	153	0 PEAK																																																																					
4	5728.00	79.91	110.90	-30.99	71.02	34.94	11.17	37.22	0.00	153	0 PEAK																																																																					
<b>Peak</b>	 <table border="1" data-bbox="901 1108 1436 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5773.00</td> <td>123.11</td> <td>-----</td> <td>-----</td> <td>114.93</td> <td>34.99</td> <td>11.24</td> <td>38.05</td> <td>0.00</td> <td>153</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5773.00	123.11	-----	-----	114.93	34.99	11.24	38.05	0.00	153	0 Peak																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	5773.00	123.11	-----	-----	114.93	34.99	11.24	38.05	0.00	153	0 Peak																																																																					
<b>Avg</b>	<b>Blank</b>																																																																															
<b>Avg</b>	 <table border="1" data-bbox="901 1792 1436 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>113.13</td> <td>-----</td> <td>-----</td> <td>104.95</td> <td>34.99</td> <td>11.24</td> <td>38.05</td> <td>0.00</td> <td>153</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	113.13	-----	-----	104.95	34.99	11.24	38.05	0.00	153	0 AVERAGE																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	5795.00	113.13	-----	-----	104.95	34.99	11.24	38.05	0.00	153	0 AVERAGE																																																																					





Mode	90																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																	
ANT	TXBF1S4T																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>79.83</td> <td>110.90</td> <td>-31.07</td> <td>72.75</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>153</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5857.02</td> <td>79.82</td> <td>110.33</td> <td>-30.51</td> <td>72.74</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>153</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.80</td> <td>62.61</td> <td>69.09</td> <td>-6.48</td> <td>55.30</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>153</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5944.60</td> <td>64.68</td> <td>68.20</td> <td>-3.52</td> <td>57.29</td> <td>35.15</td> <td>11.42</td> <td>39.18</td> <td>0.00</td> <td>153</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	79.83	110.90	-31.07	72.75	35.07	11.34	39.33	0.00	153	0	PEAK	2	5857.02	79.82	110.33	-30.51	72.74	35.07	11.34	39.33	0.00	153	0	PEAK	3	5923.80	62.61	69.09	-6.48	55.30	35.13	11.40	39.22	0.00	153	0	PEAK	4	5944.60	64.68	68.20	-3.52	57.29	35.15	11.42	39.18	0.00	153	0	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5855.00	79.83	110.90	-31.07	72.75	35.07	11.34	39.33	0.00	153	0	PEAK																																																																						
2	5857.02	79.82	110.33	-30.51	72.74	35.07	11.34	39.33	0.00	153	0	PEAK																																																																						
3	5923.80	62.61	69.09	-6.48	55.30	35.13	11.40	39.22	0.00	153	0	PEAK																																																																						
4	5944.60	64.68	68.20	-3.52	57.29	35.15	11.42	39.18	0.00	153	0	PEAK																																																																						



Mode	90																																																																																			
	Harmonic																																																																																			
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																			
ANT	TXBF1S4T																																																																																			
Pol.	Horizontal	Vertical																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>42.62</td> <td>74.00</td> <td>-31.38</td> <td>54.33</td> <td>38.20</td> <td>16.42</td> <td>66.33</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	42.62	74.00	-31.38	54.33	38.20	16.42	66.33	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11590.30</td> <td>48.78</td> <td>74.00</td> <td>-25.22</td> <td>60.49</td> <td>38.20</td> <td>16.42</td> <td>66.33</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.30	48.78	74.00	-25.22	60.49	38.20	16.42	66.33	0.00	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 11590.00	42.62	74.00	-31.38	54.33	38.20	16.42	66.33	0.00	---	---	PEAK																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 11590.30	48.78	74.00	-25.22	60.49	38.20	16.42	66.33	0.00	---	---	Peak																																																																									






<b>91</b>																																																																									
<b>Mode</b>	<b>Band Edge - L</b>																																																																								
<b>U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz</b>																																																																									
<b>ANT</b>	<b>TXBF1S4T</b>																																																																								
<b>Pol.</b>	<b>Horizontal</b>																																																																								
<b>Peak</b>	<b>Fundamental</b>																																																																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.80</td> <td>59.42</td> <td>68.20</td> <td>-8.78</td> <td>49.51</td> <td>34.85</td> <td>11.04</td> <td>35.98</td> <td>0.00</td> <td>244</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.60</td> <td>57.20</td> <td>68.65</td> <td>-11.45</td> <td>47.38</td> <td>34.88</td> <td>11.07</td> <td>36.13</td> <td>0.00</td> <td>244</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5707.42</td> <td>65.02</td> <td>107.38</td> <td>-42.36</td> <td>55.96</td> <td>34.93</td> <td>11.15</td> <td>37.02</td> <td>0.00</td> <td>244</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5722.60</td> <td>69.90</td> <td>116.83</td> <td>-46.93</td> <td>61.05</td> <td>34.94</td> <td>11.17</td> <td>37.26</td> <td>0.00</td> <td>244</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	1	5625.80	59.42	68.20	-8.78	49.51	34.85	11.04	35.98	0.00	244	289	PEAK	2	5650.60	57.20	68.65	-11.45	47.38	34.88	11.07	36.13	0.00	244	289	PEAK	3	5707.42	65.02	107.38	-42.36	55.96	34.93	11.15	37.02	0.00	244	289	PEAK	4	5722.60	69.90	116.83	-46.93	61.05	34.94	11.17	37.26	0.00	244	289	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																
1	5625.80	59.42	68.20	-8.78	49.51	34.85	11.04	35.98	0.00	244	289	PEAK																																																													
2	5650.60	57.20	68.65	-11.45	47.38	34.88	11.07	36.13	0.00	244	289	PEAK																																																													
3	5707.42	65.02	107.38	-42.36	55.96	34.93	11.15	37.02	0.00	244	289	PEAK																																																													
4	5722.60	69.90	116.83	-46.93	61.05	34.94	11.17	37.26	0.00	244	289	PEAK																																																													
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>107.94</td> <td>-----</td> <td>-----</td> <td>99.27</td> <td>34.96</td> <td>11.19</td> <td>37.48</td> <td>0.00</td> <td>244</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	1	5775.00	107.94	-----	-----	99.27	34.96	11.19	37.48	0.00	244	289	PEAK																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																
1	5775.00	107.94	-----	-----	99.27	34.96	11.19	37.48	0.00	244	289	PEAK																																																													
<b>Avg</b>	<b>Blank</b>																																																																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>98.12</td> <td>-----</td> <td>-----</td> <td>89.45</td> <td>34.96</td> <td>11.19</td> <td>37.48</td> <td>0.00</td> <td>244</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	1	5775.00	98.12	-----	-----	89.45	34.96	11.19	37.48	0.00	244	289	AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																
1	5775.00	98.12	-----	-----	89.45	34.96	11.19	37.48	0.00	244	289	AVERAGE																																																													



<b>Mode</b>	<b>91</b>																																																																																				
	<b>Band Edge - R</b>																																																																																				
	<b>U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz</b>																																																																																				
<b>ANT</b>	<b>TXBF1S4T</b>																																																																																				
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																			
<b>Peak</b>	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>54.13</td> <td>110.90</td> <td>-56.77</td> <td>47.05</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>244</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.00</td> <td>55.98</td> <td>106.42</td> <td>-50.44</td> <td>48.85</td> <td>35.08</td> <td>11.35</td> <td>39.30</td> <td>0.00</td> <td>244</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>55.76</td> <td>68.20</td> <td>-12.44</td> <td>48.45</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>244</td> <td>289</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5929.42</td> <td>57.38</td> <td>68.20</td> <td>-10.82</td> <td>50.04</td> <td>35.14</td> <td>11.41</td> <td>39.21</td> <td>0.00</td> <td>244</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	54.13	110.90	-56.77	47.05	35.07	11.34	39.33	0.00	244	289	PEAK	2	5871.00	55.98	106.42	-50.44	48.85	35.08	11.35	39.30	0.00	244	289	PEAK	3	5925.00	55.76	68.20	-12.44	48.45	35.13	11.40	39.22	0.00	244	289	PEAK	4	5929.42	57.38	68.20	-10.82	50.04	35.14	11.41	39.21	0.00	244	289	PEAK	<b>Blank</b>
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5855.00	54.13	110.90	-56.77	47.05	35.07	11.34	39.33	0.00	244	289	PEAK																																																																									
2	5871.00	55.98	106.42	-50.44	48.85	35.08	11.35	39.30	0.00	244	289	PEAK																																																																									
3	5925.00	55.76	68.20	-12.44	48.45	35.13	11.40	39.22	0.00	244	289	PEAK																																																																									
4	5929.42	57.38	68.20	-10.82	50.04	35.14	11.41	39.21	0.00	244	289	PEAK																																																																									



<b>91</b>																																																																																	
<b>Mode</b>	<b>Band Edge - L</b>																																																																																
<b>U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz</b>																																																																																	
<b>ANT</b>	<b>TXBF1S4T</b>																																																																																
<b>Pol.</b>	<b>Vertical</b>																																																																																
<b>Peak</b>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 5775 MHz. The plot includes a red limit line and a blue signal line. The peak level is approximately 114.69 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5647.00</td> <td>67.20</td> <td>68.20</td> <td>-1.00</td> <td>57.33</td> <td>34.87</td> <td>11.07</td> <td>36.07</td> <td>0.00</td> <td>101</td> <td>176</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.42</td> <td>65.54</td> <td>69.26</td> <td>-3.72</td> <td>55.73</td> <td>34.88</td> <td>11.07</td> <td>36.14</td> <td>0.00</td> <td>101</td> <td>176</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5702.22</td> <td>84.70</td> <td>105.92</td> <td>-21.22</td> <td>75.58</td> <td>34.92</td> <td>11.14</td> <td>36.94</td> <td>0.00</td> <td>101</td> <td>176</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.60</td> <td>85.90</td> <td>112.27</td> <td>-26.37</td> <td>77.01</td> <td>34.94</td> <td>11.17</td> <td>37.22</td> <td>0.00</td> <td>101</td> <td>176</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5647.00	67.20	68.20	-1.00	57.33	34.87	11.07	36.07	0.00	101	176	PEAK	2	5651.42	65.54	69.26	-3.72	55.73	34.88	11.07	36.14	0.00	101	176	PEAK	3	5702.22	84.70	105.92	-21.22	75.58	34.92	11.14	36.94	0.00	101	176	PEAK	4	5720.60	85.90	112.27	-26.37	77.01	34.94	11.17	37.22	0.00	101	176	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5647.00	67.20	68.20	-1.00	57.33	34.87	11.07	36.07	0.00	101	176	PEAK																																																																					
2	5651.42	65.54	69.26	-3.72	55.73	34.88	11.07	36.14	0.00	101	176	PEAK																																																																					
3	5702.22	84.70	105.92	-21.22	75.58	34.92	11.14	36.94	0.00	101	176	PEAK																																																																					
4	5720.60	85.90	112.27	-26.37	77.01	34.94	11.17	37.22	0.00	101	176	PEAK																																																																					
<b>Fundamental</b>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 5775 MHz. The plot includes a red limit line and a blue signal line. The peak level is approximately 114.69 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>114.69</td> <td>-----</td> <td>-----</td> <td>106.02</td> <td>34.96</td> <td>11.19</td> <td>37.48</td> <td>0.00</td> <td>101</td> <td>176</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	114.69	-----	-----	106.02	34.96	11.19	37.48	0.00	101	176	PEAK																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5775.00	114.69	-----	-----	106.02	34.96	11.19	37.48	0.00	101	176	PEAK																																																																					
<b>Avg</b>	<b>Blank</b>																																																																																
	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 5775 MHz. The plot includes a red limit line and a blue signal line. The peak level is approximately 104.51 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>104.51</td> <td>-----</td> <td>-----</td> <td>95.84</td> <td>34.96</td> <td>11.19</td> <td>37.48</td> <td>0.00</td> <td>101</td> <td>176</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	104.51	-----	-----	95.84	34.96	11.19	37.48	0.00	101	176	AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5775.00	104.51	-----	-----	95.84	34.96	11.19	37.48	0.00	101	176	AVERAGE																																																																					





Mode	91																																																																																			
	Band Edge - R																																																																																			
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																			
ANT	TXBF1S4T																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>82.90</td> <td>110.90</td> <td>-28.00</td> <td>75.82</td> <td>35.07</td> <td>11.34</td> <td>39.33</td> <td>0.00</td> <td>101</td> <td>176</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5859.42</td> <td>83.63</td> <td>109.66</td> <td>-26.03</td> <td>76.54</td> <td>35.07</td> <td>11.34</td> <td>39.32</td> <td>0.00</td> <td>101</td> <td>176</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>60.36</td> <td>68.20</td> <td>-7.84</td> <td>53.05</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>101</td> <td>176</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5925.02</td> <td>60.47</td> <td>68.20</td> <td>-7.73</td> <td>53.15</td> <td>35.13</td> <td>11.40</td> <td>39.21</td> <td>0.00</td> <td>101</td> <td>176</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	82.90	110.90	-28.00	75.82	35.07	11.34	39.33	0.00	101	176	PEAK	2	5859.42	83.63	109.66	-26.03	76.54	35.07	11.34	39.32	0.00	101	176	PEAK	3	5925.00	60.36	68.20	-7.84	53.05	35.13	11.40	39.22	0.00	101	176	PEAK	4	5925.02	60.47	68.20	-7.73	53.15	35.13	11.40	39.21	0.00	101	176	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5855.00	82.90	110.90	-28.00	75.82	35.07	11.34	39.33	0.00	101	176	PEAK																																																																								
2	5859.42	83.63	109.66	-26.03	76.54	35.07	11.34	39.32	0.00	101	176	PEAK																																																																								
3	5925.00	60.36	68.20	-7.84	53.05	35.13	11.40	39.22	0.00	101	176	PEAK																																																																								
4	5925.02	60.47	68.20	-7.73	53.15	35.13	11.40	39.21	0.00	101	176	PEAK																																																																								



	<b>91</b>																																																																											
<b>Mode</b>	<b>Harmonic</b>																																																																											
	<b>U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz</b>																																																																											
<b>ANT</b>	<b>TXBF1S4T</b>																																																																											
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																										
<b>Peak Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>45.84</td> <td>74.00</td> <td>-28.16</td> <td>57.58</td> <td>38.20</td> <td>16.39</td> <td>66.33</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11550.00	45.84	74.00	-28.16	57.58	38.20	16.39	66.33	0.00	--- --- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>45.63</td> <td>74.00</td> <td>-28.37</td> <td>57.37</td> <td>38.20</td> <td>16.39</td> <td>66.33</td> <td>0.00</td> <td>--- --- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11550.00	45.63	74.00	-28.37	57.37	38.20	16.39	66.33	0.00	--- --- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11550.00	45.84	74.00	-28.16	57.58	38.20	16.39	66.33	0.00	--- --- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11550.00	45.63	74.00	-28.37	57.37	38.20	16.39	66.33	0.00	--- --- PEAK																																																																			



Mode	89	
	18G-40G	
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz	
ANT	TXBF1S4T	
Pol.	Horizontal	Vertical
Peak Avg		





		<b>89</b>																																																																																																																																																																																
<b>Mode</b>	<b>30M-1G</b>																																																																																																																																																																																	
	<b>U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz</b>																																																																																																																																																																																	
<b>ANT</b>	<b>TXBF1S4T</b>																																																																																																																																																																																	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																																																																																																																																
<b>Peak Avg</b>																																																																																																																																																																																		
	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>Limit</th> <th>Read Level</th> <th>CableAntenna Loss</th> <th>Preamp Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>71.71</td><td>31.49</td><td>-8.51</td><td>40.00</td><td>50.60</td><td>1.25</td><td>12.44</td><td>32.00</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>94.99</td><td>26.65</td><td>-16.85</td><td>43.50</td><td>41.94</td><td>1.47</td><td>16.11</td><td>32.87</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>152.22</td><td>26.00</td><td>-17.50</td><td>43.50</td><td>40.58</td><td>1.86</td><td>16.38</td><td>32.82</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>322.94</td><td>24.57</td><td>-21.43</td><td>46.00</td><td>34.87</td><td>2.74</td><td>19.83</td><td>32.87</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>739.07</td><td>30.44</td><td>-15.56</td><td>46.00</td><td>33.43</td><td>4.16</td><td>25.70</td><td>32.85</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>881.66</td><td>31.42</td><td>-14.58</td><td>46.00</td><td>32.26</td><td>4.54</td><td>26.64</td><td>32.02</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Over Limit	Limit	Read Level	CableAntenna Loss	Preamp Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	71.71	31.49	-8.51	40.00	50.60	1.25	12.44	32.00	---	Peak	2	94.99	26.65	-16.85	43.50	41.94	1.47	16.11	32.87	---	Peak	3	152.22	26.00	-17.50	43.50	40.58	1.86	16.38	32.82	---	Peak	4	322.94	24.57	-21.43	46.00	34.87	2.74	19.83	32.87	---	Peak	5	739.07	30.44	-15.56	46.00	33.43	4.16	25.70	32.85	---	Peak	6	881.66	31.42	-14.58	46.00	32.26	4.54	26.64	32.02	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>Limit</th> <th>Read Level</th> <th>CableAntenna Loss</th> <th>Preamp Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>152.22</td><td>20.73</td><td>-22.77</td><td>43.50</td><td>35.31</td><td>1.86</td><td>16.38</td><td>32.82</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>300.63</td><td>28.77</td><td>-17.23</td><td>46.00</td><td>39.61</td><td>2.64</td><td>19.34</td><td>32.82</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>392.78</td><td>26.99</td><td>-19.01</td><td>46.00</td><td>35.31</td><td>3.02</td><td>21.50</td><td>32.84</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>490.75</td><td>21.35</td><td>-24.65</td><td>46.00</td><td>27.51</td><td>3.39</td><td>23.40</td><td>32.95</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>708.03</td><td>26.07</td><td>-19.93</td><td>46.00</td><td>29.71</td><td>4.07</td><td>25.32</td><td>33.03</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>881.66</td><td>28.05</td><td>-17.95</td><td>46.00</td><td>28.89</td><td>4.54</td><td>26.64</td><td>32.02</td><td>---</td><td>Peak</td></tr> </tbody> </table>		Peak	Freq	Level	Over Limit	Limit	Read Level	CableAntenna Loss	Preamp Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	152.22	20.73	-22.77	43.50	35.31	1.86	16.38	32.82	---	Peak	2	300.63	28.77	-17.23	46.00	39.61	2.64	19.34	32.82	---	Peak	3	392.78	26.99	-19.01	46.00	35.31	3.02	21.50	32.84	---	Peak	4	490.75	21.35	-24.65	46.00	27.51	3.39	23.40	32.95	---	Peak	5	708.03	26.07	-19.93	46.00	29.71	4.07	25.32	33.03	---	Peak	6	881.66	28.05	-17.95	46.00	28.89	4.54	26.64	32.02	---
Peak	Freq	Level	Over Limit	Limit	Read Level	CableAntenna Loss	Preamp Factor	A/Pos	T/Pos	Remark																																																																																																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																								
1	71.71	31.49	-8.51	40.00	50.60	1.25	12.44	32.00	---	Peak																																																																																																																																																																								
2	94.99	26.65	-16.85	43.50	41.94	1.47	16.11	32.87	---	Peak																																																																																																																																																																								
3	152.22	26.00	-17.50	43.50	40.58	1.86	16.38	32.82	---	Peak																																																																																																																																																																								
4	322.94	24.57	-21.43	46.00	34.87	2.74	19.83	32.87	---	Peak																																																																																																																																																																								
5	739.07	30.44	-15.56	46.00	33.43	4.16	25.70	32.85	---	Peak																																																																																																																																																																								
6	881.66	31.42	-14.58	46.00	32.26	4.54	26.64	32.02	---	Peak																																																																																																																																																																								
Peak	Freq	Level	Over Limit	Limit	Read Level	CableAntenna Loss	Preamp Factor	A/Pos	T/Pos	Remark																																																																																																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																								
1	152.22	20.73	-22.77	43.50	35.31	1.86	16.38	32.82	---	Peak																																																																																																																																																																								
2	300.63	28.77	-17.23	46.00	39.61	2.64	19.34	32.82	---	Peak																																																																																																																																																																								
3	392.78	26.99	-19.01	46.00	35.31	3.02	21.50	32.84	---	Peak																																																																																																																																																																								
4	490.75	21.35	-24.65	46.00	27.51	3.39	23.40	32.95	---	Peak																																																																																																																																																																								
5	708.03	26.07	-19.93	46.00	29.71	4.07	25.32	33.03	---	Peak																																																																																																																																																																								
6	881.66	28.05	-17.95	46.00	28.89	4.54	26.64	32.02	---	Peak																																																																																																																																																																								



<Co-location>

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
1	2400-2483.5	2400-2483.5	CDD 1S4T	802.11BE EHT40	9	2452	MCS0	-	-
	U-NII-1	5.15-5.25	CDD 1S4T	802.11a	48	5240	6Mbps	-	-
	U-NII-8	6.875-7.125	CDD 1S4T	802.11BE EHT20	233	7115	MCS0	RU52*4	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11BE EHT40	9	2484.58	51.67	54.00	-2.33	V	AVERAGE	Pass	Band Edge
	802.11BE EHT40	9	7356.00	42.65	74.00	-31.35	V	PEAK	Pass	Harmonic
	802.11a	48	5396.42	49.06	54.00	-4.94	V	AVERAGE	Pass	Band Edge
	802.11a	48	10480.00	45.04	68.20	-23.16	V	PEAK	Pass	Harmonic
	802.11BE EHT20	233	7125.00	67.75	68.2	-0.45	H	AVERAGE	Pass	Band Edge
	802.11BE EHT20	233	-	-	-	-	-	-	-	Harmonic



Radiated Spurious Emission Test plots

		<b>1</b>																																																																																
<b>Mode</b>	<b>Band Edge - L</b>																																																																																	
	<b>2400-2483.5_2400-2483.5_802.11BE EHT40_CH9_2452MHz</b>																																																																																	
<b>ANT</b>	<b>CDD 1S4T</b>																																																																																	
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																
<b>Peak</b>																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2351.34</td> <td>57.77</td> <td>74.00</td> <td>-16.23</td> <td>49.97</td> <td>31.81</td> <td>7.05</td> <td>37.06</td> <td>6.00</td> <td>262</td> <td>159</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2351.34	57.77	74.00	-16.23	49.97	31.81	7.05	37.06	6.00	262	159	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>115.95</td> <td>74.00</td> <td>41.95</td> <td>107.33</td> <td>32.38</td> <td>7.19</td> <td>36.95</td> <td>6.00</td> <td>262</td> <td>159</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2452.00	115.95	74.00	41.95	107.33	32.38	7.19	36.95	6.00	262	159
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	2351.34	57.77	74.00	-16.23	49.97	31.81	7.05	37.06	6.00	262	159	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	2452.00	115.95	74.00	41.95	107.33	32.38	7.19	36.95	6.00	262	159	PEAK																																																																						
<b>Avg</b>																																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2379.55</td> <td>44.26</td> <td>54.00</td> <td>-9.74</td> <td>36.12</td> <td>32.10</td> <td>7.09</td> <td>37.05</td> <td>6.00</td> <td>262</td> <td>159</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2379.55	44.26	54.00	-9.74	36.12	32.10	7.09	37.05	6.00	262	159	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>104.36</td> <td>54.00</td> <td>50.36</td> <td>95.74</td> <td>32.38</td> <td>7.19</td> <td>36.95</td> <td>6.00</td> <td>262</td> <td>159</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2452.00	104.36	54.00	50.36	95.74	32.38	7.19	36.95	6.00	262	159
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	2379.55	44.26	54.00	-9.74	36.12	32.10	7.09	37.05	6.00	262	159	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	2452.00	104.36	54.00	50.36	95.74	32.38	7.19	36.95	6.00	262	159	AVERAGE																																																																						



	<b>1</b>																																																		
<b>Mode</b>	<b>Band Edge - R</b>																																																		
	<b>2400-2483.5_2400-2483.5_802.11BE EHT40_CH9_2452MHz</b>																																																		
<b>ANT</b>	<b>CDD 1S4T</b>																																																		
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																	
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2491.06</td> <td>63.36</td> <td>74.00</td> <td>-10.64</td> <td>54.44</td> <td>32.48</td> <td>7.27</td> <td>36.83</td> <td>6.00</td> <td>262</td> <td>159</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2491.06	63.36	74.00	-10.64	54.44	32.48	7.27	36.83	6.00	262	159	PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2491.06	63.36	74.00	-10.64	54.44	32.48	7.27	36.83	6.00	262	159	PEAK																																							
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.96</td> <td>48.29</td> <td>54.00</td> <td>-5.71</td> <td>39.40</td> <td>32.47</td> <td>7.26</td> <td>36.84</td> <td>6.00</td> <td>262</td> <td>159</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB								cm	deg	1	2485.96	48.29	54.00	-5.71	39.40	32.47	7.26	36.84	6.00	262	159	AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
							cm	deg																																											
1	2485.96	48.29	54.00	-5.71	39.40	32.47	7.26	36.84	6.00	262	159	AVERAGE																																							



	1																																																																																			
<b>Mode</b>	Band Edge - L																																																																																			
	2400-2483.5_2400-2483.5_802.11BE EHT40_CH9_2452MHz																																																																																			
<b>ANT</b>	CDD 1S4T																																																																																			
<b>Pol.</b>	Vertical	Fundamental																																																																																		
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.31</td> <td>59.58</td> <td>74.00</td> <td>-14.42</td> <td>51.37</td> <td>32.16</td> <td>7.10</td> <td>37.05</td> <td>6.00</td> <td>132</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.31	59.58	74.00	-14.42	51.37	32.16	7.10	37.05	6.00	132	303	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>118.01</td> <td>74.00</td> <td>44.01</td> <td>109.35</td> <td>32.39</td> <td>7.20</td> <td>36.93</td> <td>6.00</td> <td>132</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	118.01	74.00	44.01	109.35	32.39	7.20	36.93	6.00	132	303	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2386.31	59.58	74.00	-14.42	51.37	32.16	7.10	37.05	6.00	132	303	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2452.00	118.01	74.00	44.01	109.35	32.39	7.20	36.93	6.00	132	303	PEAK																																																																								
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.31</td> <td>45.85</td> <td>54.00</td> <td>-8.15</td> <td>37.64</td> <td>32.16</td> <td>7.10</td> <td>37.05</td> <td>6.00</td> <td>132</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.31	45.85	54.00	-8.15	37.64	32.16	7.10	37.05	6.00	132	303	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>106.83</td> <td>54.00</td> <td>52.83</td> <td>98.17</td> <td>32.39</td> <td>7.20</td> <td>36.93</td> <td>6.00</td> <td>132</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	106.83	54.00	52.83	98.17	32.39	7.20	36.93	6.00	132	303	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2386.31	45.85	54.00	-8.15	37.64	32.16	7.10	37.05	6.00	132	303	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2452.00	106.83	54.00	52.83	98.17	32.39	7.20	36.93	6.00	132	303	AVERAGE																																																																								



	1	
Mode	Band Edge - R	
	2400-2483.5_2400-2483.5_802.11BE EHT40_CH9_2452MHz	
ANT	CDD 1S4T	
Pol.	Vertical	Fundamental
Peak		
	Blank	
Avg		
	Blank	



<b>Mode</b>	<b>1</b>																																																																																																													
	<b>Harmonic</b>																																																																																																													
	<b>2400-2483.5_2400-2483.5_802.11BE EHT40_CH9_2452MHz</b>																																																																																																													
<b>ANT</b>	<b>CDD 1S4T</b>																																																																																																													
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>																																																																																																												
<b>Peak Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>42.26</td> <td>74.00</td> <td>-31.74</td> <td>63.31</td> <td>34.17</td> <td>10.33</td> <td>65.55</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7356.00</td> <td>42.57</td> <td>74.00</td> <td>-31.43</td> <td>60.45</td> <td>35.00</td> <td>12.73</td> <td>66.41</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	42.26	74.00	-31.74	63.31	34.17	10.33	65.55	0.00	---	---	PEAK	2	7356.00	42.57	74.00	-31.43	60.45	35.00	12.73	66.41	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>41.58</td> <td>74.00</td> <td>-32.42</td> <td>62.63</td> <td>34.17</td> <td>10.33</td> <td>65.55</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7356.00</td> <td>42.65</td> <td>74.00</td> <td>-31.35</td> <td>60.53</td> <td>35.80</td> <td>12.73</td> <td>66.41</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	41.58	74.00	-32.42	62.63	34.17	10.33	65.55	0.00	---	---	PEAK	2	7356.00	42.65	74.00	-31.35	60.53	35.80	12.73	66.41	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4904.00	42.26	74.00	-31.74	63.31	34.17	10.33	65.55	0.00	---	---	PEAK																																																																																																		
2	7356.00	42.57	74.00	-31.43	60.45	35.00	12.73	66.41	0.00	---	---	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4904.00	41.58	74.00	-32.42	62.63	34.17	10.33	65.55	0.00	---	---	PEAK																																																																																																		
2	7356.00	42.65	74.00	-31.35	60.53	35.80	12.73	66.41	0.00	---	---	PEAK																																																																																																		







<b>1</b>																																																						
<b>Mode</b>	<b>Band Edge - L</b>																																																					
<b>U-NII-1_5.15-5.25_802.11a_CH48_5240MHz</b>																																																						
<b>ANT</b>	<b>CDD 1S4T</b>																																																					
<b>Pol.</b>	<b>Horizontal</b>																																																					
<b>Peak</b>	<b>Fundamental</b>																																																					
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5089.76</td> <td>58.85</td> <td>74.00</td> <td>-15.15</td> <td>50.69</td> <td>34.35</td> <td>10.55</td> <td>36.74</td> <td>0.00</td> <td>161</td> <td>81</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5089.76	58.85	74.00	-15.15	50.69	34.35	10.55	36.74	0.00	161	81	PEAK													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1	5089.76	58.85	74.00	-15.15	50.69	34.35	10.55	36.74	0.00	161	81	PEAK																																										
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2446.00</td> <td>111.21</td> <td>-----</td> <td>-----</td> <td>108.55</td> <td>32.39</td> <td>7.20</td> <td>36.93</td> <td>0.00</td> <td>161</td> <td>81</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5240.00</td> <td>117.85</td> <td>-----</td> <td>-----</td> <td>109.20</td> <td>34.49</td> <td>10.68</td> <td>36.52</td> <td>0.00</td> <td>161</td> <td>81</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2446.00	111.21	-----	-----	108.55	32.39	7.20	36.93	0.00	161	81	Peak	2	5240.00	117.85	-----	-----	109.20	34.49	10.68	36.52	0.00	161	81	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1	2446.00	111.21	-----	-----	108.55	32.39	7.20	36.93	0.00	161	81	Peak																																										
2	5240.00	117.85	-----	-----	109.20	34.49	10.68	36.52	0.00	161	81	PEAK																																										
<b>Avg</b>	<b>Horizontal</b>																																																					
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5090.00</td> <td>46.22</td> <td>54.00</td> <td>-7.78</td> <td>38.06</td> <td>34.35</td> <td>10.55</td> <td>36.74</td> <td>0.00</td> <td>161</td> <td>81</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5090.00	46.22	54.00	-7.78	38.06	34.35	10.55	36.74	0.00	161	81	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1	5090.00	46.22	54.00	-7.78	38.06	34.35	10.55	36.74	0.00	161	81	AVERAGE																																										
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2446.00</td> <td>101.47</td> <td>-----</td> <td>-----</td> <td>98.81</td> <td>32.39</td> <td>7.20</td> <td>36.93</td> <td>0.00</td> <td>161</td> <td>81</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5240.00</td> <td>108.28</td> <td>-----</td> <td>-----</td> <td>99.63</td> <td>34.49</td> <td>10.68</td> <td>36.52</td> <td>0.00</td> <td>161</td> <td>81</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2446.00	101.47	-----	-----	98.81	32.39	7.20	36.93	0.00	161	81	Average	2	5240.00	108.28	-----	-----	99.63	34.49	10.68	36.52	0.00	161	81	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1	2446.00	101.47	-----	-----	98.81	32.39	7.20	36.93	0.00	161	81	Average																																										
2	5240.00	108.28	-----	-----	99.63	34.49	10.68	36.52	0.00	161	81	AVERAGE																																										





	<b>1</b>																																												
<b>Mode</b>	<b>Band Edge - R</b>																																												
	<b>U-NII-1_5.15-5.25_802.11a_CH48_5240MHz</b>																																												
<b>ANT</b>	<b>CDD 1S4T</b>																																												
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																											
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.14</td> <td>56.78</td> <td>74.00</td> <td>-17.22</td> <td>47.47</td> <td>34.69</td> <td>10.84</td> <td>36.22</td> <td>0.00</td> <td>161</td> <td>81</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.14	56.78	74.00	-17.22	47.47	34.69	10.84	36.22	0.00	161	81	PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5457.14	56.78	74.00	-17.22	47.47	34.69	10.84	36.22	0.00	161	81	PEAK																																	
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5389.38</td> <td>45.68</td> <td>54.00</td> <td>-8.32</td> <td>36.59</td> <td>34.63</td> <td>10.77</td> <td>36.31</td> <td>0.00</td> <td>161</td> <td>81</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5389.38	45.68	54.00	-8.32	36.59	34.63	10.77	36.31	0.00	161	81	AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5389.38	45.68	54.00	-8.32	36.59	34.63	10.77	36.31	0.00	161	81	AVERAGE																																	





	1																																																																																																
Mode	Band Edge - L																																																																																																
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																
ANT	CDD 1S4T																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5094.08</td> <td>59.27</td> <td>74.00</td> <td>-14.73</td> <td>51.10</td> <td>34.35</td> <td>10.55</td> <td>36.73</td> <td>0.00</td> <td>175</td> <td>174</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5094.08	59.27	74.00	-14.73	51.10	34.35	10.55	36.73	0.00	175	174	PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>113.03</td> <td>-----</td> <td>-----</td> <td>110.34</td> <td>32.40</td> <td>7.21</td> <td>36.92</td> <td>0.00</td> <td>175</td> <td>174</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5240.00</td> <td>122.16</td> <td>-----</td> <td>-----</td> <td>113.48</td> <td>34.50</td> <td>10.69</td> <td>36.51</td> <td>0.00</td> <td>175</td> <td>174</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	113.03	-----	-----	110.34	32.40	7.21	36.92	0.00	175	174	Peak	2	5240.00	122.16	-----	-----	113.48	34.50	10.69	36.51	0.00	175	174	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5094.08	59.27	74.00	-14.73	51.10	34.35	10.55	36.73	0.00	175	174	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2452.00	113.03	-----	-----	110.34	32.40	7.21	36.92	0.00	175	174	Peak																																																																																					
2	5240.00	122.16	-----	-----	113.48	34.50	10.69	36.51	0.00	175	174	PEAK																																																																																					
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5093.84</td> <td>47.86</td> <td>54.00</td> <td>-6.14</td> <td>39.69</td> <td>34.35</td> <td>10.55</td> <td>36.73</td> <td>0.00</td> <td>175</td> <td>174</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5093.84	47.86	54.00	-6.14	39.69	34.35	10.55	36.73	0.00	175	174	AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>103.23</td> <td>-----</td> <td>-----</td> <td>100.54</td> <td>32.40</td> <td>7.21</td> <td>36.92</td> <td>0.00</td> <td>175</td> <td>174</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5240.00</td> <td>113.67</td> <td>-----</td> <td>-----</td> <td>105.02</td> <td>34.49</td> <td>10.68</td> <td>36.52</td> <td>0.00</td> <td>175</td> <td>174</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	103.23	-----	-----	100.54	32.40	7.21	36.92	0.00	175	174	Average	2	5240.00	113.67	-----	-----	105.02	34.49	10.68	36.52	0.00	175	174	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5093.84	47.86	54.00	-6.14	39.69	34.35	10.55	36.73	0.00	175	174	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2452.00	103.23	-----	-----	100.54	32.40	7.21	36.92	0.00	175	174	Average																																																																																					
2	5240.00	113.67	-----	-----	105.02	34.49	10.68	36.52	0.00	175	174	AVERAGE																																																																																					



	1																																									
Mode	Band Edge - R																																									
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																									
ANT	CDD 1S4T																																									
Pol.	Vertical	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5397.96</td> <td>59.30</td> <td>74.00</td> <td>-14.70</td> <td>50.19</td> <td>34.64</td> <td>10.77</td> <td>36.30</td> <td>0.00</td> <td>175</td> <td>174</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5397.96	59.30	74.00	-14.70	50.19	34.64	10.77	36.30	0.00	175	174	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	5397.96	59.30	74.00	-14.70	50.19	34.64	10.77	36.30	0.00	175	174	PEAK																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5396.42</td> <td>49.06</td> <td>54.00</td> <td>-4.94</td> <td>39.95</td> <td>34.64</td> <td>10.77</td> <td>36.30</td> <td>0.00</td> <td>175</td> <td>174</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5396.42	49.06	54.00	-4.94	39.95	34.64	10.77	36.30	0.00	175	174	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	5396.42	49.06	54.00	-4.94	39.95	34.64	10.77	36.30	0.00	175	174	AVERAGE																														



Mode	1																																																																																	
	Harmonic																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																	
ANT	CDD 1S4T																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak																																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>44.55</td> <td>68.20</td> <td>-23.65</td> <td>58.40</td> <td>37.48</td> <td>15.56</td> <td>66.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	44.55	68.20	-23.65	58.40	37.48	15.56	66.89	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>45.04</td> <td>68.20</td> <td>-23.16</td> <td>58.89</td> <td>37.48</td> <td>15.56</td> <td>66.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	45.04	68.20	-23.16	58.89	37.48	15.56	66.89	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10480.00	44.55	68.20	-23.65	58.40	37.48	15.56	66.89	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10480.00	45.04	68.20	-23.16	58.89	37.48	15.56	66.89	0.00	---	---	PEAK																																																																							



<b>1</b>																																																															
<b>Mode</b>	<b>Band Edge - L</b>																																																														
<b>U-NII-8_6.875-7.125_802.11BE EHT20_CH233_RU52*4_7115MHz</b>																																																															
<b>ANT</b>	<b>CDD 1S4T</b>																																																														
<b>Pol.</b>	<b>Horizontal</b>																																																														
<b>Peak</b>																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.25</td> <td>77.60</td> <td>88.20</td> <td>-10.60</td> <td>67.13</td> <td>35.70</td> <td>12.62</td> <td>37.85</td> <td>0.00</td> <td>108</td> <td>48</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7125.25	77.60	88.20	-10.60	67.13	35.70	12.62	37.85	0.00	108	48	PEAK																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																							
1	7125.25	77.60	88.20	-10.60	67.13	35.70	12.62	37.85	0.00	108	48	PEAK																																																			
<b>Fundamental</b>																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2435.50</td> <td>110.71</td> <td>-----</td> <td>108.12</td> <td>32.37</td> <td>7.18</td> <td>36.96</td> <td>0.00</td> <td>108</td> <td>48</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5243.50</td> <td>108.46</td> <td>-----</td> <td>99.80</td> <td>34.49</td> <td>10.69</td> <td>36.52</td> <td>0.00</td> <td>108</td> <td>48</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7107.00</td> <td>92.23</td> <td>-----</td> <td>81.81</td> <td>35.70</td> <td>12.60</td> <td>37.88</td> <td>0.00</td> <td>108</td> <td>48</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2435.50	110.71	-----	108.12	32.37	7.18	36.96	0.00	108	48	Peak	2	5243.50	108.46	-----	99.80	34.49	10.69	36.52	0.00	108	48	Peak	3	7107.00	92.23	-----	81.81	35.70	12.60	37.88	0.00	108	48
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																							
1	2435.50	110.71	-----	108.12	32.37	7.18	36.96	0.00	108	48	Peak																																																				
2	5243.50	108.46	-----	99.80	34.49	10.69	36.52	0.00	108	48	Peak																																																				
3	7107.00	92.23	-----	81.81	35.70	12.60	37.88	0.00	108	48	Peak																																																				
<b>Avg</b>																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>67.75</td> <td>68.20</td> <td>-0.45</td> <td>57.28</td> <td>35.70</td> <td>12.62</td> <td>37.85</td> <td>0.00</td> <td>108</td> <td>48</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7125.00	67.75	68.20	-0.45	57.28	35.70	12.62	37.85	0.00	108	48	AVERAGE																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																							
1	7125.00	67.75	68.20	-0.45	57.28	35.70	12.62	37.85	0.00	108	48	AVERAGE																																																			
<b>Fundamental</b>																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2435.50</td> <td>100.39</td> <td>-----</td> <td>97.60</td> <td>32.37</td> <td>7.18</td> <td>36.96</td> <td>0.00</td> <td>108</td> <td>48</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5243.50</td> <td>99.66</td> <td>-----</td> <td>91.00</td> <td>34.49</td> <td>10.69</td> <td>36.52</td> <td>0.00</td> <td>108</td> <td>48</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7107.00</td> <td>81.91</td> <td>-----</td> <td>71.49</td> <td>35.70</td> <td>12.60</td> <td>37.88</td> <td>0.00</td> <td>108</td> <td>48</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2435.50	100.39	-----	97.60	32.37	7.18	36.96	0.00	108	48	Average	2	5243.50	99.66	-----	91.00	34.49	10.69	36.52	0.00	108	48	Average	3	7107.00	81.91	-----	71.49	35.70	12.60	37.88	0.00	108	48
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																							
1	2435.50	100.39	-----	97.60	32.37	7.18	36.96	0.00	108	48	Average																																																				
2	5243.50	99.66	-----	91.00	34.49	10.69	36.52	0.00	108	48	Average																																																				
3	7107.00	81.91	-----	71.49	35.70	12.60	37.88	0.00	108	48	Average																																																				



<b>1</b>																																																																
<b>Mode</b>	<b>Band Edge - L</b>																																																															
<b>U-NII-8_6.875-7.125_802.11BE EHT20_CH233_RU52*4_7115MHz</b>																																																																
<b>ANT</b>	<b>CDD 1S4T</b>																																																															
<b>Pol.</b>	<b>Vertical</b>																																																															
<b>Peak</b>	<p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a signal peak at approximately 7115 MHz. A red horizontal line indicates the 'WiFi 6E(Peak)' limit at approximately 81.3 dBuV/m. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 7085 to 7245 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>78.96</td> <td>88.20</td> <td>-9.24</td> <td>68.49</td> <td>35.70</td> <td>12.62</td> <td>37.85</td> <td>0.00</td> <td>100</td> <td>240</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	78.96	88.20	-9.24	68.49	35.70	12.62	37.85	0.00	100	240	PEAK																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	7125.00	78.96	88.20	-9.24	68.49	35.70	12.62	37.85	0.00	100	240	PEAK																																																				
<p>Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 10000 MHz. Three peaks are labeled: 1 at 2445 MHz, 2 at 5235 MHz, and 3 at 7107 MHz. A red horizontal line indicates the 'WiFi 6E(Peak)' limit at approximately 81.3 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2445.00</td> <td>114.22</td> <td>-----</td> <td>111.58</td> <td>32.39</td> <td>7.19</td> <td>36.94</td> <td>0.00</td> <td>100</td> <td>240</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5235.00</td> <td>118.39</td> <td>-----</td> <td>109.76</td> <td>34.48</td> <td>10.68</td> <td>36.53</td> <td>0.00</td> <td>100</td> <td>240</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7107.00</td> <td>99.29</td> <td>-----</td> <td>88.87</td> <td>35.70</td> <td>12.60</td> <td>37.88</td> <td>0.00</td> <td>100</td> <td>240</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2445.00	114.22	-----	111.58	32.39	7.19	36.94	0.00	100	240	Peak	2	5235.00	118.39	-----	109.76	34.48	10.68	36.53	0.00	100	240	Peak	3	7107.00	99.29	-----	88.87	35.70	12.60	37.88	0.00	100	240	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2445.00	114.22	-----	111.58	32.39	7.19	36.94	0.00	100	240	Peak																																																					
2	5235.00	118.39	-----	109.76	34.48	10.68	36.53	0.00	100	240	Peak																																																					
3	7107.00	99.29	-----	88.87	35.70	12.60	37.88	0.00	100	240	Peak																																																					
<b>Avg</b>	<p>Vertical Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 7085 to 7245 MHz. The plot shows a signal peak at approximately 7115 MHz. A red horizontal line indicates the 'WiFi 6E(AVG)' limit at approximately 66.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>66.46</td> <td>68.20</td> <td>-1.74</td> <td>55.99</td> <td>35.70</td> <td>12.62</td> <td>37.85</td> <td>0.00</td> <td>100</td> <td>240</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	66.46	68.20	-1.74	55.99	35.70	12.62	37.85	0.00	100	240	AVERAGE																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	7125.00	66.46	68.20	-1.74	55.99	35.70	12.62	37.85	0.00	100	240	AVERAGE																																																				
<p>Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 10000 MHz. Three peaks are labeled: 1 at 2445 MHz, 2 at 5235 MHz, and 3 at 7107 MHz. A red horizontal line indicates the 'WiFi 6E(AVG)' limit at approximately 66.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2445.00</td> <td>104.10</td> <td>-----</td> <td>101.46</td> <td>32.39</td> <td>7.19</td> <td>36.94</td> <td>0.00</td> <td>100</td> <td>240</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5235.00</td> <td>109.21</td> <td>-----</td> <td>100.58</td> <td>34.48</td> <td>10.68</td> <td>36.53</td> <td>0.00</td> <td>100</td> <td>240</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7107.00</td> <td>89.23</td> <td>-----</td> <td>78.81</td> <td>35.70</td> <td>12.60</td> <td>37.88</td> <td>0.00</td> <td>100</td> <td>240</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2445.00	104.10	-----	101.46	32.39	7.19	36.94	0.00	100	240	Average	2	5235.00	109.21	-----	100.58	34.48	10.68	36.53	0.00	100	240	Average	3	7107.00	89.23	-----	78.81	35.70	12.60	37.88	0.00	100	240	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2445.00	104.10	-----	101.46	32.39	7.19	36.94	0.00	100	240	Average																																																					
2	5235.00	109.21	-----	100.58	34.48	10.68	36.53	0.00	100	240	Average																																																					
3	7107.00	89.23	-----	78.81	35.70	12.60	37.88	0.00	100	240	Average																																																					