





EUT Mode 802.11be EHT160 Full RU


Plot on Channel 6185 MHz




Plot on Channel 6345 MHz



Plot on Channel 6505 MHz





Plot on Channel 6665 MHz





Plot on Channel 6825 MHz


Plot on Channel 6985 MHz






EUT Mode 802.11be EHT320 Full RU


Plot on Channel 6265 MHz




Plot on Channel 6425 MHz



Plot on Channel 6585 MHz




Plot on Channel 6745 MHz





Plot on Channel 6905 MHz



07:24:41 AM 12/29/2023




Appendix B. AC Conducted Emission Test Results

Test Engineer :	Calvin Wang	Temperature :	23~26°C
		Relative Humidity :	45~55%

EUT Information

Report NO : 3N0940
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Line

Full Spectrum



Final_Result


Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.152250	---	37.82	55.88	18.06	L1	OFF	19.9
0.152250	54.99	---	65.88	10.89	L1	OFF	19.9
0.156750	---	40.57	55.63	15.06	L1	OFF	19.9
0.156750	55.66	---	65.63	9.97	L1	OFF	19.9
0.163500	---	40.90	55.28	14.38	L1	OFF	19.9
0.163500	54.02	---	65.28	11.26	L1	OFF	19.9
0.174750	---	29.13	54.73	25.60	L1	OFF	19.9
0.174750	44.84	---	64.73	19.89	L1	OFF	19.9
0.197250	---	34.70	53.73	19.03	L1	OFF	19.9
0.197250	46.93	---	63.73	16.80	L1	OFF	19.9
0.417750	---	28.98	47.49	18.51	L1	OFF	19.9
0.417750	38.39	---	57.49	19.10	L1	OFF	19.9
0.485250	---	32.21	46.25	14.04	L1	OFF	19.9
0.485250	41.99	---	56.25	14.26	L1	OFF	19.9
0.510000	---	37.01	46.00	8.99	L1	OFF	19.9
0.510000	46.02	---	56.00	9.98	L1	OFF	19.9
0.530250	---	35.27	46.00	10.73	L1	OFF	19.9
0.530250	45.91	---	56.00	10.09	L1	OFF	19.9
0.566250	---	31.54	46.00	14.46	L1	OFF	19.9
0.566250	40.56	---	56.00	15.44	L1	OFF	19.9
3.574500	---	26.93	46.00	19.07	L1	OFF	20.0

3.574500	31.76	---	56.00	24.24	L1	OFF	20.0
12.275250	---	28.43	50.00	21.57	L1	OFF	20.3
12.275250	31.96	---	60.00	28.04	L1	OFF	20.3

EUT Information

Report NO : 3N0940
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.152250	---	39.79	55.88	16.09	N	OFF	19.9
0.152250	54.71	---	65.88	11.17	N	OFF	19.9
0.159000	---	41.92	55.52	13.60	N	OFF	19.9
0.159000	54.57	---	65.52	10.95	N	OFF	19.9
0.170250	---	35.12	54.95	19.83	N	OFF	19.9
0.170250	50.96	---	64.95	13.99	N	OFF	19.9
0.199500	---	34.44	53.63	19.19	N	OFF	19.9
0.199500	46.48	---	63.63	17.15	N	OFF	19.9
0.251250	---	28.72	51.72	23.00	N	OFF	19.9
0.251250	40.13	---	61.72	21.59	N	OFF	19.9
0.516750	---	29.95	46.00	16.05	N	OFF	19.9
0.516750	38.11	---	56.00	17.89	N	OFF	19.9
0.528000	---	28.82	46.00	17.18	N	OFF	19.9
0.528000	37.36	---	56.00	18.64	N	OFF	19.9
3.502500	---	26.83	46.00	19.17	N	OFF	20.0
3.502500	30.20	---	56.00	25.80	N	OFF	20.0
12.369750	---	31.24	50.00	18.76	N	OFF	20.3
12.369750	35.52	---	60.00	24.48	N	OFF	20.3



Appendix C. Radiated Spurious Emission

Test Engineer :	Jacky Hung , Mancy Chou, Michael Liu and Rain Lee	Temperature :	20~26°C
		Relative Humidity :	40~65%

<CDD Mode>

N_{SS}=1

Band 5 5925~6425MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT20 Full CH 33 6115MHz		5921	46.87	-41.33	88.2	42.62	34.5	6.96	37.21	187	84	P	H	
		5886.5	37	-31.2	68.2	32.81	34.42	6.95	37.18	187	84	A	H	
	*	6115	102.32	-	-	98.13	34.23	7.19	37.23	187	84	P	H	
	*	6115	93.77	-	-	89.58	34.23	7.19	37.23	187	84	A	H	
													H	
														H
			5851.7	47.44	-40.76	88.2	43.44	34.21	6.94	37.15	223	100	P	V
			5884.7	37.05	-31.15	68.2	32.87	34.41	6.95	37.18	223	100	A	V
	*		6115	108.71	-	-	104.52	34.23	7.19	37.23	223	100	P	V
	*		6115	100.99	-	-	96.8	34.23	7.19	37.23	223	100	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT20 OFDMA RU52*4 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT20 OFDMA RU52*4 CH 33 6115MHz		5867.9	48.12	-40.08	88.2	44.03	34.31	6.94	37.16	203	348	P	H	
		5888	37.14	-31.06	68.2	32.94	34.43	6.95	37.18	203	348	A	H	
	*	6115	101.52	-	-	97.33	34.23	7.19	37.23	203	348	P	H	
	*	6115	94.14	-	-	89.95	34.23	7.19	37.23	203	348	A	H	
													H	
														H
			5919.5	46.22	-41.98	88.2	41.97	34.5	6.96	37.21	186	101	P	V
			5886.5	37.16	-31.04	68.2	32.97	34.42	6.95	37.18	186	101	A	V
	*		6115	109.8	-	-	105.61	34.23	7.19	37.23	186	101	P	V
	*		6115	101.94	-	-	97.75	34.23	7.19	37.23	186	101	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT40 Full CH 35 6125MHz		5856	46.73	-41.47	88.2	42.7	34.24	6.94	37.15	157	9	P	H	
		5885.45	36.98	-31.22	68.2	32.8	34.41	6.95	37.18	157	9	A	H	
	*	6125	101.4	-	-	97.18	34.25	7.2	37.23	157	9	P	H	
	*	6125	93.02	-	-	88.8	34.25	7.2	37.23	157	9	A	H	
													H	
														H
			5901.26	46.41	-41.79	88.2	42.14	34.5	6.96	37.19	197	318	P	V
			5885.45	37.08	-31.12	68.2	32.9	34.41	6.95	37.18	197	318	A	V
		*	6125	107.41	-	-	103.19	34.25	7.2	37.23	197	318	P	V
		*	6125	98.78	-	-	94.56	34.25	7.2	37.23	197	318	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT40 OFDMA RU52*8 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT40 OFDMA RU52*8 CH 35 6125MHz		5916.14	46.33	-41.87	88.2	42.07	34.5	6.96	37.2	112	155	P	H	
		5879.56	37.19	-31.01	68.2	33.03	34.38	6.95	37.17	112	155	A	H	
	*	6125	102.01	-	-	97.79	34.25	7.2	37.23	112	155	P	H	
	*	6125	94.05	-	-	89.83	34.25	7.2	37.23	112	155	A	H	
													H	
														H
			5909.01	46.37	-41.83	88.2	42.11	34.5	6.96	37.2	232	100	P	V
			5887.62	37.18	-31.02	68.2	32.98	34.43	6.95	37.18	232	100	A	V
	*		6125	110.41	-	-	106.19	34.25	7.2	37.23	232	100	P	V
	*		6125	101.87	-	-	97.65	34.25	7.2	37.23	232	100	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT80 Full CH 39 6145MHz		5902.8	47.88	-40.32	88.2	43.61	34.5	6.96	37.19	142	8	P	H	
		5884.8	37.07	-31.13	68.2	32.89	34.41	6.95	37.18	142	8	A	H	
	*	6145	101.8	-	-	97.49	34.29	7.24	37.22	142	8	P	H	
	*	6145	93.94	-	-	89.63	34.29	7.24	37.22	142	8	A	H	
													H	
														H
			5924.4	46.54	-41.66	88.2	42.29	34.5	6.96	37.21	202	318	P	V
			5880	37.06	-31.14	68.2	32.9	34.38	6.95	37.17	202	318	A	V
		*	6145	108.61	-	-	104.3	34.29	7.24	37.22	202	318	P	V
		*	6145	99.57	-	-	95.26	34.29	7.24	37.22	202	318	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT80 OFDMA RU52*16 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT80 OFDMA RU52*16 CH 39 6145MHz		5887.8	47.27	-40.93	88.2	43.07	34.43	6.95	37.18	117	156	P	H	
		5885.7	37.17	-31.03	68.2	32.99	34.41	6.95	37.18	117	156	A	H	
	*	6145	102.5	-	-	98.19	34.29	7.24	37.22	117	156	P	H	
	*	6145	94.94	-	-	90.63	34.29	7.24	37.22	117	156	A	H	
													H	
														H
			5904.9	48.01	-40.19	88.2	43.74	34.5	6.96	37.19	185	100	P	V
			5883.3	37.23	-30.97	68.2	33.06	34.4	6.95	37.18	185	100	A	V
	*		6145	109.92	-	-	105.61	34.29	7.24	37.22	185	100	P	V
	*		6145	101.86	-	-	97.55	34.29	7.24	37.22	185	100	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT80 Test 20MHz Channel Puncture Location 4 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT80 Test 80MHz Channel Puncture Location 4 CH 39 6145MHz		5900.1	46.32	-41.88	88.2	42.05	34.5	6.96	37.19	201	348	P	H	
		5922.6	35.95	-32.25	68.2	31.7	34.5	6.96	37.21	201	348	A	H	
	*	6145	104.15	-	-	99.84	34.29	7.24	37.22	201	348	P	H	
	*	6145	96	-	-	91.69	34.29	7.24	37.22	201	348	A	H	
													H	
														H
			5907.9	46.53	-41.67	88.2	42.27	34.5	6.96	37.2	263	100	P	V
			5920.2	36.09	-32.11	68.2	31.84	34.5	6.96	37.21	263	100	A	V
	*	6145	109.99	-	-	105.68	34.29	7.24	37.22	263	100	P	V	
	*	6145	102.59	-	-	98.28	34.29	7.24	37.22	263	100	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



**Band 5 5925~6425MHz
WIFI 802.11be EHT160 Full (Band Edge @ 3m)**

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT160 Full CH 47 6185MHz		5811.46	47.39	-40.81	88.2	43.54	34.05	6.92	37.12	160	10	P	H	
		5882.02	37.17	-31.03	68.2	33.01	34.39	6.95	37.18	160	10	A	H	
	*	6185	103.41	-	-	99.02	34.3	7.3	37.21	160	10	P	H	
	*	6185	94.91	-	-	90.52	34.3	7.3	37.21	160	10	A	H	
													H	
													H	
			5823.22	47.52	-40.68	88.2	43.63	34.09	6.93	37.13	201	318	P	V
			5884.12	37.1	-31.1	68.2	32.93	34.4	6.95	37.18	201	318	A	V
		*	6185	108.01	-	-	103.62	34.3	7.3	37.21	201	318	P	V
		*	6185	99.37	-	-	94.98	34.3	7.3	37.21	201	318	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 47 6185MHz		12370	52.58	-21.42	74	58.46	39.04	10.58	56.14	355	167	P	H
		12370	49.23	-4.77	54	55.11	39.04	10.58	56.14	355	167	A	H
		18555	36.86	-37.14	74	57.93	38.11	6.03	55.67	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
		12370	51.87	-22.13	74	57.75	39.04	10.58	56.14	398	264	P	V
		12370	48.23	-5.77	54	54.11	39.04	10.58	56.14	398	264	A	V
		18555	36.61	-37.39	74	57.68	38.11	6.03	55.67	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 79 6345MHz		12690	55.22	-18.78	74	60.57	39.58	60.57	56.45	369	168	P	H
		12690	52.05	-1.95	54	57.4	39.58	57.4	56.45	369	168	A	H
		19035	36.63	-37.37	74	57.21	38.24	57.21	55.39	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
		12690	53.05	-20.95	74	58.4	39.58	58.4	56.45	393	152	P	V
		12690	49.46	-4.54	54	54.81	39.58	54.81	56.45	393	152	A	V
		19035	36.35	-37.65	74	56.93	38.24	56.93	55.39	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												



Band 5 5925~6425MHz

WIFI 802.11be EHT160 OFDMA RU106*16 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT160 OFDMA RU106*16 CH 47 6185MHz		5816.5	48.52	-39.68	88.2	44.64	34.07	6.93	37.12	177	119	P	H	
		5885.8	37.4	-30.8	68.2	33.22	34.41	6.95	37.18	177	119	A	H	
	*	6185	102.2	-	-	97.81	34.3	7.3	37.21	177	119	P	H	
	*	6185	94.94	-	-	90.55	34.3	7.3	37.21	177	119	A	H	
													H	
														H
			5873.62	47.08	-41.12	88.2	42.96	34.34	6.95	37.17	221	101	P	V
			5887.48	37.49	-30.71	68.2	33.3	34.42	6.95	37.18	221	101	A	V
	*		6185	111.08	-	-	106.69	34.3	7.3	37.21	221	101	P	V
	*		6185	101.91	-	-	97.52	34.3	7.3	37.21	221	101	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT160 Test 20MHz Channel Puncture Location 8 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT160 Test 20MHz Channel Puncture Location 8 CH 47 6185MHz		5922.34	46.89	-41.31	88.2	42.64	34.5	6.96	37.21	187	348	P	H	
		5884.54	36.03	-32.17	68.2	31.85	34.41	6.95	37.18	187	348	A	H	
	*	6185	104.11	-	-	99.72	34.3	7.3	37.21	187	348	P	H	
	*	6185	95.66	-	-	91.27	34.3	7.3	37.21	187	348	A	H	
													H	
														H
			5874.04	46.38	-41.82	88.2	42.26	34.34	6.95	37.17	261	100	P	V
			5924.44	36.05	-32.15	68.2	31.8	34.5	6.96	37.21	261	100	A	V
	*	6185	111.98	-	-	107.59	34.3	7.3	37.21	261	100	P	V	
	*	6185	101.36	-	-	96.97	34.3	7.3	37.21	261	100	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT160 Test 40MHz Channel Puncture Location 4 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT160 Test 40MHz Channel Puncture Location 4 CH 47 6185MHz		5904.28	46.07	-42.13	88.2	41.8	34.5	6.96	37.19	206	350	P	H	
		5885.8	35.96	-32.24	68.2	31.78	34.41	6.95	37.18	206	350	A	H	
	*	6185	104.95	-	-	100.56	34.3	7.3	37.21	206	350	P	H	
	*	6185	96.53	-	-	92.14	34.3	7.3	37.21	206	350	A	H	
													H	
														H
			5921.5	46.26	-41.94	88.2	42.01	34.5	6.96	37.21	250	102	P	V
			5921.08	36.08	-32.12	68.2	31.83	34.5	6.96	37.21	250	102	A	V
	*	6185	110.33	-	-	105.94	34.3	7.3	37.21	250	102	P	V	
	*	6185	101.98	-	-	97.59	34.3	7.3	37.21	250	102	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



**Band 5 5925~6425MHz
WIFI 802.11be EHT320 Full (Band Edge @ 3m)**

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Full CH 63 6265MHz		5896.72	47.37	-40.83	88.2	43.13	34.48	6.95	37.19	208	1	P	H	
		5885.45	37.47	-30.73	68.2	33.29	34.41	6.95	37.18	208	1	A	H	
	*	6265	104.85	-	-	100.3	34.4	7.34	37.19	208	1	P	H	
	*	6265	95.82	-	-	91.27	34.4	7.34	37.19	208	1	A	H	
													H	
														H
			5888.88	49.02	-39.18	88.2	44.82	34.43	6.95	37.18	186	322	P	V
			5890.84	39.29	-28.91	68.2	35.07	34.45	6.95	37.18	186	322	A	V
	*		6265	108.93	-	-	104.38	34.4	7.34	37.19	186	322	P	V
	*		6265	100.86	-	-	96.31	34.4	7.34	37.19	186	322	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT320 Full (Harmonic @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Full CH 63 6265MHz		12530	46.9	-27.1	74	52.59	39.2	11.37	56.26	-	-	P	H	
		18795	36.96	-37.04	74	57.37	38.58	-3.47	55.52	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			12530	47.26	-26.74	74	52.95	39.2	11.37	56.26	-	-	P	V
			18795	37.11	-36.89	74	57.52	38.58	-3.47	55.52	-	-	P	V
														V
														V
														V
														V
													V	
													V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.													



Band 5 5925~6425MHz

WIFI 802.11be EHT320 Test 40MHz Channel Puncture Location 8 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Test 40MHz Channel Puncture Location 8 CH 63 6265MHz		5806.56	47.28	-40.92	88.2	43.45	34.03	6.92	37.12	204	350	P	H	
		5919.26	36.15	-32.05	68.2	31.9	34.5	6.96	37.21	204	350	A	H	
	*	6265	104.56	-	-	100.01	34.4	7.34	37.19	204	350	P	H	
	*	6265	95.67	-	-	91.12	34.4	7.34	37.19	204	350	A	H	
													H	
														H
			5912.4	49.95	-38.25	88.2	45.69	34.5	6.96	37.2	213	182	P	V
			5912.89	38.78	-29.42	68.2	34.52	34.5	6.96	37.2	213	182	A	V
	*	6265	109.24	-	-	104.69	34.4	7.34	37.19	213	182	P	V	
	*	6265	101	-	-	96.45	34.4	7.34	37.19	213	182	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT320 Test 80MHz Channel Puncture Location 4 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Test 80MHz Channel Puncture Location 4 CH 63 6265MHz		5904.56	46.86	-41.34	88.2	42.59	34.5	6.96	37.19	215	351	P	H	
		5923.67	35.79	-32.41	68.2	31.54	34.5	6.96	37.21	215	351	A	H	
	*	6265	104.54	-	-	99.99	34.4	7.34	37.19	215	351	P	H	
	*	6265	95.83	-	-	91.28	34.4	7.34	37.19	215	351	A	H	
													H	
														H
			5916.81	48.93	-39.27	88.2	44.67	34.5	6.96	37.2	232	102	P	V
			5917.3	37.2	-31	68.2	32.94	34.5	6.96	37.2	232	102	A	V
	*	6265	110.49	-	-	105.94	34.4	7.34	37.19	232	102	P	V	
	*	6265	101.72	-	-	97.17	34.4	7.34	37.19	232	102	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT320 Test 80+40MHz Channel Puncture Location 6 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Test 80+40MHz Channel Puncture Location 6 CH 63 6265MHz		5920.73	46.79	-41.41	88.2	42.54	34.5	6.96	37.21	205	348	P	H	
		5921.71	35.73	-32.47	68.2	31.48	34.5	6.96	37.21	205	348	A	H	
	*	6265	104.97	-	-	100.42	34.4	7.34	37.19	205	348	P	H	
	*	6265	97.11	-	-	92.56	34.4	7.34	37.19	205	348	A	H	
													H	
														H
			5895.74	47.38	-40.82	88.2	43.15	34.47	6.95	37.19	235	100	P	V
			5925	36	-32.2	68.2	31.75	34.5	6.96	37.21	235	100	A	V
	*		6265	111.16	-	-	106.61	34.4	7.34	37.19	235	100	P	V
	*		6265	102.86	-	-	98.31	34.4	7.34	37.19	235	100	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 6 - 6425~6525MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT160 Full CH 111 6505MHz		13010	51.84	-36.36	88.2	56.9	39.96	11.81	56.83	366	161	P	H	
		13010	47.75	-20.45	68.2	52.81	39.96	11.81	56.83	366	161	A	H	
		19515	35.68	-38.32	74	56.13	37.98	-3.24	55.19	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			13010	52.64	-35.56	88.2	57.7	39.96	11.81	56.83	386	76	P	V
			13010	48.46	-19.74	68.2	53.52	39.96	11.81	56.83	386	76	A	V
			19515	35.84	-38.16	74	56.29	37.98	-3.24	55.19	-	-	P	V
														V
														V
														V
														V
														V
														V
													V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 													



Band 7 - 6525~6875MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11be EHT160 Full CH 143 6665MHz		13330	52.57	-21.43	74	57.34	40.16	12.01	56.94	347	134	P	H	
		13330	48.08	-5.92	54	52.85	40.16	12.01	56.94	347	134	A	H	
		19995	36.09	-37.91	74	56.83	37.62	-3.36	55	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			13330	52.43	-21.57	74	57.2	40.16	12.01	56.94	323	65	P	V
			13330	47.63	-6.37	54	52.4	40.16	12.01	56.94	323	65	A	V
			19995	35.25	-38.75	74	55.99	37.62	-3.36	55	-	-	P	V
														V
														V
														V
														V
														V
													V	



WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160		13650	55.62	-32.58	88.2	59.94	40.6	11.38	57.13	400	154	P	H
		13650	51.95	-16.25	68.2	56.27	40.6	11.38	57.13	400	154	A	H
		20475	36.61	-37.39	74	56.99	37.9	6.26	55	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
Full CH 175 6825MHz		13650	58.23	-29.97	88.2	62.55	40.6	11.38	57.13	337	92	P	V
		13650	55.75	-12.45	68.2	60.07	40.6	11.38	57.13	337	92	A	V
		20475	37.02	-36.98	74	57.4	37.9	6.26	55	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 229 7095MHz	*	7095	103.01	-	-	96.33	36.38	7.59	37.29	202	12	P	H
	*	7095	94.27	-	-	87.59	36.38	7.59	37.29	202	12	A	H
		7240.84	49.69	-38.51	88.2	42.32	36.98	7.68	37.29	202	12	P	H
		7243.72	40.49	-27.71	68.2	33.1	36.99	7.69	37.29	202	12	A	H
													H
													H
	*	7095	105.05	-	-	98.37	36.38	7.59	37.29	100	317	P	V
	*	7095	96.34	-	-	89.66	36.38	7.59	37.29	100	317	A	V
		7169.48	50.72	-37.48	88.2	43.59	36.78	7.64	37.29	100	317	P	V
		7244.84	40.59	-27.61	68.2	33.2	36.99	7.69	37.29	100	317	A	V
												V	
												V	
802.11be EHT20 Full CH 233 7115MHz	*	7115	93.77	-	-	86.97	36.49	7.6	37.29	350	146	P	H
	*	7115	85.58	-	-	78.78	36.49	7.6	37.29	350	146	A	H
		7125	70.4	-17.8	88.2	63.53	36.55	7.61	37.29	350	146	P	H
		7125	60.58	-7.62	68.2	53.71	36.55	7.61	37.29	350	146	A	H
													H
													H
	*	7115	100.38	-	-	93.58	36.49	7.6	37.29	250	98	P	V
	*	7115	93.31	-	-	86.51	36.49	7.6	37.29	250	98	A	V
		7125	78.38	-9.82	88.2	71.51	36.55	7.61	37.29	250	98	P	V
		7125	67.56	-0.64	68.2	60.69	36.55	7.61	37.29	250	98	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT20 OFDMA RU52*4 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT20 OFDMA RU52*4 CH 229 7095MHz	*	7095	102.75	-	-	96.07	36.38	7.59	37.29	339	149	P	H	
	*	7095	95.07	-	-	88.39	36.38	7.59	37.29	339	149	A	H	
		7242.6	51	-37.2	88.2	43.61	36.99	7.69	37.29	339	149	P	H	
		7240.84	40.36	-27.84	68.2	32.99	36.98	7.68	37.29	339	149	A	H	
													H	
														H
	*	7095	108.62	-	-	101.94	36.38	7.59	37.29	188	0	P	V	
	*	7095	101.41	-	-	94.73	36.38	7.59	37.29	188	0	A	V	
		7242.92	50.95	-37.25	88.2	43.56	36.99	7.69	37.29	188	0	P	V	
		7244.84	41.81	-26.39	68.2	34.42	36.99	7.69	37.29	188	0	A	V	
													V	
													V	
802.11be EHT20 OFDMA RU52*4 CH 233 7115MHz	*	7115	96.66	-	-	89.86	36.49	7.6	37.29	250	101	P	H	
	*	7115	88.79	-	-	81.99	36.49	7.6	37.29	250	101	A	H	
		7125	71.7	-16.5	88.2	64.83	36.55	7.61	37.29	250	101	P	H	
		7125	60.28	-7.92	68.2	53.41	36.55	7.61	37.29	250	101	A	H	
														H
														H
	*	7115	103.97	-	-	97.17	36.49	7.6	37.29	250	98	P	V	
	*	7115	96.67	-	-	89.87	36.49	7.6	37.29	250	98	A	V	
		7125	79.12	-9.08	88.2	72.25	36.55	7.61	37.29	250	98	P	V	
		7125	67.63	-0.57	68.2	60.76	36.55	7.61	37.29	250	98	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 8 - 6875~7125MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 227 7085MHz	*	7085	101.36	-	-	94.72	36.34	7.59	37.29	184	9	P	H
	*	7085	93.49	-	-	86.85	36.34	7.59	37.29	184	9	A	H
		7219.44	50.32	-37.88	88.2	43	36.94	7.67	37.29	184	9	P	H
		7235.64	40.47	-27.73	68.2	33.11	36.97	7.68	37.29	184	9	A	H
													H
													H
	*	7085	109.94	-	-	103.3	36.34	7.59	37.29	199	314	P	V
	*	7085	100.82	-	-	94.18	36.34	7.59	37.29	199	314	A	V
		7126.02	51.46	-36.74	88.2	44.58	36.56	7.61	37.29	199	314	P	V
		7125.48	43.39	-24.81	68.2	36.52	36.55	7.61	37.29	199	314	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT40 OFDMA RU52*16 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 OFDMA RU52*16 CH 227 7085MHz	*	7085	103.96	-	-	97.32	36.34	7.59	37.29	100	222	P	H
	*	7085	93.63	-	-	86.99	36.34	7.59	37.29	100	222	A	H
		7238.7	50.06	-38.14	88.2	42.69	36.98	7.68	37.29	100	222	P	H
		7220.34	40.39	-27.81	68.2	33.07	36.94	7.67	37.29	100	222	A	H
													H
													H
	*	7085	109.17	-	-	102.53	36.34	7.59	37.29	208	315	P	V
	*	7085	101.89	-	-	95.25	36.34	7.59	37.29	208	315	A	V
		7125.66	53.07	-35.13	88.2	46.2	36.55	7.61	37.29	208	315	P	V
		7125	44	-24.2	68.2	37.13	36.55	7.61	37.29	208	315	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT80 Full CH 215 7025MHz	*	7025	102.74	-	-	96.43	36.05	7.55	37.29	200	12	P	H	
	*	7025	94.3	-	-	87.99	36.05	7.55	37.29	200	12	A	H	
		7141.16	49.44	-38.76	88.2	42.46	36.65	7.62	37.29	200	12	P	H	
		7140.68	40.51	-27.69	68.2	33.54	36.64	7.62	37.29	200	12	A	H	
													H	
														H
	*	7025	109.96	-	-	103.65	36.05	7.55	37.29	202	317	P	V	
	*	7025	101.47	-	-	95.16	36.05	7.55	37.29	202	317	A	V	
		7129.96	51.34	-36.86	88.2	44.44	36.58	7.61	37.29	202	317	P	V	
		7140.52	42.34	-25.86	68.2	35.37	36.64	7.62	37.29	202	317	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 8 - 6875~7125MHz

WIFI 802.11be EHT80 OFDMA RU52*16 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 OFDMA RU52*16 CH 215 7025MHz	*	7025	104.22	-	-	97.91	36.05	7.55	37.29	315	0	P	H
	*	7025	95.81	-	-	89.5	36.05	7.55	37.29	315	0	A	H
		7138.92	51.01	-37.19	88.2	44.05	36.63	7.62	37.29	315	0	P	H
		7140.2	40.48	-27.72	68.2	33.51	36.64	7.62	37.29	315	0	A	H
													H
													H
	*	7025	111.82	-	-	105.51	36.05	7.55	37.29	188	317	P	V
	*	7025	102.76	-	-	96.45	36.05	7.55	37.29	188	317	A	V
		7126.44	51.87	-36.33	88.2	44.99	36.56	7.61	37.29	188	317	P	V
		7125.32	43	-25.2	68.2	36.13	36.55	7.61	37.29	188	317	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT80 Test 20MHz Channel Puncture Location 1 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT80 Test 20MHz Channel Puncture Location 1 CH 215 7025MHz	*	7025	104.1	-	-	97.79	36.05	7.55	37.29	195	35	P	H	
	*	7025	95.89	-	-	89.58	36.05	7.55	37.29	195	35	A	H	
		7140.2	49.83	-38.37	88.2	42.86	36.64	7.62	37.29	195	35	P	H	
		7125.48	39.47	-28.73	68.2	32.6	36.55	7.61	37.29	195	35	A	H	
													H	
														H
	*	7025	110.79	-	-	104.48	36.05	7.55	37.29	201	316	P	V	
	*	7025	102.07	-	-	95.76	36.05	7.55	37.29	201	316	A	V	
		7130.6	51.96	-36.24	88.2	45.06	36.58	7.61	37.29	201	316	P	V	
		7126.12	41.77	-26.43	68.2	34.89	36.56	7.61	37.29	201	316	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 8 - 6875~7125MHz

WIFI 802.11be EHT160 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 207 6985MHz	*	6985	102.91	-	-	96.8	35.87	7.52	37.28	187	6	P	H
	*	6985	93.59	-	-	87.48	35.87	7.52	37.28	187	6	A	H
		7145	50.83	-37.37	88.2	43.83	36.67	7.62	37.29	187	6	P	H
		7141.8	40.72	-27.48	68.2	33.74	36.65	7.62	37.29	187	6	A	H
													H
													H
	*	6985	109.35	-	-	103.24	35.87	7.52	37.28	206	316	P	V
	*	6985	100.99	-	-	94.88	35.87	7.52	37.28	206	316	A	V
		7126.76	53.97	-34.23	88.2	47.09	36.56	7.61	37.29	206	316	P	V
		7125.8	45.73	-22.47	68.2	38.86	36.55	7.61	37.29	206	316	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT160 Full CH 207 6985MHz		9314	56.95	-17.05	74	64.26	38.23	11.06	56.6	293	130	P	H	
		9314	53.3	-0.7	54	60.61	38.23	11.06	56.6	293	130	A	H	
		13970	56.75	-31.45	88.2	61	40.74	12.41	57.4	225	181	P	H	
		13970	53.05	-15.15	68.2	57.3	40.74	12.41	57.4	225	181	A	H	
		20955	36.89	-37.11	74	57.52	37.44	-3.16	54.91	-	-	P	H	
														H
														H
														H
														H
														H
														H
														H
														H
			9314	53.44	-20.56	74	60.75	38.23	11.06	56.6	400	272	P	V
			9314	48.21	-5.79	54	55.52	38.23	11.06	56.6	400	272	A	V
			13970	58.5	-29.7	88.2	62.75	40.74	12.41	57.4	386	97	P	V
			13970	55.6	-12.6	68.2	59.85	40.74	12.41	57.4	386	97	A	V
			20955	36.2	-37.8	74	56.83	37.44	-3.16	54.91	-	-	P	V
														V
														V
													V	
													V	
													V	
													V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 													



Band 8 - 6875~7125MHz

WIFI 802.11be EHT160 OFDMA RU106*16 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 OFDMA RU106*16 CH 207 6985MHz	*	6985	102.62	-	-	96.51	35.87	7.52	37.28	300	318	P	H
	*	6985	94.2	-	-	88.09	35.87	7.52	37.28	300	318	A	H
		7209.32	64.88	-23.32	88.2	57.58	36.92	7.67	37.29	300	318	P	H
		7129.96	45.52	-22.68	68.2	38.62	36.58	7.61	37.29	300	318	A	H
													H
													H
	*	6985	109.31	-	-	103.2	35.87	7.52	37.28	191	313	P	V
	*	6985	99.83	-	-	93.72	35.87	7.52	37.28	191	313	A	V
		7128.68	72.49	-15.71	88.2	65.6	36.57	7.61	37.29	191	313	P	V
		7126.12	52.03	-16.17	68.2	45.15	36.56	7.61	37.29	191	313	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT160 Test 20MHz Channel Puncture Location 1 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Test 20MHz Channel Puncture Location 1 CH 207 6985MHz	*	6985	102.47	-	-	96.36	35.87	7.52	37.28	200	36	P	H
	*	6985	94.58	-	-	88.47	35.87	7.52	37.28	200	36	A	H
		7146.92	59.17	-29.03	88.2	52.15	36.68	7.63	37.29	200	36	P	H
		7126.76	43.17	-25.03	68.2	36.29	36.56	7.61	37.29	200	36	A	H
													H
													H
	*	6985	109.39	-	-	103.28	35.87	7.52	37.28	190	316	P	V
	*	6985	101.87	-	-	95.76	35.87	7.52	37.28	190	316	A	V
		7142.76	67.26	-20.94	88.2	60.27	36.66	7.62	37.29	190	316	P	V
		7126.12	48.94	-19.26	68.2	42.06	36.56	7.61	37.29	190	316	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT160 Test 40MHz Channel Puncture Location 1 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Test 40MHz Channel Puncture Location 1 CH 207 6985MHz	*	6985	104.42	-	-	98.31	35.87	7.52	37.28	200	36	P	H
	*	6985	94.75	-	-	88.64	35.87	7.52	37.28	200	36	A	H
		7125.48	61.17	-27.03	88.2	54.3	36.55	7.61	37.29	200	36	P	H
		7126.12	43.09	-25.11	68.2	36.21	36.56	7.61	37.29	200	36	A	H
													H
													H
	*	6985	111.75	-	-	105.64	35.87	7.52	37.28	197	316	P	V
	*	6985	101.65	-	-	95.54	35.87	7.52	37.28	197	316	A	V
		7126.12	67.84	-20.36	88.2	60.96	36.56	7.61	37.29	197	316	P	V
		7126.12	49.3	-18.9	68.2	42.42	36.56	7.61	37.29	197	316	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 6-8 - Straddle Channel

WIFI 802.11be EHT320 Full (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
5+6+7+8		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT320 Full CH 191 6905MHz	*	6905	103.09	-	-	96.99	35.89	7.47	37.26	198	2	P	H
	*	6905	94.89	-	-	88.79	35.89	7.47	37.26	198	2	A	H
		7181.44	55.52	-32.68	88.2	48.33	36.83	7.65	37.29	198	2	P	H
		7141.84	45.93	-22.27	68.2	38.95	36.65	7.62	37.29	198	2	A	H
													H
													H
	*	6905	109.34	-	-	103.24	35.89	7.47	37.26	200	318	P	V
	*	6905	101.21	-	-	95.11	35.89	7.47	37.26	200	318	A	V
		7207.84	63.07	-25.13	88.2	55.78	36.92	7.66	37.29	200	318	P	V
		7125.67	53.74	-14.46	68.2	46.87	36.55	7.61	37.29	200	318	A	V
													V
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Straddle Channel

WIFI 802.11be EHT320 Full (Harmonic @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Full CH 95 6425MHz		12850	53.15	-35.05	88.2	58.23	39.9	11.67	56.65	351	164	P	H	
		12850	49.11	-19.09	68.2	54.19	39.9	11.67	56.65	351	164	A	H	
		19275	35.55	-38.45	74	56.22	37.95	-3.33	55.29	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			12850	52.22	-35.98	88.2	57.3	39.9	11.67	56.65	400	231	P	V
			12850	47.91	-20.29	68.2	52.99	39.9	11.67	56.65	400	231	A	V
			19275	36.8	-37.2	74	57.47	37.95	-3.33	55.29	-	-	P	V
														V
														V
													V	
													V	
													V	
													V	
													V	
													V	



WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Full CH 159 6745MHz		13490	55.26	-32.94	88.2	59.65	40.5	12.11	57	354	135	P	H	
		13490	51.48	-16.72	68.2	55.87	40.5	12.11	57	354	135	A	H	
		20235	37.24	-36.76	74	57.6	37.96	-3.32	55	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			13490	57.35	-30.85	88.2	61.74	40.5	12.11	57	158	95	P	V
			13490	54.84	-13.36	68.2	59.23	40.5	12.11	57	158	95	A	V
		20235	37.35	-36.65	74	57.71	37.96	-3.32	55	-	-	P	V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	



WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
		13170	53.46	-34.74	88.2	58.41	40.02	11.92	56.89	326	120	P	H
		13170	48.16	-20.04	68.2	53.11	40.02	11.92	56.89	326	120	A	H
		19755	38.13	-35.87	74	58.46	38.07	-3.3	55.1	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
802.11be													H
EHT320													H
Full													
CH 127		13170	54	-34.2	88.2	58.95	40.02	11.92	56.89	368	73	P	V
6585MHz		13170	49.21	-18.99	68.2	54.16	40.02	11.92	56.89	368	73	A	V
		19755	36.86	-37.14	74	57.19	38.07	-3.3	55.1	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Full CH 191 6905MHz		9206	54.21	-33.99	88.2	61.63	38.2	11.09	56.71	285	129	P	H	
		9206	49.09	-19.11	68.2	56.51	38.2	11.09	56.71	285	129	A	H	
		13810	55.32	-32.88	88.2	59.89	40.4	12.3	57.27	200	106	P	H	
		13810	52.21	-15.99	68.2	56.78	40.4	12.3	57.27	200	106	A	H	
		20715	38.28	-35.72	74	58.39	38.07	-3.22	54.96	-	-	P	H	
														H
														H
														H
														H
														H
														H
			7303.6	56.67	-17.33	74	66.14	36.99	10.35	56.81	194	44	P	V
			7303.6	45.62	-8.38	54	55.09	36.99	10.35	56.81	194	44	A	V
			13810	59.04	-29.16	88.2	63.61	40.4	12.3	57.27	196	85	P	V
			13810	57.24	-10.96	68.2	61.81	40.4	12.3	57.27	196	85	A	V
			20715	36.5	-37.5	74	56.61	38.07	-3.22	54.96	-	-	P	V
														V
														V
													V	
													V	
													V	
													V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 													



Straddle Channel

WIFI 802.11be EHT320 OFDMA RU242*16 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 OFDMA RU242*16 CH 95 6425MHz		5879.4	46.69	-41.51	88.2	42.53	34.38	6.95	37.17	173	118	P	H	
		5847.4	36.13	-32.07	68.2	32.15	34.19	6.94	37.15	173	118	A	H	
	*	6425	104.36	-	-	99.19	34.95	7.35	37.13	173	118	P	H	
	*	6425	95.79	-	-	90.62	34.95	7.35	37.13	173	118	A	H	
													H	
														H
			5912.2	46.63	-41.57	88.2	42.37	34.5	6.96	37.2	164	320	P	V
			5886.6	36.17	-32.03	68.2	31.98	34.42	6.95	37.18	164	320	A	V
	*		6425	107.96	-	-	102.79	34.95	7.35	37.13	164	320	P	V
	*		6425	99.82	-	-	94.65	34.95	7.35	37.13	164	320	A	V
													V	
													V	
802.11be EHT320 OFDMA RU242*16 CH 191 6905MHz	*	6905	100.09	-	-	93.99	35.89	7.47	37.26	200	14	P	H	
	*	6905	91.5	-	-	85.4	35.89	7.47	37.26	200	14	A	H	
			7205.53	69.07	-19.13	88.2	61.79	36.91	7.66	37.29	200	14	P	H
			7211.14	53.98	-14.22	68.2	46.68	36.92	7.67	37.29	200	14	A	H
														H
														H
	*		6905	109.17	-	-	103.07	35.89	7.47	37.26	191	315	P	V
	*		6905	100.41	-	-	94.31	35.89	7.47	37.26	191	315	A	V
			7205.2	77.84	-10.36	88.2	70.56	36.91	7.66	37.29	191	315	P	V
			7186.72	61.32	-6.88	68.2	54.11	36.85	7.65	37.29	191	315	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Straddle Channel

WIFI 802.11be EHT320 Test 40MHz Channel Puncture Location 1 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Test 40MHz Channel Puncture Location 1 CH 191 6905MHz	*	6905	104.38	-	-	98.28	35.89	7.47	37.26	201	359	P	H	
	*	6905	95.76	-	-	89.66	35.89	7.47	37.26	201	359	A	H	
		7199.26	59.18	-29.02	88.2	51.91	36.9	7.66	37.29	201	359	P	H	
		7140.19	45.93	-22.27	68.2	38.96	36.64	7.62	37.29	201	359	A	H	
													H	
														H
	*	6905	112.27	-	-	106.17	35.89	7.47	37.26	201	318	P	V	
	*	6905	102.09	-	-	95.99	35.89	7.47	37.26	201	318	A	V	
		7187.38	68.71	-19.49	88.2	61.5	36.85	7.65	37.29	201	318	P	V	
		7125.67	55.81	-12.39	68.2	48.94	36.55	7.61	37.29	201	318	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Straddle Channel

WIFI 802.11be EHT320 Test 80MHz Channel Puncture Location 1 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Test 80MHz Channel Puncture Location 1 CH 191 6905MHz	*	6905	104.47	-	-	98.37	35.89	7.47	37.26	192	359	P	H	
	*	6905	96.03	-	-	89.93	35.89	7.47	37.26	192	359	A	H	
		7140.19	58.94	-29.26	88.2	51.97	36.64	7.62	37.29	192	359	P	H	
		7140.52	45.22	-22.98	68.2	38.25	36.64	7.62	37.29	192	359	A	H	
													H	
														H
	*	6905	108.61	-	-	102.51	35.89	7.47	37.26	192	359	P	V	
	*	6905	100.06	-	-	93.96	35.89	7.47	37.26	192	359	A	V	
		7143.49	65.69	-22.51	88.2	58.7	36.66	7.62	37.29	192	359	P	V	
		7125.01	54.13	-14.07	68.2	47.26	36.55	7.61	37.29	192	359	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Straddle Channel

WIFI 802.11be EHT320 Test 80+40MHz Channel Puncture Location 7 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Test 80+40MHz Channel Puncture Location 7 CH 191 6905MHz	*	6905	103.52	-	-	97.42	35.89	7.47	37.26	205	14	P	H
	*	6905	94.57	-	-	88.47	35.89	7.47	37.26	205	14	A	H
		7144.81	61.41	-26.79	88.2	54.41	36.67	7.62	37.29	205	14	P	H
		7125.34	50.61	-17.59	68.2	43.74	36.55	7.61	37.29	205	14	A	H
													H
													H
	*	6905	112.24	-	-	106.14	35.89	7.47	37.26	188	317	P	V
	*	6905	103.02	-	-	96.92	35.89	7.47	37.26	188	317	A	V
		7125.01	67.02	-21.18	88.2	60.15	36.55	7.61	37.29	188	317	P	V
		7126	56.51	-11.69	68.2	49.63	36.56	7.61	37.29	188	317	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Emission below 1GHz
WIFI 802.11be EHT20 (LF @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.		
5+6+7+8		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11be EHT20 LF		31.08	23.62	-16.38	40	30.54	24.58	0.83	32.33	-	-	P	H	
		131.52	20.74	-22.76	43.5	34	17.68	1.3	32.24	-	-	P	H	
		260.04	19.84	-26.16	46	30.21	20.03	1.73	32.13	-	-	P	H	
		514.2	24.45	-21.55	46	30.23	24.12	2.29	32.19	-	-	P	H	
		708.1	39.13	-6.87	46	41.91	26.69	2.66	32.13	-	-	P	H	
		969.2	33.4	-20.6	54	30	31.1	3.12	30.82	-	-	P	H	
														H
														H
														H
														H
														H
														H
			30.81	22.77	-17.23	40	29.57	24.69	0.83	32.32	-	-	P	V
			137.73	17.89	-25.61	43.5	31.03	17.78	1.31	32.23	-	-	P	V
			259.77	19.97	-26.03	46	30.38	19.99	1.73	32.13	-	-	P	V
			577.9	26.71	-19.29	46	30.74	26.02	2.17	32.22	-	-	P	V
			708.1	39.06	-6.94	46	41.84	26.69	2.66	32.13	-	-	P	V
			973.4	33.57	-20.43	54	30.18	31.05	3.12	30.78	-	-	P	V
														V
														V
													V	
													V	
													V	
													V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against limit line. The emission position marked as "-" means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only. 													



N_{SS}=4

Band 5 5925~6425MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT20 Full CH 33 6115MHz		5917.1	48.24	-39.96	88.2	43.98	34.5	6.96	37.2	279	96	P	H	
		5881.1	37.35	-30.85	68.2	33.18	34.39	6.95	37.17	279	96	A	H	
	*	6115	100.14	-	-	95.95	34.23	7.19	37.23	279	96	P	H	
	*	6115	90.07	-	-	85.88	34.23	7.19	37.23	279	96	A	H	
													H	
													H	
			5850.2	46.68	-41.52	88.2	42.69	34.2	6.94	37.15	194	162	P	V
			5887.1	37.17	-31.03	68.2	32.98	34.42	6.95	37.18	194	162	A	V
	*		6115	105.21	-	-	101.02	34.23	7.19	37.23	194	162	P	V
	*		6115	96.23	-	-	92.04	34.23	7.19	37.23	194	162	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT20 OFDMA RU52*4 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT20 OFDMA RU52*4 CH 33 6115MHz		5897.9	47.89	-40.31	88.2	43.64	34.49	6.95	37.19	195	349	P	H	
		5888.3	37.16	-31.04	68.2	32.96	34.43	6.95	37.18	195	349	A	H	
	*	6115	101.96	-	-	97.77	34.23	7.19	37.23	195	349	P	H	
	*	6115	94.27	-	-	90.08	34.23	7.19	37.23	195	349	A	H	
													H	
														H
			5894.6	46.27	-41.93	88.2	42.04	34.47	6.95	37.19	224	101	P	V
			5880.2	37.13	-31.07	68.2	32.97	34.38	6.95	37.17	224	101	A	V
	*		6115	109.89	-	-	105.7	34.23	7.19	37.23	224	101	P	V
	*		6115	102.19	-	-	98	34.23	7.19	37.23	224	101	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz
WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT40 Full CH 35 6125MHz		5923.89	46.49	-41.71	88.2	42.24	34.5	6.96	37.21	100	156	P	H	
		5893.82	37.11	-31.09	68.2	32.89	34.46	6.95	37.19	100	156	A	H	
	*	6125	98.87	-	-	94.65	34.25	7.2	37.23	100	156	P	H	
	*	6125	89.29	-	-	85.07	34.25	7.2	37.23	100	156	A	H	
													H	
														H
			5864.37	47.81	-40.39	88.2	43.74	34.29	6.94	37.16	185	102	P	V
			5889.79	37.14	-31.06	68.2	32.93	34.44	6.95	37.18	185	102	A	V
	*		6125	107.28	-	-	103.06	34.25	7.2	37.23	185	102	P	V
	*		6125	96.24	-	-	92.02	34.25	7.2	37.23	185	102	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT40 OFDMA RU52*8 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT40 OFDMA RU52*8 CH 35 6125MHz		5902.81	45.59	-42.61	88.2	41.32	34.5	6.96	37.19	100	153	P	H	
		5886.69	37.14	-31.06	68.2	32.95	34.42	6.95	37.18	100	153	A	H	
	*	6125	98.75	-	-	94.53	34.25	7.2	37.23	100	153	P	H	
	*	6125	90.92	-	-	86.7	34.25	7.2	37.23	100	153	A	H	
													H	
														H
			5887.31	46.58	-41.62	88.2	42.39	34.42	6.95	37.18	175	99	P	V
			5888.86	37.09	-31.11	68.2	32.89	34.43	6.95	37.18	175	99	A	V
	*		6125	106.37	-	-	102.15	34.25	7.2	37.23	175	99	P	V
	*		6125	98.13	-	-	93.91	34.25	7.2	37.23	175	99	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT80 Full CH 39 6145MHz		5887.8	48.02	-40.18	88.2	43.82	34.43	6.95	37.18	218	350	P	H	
		5884.8	37.33	-30.87	68.2	33.15	34.41	6.95	37.18	218	350	A	H	
	*	6145	100.14	-	-	95.83	34.29	7.24	37.22	218	350	P	H	
	*	6145	90.28	-	-	85.97	34.29	7.24	37.22	218	350	A	H	
													H	
														H
			5908.5	47.12	-41.08	88.2	42.86	34.5	6.96	37.2	200	162	P	V
			5886	37.43	-30.77	68.2	33.24	34.42	6.95	37.18	200	162	A	V
		*	6145	105.44	-	-	101.13	34.29	7.24	37.22	200	162	P	V
		*	6145	95.95	-	-	91.64	34.29	7.24	37.22	200	162	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT80 OFDMA RU52*16 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT80 OFDMA RU52*16 CH 39 6145MHz		5899.2	45.86	-42.34	88.2	41.6	34.5	6.95	37.19	163	11	P	H	
		5922.9	37.62	-30.58	68.2	33.37	34.5	6.96	37.21	163	11	A	H	
	*	6145	99.88	-	-	95.57	34.29	7.24	37.22	163	11	P	H	
	*	6145	92.97	-	-	88.66	34.29	7.24	37.22	163	11	A	H	
													H	
														H
			5888.4	45.9	-42.3	88.2	41.7	34.43	6.95	37.18	228	185	P	V
			5885.7	37.44	-30.76	68.2	33.26	34.41	6.95	37.18	228	185	A	V
	*		6145	106.03	-	-	101.72	34.29	7.24	37.22	228	185	P	V
	*		6145	99.05	-	-	94.74	34.29	7.24	37.22	228	185	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT80 Test 20MHz Channel Puncture Location 4 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT80 Test 80MHz Channel Puncture Location 4 CH 39 6145MHz		5895.9	45.85	-42.35	88.2	41.61	34.48	6.95	37.19	143	67	P	H	
		5877.3	35.82	-32.38	68.2	31.68	34.36	6.95	37.17	143	67	A	H	
	*	6145	100.41	-	-	96.1	34.29	7.24	37.22	143	67	P	H	
	*	6145	91.76	-	-	87.45	34.29	7.24	37.22	143	67	A	H	
													H	
														H
			5873.1	46.4	-41.8	88.2	42.28	34.34	6.95	37.17	203	187	P	V
			5885.1	35.84	-32.36	68.2	31.66	34.41	6.95	37.18	203	187	A	V
	*	6145	106.13	-	-	101.82	34.29	7.24	37.22	203	187	P	V	
	*	6145	96.94	-	-	92.63	34.29	7.24	37.22	203	187	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



**Band 5 5925~6425MHz
WIFI 802.11be EHT160 Full (Band Edge @ 3m)**

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT160 Full CH 47 6185MHz		5882.02	47.6	-40.6	88.2	43.44	34.39	6.95	37.18	230	352	P	H	
		5884.54	37.43	-30.77	68.2	33.25	34.41	6.95	37.18	230	352	A	H	
	*	6185	100.14	-	-	95.75	34.3	7.3	37.21	230	352	P	H	
	*	6185	90.98	-	-	86.59	34.3	7.3	37.21	230	352	A	H	
													H	
														H
			5802.64	48.1	-40.1	88.2	44.28	34.01	6.92	37.11	210	181	P	V
			5880.34	37.46	-30.74	68.2	33.3	34.38	6.95	37.17	210	181	A	V
		*	6185	107.56	-	-	103.17	34.3	7.3	37.21	210	181	P	V
		*	6185	96.29	-	-	91.9	34.3	7.3	37.21	210	181	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 47 6185MHz		12370	53.67	-20.33	74	59.55	39.04	11.22	56.14	357	166	P	H
		12370	49.8	-4.2	54	55.68	39.04	11.22	56.14	357	166	A	H
		18555	36.29	-37.71	74	57.36	38.11	-3.51	55.67	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
		12370	53.27	-20.73	74	59.15	39.04	11.22	56.14	393	87	P	V
		12370	49.48	-4.52	54	55.36	39.04	11.22	56.14	393	87	A	V
		18555	35.31	-38.69	74	56.38	38.11	-3.51	55.67	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dB μ V/m)	Margin (dB)	Limit Line (dB μ V/m)	Read Level (dB μ V)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT160 Full CH 79 6345MHz		12690	51.44	-22.56	74	56.79	39.58	11.52	56.45	207	145	P	H	
		12690	46.32	-7.68	54	51.67	39.58	11.52	56.45	207	145	A	H	
		19035	37.05	-36.95	74	57.63	38.24	-3.43	55.39	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			12690	46.78	-27.22	74	52.13	39.58	11.52	56.45	-	-	P	V
			19035	37.19	-36.81	74	57.77	38.24	-3.43	55.39	-	-	A	V
														V
														V
														V
														V
														V
														V
													V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 													



Band 5 5925~6425MHz

WIFI 802.11be EHT160 OFDMA RU106*16 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT160 OFDMA RU106*16 CH 47 6185MHz		5839.18	47.13	-41.07	88.2	43.18	34.16	6.93	37.14	185	83	P	H	
		5889.16	35.87	-32.33	68.2	31.67	34.43	6.95	37.18	185	83	A	H	
	*	6185	103.45	-	-	99.06	34.3	7.3	37.21	185	83	P	H	
	*	6185	95.28	-	-	90.89	34.3	7.3	37.21	185	83	A	H	
													H	
														H
			5886.64	46.78	-41.42	88.2	42.59	34.42	6.95	37.18	230	101	P	V
			5922.76	35.94	-32.26	68.2	31.69	34.5	6.96	37.21	230	101	A	V
	*		6185	109.73	-	-	105.34	34.3	7.3	37.21	230	101	P	V
	*		6185	101.05	-	-	96.66	34.3	7.3	37.21	230	101	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT160 Test 20MHz Channel Puncture Location 8 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT160 Test 20MHz Channel Puncture Location 8 CH 47 6185MHz		5839.6	46.22	-41.98	88.2	42.27	34.16	6.93	37.14	162	66	P	H	
		5876.14	35.94	-32.26	68.2	31.8	34.36	6.95	37.17	162	66	A	H	
	*	6185	99.39	-	-	95	34.3	7.3	37.21	162	66	P	H	
	*	6185	90.52	-	-	86.13	34.3	7.3	37.21	162	66	A	H	
													H	
														H
			5916.04	46.57	-41.63	88.2	42.31	34.5	6.96	37.2	207	183	P	V
			5880.34	36.18	-32.02	68.2	32.02	34.38	6.95	37.17	207	183	A	V
	*	6185	105.95	-	-	101.56	34.3	7.3	37.21	207	183	P	V	
	*	6185	97.29	-	-	92.9	34.3	7.3	37.21	207	183	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT160 Test 40MHz Channel Puncture Location 4 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT160 Test 40MHz Channel Puncture Location 4 CH 47 6185MHz		5884.12	46.78	-41.42	88.2	42.61	34.4	6.95	37.18	149	66	P	H	
		5884.12	36	-32.2	68.2	31.83	34.4	6.95	37.18	149	66	A	H	
	*	6185	101	-	-	96.61	34.3	7.3	37.21	149	66	P	H	
	*	6185	91.49	-	-	87.1	34.3	7.3	37.21	149	66	A	H	
													H	
														H
			5878.24	46.64	-41.56	88.2	42.49	34.37	6.95	37.17	205	183	P	V
			5890.42	35.96	-32.24	68.2	31.75	34.44	6.95	37.18	205	183	A	V
	*	6185	107	-	-	102.61	34.3	7.3	37.21	205	183	P	V	
	*	6185	97.47	-	-	93.08	34.3	7.3	37.21	205	183	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz
WIFI 802.11be EHT320 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Full CH 63 6265MHz		5898.19	47.61	-40.59	88.2	43.36	34.49	6.95	37.19	208	222	P	H	
		5875.65	37.5	-30.7	68.2	33.37	34.35	6.95	37.17	208	222	A	H	
	*	6265	101.21	-	-	96.66	34.4	7.34	37.19	208	222	P	H	
	*	6265	91.27	-	-	86.72	34.4	7.34	37.19	208	222	A	H	
													H	
														H
			5892.31	49.59	-38.61	88.2	45.37	34.45	6.95	37.18	193	162	P	V
			5888.88	39.02	-29.18	68.2	34.82	34.43	6.95	37.18	193	162	A	V
		*	6265	104.73	-	-	100.18	34.4	7.34	37.19	193	162	P	V
		*	6265	95.36	-	-	90.81	34.4	7.34	37.19	193	162	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT320 Full (Harmonic @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Full CH 63 6265MHz		12530	53.63	-20.37	74	59.32	39.2	11.37	56.26	181	107	P	H	
		12530	50.28	-3.72	54	55.97	39.2	11.37	56.26	181	107	A	H	
		18795	37.46	-36.54	74	57.87	38.58	-3.47	55.52	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			12530	55.95	-18.05	74	61.64	39.2	11.37	56.26	400	88	P	V
			12530	53.22	-0.78	54	58.91	39.2	11.37	56.26	400	88	A	V
			18795	37.06	-36.94	74	57.47	38.58	-3.47	55.52	-	-	P	V
														V
														V
														V
														V
													V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 													



Band 5 5925~6425MHz

WIFI 802.11be EHT320 Test 40MHz Channel Puncture Location 8 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Test 40MHz Channel Puncture Location 8 CH 63 6265MHz		5787.45	46.74	-41.46	88.2	42.98	33.95	6.91	37.1	187	349	P	H	
		5880.06	36.18	-32.02	68.2	32.02	34.38	6.95	37.17	187	349	A	H	
	*	6265	98.79	-	-	94.24	34.4	7.34	37.19	187	349	P	H	
	*	6265	90.86	-	-	86.31	34.4	7.34	37.19	187	349	A	H	
													H	
														H
			5871.24	47.19	-41.01	88.2	43.09	34.33	6.94	37.17	206	184	P	V
			5924.65	37.26	-30.94	68.2	33.01	34.5	6.96	37.21	206	184	A	V
	*	6265	103.89	-	-	99.34	34.4	7.34	37.19	206	184	P	V	
	*	6265	95.2	-	-	90.65	34.4	7.34	37.19	206	184	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT320 Test 80MHz Channel Puncture Location 4 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Test 80MHz Channel Puncture Location 4 CH 63 6265MHz		5892.31	47.4	-40.8	88.2	43.18	34.45	6.95	37.18	187	348	P	H	
		5888.39	36.15	-32.05	68.2	31.95	34.43	6.95	37.18	187	348	A	H	
	*	6265	100.9	-	-	96.35	34.4	7.34	37.19	187	348	P	H	
	*	6265	90.73	-	-	86.18	34.4	7.34	37.19	187	348	A	H	
													H	
														H
			5893.78	46.56	-41.64	88.2	42.34	34.46	6.95	37.19	212	183	P	V
			5923.18	36.58	-31.62	68.2	32.33	34.5	6.96	37.21	212	183	A	V
	*	6265	105.9	-	-	101.35	34.4	7.34	37.19	212	183	P	V	
	*	6265	96.24	-	-	91.69	34.4	7.34	37.19	212	183	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT320 Test 80+40MHz Channel Puncture Location 6 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Test 80+40MHz Channel Puncture Location 6 CH 63 6265MHz		5895.74	46.31	-41.89	88.2	42.08	34.47	6.95	37.19	179	348	P	H	
		5877.12	36.12	-32.08	68.2	31.98	34.36	6.95	37.17	179	348	A	H	
	*	6265	100.51	-	-	95.96	34.4	7.34	37.19	179	348	P	H	
	*	6265	91.41	-	-	86.86	34.4	7.34	37.19	179	348	A	H	
													H	
														H
			5845.27	46.44	-41.76	88.2	42.47	34.18	6.94	37.15	206	182	P	V
			5843.31	36.15	-32.05	68.2	32.18	34.17	6.94	37.14	206	182	A	V
	*		6265	106.76	-	-	102.21	34.4	7.34	37.19	206	182	P	V
	*		6265	96.89	-	-	92.34	34.4	7.34	37.19	206	182	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 6 - 6425~6525MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT160 Full CH 111 6505MHz		13010	54.19	-34.01	88.2	59.25	39.96	11.81	56.83	100	184	P	H	
		13010	49.55	-18.65	68.2	54.61	39.96	11.81	56.83	100	184	A	H	
		19515	36.33	-37.67	74	56.78	37.98	-3.24	55.19	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			13010	52.37	-35.83	88.2	57.43	39.96	11.81	56.83	210	88	P	V
			13010	48.67	-19.53	68.2	53.73	39.96	11.81	56.83	210	88	A	V
			19515	36.07	-37.93	74	56.52	37.98	-3.24	55.19	-	-	P	V
														V
														V
														V
														V
														V
														V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 													



Band 7 - 6525~6875MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11be EHT160 Full CH 143 6665MHz		13330	52.06	-21.94	74	56.83	40.16	12.01	56.94	100	187	P	H	
		13330	49.57	-4.43	54	54.34	40.16	12.01	56.94	100	187	A	H	
		19995	37.41	-36.59	74	58.15	37.62	-3.36	55	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			13330	52.33	-21.67	74	57.1	40.16	12.01	56.94	198	93	P	V
			13330	48.51	-5.49	54	53.28	40.16	12.01	56.94	198	93	A	V
			19995	35.27	-38.73	74	56.01	37.62	-3.36	55	-	-	P	V
														V
														V
														V
														V
														V
													V	



WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160		13650	56.55	-31.65	88.2	60.87	40.6	12.21	57.13	206	229	P	H
		13650	52.86	-15.34	68.2	57.18	40.6	12.21	57.13	206	229	A	H
		20475	37.58	-36.42	74	57.96	37.9	-3.28	55	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
	Full CH 175 6825MHz		13650	59.1	-29.1	88.2	63.42	40.6	12.21	57.13	226	97	P
		13650	56.56	-11.64	68.2	60.88	40.6	12.21	57.13	226	97	A	V
		20475	36.44	-37.56	74	56.82	37.9	-3.28	55	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 229 7095MHz	*	7095	100.68	-	-	94	36.38	7.59	37.29	196	16	P	H
	*	7095	91.12	-	-	84.44	36.38	7.59	37.29	196	16	A	H
		7161.48	51.04	-37.16	88.2	43.95	36.75	7.63	37.29	196	16	P	H
		7242.6	40.62	-27.58	68.2	33.23	36.99	7.69	37.29	196	16	A	H
													H
													H
	*	7095	106.24	-	-	99.56	36.38	7.59	37.29	162	314	P	V
	*	7095	97.02	-	-	90.34	36.38	7.59	37.29	162	314	A	V
		7135.88	56.95	-31.25	88.2	50	36.62	7.62	37.29	162	314	P	V
		7240.36	41.44	-26.76	68.2	34.07	36.98	7.68	37.29	162	314	A	V
												V	
												V	
802.11be EHT20 Full CH 233 7115MHz	*	7115	97.67	-	-	90.87	36.49	7.6	37.29	203	37	P	H
	*	7115	88.91	-	-	82.11	36.49	7.6	37.29	203	37	A	H
		7125.02	71.5	-16.7	88.2	64.63	36.55	7.61	37.29	203	37	P	H
		7125.02	61.2	-7	68.2	54.33	36.55	7.61	37.29	203	37	A	H
													H
													H
	*	7115	105.2	-	-	98.4	36.49	7.6	37.29	216	324	P	V
	*	7115	95.72	-	-	88.92	36.49	7.6	37.29	216	324	A	V
		7125.02	78.73	-9.47	88.2	71.86	36.55	7.61	37.29	216	324	P	V
		7125.02	67.58	-0.62	68.2	60.71	36.55	7.61	37.29	216	324	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT20 OFDMA RU52*4 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT20 OFDMA RU52*4 CH 229 7095MHz	*	7095	104.13	-	-	97.45	36.38	7.59	37.29	338	148	P	H	
	*	7095	95.75	-	-	89.07	36.38	7.59	37.29	338	148	A	H	
		7224.52	50.06	-38.14	88.2	42.73	36.95	7.67	37.29	338	148	P	H	
		7241.32	40.37	-27.83	68.2	33	36.98	7.68	37.29	338	148	A	H	
													H	
														H
	*	7095	108.95	-	-	102.27	36.38	7.59	37.29	156	50	P	V	
	*	7095	102.06	-	-	95.38	36.38	7.59	37.29	156	50	A	V	
		7226.12	51.09	-37.11	88.2	43.75	36.95	7.68	37.29	156	50	P	V	
		7142.76	40.86	-27.34	68.2	33.87	36.66	7.62	37.29	156	50	A	V	
													V	
													V	
802.11be EHT20 OFDMA RU52*4 CH 233 7115MHz	*	7115	99.88	-	-	93.08	36.49	7.6	37.29	343	150	P	H	
	*	7115	92.15	-	-	85.35	36.49	7.6	37.29	343	150	A	H	
		7125	70.06	-18.14	88.2	63.19	36.55	7.61	37.29	343	150	P	H	
		7125	59.38	-8.82	68.2	52.51	36.55	7.61	37.29	343	150	A	H	
													H	
													H	
	*	7115	107.41	-	-	100.61	36.49	7.6	37.29	156	48	P	V	
	*	7115	97.94	-	-	91.14	36.49	7.6	37.29	156	48	A	V	
		7125	78.33	-9.87	88.2	71.46	36.55	7.61	37.29	156	48	P	V	
		7125	66.6	-1.6	68.2	59.73	36.55	7.61	37.29	156	48	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 8 - 6875~7125MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 227 7085MHz	*	7085	99.04	-	-	92.4	36.34	7.59	37.29	199	15	P	H
	*	7085	90.33	-	-	83.69	36.34	7.59	37.29	199	15	A	H
		7134.48	52.25	-35.95	88.2	45.31	36.61	7.62	37.29	199	15	P	H
		7126.56	41.28	-26.92	68.2	34.4	36.56	7.61	37.29	199	15	A	H
													H
													H
	*	7085	105.2	-	-	98.56	36.34	7.59	37.29	180	318	P	V
	*	7085	96.78	-	-	90.14	36.34	7.59	37.29	180	318	A	V
		7126.56	60.4	-27.8	88.2	53.52	36.56	7.61	37.29	180	318	P	V
		7125.48	42.61	-25.59	68.2	35.74	36.55	7.61	37.29	180	318	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT40 OFDMA RU52*16 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 OFDMA RU52*16 CH 227 7085MHz	*	7085	100.43	-	-	93.79	36.34	7.59	37.29	203	22	P	H
	*	7085	88.93	-	-	82.29	36.34	7.59	37.29	203	22	A	H
		7126.56	59.68	-28.52	88.2	52.8	36.56	7.61	37.29	203	22	P	H
		7125.66	43.45	-24.75	68.2	36.58	36.55	7.61	37.29	203	22	A	H
													H
													H
	*	7085	104.11	-	-	97.47	36.34	7.59	37.29	187	317	P	V
	*	7085	94.9	-	-	88.26	36.34	7.59	37.29	187	317	A	V
		7125	64.56	-23.64	88.2	57.69	36.55	7.61	37.29	187	317	P	V
		7126.2	46.74	-21.46	68.2	39.86	36.56	7.61	37.29	187	317	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT80 Full CH 215 7025MHz	*	7025	102.16	-	-	95.85	36.05	7.55	37.29	301	315	P	H	
	*	7025	90.98	-	-	84.67	36.05	7.55	37.29	301	315	A	H	
		7139.08	50.49	-37.71	88.2	43.53	36.63	7.62	37.29	301	315	P	H	
		7143.88	41.01	-27.19	68.2	34.02	36.66	7.62	37.29	301	315	A	H	
													H	
														H
	*	7025	106.48	-	-	100.17	36.05	7.55	37.29	186	316	P	V	
	*	7025	97.37	-	-	91.06	36.05	7.55	37.29	186	316	A	V	
		7125.96	51.6	-36.6	88.2	44.72	36.56	7.61	37.29	186	316	P	V	
		7142.44	42.82	-25.38	68.2	35.84	36.65	7.62	37.29	186	316	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 8 - 6875~7125MHz

WIFI 802.11be EHT80 OFDMA RU52*16 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT80 OFDMA RU52*16 CH 215 7025MHz	*	7025	100.01	-	-	93.7	36.05	7.55	37.29	300	316	P	H	
	*	7025	93.26	-	-	86.95	36.05	7.55	37.29	300	316	A	H	
		7129.48	55.5	-32.7	88.2	48.6	36.58	7.61	37.29	300	316	P	H	
		7130.92	43.75	-24.45	68.2	36.83	36.59	7.62	37.29	300	316	A	H	
													H	
														H
	*	7025	105.92	-	-	99.61	36.05	7.55	37.29	216	271	P	V	
	*	7025	99.27	-	-	92.96	36.05	7.55	37.29	216	271	A	V	
		7126.76	68.23	-19.97	88.2	61.35	36.56	7.61	37.29	216	271	P	V	
		7127.08	55.17	-13.03	68.2	48.29	36.56	7.61	37.29	216	271	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 8 - 6875~7125MHz

WIFI 802.11be EHT80 Test 20MHz Channel Puncture Location 1 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Test 20MHz Channel Puncture Location 1 CH 215 7025MHz	*	7025	101.94	-	-	95.63	36.05	7.55	37.29	197	14	P	H
	*	7025	91.81	-	-	85.5	36.05	7.55	37.29	197	14	A	H
		7132.36	55	-33.2	88.2	48.08	36.59	7.62	37.29	197	14	P	H
		7125	40.02	-28.18	68.2	33.15	36.55	7.61	37.29	197	14	A	H
													H
													H
	*	7025	106.76	-	-	100.45	36.05	7.55	37.29	160	231	P	V
	*	7025	97.76	-	-	91.45	36.05	7.55	37.29	160	231	A	V
		7127.24	59.07	-29.13	88.2	52.19	36.56	7.61	37.29	160	231	P	V
		7127.4	42.41	-25.79	68.2	35.53	36.56	7.61	37.29	160	231	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT160 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT160 Full CH 207 6985MHz	*	6985	99.78	-	-	93.67	35.87	7.52	37.28	196	37	P	H	
	*	6985	90.07	-	-	83.96	35.87	7.52	37.28	196	37	A	H	
		7134.44	63.31	-24.89	88.2	56.37	36.61	7.62	37.29	196	37	P	H	
		7133.16	46.04	-22.16	68.2	39.11	36.6	7.62	37.29	196	37	A	H	
													H	
														H
	*	6985	106.86	-	-	100.75	35.87	7.52	37.28	193	315	P	V	
	*	6985	97.47	-	-	91.36	35.87	7.52	37.28	193	315	A	V	
		7144.68	71.46	-16.74	88.2	64.46	36.67	7.62	37.29	193	315	P	V	
		7145.64	52.03	-16.17	68.2	45.03	36.67	7.62	37.29	193	315	A	V	
														V
														V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 8 - 6875~7125MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT160 Full CH 207 6985MHz		9314	56.63	-17.37	74	63.94	38.23	11.06	56.6	293	130	P	H	
		9314	53.26	-0.74	54	60.57	38.23	11.06	56.6	293	130	A	H	
		13970	58.54	-29.66	88.2	62.79	40.74	12.41	57.4	198	110	P	H	
		13970	56.27	-11.93	68.2	60.52	40.74	12.41	57.4	198	110	A	H	
		20955	36.89	-37.11	74	57.52	37.44	-3.16	54.91	-	-	P	H	
														H
														H
														H
														H
														H
														H
														H
			9314	53.86	-20.14	74	61.17	38.23	11.06	56.6	400	271	P	V
			9314	48.32	-5.68	54	55.63	38.23	11.06	56.6	400	271	A	V
			13970	58.64	-29.56	88.2	62.89	40.74	12.41	57.4	393	97	P	V
			13970	56.31	-11.89	68.2	60.56	40.74	12.41	57.4	393	97	A	V
			20955	36.42	-37.58	74	57.05	37.44	-3.16	54.91	-	-	P	V
														V
														V
														V
													V	
													V	
													V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 													



Band 8 - 6875~7125MHz

WIFI 802.11be EHT160 OFDMA RU106*16 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 OFDMA RU106*16 CH 207 6985MHz	*	6985	101.49	-	-	95.38	35.87	7.52	37.28	201	13	P	H
	*	6985	93.2	-	-	87.09	35.87	7.52	37.28	201	13	A	H
		7125.8	67.49	-20.71	88.2	60.62	36.55	7.61	37.29	201	13	P	H
		7125.16	45.76	-22.44	68.2	38.89	36.55	7.61	37.29	201	13	A	H
													H
													H
	*	6985	108.96	-	-	102.85	35.87	7.52	37.28	211	359	P	V
	*	6985	99.12	-	-	93.01	35.87	7.52	37.28	211	359	A	V
		7143.08	70.45	-17.75	88.2	63.46	36.66	7.62	37.29	211	359	P	V
		7143.4	52.18	-16.02	68.2	45.19	36.66	7.62	37.29	211	359	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT160 Test 20MHz Channel Puncture Location 1 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Test 20MHz Channel Puncture Location 1 CH 207 6985MHz	*	6985	100.14	-	-	94.03	35.87	7.52	37.28	205	14	P	H
	*	6985	90.1	-	-	83.99	35.87	7.52	37.28	205	14	A	H
		7144.68	61.65	-26.55	88.2	54.65	36.67	7.62	37.29	205	14	P	H
		7125.16	45.12	-23.08	68.2	38.25	36.55	7.61	37.29	205	14	A	H
													H
													H
	*	6985	105.09	-	-	98.98	35.87	7.52	37.28	152	231	P	V
	*	6985	96.68	-	-	90.57	35.87	7.52	37.28	152	231	A	V
		7126.76	69.88	-18.32	88.2	63	36.56	7.61	37.29	152	231	P	V
		7126.12	50.25	-17.95	68.2	43.37	36.56	7.61	37.29	152	231	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT160 Test 40MHz Channel Puncture Location 1 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Test 40MHz Channel Puncture Location 1 CH 207 6985MHz	*	6985	100.16	-	-	94.05	35.87	7.52	37.28	194	34	P	H
	*	6985	90.49	-	-	84.38	35.87	7.52	37.28	194	34	A	H
		7135.72	58.58	-29.62	88.2	51.64	36.61	7.62	37.29	194	34	P	H
		7125.8	42.3	-25.9	68.2	35.43	36.55	7.61	37.29	194	34	A	H
													H
													H
	*	6985	105.77	-	-	99.66	35.87	7.52	37.28	164	231	P	V
	*	6985	97.01	-	-	90.9	35.87	7.52	37.28	164	231	A	V
		7127.72	64.45	-23.75	88.2	57.56	36.57	7.61	37.29	164	231	P	V
		7126.12	47.62	-20.58	68.2	40.74	36.56	7.61	37.29	164	231	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 6-8 - Straddle Channel

WIFI 802.11be EHT320 Full (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
5+6+7+8		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT320 Full CH 191 6905MHz	*	6905	99.45	-	-	93.35	35.89	7.47	37.26	306	313	P	H
	*	6905	90.07	-	-	83.97	35.89	7.47	37.26	306	313	A	H
		7209.925	71.59	-16.61	88.2	64.29	36.92	7.67	37.29	306	313	P	H
		7291.695	61.53	-12.47	74	54.09	37	7.72	37.28	306	313	P	H
		7190.035	52.18	-16.02	68.2	44.96	36.86	7.65	37.29	306	313	A	H
		7290.59	45.41	-8.59	54	37.98	37	7.71	37.28	306	313	A	H
	*	6905	105.24	-	-	99.14	35.89	7.47	37.26	201	322	P	V
	*	6905	96.24	-	-	90.14	35.89	7.47	37.26	201	322	A	V
		7202.19	78.93	-9.27	88.2	71.66	36.9	7.66	37.29	201	322	P	V
		7292.8	70.05	-3.95	74	62.61	37	7.72	37.28	201	322	P	V
		7206.61	57.52	-10.68	68.2	50.24	36.91	7.66	37.29	201	322	A	V
		7292.8	51.13	-2.87	54	43.69	37	7.72	37.28	201	322	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Straddle Channel

WIFI 802.11be EHT320 Full (Harmonic @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Full CH 95 6425MHz		12850	53.56	-34.64	88.2	58.64	39.9	11.67	56.65	101	182	P	H	
		12850	49.11	-19.09	68.2	54.19	39.9	11.67	56.65	101	182	A	H	
		19275	35.69	-38.31	74	56.36	37.95	-3.33	55.29	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			12850	53.18	-35.02	88.2	58.26	39.9	11.67	56.65	246	96	P	V
			12850	49.83	-18.37	68.2	54.91	39.9	11.67	56.65	246	96	A	V
			19275	36.97	-37.03	74	57.64	37.95	-3.33	55.29	-	-	P	V
														V
														V
													V	
													V	
													V	
													V	
													V	
													V	



WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Full CH 159 6745MHz		13490	53.97	-34.23	88.2	58.36	40.5	12.11	57	298	129	P	H	
		13490	50.92	-17.28	68.2	55.31	40.5	12.11	57	298	129	A	H	
		20235	37.52	-36.48	74	57.88	37.96	-3.32	55	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			13490	57.37	-30.83	88.2	61.76	40.5	12.11	57	192	96	P	V
			13490	55.09	-13.11	68.2	59.48	40.5	12.11	57	192	96	A	V
			20235	36.23	-37.77	74	56.59	37.96	-3.32	55	-	-	P	V
														V
														V
														V
														V
													V	
													V	



WiFi Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Full CH 127 6585MHz		13170	55.61	-32.59	88.2	60.56	40.02	11.92	56.89	100	188	P	H	
		13170	52.11	-16.09	68.2	57.06	40.02	11.92	56.89	100	188	A	H	
		19755	36.63	-37.37	74	56.96	38.07	-3.3	55.1	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			13170	53.53	-34.67	88.2	58.48	40.02	11.92	56.89	210	236	P	V
			13170	49.88	-18.32	68.2	54.83	40.02	11.92	56.89	210	236	A	V
			19755	36.66	-37.34	74	56.99	38.07	-3.3	55.1	-	-	P	V
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	



WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Full CH 191 6905MHz		13810	55.56	-32.64	88.2	60.13	40.4	12.3	57.27	201	161	P	H	
		13810	53.2	-15	68.2	57.77	40.4	12.3	57.27	201	161	A	H	
		20715	36.28	-37.72	74	56.39	38.07	-3.22	54.96	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			13810	59.15	-29.05	88.2	63.72	40.4	12.3	57.27	195	85	P	V
			13810	57.38	-10.82	68.2	61.95	40.4	12.3	57.27	195	85	A	V
			20715	36.58	-37.42	74	56.69	38.07	-3.22	54.96	-	-	P	V
														V
														V
														V
														V
														V
														V
													V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 													



Straddle Channel

WIFI 802.11be EHT320 OFDMA RU242*16 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 OFDMA RU242*16 CH 95 6425MHz		5787.4	46.25	-41.95	88.2	42.49	33.95	6.91	37.1	160	119	P	H	
		5920.2	36.47	-31.73	68.2	32.22	34.5	6.96	37.21	160	119	A	H	
	*	6425	105.28	-	-	100.11	34.95	7.35	37.13	160	119	P	H	
	*	6425	95.87	-	-	90.7	34.95	7.35	37.13	160	119	A	H	
													H	
														H
			5921.8	46.08	-42.12	88.2	41.83	34.5	6.96	37.21	150	319	P	V
			5923.4	36.29	-31.91	68.2	32.04	34.5	6.96	37.21	150	319	A	V
	*		6425	109.12	-	-	103.95	34.95	7.35	37.13	150	319	P	V
	*		6425	100.22	-	-	95.05	34.95	7.35	37.13	150	319	A	V
													V	
													V	
802.11be EHT320 OFDMA RU242*16 CH 191 6905MHz	*	6905	102.15	-	-	96.05	35.89	7.47	37.26	200	360	P	H	
	*	6905	94.81	-	-	88.71	35.89	7.47	37.26	200	360	A	H	
			7180.78	63.8	-24.4	88.2	56.62	36.82	7.65	37.29	200	360	P	H
			7200.25	49.61	-18.59	68.2	42.34	36.9	7.66	37.29	200	360	A	H
														H
														H
	*		6905	110.03	-	-	103.93	35.89	7.47	37.26	212	318	P	V
	*		6905	101.16	-	-	95.06	35.89	7.47	37.26	212	318	A	V
			7185.4	77.68	-10.52	88.2	70.48	36.84	7.65	37.29	212	318	P	V
			7186.72	60.28	-7.92	68.2	53.07	36.85	7.65	37.29	212	318	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Straddle Channel

WIFI 802.11be EHT320 Test 40MHz Channel Puncture Location 1 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Test 40MHz Channel Puncture Location 1 CH 191 6905MHz	*	6905	99.75	-	-	93.65	35.89	7.47	37.26	293	318	P	H	
	*	6905	89.96	-	-	83.86	35.89	7.47	37.26	293	318	A	H	
		7189.69	67.91	-20.29	88.2	60.69	36.86	7.65	37.29	293	318	P	H	
		7188.7	52.49	-15.71	68.2	45.28	36.85	7.65	37.29	293	318	A	H	
													H	
														H
	*	6905	107.53	-	-	101.43	35.89	7.47	37.26	205	316	P	V	
	*	6905	97.71	-	-	91.61	35.89	7.47	37.26	205	316	A	V	
		7186.72	74.35	-13.85	88.2	67.14	36.85	7.65	37.29	205	316	P	V	
		7187.05	58.49	-9.71	68.2	51.28	36.85	7.65	37.29	205	316	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Straddle Channel

WIFI 802.11be EHT320 Test 80MHz Channel Puncture Location 1 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Test 80MHz Channel Puncture Location 1 CH 191 6905MHz	*	6905	100.69	-	-	94.59	35.89	7.47	37.26	300	317	P	H	
	*	6905	91.32	-	-	85.22	35.89	7.47	37.26	300	317	A	H	
		7130.62	60.61	-27.59	88.2	53.71	36.58	7.61	37.29	300	317	P	H	
		7128.64	48.34	-19.86	68.2	41.45	36.57	7.61	37.29	300	317	A	H	
													H	
														H
	*	6905	107	-	-	100.9	35.89	7.47	37.26	180	314	P	V	
	*	6905	97.41	-	-	91.31	35.89	7.47	37.26	180	314	A	V	
		7126.99	68.21	-19.99	88.2	61.33	36.56	7.61	37.29	180	314	P	V	
		7126.33	54.01	-14.19	68.2	47.13	36.56	7.61	37.29	180	314	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Straddle Channel

WIFI 802.11be EHT320 Test 80+40MHz Channel Puncture Location 7 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Test 80+40MHz Channel Puncture Location 7 CH 191 6905MHz	*	6905	101.8	-	-	95.7	35.89	7.47	37.26	302	316	P	H	
	*	6905	92.7	-	-	86.6	35.89	7.47	37.26	302	316	A	H	
		7190.68	63.68	-24.52	88.2	56.46	36.86	7.65	37.29	302	316	P	H	
		7189.03	48.37	-19.83	68.2	41.15	36.86	7.65	37.29	302	316	A	H	
													H	
														H
	*	6905	107.44	-	-	101.34	35.89	7.47	37.26	187	321	P	V	
	*	6905	98.42	-	-	92.32	35.89	7.47	37.26	187	321	A	V	
		7184.08	69.66	-18.54	88.2	62.46	36.84	7.65	37.29	187	321	P	V	
		7125.01	54.4	-13.8	68.2	47.53	36.55	7.61	37.29	187	321	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Emission below 1GHz
WIFI 802.11be EHT20 (LF @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.		
5+6+7+8		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11be EHT20 LF		30.81	22.65	-17.35	40	29.45	24.69	0.83	32.32	-	-	P	H	
		129.09	20.79	-22.71	43.5	34.06	17.67	1.31	32.25	-	-	P	H	
		247.89	19.85	-26.15	46	32.03	18.26	1.7	32.14	-	-	P	H	
		633.2	27.28	-18.72	46	30.63	26.51	2.36	32.22	-	-	P	H	
		704.6	38.09	-7.91	46	40.94	26.63	2.65	32.13	-	-	P	H	
		968.5	33.35	-20.65	54	29.96	31.11	3.11	30.83	-	-	P	H	
														H
														H
														H
														H
														H
														H
			30.27	23.52	-16.48	40	30.16	24.85	0.82	32.31	-	-	P	V
			128.82	18	-25.5	43.5	31.26	17.68	1.31	32.25	-	-	P	V
			296.76	20.01	-25.99	46	30.94	19.31	1.84	32.08	-	-	P	V
			619.2	26.69	-19.31	46	30.71	25.98	2.22	32.22	-	-	P	V
			710.2	36.67	-9.33	46	39.4	26.73	2.66	32.12	-	-	P	V
			965	33.98	-20.02	54	30.61	31.12	3.11	30.86	-	-	P	V
														V
														V
													V	
													V	
													V	
													V	

Remark

- No other spurious found.
- All results are PASS against limit line.
- The emission position marked as "-" means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only.



<TXBF Mode>

Band 5 - 5925~6425MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.	
5+6+7+8		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11be EHT20 Full CH 33 6115MHz		5879.9	46.21	-41.99	88.2	42.05	34.38	6.95	37.17	400	154	P	H	
		5922.5	36.39	-31.81	68.2	32.14	34.5	6.96	37.21	400	154	A	H	
	*	6115	96.17	-	-	91.98	34.23	7.19	37.23	400	154	P	H	
	*	6115	85.16	-	-	80.97	34.23	7.19	37.23	400	154	A	H	
													H	
														H
			5888	45.89	-42.31	88.2	41.69	34.43	6.95	37.18	212	166	P	V
			5924.6	36.42	-31.78	68.2	32.17	34.5	6.96	37.21	212	166	A	V
	*		6115	99.27	-	-	95.08	34.23	7.19	37.23	212	166	P	V
	*		6115	91.32	-	-	87.13	34.23	7.19	37.23	212	166	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT40 Full CH 35 6125MHz		5887.62	45.64	-42.56	88.2	41.44	34.43	6.95	37.18	400	156	P	H	
		5886.07	35.6	-32.6	68.2	31.41	34.42	6.95	37.18	400	156	A	H	
	*	6125	93.49	-	-	89.27	34.25	7.2	37.23	400	156	P	H	
	*	6125	84.05	-	-	79.83	34.25	7.2	37.23	400	156	A	H	
													H	
														H
			5867.47	46.86	-41.34	88.2	42.78	34.3	6.94	37.16	194	162	P	V
			5838.64	35.81	-32.39	68.2	31.87	34.15	6.93	37.14	194	162	A	V
	*		6125	101.51	-	-	97.29	34.25	7.2	37.23	194	162	P	V
	*		6125	91.66	-	-	87.44	34.25	7.2	37.23	194	162	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT80 Full CH 39 6145MHz		5871.9	45.82	-42.38	88.2	41.71	34.33	6.95	37.17	100	156	P	H	
		5889.9	35.48	-32.72	68.2	31.27	34.44	6.95	37.18	100	156	A	H	
	*	6145	95.49	-	-	91.18	34.29	7.24	37.22	100	156	P	H	
	*	6145	86.83	-	-	82.52	34.29	7.24	37.22	100	156	A	H	
													H	
														H
			5876.1	46.48	-41.72	88.2	42.34	34.36	6.95	37.17	172	165	P	V
			5886	35.5	-32.7	68.2	31.31	34.42	6.95	37.18	172	165	A	V
		*	6145	98.7	-	-	94.39	34.29	7.24	37.22	172	165	P	V
		*	6145	91.35	-	-	87.04	34.29	7.24	37.22	172	165	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz
WIFI 802.11be EHT160 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT160 Full CH 47 6185MHz		5843.8	47.33	-40.87	88.2	43.36	34.18	6.94	37.15	220	266	P	H	
		5842.12	35.73	-32.47	68.2	31.77	34.17	6.93	37.14	220	266	A	H	
	*	6185	97.18	-	-	92.79	34.3	7.3	37.21	220	266	P	H	
	*	6185	87.36	-	-	82.97	34.3	7.3	37.21	220	266	A	H	
													H	
														H
			5886.22	46.11	-42.09	88.2	41.92	34.42	6.95	37.18	196	162	P	V
			5844.22	35.75	-32.45	68.2	31.78	34.18	6.94	37.15	196	162	A	V
		*	6185	100.9	-	-	96.51	34.3	7.3	37.21	196	162	P	V
		*	6185	91.8	-	-	87.41	34.3	7.3	37.21	196	162	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 47 6185MHz		12370	53.63	-20.37	74	59.51	39.04	11.22	56.14	109	144	P	H
		12370	49.6	-4.4	54	55.48	39.04	11.22	56.14	109	144	A	H
		18555	35.86	-38.14	74	56.93	38.11	-3.51	55.67	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
		12370	53.85	-20.15	74	59.73	39.04	11.22	56.14	397	91	P	V
		12370	49.97	-4.03	54	55.85	39.04	11.22	56.14	397	91	A	V
		18555	35.61	-38.39	74	56.68	38.11	-3.51	55.67	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT160 Full CH 79 6345MHz		12690	47.89	-26.11	74	53.24	39.58	11.52	56.45	-	-	P	H	
		19035	35.63	-38.37	74	56.21	38.24	-3.43	55.39	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			12690	47.66	-26.34	74	53.01	39.58	11.52	56.45	-	-	P	V
			19035	35.35	-38.65	74	55.93	38.24	-3.43	55.39	-	-	P	V
														V
														V
														V
														V
														V
														V
													V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 													



**Band 5 5925~6425MHz
WIFI 802.11be EHT320 Full (Band Edge @ 3m)**

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Full CH 63 6265MHz		5821.26	46.17	-42.03	88.2	42.28	34.09	6.93	37.13	249	265	P	H	
		5896.23	36.08	-32.12	68.2	31.84	34.48	6.95	37.19	249	265	A	H	
	*	6265	99.52	11.32	-	-	34.4	7.34	37.19	249	265	P	H	
	*	6265	90.46	22.26	-	-	34.4	7.34	37.19	249	265	A	H	
													H	
													H	
			5904.07	46.14	-42.06	88.2	41.87	34.5	6.96	37.19	305	193	P	V
			5924.65	35.76	-32.44	68.2	31.51	34.5	6.96	37.21	305	193	A	V
		*	6265	101.41	13.21	-	-	34.4	7.34	37.19	305	193	P	V
		*	6265	93.04	24.84	-	-	34.4	7.34	37.19	305	193	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 5 5925~6425MHz

WIFI 802.11be EHT320 Full (Harmonic @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Full CH 63 6265MHz		12530	54.63	-19.37	74	60.32	39.2	11.37	56.26	208	120	P	H	
		12530	51.84	-2.16	54	57.53	39.2	11.37	56.26	208	120	A	H	
		18795	35.96	-38.04	74	56.37	38.58	-3.47	55.52	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			12530	53.42	-20.58	74	59.11	39.2	11.37	56.26	392	88	P	V
			12530	50.72	-3.28	54	56.41	39.2	11.37	56.26	392	88	A	V
			18795	36.11	-37.89	74	56.52	38.58	-3.47	55.52	-	-	P	V
														V
														V
														V
													V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.													



Band 6 - 6425~6525MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT160 Full CH 111 6505MHz		13010	54.89	-33.31	88.2	59.95	39.96	11.81	56.83	100	183	P	H	
		13010	50.12	-18.08	68.2	55.18	39.96	11.81	56.83	100	183	A	H	
		19515	34.68	-39.32	74	55.13	37.98	-3.24	55.19	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			13010	54.69	-33.51	88.2	59.75	39.96	11.81	56.83	100	272	P	V
			13010	49.65	-18.55	68.2	54.71	39.96	11.81	56.83	100	272	A	V
			19515	34.84	-39.16	74	55.29	37.98	-3.24	55.19	-	-	P	V
														V
														V
														V
														V
														V
														V
													V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 													



Band 7 - 6525~6875MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.		
5+6+7+8		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11be EHT160 Full CH 143 6665MHz		13330	54.26	-19.74	74	59.03	40.16	12.01	56.94	154	202	P	H	
		13330	50.49	-3.51	54	55.26	40.16	12.01	56.94	154	202	A	H	
		19995	35.09	-38.91	74	55.83	37.62	-3.36	55	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			13330	53.29	-20.71	74	58.06	40.16	12.01	56.94	152	78	P	V
			13330	50.08	-3.92	54	54.85	40.16	12.01	56.94	152	78	A	V
			19995	34.25	-39.75	74	54.99	37.62	-3.36	55	-	-	P	V
														V
														V
														V
														V
														V
													V	



WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160		13650	56.22	-31.98	88.2	60.54	40.6	12.21	57.13	157	235	P	H
		13650	52.52	-15.68	68.2	56.84	40.6	12.21	57.13	157	235	A	H
		20475	35.61	-38.39	74	55.99	37.9	-3.28	55	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
	Full CH 175 6825MHz		13650	58.9	-29.3	88.2	63.22	40.6	12.21	57.13	162	101	P
		13650	56.06	-12.14	68.2	60.38	40.6	12.21	57.13	162	101	A	V
		20475	36.02	-37.98	74	56.4	37.9	-3.28	55	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 229 7095MHz	*	7095	92.36	-	-	85.68	36.38	7.59	37.29	400	129	P	H
	*	7095	85.25	-	-	78.57	36.38	7.59	37.29	400	129	A	H
		7148.2	49.27	-38.93	88.2	42.24	36.69	7.63	37.29	400	129	P	H
		7223.24	39.96	-28.24	68.2	32.63	36.95	7.67	37.29	400	129	A	H
													H
													H
	*	7095	110.54	-	-	103.86	36.38	7.59	37.29	218	321	P	V
	*	7095	95.41	-	-	88.73	36.38	7.59	37.29	218	321	A	V
		7125	52.69	-35.51	88.2	45.82	36.55	7.61	37.29	218	321	P	V
		7125	43.22	-24.98	68.2	36.35	36.55	7.61	37.29	218	321	A	V
												V	
												V	
802.11be EHT20 Full CH 233 7115MHz	*	7115	103.07	-	-	96.27	36.49	7.6	37.29	224	27	P	H
	*	7115	87.74	-	-	80.94	36.49	7.6	37.29	224	27	A	H
		7125	71.65	-16.55	88.2	64.78	36.55	7.61	37.29	224	27	P	H
		7125	59.68	-8.52	68.2	52.81	36.55	7.61	37.29	224	27	A	H
													H
													H
	*	7115	98.26	-	-	91.46	36.49	7.6	37.29	100	1	P	V
	*	7115	89.8	-	-	83	36.49	7.6	37.29	100	1	A	V
		7125	72.32	-15.88	88.2	65.45	36.55	7.61	37.29	100	1	P	V
		7125	61.9	-6.3	68.2	55.03	36.55	7.61	37.29	100	1	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT40 Full CH 227 7085MHz	*	7085	93.87	-	-	87.23	36.34	7.59	37.29	252	303	P	H	
	*	7085	86.07	-	-	79.43	36.34	7.59	37.29	252	303	A	H	
		7179.66	49.62	-38.58	88.2	42.44	36.82	7.65	37.29	252	303	P	H	
		7194.06	38.97	-29.23	68.2	31.72	36.88	7.66	37.29	252	303	A	H	
													H	
														H
	*	7085	102.96	-	-	96.32	36.34	7.59	37.29	200	321	P	V	
	*	7085	92.23	-	-	85.59	36.34	7.59	37.29	200	321	A	V	
		7191.36	50.45	-37.75	88.2	43.22	36.87	7.65	37.29	200	321	P	V	
		7144.02	39.46	-28.74	68.2	32.47	36.66	7.62	37.29	200	321	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 8 - 6875~7125MHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT80 Full CH 215 7025MHz	*	7025	98.44	-	-	92.13	36.05	7.55	37.29	311	313	P	H	
	*	7025	89.05	-	-	82.74	36.05	7.55	37.29	311	313	A	H	
		7130.44	53.62	-34.58	88.2	46.72	36.58	7.61	37.29	311	313	P	H	
		7144.36	39.18	-29.02	68.2	32.18	36.67	7.62	37.29	311	313	A	H	
													H	
														H
	*	7025	105.04	-	-	98.73	36.05	7.55	37.29	201	94	P	V	
	*	7025	95.13	-	-	88.82	36.05	7.55	37.29	201	94	A	V	
		7140.52	50.62	-37.58	88.2	43.65	36.64	7.62	37.29	201	94	P	V	
		7141.48	40.23	-27.97	68.2	33.25	36.65	7.62	37.29	201	94	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 8 - 6875~7125MHz

WIFI 802.11be EHT160 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT160 Full CH 207 6985MHz	*	6985	96.11	-	-	90	35.87	7.52	37.28	252	199	P	H	
	*	6985	85.14	-	-	79.03	35.87	7.52	37.28	252	199	A	H	
		7192.68	49.83	-38.37	88.2	42.59	36.87	7.66	37.29	252	199	P	H	
		7198.76	39.38	-28.82	68.2	32.11	36.9	7.66	37.29	252	199	A	H	
													H	
														H
	*	6985	103.7	-	-	97.59	35.87	7.52	37.28	197	96	P	V	
	*	6985	93.68	-	-	87.57	35.87	7.52	37.28	197	96	A	V	
		7169.96	52.06	-36.14	88.2	44.93	36.78	7.64	37.29	197	96	P	V	
		7142.12	40.85	-27.35	68.2	33.87	36.65	7.62	37.29	197	96	A	V	
														V
														V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Band 8 - 6875~7125MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT160 Full CH 207 6985MHz		9314	56.7	-17.3	74	64.01	38.23	11.06	56.6	296	127	P	H	
		9314	53.21	-0.79	54	60.52	38.23	11.06	56.6	296	127	A	H	
		13970	56.47	-31.73	88.2	60.72	40.74	12.41	57.4	179	222	P	H	
		13970	52.88	-15.32	68.2	57.13	40.74	12.41	57.4	179	222	A	H	
		20955	35.89	-38.11	74	56.52	37.44	-3.16	54.91	-	-	P	H	
														H
														H
														H
														H
														H
														H
														H
			9314	53.77	-20.23	74	61.08	38.23	11.06	56.6	400	262	P	V
			9314	47.91	-6.09	54	55.22	38.23	11.06	56.6	400	262	A	V
			13970	58.64	-29.56	88.2	62.89	40.74	12.41	57.4	193	86	P	V
			13970	55.75	-12.45	68.2	60	40.74	12.41	57.4	193	86	A	V
			20955	35.2	-38.8	74	55.83	37.44	-3.16	54.91	-	-	P	V
														V
														V
														V
													V	
													V	
													V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 													



Band 6-8 - Straddle Channel

WIFI 802.11be EHT320 Full (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.		
5+6+7+8		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11be EHT320 Full CH 191 6905MHz	*	6905	96.99	-	-	90.89	35.89	7.47	37.26	305	315	P	H	
	*	6905	87.06	-	-	80.96	35.89	7.47	37.26	305	315	A	H	
		7198.6	60.64	-27.56	88.2	53.38	36.89	7.66	37.29	305	315	P	H	
		7196.29	49.36	-18.84	68.2	42.1	36.89	7.66	37.29	305	315	A	H	
													H	
														H
	*	6905	105.75	-	-	99.65	35.89	7.47	37.26	195	324	P	V	
	*	6905	99.33	-	-	93.23	35.89	7.47	37.26	195	324	A	V	
		7178.47	67.17	-21.03	88.2	60	36.81	7.65	37.29	195	324	P	V	
		7187.71	54.11	-14.09	68.2	46.9	36.85	7.65	37.29	195	324	A	V	
														V
														V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Straddle Channel

WIFI 802.11be EHT320 Full (Harmonic @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Full CH 95 6425MHz		12850	54.91	-33.29	88.2	59.99	39.9	11.67	56.65	395	138	P	H	
		12850	50.81	-17.39	68.2	55.89	39.9	11.67	56.65	395	138	A	H	
		19275	36.06	-37.94	74	56.73	37.95	-3.33	55.29	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			12850	53.66	-34.54	88.2	58.74	39.9	11.67	56.65	199	252	P	V
			12850	48.98	-19.22	68.2	54.06	39.9	11.67	56.65	199	252	A	V
			19275	36.19	-37.81	74	56.86	37.95	-3.33	55.29	-	-	P	V
														V
													V	
													V	
													V	
													V	
													V	
													V	
													V	



WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Full CH 159 6745MHz		13490	52.69	-35.51	88.2	57.08	40.5	12.11	57	399	164	P	H	
		13490	49.28	-18.92	68.2	53.67	40.5	12.11	57	399	164	A	H	
		20235	38.24	-35.76	74	58.6	37.96	-3.32	55	-	-	P	H	
													H	
													H	
														H
														H
														H
														H
														H
														H
														H
														H
														H
														H
														H
														H
														H
			13490	56.56	-31.64	88.2	60.95	40.5	12.11	57	198	96	P	V
			13490	54.23	-13.97	68.2	58.62	40.5	12.11	57	198	96	A	V
		20235	36.35	-37.65	74	56.71	37.96	-3.32	55	-	-	P	V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	



WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT320 Full CH 191 6905MHz		9206	53.18	-35.02	88.2	60.6	38.2	11.09	56.71	299	127	P	H	
		9206	48.27	-19.93	68.2	55.69	38.2	11.09	56.71	299	127	A	H	
		13810	54.55	-33.65	88.2	59.12	40.4	12.3	57.27	400	157	P	H	
		13810	50.85	-17.35	68.2	55.42	40.4	12.3	57.27	400	157	A	H	
		20715	37.92	-36.08	74	58.03	38.07	-3.22	54.96	-	-	P	H	
														H
														H
														H
														H
														H
														H
														H
			9206	51.19	-37.01	88.2	58.61	38.2	11.09	56.71	110	210	P	V
			9206	45.76	-22.44	68.2	53.18	38.2	11.09	56.71	110	210	A	V
			13810	58.63	-29.57	88.2	63.2	40.4	12.3	57.27	196	83	P	V
			13810	57.02	-11.18	68.2	61.59	40.4	12.3	57.27	196	83	A	V
			20715	37.13	-36.87	74	57.24	38.07	-3.22	54.96	-	-	P	V
														V
														V
														V
													V	
													V	
													V	
													V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 													



Emission below 1GHz

WIFI 802.11be EHT320 Full (LF @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.		
5+6+7+8		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11be EHT320 Full LF		30.81	22.59	-17.41	40	29.39	24.69	0.83	32.32	-	-	P	H	
		133.14	21.52	-21.98	43.5	34.77	17.68	1.31	32.24	-	-	P	H	
		259.23	19.85	-26.15	46	30.34	19.91	1.73	32.13	-	-	P	H	
		633.2	27.91	-18.09	46	31.26	26.51	2.36	32.22	-	-	P	H	
		839.7	30.52	-15.48	46	30.61	28.77	2.92	31.78	-	-	P	H	
		976.9	34.02	-19.98	54	30.64	31	3.13	30.75	-	-	P	H	
														H
														H
														H
														H
														H
														H
			30.81	23.04	-16.96	40	29.84	24.69	0.83	32.32	-	-	P	V
			125.04	19	-24.5	43.5	32.28	17.67	1.3	32.25	-	-	P	V
			280.56	19.8	-26.2	46	31.13	18.98	1.79	32.1	-	-	P	V
			589.1	26.44	-19.56	46	30.66	25.9	2.1	32.22	-	-	P	V
			844.6	31.51	-14.49	46	31.39	28.95	2.94	31.77	-	-	P	V
			962.9	33.8	-20.2	54	30.47	31.1	3.11	30.88	-	-	P	V
													V	
													V	
													V	
													V	
													V	
													V	

Remark

- No other spurious found.
- All results are PASS against limit line.
- The emission position marked as "-" means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only.



Note symbol

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is Margin line.
P/A	Peak or Average
H/V	Horizontal or Vertical



A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
5+6+7+8													
802.11be		5879.9	46.21	-41.99	88.2	42.05	34.38	6.95	37.17	400	154	P	H
EHT20 Full													
CH 33		5922.5	36.39	-31.81	68.2	32.14	34.5	6.96	37.21	400	154	A	H
6115MHz													

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 5879.9MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 34.38 (dB/m) + 6.95 (dB) + 42.05 (dBμV) –37.17 (dB)
= 46.21 (dBμV/m)
2. Margin (dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 46.21 (dBμV/m) – 88.2(dBμV/m)
= -41.99 (dB)

For Average Limit @ 5922.5MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 34.5 (dB/m) + 6.96 (dB) + 32.14 (dBμV) –37.21 (dB)
= 36.39 (dBμV/m)
2. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)
= 36.39 (dBμV/m) – 68.2(dBμV/m)
= -31.81 (dB)

Both peak and average measured complies with the limit line, so test result is "PASS".



Appendix D. Radiated Spurious Emission Plots





Test Engineer :	Jacky Hung , Mancy Chou, Michael Liu and Rain Lee	Temperature :	20~26°C
		Relative Humidity :	40~65%







<CDD Mode>

N_{SS}=1

**Band 5 5925~6425MHz
WIFI 802.11be EHT20 Full (Band Edge @ 3m)**





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH33 6115MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE(UNIT1)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNIT1)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE(UNIT1)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG(UNIT1)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH33 6115MHz	
5+6+7+8	Vertical	Fundamental
Peak	 <p>Level (dBm/1m) vs Frequency (MHz) plot for Peak Vertical. The plot shows a sharp peak at approximately 6115 MHz. The y-axis ranges from 10.0 to 140.0 dBm/1m, and the x-axis ranges from 5825 to 6125 MHz. A red line indicates the peak level at approximately 135 dBm/1m.</p> <p>Site : 03CH13-HY Condition : PEAK_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBm/1m) vs Frequency (MHz) plot for Peak Fundamental. The plot shows a sharp peak at approximately 6115 MHz. The y-axis ranges from 10.0 to 140.0 dBm/1m, and the x-axis ranges from 1000 to 7200 MHz. A red line indicates the peak level at approximately 105 dBm/1m.</p> <p>Site : 03CH13-HY Condition : PEAK(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBm/1m) vs Frequency (MHz) plot for Avg Vertical. The plot shows a sharp peak at approximately 6115 MHz. The y-axis ranges from 10.0 to 140.0 dBm/1m, and the x-axis ranges from 5825 to 6125 MHz. A red line indicates the average level at approximately 135 dBm/1m.</p> <p>Site : 03CH13-HY Condition : AVG_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Level (dBm/1m) vs Frequency (MHz) plot for Avg Fundamental. The plot shows a sharp peak at approximately 6115 MHz. The y-axis ranges from 10.0 to 140.0 dBm/1m, and the x-axis ranges from 1000 to 7200 MHz. A red line indicates the average level at approximately 105 dBm/1m.</p> <p>Site : 03CH13-HY Condition : AVG(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>



Band 5 5925~6425MHz
WIFI 802.11be EHT20 OFDMA RU52*4 (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT20 OFDMA RU52*4 CH33 6115MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT20 OFDMA RU52*4 CH33 6115MHz	
5+6+7+8	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>



Band 5 5925~6425MHz
WIFI 802.11be EHT40 Full (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH35 6125MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 <p>Date: 2023-12-19</p> <p>Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Date: 2023-12-19</p> <p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Date: 2023-12-19</p> <p>Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Date: 2023-12-19</p> <p>Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH35 6125MHz	
5+6+7+8	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>



Band 5 5925~6425MHz
WIFI 802.11be EHT40 OFDMA RU52*8 (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT40 OFDMA RU52*8 CH35 6125MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 <p>Date: 2023-12-21</p> <p>Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Date: 2023-12-21</p> <p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Date: 2023-12-21</p> <p>Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Date: 2023-12-21</p> <p>Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT40 OFDMA RU52*8 CH35 6125MHz	
5+6+7+8	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>



Band 5 5925~6425MHz
WIFI 802.11be EHT80 Full (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH39 6145MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 <p>Level (dBm/Hz) vs Frequency (MHz) plot for Peak Horizontal. The plot shows a blue line representing the spectrum and a red line for the peak level. The peak is located at approximately 6145 MHz. The y-axis ranges from 10.0 to 140.0 dBm/Hz, and the x-axis ranges from 5885 to 6165 MHz.</p> <p>Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBm/Hz) vs Frequency (MHz) plot for Peak Fundamental. The plot shows a blue line representing the spectrum and a red line for the peak level. The peak is located at approximately 6145 MHz. The y-axis ranges from 10.0 to 140.0 dBm/Hz, and the x-axis ranges from 1000 to 7200 MHz.</p> <p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBm/Hz) vs Frequency (MHz) plot for Avg Horizontal. The plot shows a blue line representing the spectrum and a red line for the average level. The average level is located at approximately 6145 MHz. The y-axis ranges from 10.0 to 140.0 dBm/Hz, and the x-axis ranges from 5885 to 6165 MHz.</p> <p>Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Level (dBm/Hz) vs Frequency (MHz) plot for Avg Fundamental. The plot shows a blue line representing the spectrum and a red line for the average level. The average level is located at approximately 6145 MHz. The y-axis ranges from 10.0 to 140.0 dBm/Hz, and the x-axis ranges from 1000 to 7200 MHz.</p> <p>Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH39 6145MHz	
5+6+7+8	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>



Band 5 5925~6425MHz
WIFI 802.11be EHT80 OFDMA RU52*16 (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 OFDMA RU52*16 CH39 6145MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 <p>Level (dBm/100MHz) vs Frequency (MHz) plot for Horizontal. The plot shows a signal level that rises from approximately 40 dBm/100MHz at 5925 MHz to about 90 dBm/100MHz at 6425 MHz. A red line indicates the peak level at approximately 130 dBm/100MHz.</p> <p>Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBm/100MHz) vs Frequency (MHz) plot for Fundamental. The plot shows a signal level that rises from approximately 40 dBm/100MHz at 5925 MHz to about 90 dBm/100MHz at 6425 MHz. A red line indicates the peak level at approximately 130 dBm/100MHz.</p> <p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBm/100MHz) vs Frequency (MHz) plot for Horizontal. The plot shows a signal level that rises from approximately 40 dBm/100MHz at 5925 MHz to about 90 dBm/100MHz at 6425 MHz. A red line indicates the average level at approximately 130 dBm/100MHz.</p> <p>Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Level (dBm/100MHz) vs Frequency (MHz) plot for Fundamental. The plot shows a signal level that rises from approximately 40 dBm/100MHz at 5925 MHz to about 90 dBm/100MHz at 6425 MHz. A red line indicates the average level at approximately 130 dBm/100MHz.</p> <p>Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 OFDMA RU52*16 CH39 6145MHz	
5+6+7+8	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SWT:Auto</p>



WIFI 802.11be EHT80 Test 20MHz Channel Puncture Location 4 (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 Test 20MHz Channel Puncture Location 4 CH39 6145MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.240KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.240KHz SWT:Auto</p>







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 Test 20MHz Channel Puncture Location 4 CH39 6145MHz	
5+6+7+8	Vertical	Fundamental
Peak	 <p>Level (dBm/100MHz) vs Frequency (MHz) plot for Vertical polarization. The plot shows a signal level that is relatively flat around 40 dBm/100MHz until approximately 6000 MHz, where it rises sharply to about 110 dBm/100MHz. A red vertical line marks the peak at 6145 MHz.</p> <p>Site : 03CH13-HY Condition : PEAK_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBm/100MHz) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal level that is relatively flat around 40 dBm/100MHz until approximately 6000 MHz, where it rises sharply to about 110 dBm/100MHz. A red vertical line marks the peak at 6145 MHz.</p> <p>Site : 03CH13-HY Condition : PEAK(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBm/100MHz) vs Frequency (MHz) plot for Vertical polarization. The plot shows a signal level that is relatively flat around 40 dBm/100MHz until approximately 6000 MHz, where it rises sharply to about 110 dBm/100MHz. A red vertical line marks the peak at 6145 MHz.</p> <p>Site : 03CH13-HY Condition : AVG_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.240KHz SWT:Auto</p>	 <p>Level (dBm/100MHz) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal level that is relatively flat around 40 dBm/100MHz until approximately 6000 MHz, where it rises sharply to about 110 dBm/100MHz. A red vertical line marks the peak at 6145 MHz.</p> <p>Site : 03CH13-HY Condition : AVG(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.240KHz SWT:Auto</p>



Band 5 5925~6425MHz
WIFI 802.11be EHT160 Full (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT160 Full CH47 6185MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Peak Horizontal. The plot shows a blue trace with a sharp peak at approximately 6185 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 5785 to 6205 MHz. A red horizontal line is drawn at approximately 85 dBuV/m.</p> <p>Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Peak Fundamental. The plot shows a blue trace with a sharp peak at approximately 6185 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 7200 MHz. A red horizontal line is drawn at approximately 85 dBuV/m.</p> <p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Avg Horizontal. The plot shows a blue trace with a sharp peak at approximately 6185 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 5785 to 6205 MHz. A red horizontal line is drawn at approximately 85 dBuV/m.</p> <p>Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.240KHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Avg Fundamental. The plot shows a blue trace with a sharp peak at approximately 6185 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 7200 MHz. A red horizontal line is drawn at approximately 85 dBuV/m.</p> <p>Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.240KHz SWT:Auto</p>







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT160 Full CH47 6185MHz	
5+6+7+8	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.240KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.240KHz SWT:Auto</p>



Band 5 5925~6425MHz
WIFI 802.11be EHT160 OFDMA RU106*16 (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT160 OFDMA RU106*16 CH47 6185MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.360KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.360KHz SWT:Auto</p>







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT160 OFDMA RU106*16 CH47 6185MHz	
5+6+7+8	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.360KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.360KHz SWT:Auto</p>



WIFI 802.11be EHT160 Test 20MHz Channel Puncture Location 8 (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT160 Test 20MHz Channel Puncture Location 8 CH47 6185MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.240KHz SWT:Auto</p>



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT160 Test 20MHz Channel Puncture Location 8 CH47 6185MHz	
5+6+7+8	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.240KHz SWT:Auto</p>



WIFI 802.11be EHT160 Test 40MHz Channel Puncture Location 4 (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT160 Test 40MHz Channel Puncture Location 4 CH47 6185MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.240KHz SWT:Auto</p>







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT160 Test 40MHz Channel Puncture Location 4 CH47 6185MHz	
5+6+7+8	Vertical	Fundamental
Peak	<p>Site : 03CH13-HY Condition : PEAK_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : PEAK(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH13-HY Condition : AVG_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : AVG(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.240KHz SWT:Auto</p>



Band 5 5925~6425MHz
WIFI 802.11be EHT320 Full (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT320 Full CH63 6265MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.470KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.470KHz SWT:Auto</p>







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT320 Full CH63 6265MHz	
5+6+7+8	Vertical	Fundamental
Peak	 <p>Level (dBm/1m) vs Frequency (MHz) plot for Vertical Peak. The plot shows a rising signal level starting around 6070 MHz, reaching a peak of approximately 105 dBm/1m at 6265 MHz. A red horizontal line indicates the peak level.</p> <p>Site : 03CH13-HY Condition : PEAK_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBm/1m) vs Frequency (MHz) plot for Fundamental Peak. The plot shows a signal level that is relatively flat around 70 dBm/1m until 6070 MHz, then rises to a peak of approximately 105 dBm/1m at 6265 MHz. A red horizontal line indicates the peak level.</p> <p>Site : 03CH13-HY Condition : PEAK(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBm/1m) vs Frequency (MHz) plot for Vertical Avg. The plot shows a rising signal level starting around 6070 MHz, reaching an average level of approximately 95 dBm/1m at 6265 MHz. A red horizontal line indicates the average level.</p> <p>Site : 03CH13-HY Condition : AVG_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.470KHz SWT:Auto</p>	 <p>Level (dBm/1m) vs Frequency (MHz) plot for Fundamental Avg. The plot shows a signal level that is relatively flat around 70 dBm/1m until 6070 MHz, then rises to an average level of approximately 95 dBm/1m at 6265 MHz. A red horizontal line indicates the average level.</p> <p>Site : 03CH13-HY Condition : AVG(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.470KHz SWT:Auto</p>



WIFI 802.11be EHT320 Test 40MHz Channel Puncture Location 8 (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT320 Test 40MHz Channel Puncture Location 8 CH63 6265MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.220KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.220KHz SWT:Auto</p>







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT320 Test 40MHz Channel Puncture Location 8 CH63 6265MHz	
5+6+7+8	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.220KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.220KHz SWT:Auto</p>



WIFI 802.11be EHT320 Test 80MHz Channel Puncture Location 4 (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT320 Test 80MHz Channel Puncture Location 4 CH63 6265MHz	
5+6+7+8	Horizontal	Fundamental
Peak	<p>Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	<p>Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT320 Test 80MHz Channel Puncture Location 4 CH63 6265MHz	
5+6+7+8	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE(UNITE)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNITE)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE(UNITE)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG(UNITE)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>



WIFI 802.11be EHT320 Test 80+40MHz Channel Puncture Location 6 (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT320 Test 80+40MHz Channel Puncture Location 6 CH63 6265MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 <p>Level (dBm/100Hz) vs Frequency (MHz) plot for Horizontal. The plot shows a signal level rising from approximately 40 dBm/100Hz at 5925 MHz to about 100 dBm/100Hz at 6265 MHz. A red vertical line marks the peak at 6265 MHz.</p> <p>Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBm/100Hz) vs Frequency (MHz) plot for Fundamental. The plot shows a signal level rising from approximately 40 dBm/100Hz at 5925 MHz to about 100 dBm/100Hz at 6265 MHz. A red vertical line marks the peak at 6265 MHz.</p> <p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBm/100Hz) vs Frequency (MHz) plot for Horizontal. The plot shows a signal level rising from approximately 40 dBm/100Hz at 5925 MHz to about 100 dBm/100Hz at 6265 MHz. A red vertical line marks the peak at 6265 MHz.</p> <p>Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Level (dBm/100Hz) vs Frequency (MHz) plot for Fundamental. The plot shows a signal level rising from approximately 40 dBm/100Hz at 5925 MHz to about 100 dBm/100Hz at 6265 MHz. A red vertical line marks the peak at 6265 MHz.</p> <p>Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT320 Test 80+40MHz Channel Puncture Location 6 CH63 6265MHz	
5+6+7+8	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE(UNITE)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNITE)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE(UNITE)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG(UNITE)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto</p>





Band 5 - 5925~6425MHz
WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH47 6185MHz	
5+6+7+8	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH13-HY Condition : PEAK(UNII)_6E 1m SHF ANT_9170_1225 HORIZONTAL</p>	<p>Site : 03CH13-HY Condition : PEAK(UNII)_6E 1m SHF ANT_9170_1225 VERTICAL</p>



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH47 6185MHz	
5+6+7+8	Horizontal	Vertical
<p>14.47G ~14.5G Avg.</p>	 <p>Site : 03CH13-HY Condition : AVG(UNB)_6E 3m HORN_9120D_1326 HORIZONTAL</p>	 <p>Site : 03CH13-HY Condition : AVG(UNB)_6E 3m HORN_9120D_1326 VERTICAL</p>
<p>17.7G ~18G Avg</p>	 <p>Site : 03CH13-HY Condition : AVG(UNB)_6E 3m HORN_9120D_1326 HORIZONTAL</p>	 <p>Site : 03CH13-HY Condition : AVG(UNB)_6E 3m HORN_9120D_1326 VERTICAL</p>



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH79 6345MHz	
5+6+7+8	Horizontal	Vertical
<p>Peak</p> <p>Avg.</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 1m SHF ANT_9170_1225 HORIZONTAL</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 1m SHF ANT_9170_1225 VERTICAL</p>







WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH79 6345MHz	
5+6+7+8	Horizontal	Vertical
<p>14.47G ~14.5G Avg.</p>	<p>Site : 03CH13-HY Condition : AVG(LINE)_6E 3m HORN_9120D_1326 HORIZONTAL</p>	<p>Site : 03CH13-HY Condition : AVG(LINE)_6E 3m HORN_9120D_1326 VERTICAL</p>
<p>17.7G ~18G Avg</p>	<p>Site : 03CH13-HY Condition : AVG(LINE)_6E 3m HORN_9120D_1326 HORIZONTAL</p>	<p>Site : 03CH13-HY Condition : AVG(LINE)_6E 3m HORN_9120D_1326 VERTICAL</p>



Band 5 5925~6425MHz
WIFI 802.11be EHT320 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT320 Full CH63 6265MHz	
5+6+7+8	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 1m SHF ANT_9170_1225 HORIZONTAL .:</p>	<p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 1m SHF ANT_9170_1225 VERTICAL .:</p>



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT320 Full CH63 6265MHz	
5+6+7+8	Horizontal	Vertical
<p>14.47G ~14.5G Avg.</p>	 <p>Site : 03CH13-HY Condition : AVG(UNB)_6E 3m HORN_9120D_1326 HORIZONTAL</p>	 <p>Site : 03CH13-HY Condition : AVG(UNB)_6E 3m HORN_9120D_1326 VERTICAL</p>
<p>17.7G ~18G Avg</p>	 <p>Site : 03CH13-HY Condition : AVG(UNB)_6E 3m HORN_9120D_1326 HORIZONTAL</p>	 <p>Site : 03CH13-HY Condition : AVG(UNB)_6E 3m HORN_9120D_1326 VERTICAL</p>







Band 6 - 6425~6525MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH111 6505MHz	
5+6+7+8	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 1m SHF ANT_9170_1225 HORIZONTAL</p>	<p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 1m SHF ANT_9170_1225 VERTICAL</p>







WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH111 6505MHz	
5+6+7+8	Horizontal	Vertical
<p>14.47G ~14.5G Avg.</p>	 <p>Site : 03CH13-HY Condition : AVG(UNB)_6E 3m HORN_9120D_1326 HORIZONTAL</p>	 <p>Site : 03CH13-HY Condition : AVG(UNB)_6E 3m HORN_9120D_1326 VERTICAL</p>
<p>17.7G ~18G Avg</p>	 <p>Site : 03CH13-HY Condition : AVG(UNB)_6E 3m HORN_9120D_1326 HORIZONTAL</p>	 <p>Site : 03CH13-HY Condition : AVG(UNB)_6E 3m HORN_9120D_1326 VERTICAL</p>





Band 7 - 6525~6875MHz
WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH143 6665MHz	
5+6+7+8	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH13-HY Condition : PEAK(UNII)_6E 1m SHF ANT_9170_1225 HORIZONTAL</p>	<p>Site : 03CH13-HY Condition : PEAK(UNII)_6E 1m SHF ANT_9170_1225 VERTICAL</p>



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH143 6665MHz	
5+6+7+8	Horizontal	Vertical
<p>14.47G ~14.5G Avg.</p>	 <p>Site : 03CH13-HY Condition : AVG(UNB)_6E 3m HORN_9120D_1326 HORIZONTAL</p>	 <p>Site : 03CH13-HY Condition : AVG(UNB)_6E 3m HORN_9120D_1326 VERTICAL</p>
<p>17.7G ~18G Avg</p>	 <p>Site : 03CH13-HY Condition : AVG(UNB)_6E 3m HORN_9120D_1326 HORIZONTAL</p>	 <p>Site : 03CH13-HY Condition : AVG(UNB)_6E 3m HORN_9120D_1326 VERTICAL</p>







WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH175 6825MHz	
5+6+7+8	Horizontal	Vertical
Peak Avg.	 <p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 1m SHF ANT_9170_1225 HORIZONTAL</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 1m SHF ANT_9170_1225 VERTICAL</p>







WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH175 6825MHz	
5+6+7+8	Horizontal	Vertical
<p>14.47G ~14.5G Avg.</p>	<p>Site : 03CH13-HY Condition : AVG(UNB)_6E 3m HORN_9120D_1326 HORIZONTAL</p>	<p>Site : 03CH13-HY Condition : AVG(UNB)_6E 3m HORN_9120D_1326 VERTICAL</p>
<p>17.7G ~18G Avg</p>	<p>Site : 03CH13-HY Condition : AVG(UNB)_6E 3m HORN_9120D_1326 HORIZONTAL</p>	<p>Site : 03CH13-HY Condition : AVG(UNB)_6E 3m HORN_9120D_1326 VERTICAL</p>







Band 8 - 6875~7125MHz
WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH229 7095MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 <p>Date: 2023-12-19</p> <p>Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Date: 2023-12-19</p> <p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Date: 2023-12-19</p> <p>Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Date: 2023-12-19</p> <p>Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>



WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH229 7095MHz	
5+6+7+8	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>







WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH233 7115MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>



WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH233 7115MHz	
5+6+7+8	Vertical	Fundamental
Peak	<p>Site : 03CH13-HY Condition : PEAK_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : PEAK(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH13-HY Condition : AVG_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : AVG(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>







Band 8 - 6875~7125MHz
WIFI 802.11be EHT20 OFDMA RU52*4 (Band Edge @ 3m)

WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT20 OFDMA RU52*4 CH229 7095MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 <p>Date: 2023-12-20</p> <p>Site Condition : 03CH13-HY : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Date: 2023-12-20</p> <p>Site Condition : 03CH13-HY : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Date: 2023-12-20</p> <p>Site Condition : 03CH13-HY : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Date: 2023-12-20</p> <p>Site Condition : 03CH13-HY : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>







WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT20 OFDMA RU52*4 CH229 7095MHz	
5+6+7+8	Vertical	Fundamental
<p style="text-align: center;">Peak</p>	<p>Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
<p style="text-align: center;">Avg.</p>	<p>Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>







WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT20 OFDMA RU52*4 CH233 7115MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>







WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT20 OFDMA RU52*4 CH233 7115MHz	
5+6+7+8	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>



Band 8 - 6875~7125MHz
WIFI 802.11be EHT40 Full (Band Edge @ 3m)





WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH227 7085MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 <p>Date: 2023-12-19</p> <p>Level (dBm/4m) vs Frequency (MHz)</p> <p>PEAK_BE(UM)_6E</p> <p>Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Date: 2023-12-19</p> <p>Level (dBm/4m) vs Frequency (MHz)</p> <p>PEAK(UM)_6E</p> <p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Date: 2023-12-19</p> <p>Level (dBm/4m) vs Frequency (MHz)</p> <p>AVG_BE(UM)_6E</p> <p>Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Date: 2023-12-19</p> <p>Level (dBm/4m) vs Frequency (MHz)</p> <p>AVG(UM)_6E</p> <p>Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>



WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH227 7085MHz	
5+6+7+8	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>



Band 8 - 6875~7125MHz
WIFI 802.11be EHT40 OFDMA RU52*8 (Band Edge @ 3m)





WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT40 OFDMA RU52*8 CH227 7085MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 <p>Date: 2023-12-21</p> <p>Level (dBm/1m) vs Frequency (MHz)</p> <p>PEAK_BE(UMB)_6E</p> <p>Site Condition : 03CH13-HY : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Date: 2023-12-21</p> <p>Level (dBm/1m) vs Frequency (MHz)</p> <p>PEAK(UMB)_6E</p> <p>Site Condition : 03CH13-HY : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Date: 2023-12-21</p> <p>Level (dBm/1m) vs Frequency (MHz)</p> <p>AVG_BE(UMB)_6E</p> <p>Site Condition : 03CH13-HY : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Date: 2023-12-21</p> <p>Level (dBm/1m) vs Frequency (MHz)</p> <p>AVG(UMB)_6E</p> <p>Site Condition : 03CH13-HY : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>







WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT40 OFDMA RU52*8 CH227 7085MHz	
5+6+7+8	Vertical	Fundamental
Peak	<p>Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	<p>Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	<p>Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>



Band 8 - 6875~7125MHz
WIFI 802.11be EHT80 Full (Band Edge @ 3m)





WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH215 7025MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 <p>Level (dBm/100kHz) vs Frequency (MHz) for Horizontal. Peak at 7125 MHz.</p> <p>Site : 03CH13-HY Condition : PEAK_BE(UNIT1)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBm/100kHz) vs Frequency (MHz) for Fundamental. Peak at 7125 MHz.</p> <p>Site : 03CH13-HY Condition : PEAK(UNIT1)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBm/100kHz) vs Frequency (MHz) for Horizontal. Average level shown.</p> <p>Site : 03CH13-HY Condition : AVG_BE(UNIT1)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Level (dBm/100kHz) vs Frequency (MHz) for Fundamental. Average level shown.</p> <p>Site : 03CH13-HY Condition : AVG(UNIT1)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>







WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH215 7025MHz	
5+6+7+8	Vertical	Fundamental
Peak	 <p>Site : 03CH13-HY Condition : PEAK_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : PEAK(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Site : 03CH13-HY Condition : AVG_BE(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Site : 03CH13-HY Condition : AVG(UNII)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>



Band 8 - 6875~7125MHz
WIFI 802.11be EHT80 OFDMA RU52*16 (Band Edge @ 3m)

WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT80 OFDMA RU52*16 CH215 7025MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 <p>Date: 2023-12-21</p> <p>Level (dBm/100Hz) vs Frequency (MHz)</p> <p>PEAK_BE(UM)_6E</p> <p>Site Condition : 03CH13-HY : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Date: 2023-12-21</p> <p>Level (dBm/100Hz) vs Frequency (MHz)</p> <p>PEAK(UM)_6E</p> <p>Site Condition : 03CH13-HY : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Date: 2023-12-21</p> <p>Level (dBm/100Hz) vs Frequency (MHz)</p> <p>AVG_BE(UM)_6E</p> <p>Site Condition : 03CH13-HY : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Date: 2023-12-21</p> <p>Level (dBm/100Hz) vs Frequency (MHz)</p> <p>AVG(UM)_6E</p> <p>Site Condition : 03CH13-HY : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>



WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT80 OFDMA RU52*16 CH215 7025MHz	
5+6+7+8	Vertical	Fundamental
Peak	 <p>Level (dBm/100MHz) vs Frequency (MHz) for Vertical. Peak at 7130 MHz.</p> <p>Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>	 <p>Level (dBm/100MHz) vs Frequency (MHz) for Fundamental. Peak at 7200 MHz.</p> <p>Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>
Avg.	 <p>Level (dBm/100MHz) vs Frequency (MHz) for Vertical. Average at 7130 MHz.</p> <p>Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>	 <p>Level (dBm/100MHz) vs Frequency (MHz) for Fundamental. Average at 7200 MHz.</p> <p>Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto</p>