



802.11n (HT40) CH151



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1256.200000	37.46	---	68.20	30.74	500.0	200.0	V	222.0	-19.8
1387.333333	---	30.20	54.00	23.80	500.0	200.0	H	0.0	-19.0
1459.900000	---	32.39	54.00	21.61	500.0	200.0	H	348.0	-18.6
1932.633333	47.09	---	68.20	21.11	500.0	100.0	H	302.0	-15.9
2050.466667	47.07	---	68.20	21.13	500.0	200.0	H	0.0	-15.5
2228.966667	---	35.64	54.00	18.36	500.0	200.0	H	348.0	-15.0
3369.966667	45.25	---	68.20	22.95	500.0	100.0	H	140.0	-11.6
3764.533333	---	35.22	54.00	18.78	500.0	100.0	H	248.0	-10.2
5369.866667	---	42.95	54.00	11.05	500.0	200.0	V	222.0	-5.8
5593.400000	53.91	---	68.20	14.29	500.0	200.0	V	263.0	-5.3
5927.766667	53.82	---	68.20	14.38	500.0	200.0	V	330.0	-5.0
7464.966667	---	39.75	54.00	14.25	500.0	100.0	V	5.0	-2.1
12181.000000	---	48.03	54.00	5.97	500.0	200.0	H	225.0	5.9
15723.333333	---	48.01	54.00	5.99	500.0	200.0	H	355.0	6.2

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH159



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1255.266667	37.52	---	68.20	30.68	500.0	200.0	V	14.0	-19.8
1403.200000	---	29.04	54.00	24.96	500.0	100.0	H	331.0	-18.8
1662.433333	---	31.14	54.00	22.86	500.0	200.0	H	179.0	-17.4
1849.800000	48.52	---	68.20	19.68	500.0	100.0	H	331.0	-16.3
2186.733333	46.97	---	68.20	21.23	500.0	100.0	H	358.0	-15.2
2230.600000	---	35.93	54.00	18.07	500.0	200.0	H	0.0	-15.0
3389.333333	44.42	---	68.20	23.78	500.0	200.0	H	179.0	-11.6
3775.033333	---	35.31	54.00	18.69	500.0	100.0	H	251.0	-10.1
5419.566667	---	42.14	54.00	11.86	500.0	200.0	V	289.0	-5.6
5622.333333	54.52	---	68.20	13.68	500.0	200.0	V	276.0	-5.4
5960.900000	55.47	---	68.20	12.73	500.0	200.0	V	235.0	-5.0
7250.766667	---	39.74	54.00	14.26	500.0	200.0	H	99.0	-1.6
11599.333333	---	48.64	54.00	5.36	500.0	200.0	V	283.0	2.5
12084.000000	---	48.16	54.00	5.84	500.0	200.0	V	53.0	6.2
15679.666667	---	48.09	54.00	5.91	500.0	200.0	V	42.0	6.1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT80) CH42



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1387.333333	---	31.64	54.00	22.36	500.0	200.0	H	358.0	-19.0
1388.966667	44.08	---	74.00	29.92	500.0	200.0	H	315.0	-19.0
1511.700000	---	31.73	54.00	22.27	500.0	200.0	H	305.0	-18.3
1918.633333	48.49	---	68.20	19.71	500.0	200.0	H	315.0	-16.0
2187.900000	50.32	---	68.20	17.88	500.0	100.0	H	12.0	-15.2
2229.200000	---	36.63	54.00	17.37	500.0	100.0	H	0.0	-15.0
2970.733333	44.30	---	68.20	23.90	500.0	200.0	V	51.0	-12.7
3800.933333	---	35.03	54.00	18.97	500.0	200.0	V	219.0	-10.0
5129.766667	59.21	---	74.00	14.79	500.0	200.0	V	300.0	-6.1
5132.566667	---	48.68	54.00	5.32	500.0	200.0	V	311.0	-6.1
5760.000000	50.97	---	68.20	17.23	500.0	200.0	V	0.0	-5.1
7617.333333	---	39.40	54.00	14.60	500.0	100.0	H	45.0	-2.3
12101.666667	---	48.13	54.00	5.87	500.0	200.0	H	307.0	6.3

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT80) CH58



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1275.566667	38.38	---	68.20	29.82	500.0	100.0	H	12.0	-19.7
1387.333333	---	33.33	54.00	20.67	500.0	200.0	H	314.0	-19.0
1699.300000	---	31.67	54.00	22.33	500.0	100.0	H	313.0	-17.2
1933.333333	47.71	---	68.20	20.49	500.0	100.0	H	0.0	-15.9
2163.166667	47.37	---	68.20	20.83	500.0	100.0	H	0.0	-15.2
2312.500000	---	35.36	54.00	18.64	500.0	200.0	H	303.0	-14.8
3041.666667	44.47	---	68.20	23.73	500.0	100.0	H	233.0	-12.6
3988.066667	---	35.74	54.00	18.26	500.0	200.0	H	47.0	-9.6
5372.433333	64.97	---	74.00	9.03	500.0	200.0	V	243.0	-5.8
5384.100000	---	50.88	54.00	3.12	500.0	200.0	V	289.0	-5.7
5697.933333	51.73	---	68.20	16.47	500.0	200.0	V	266.0	-5.2
7400.566667	---	39.70	54.00	14.30	500.0	100.0	V	25.0	-2.0
12064.666667	---	48.60	54.00	5.40	500.0	100.0	V	146.0	6.1
15723.000000	---	48.15	54.00	5.85	500.0	100.0	H	106.0	6.2

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT80) CH106



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1274.400000	38.11	---	68.20	30.09	500.0	200.0	V	284.0	-19.7
1394.100000	---	31.12	54.00	22.88	500.0	100.0	H	1.0	-18.9
1670.833333	---	30.15	54.00	23.85	500.0	200.0	H	155.0	-17.3
1849.800000	49.41	---	68.20	18.79	500.0	200.0	H	336.0	-16.3
2187.900000	49.90	---	68.20	18.30	500.0	100.0	H	0.0	-15.2
2226.866667	---	35.38	54.00	18.62	500.0	100.0	H	24.0	-15.0
3270.566667	45.24	---	68.20	22.96	500.0	200.0	H	244.0	-11.9
3681.466667	---	35.52	54.00	18.48	500.0	100.0	H	295.0	-10.2
5168.733333	51.00	---	68.20	17.20	500.0	200.0	V	218.0	-6.2
5439.633333	---	45.46	54.00	8.54	500.0	200.0	V	274.0	-5.4
5914.466667	51.01	---	68.20	17.19	500.0	200.0	V	229.0	-4.9
7356.466667	---	39.82	54.00	14.18	500.0	100.0	H	284.0	-1.8
11060.000000	---	53.81	54.00	0.19	500.0	200.0	H	147.0	0.6
12120.333333	---	48.47	54.00	5.53	500.0	100.0	H	144.0	6.2
15672.000000	---	48.17	54.00	5.83	500.0	100.0	H	1.0	6.1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT80) CH122



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1386.400000	44.14	---	74.00	29.86	500.0	200.0	H	325.0	-19.0
1386.866667	---	32.27	54.00	21.73	500.0	200.0	H	325.0	-19.0
1706.533333	---	32.19	54.00	21.81	500.0	200.0	H	22.0	-17.1
1917.000000	49.75	---	68.20	18.45	500.0	100.0	H	297.0	-16.0
2230.133333	---	35.92	54.00	18.08	500.0	100.0	H	12.0	-15.0
2650.133333	48.61	---	68.20	19.59	500.0	100.0	H	341.0	-13.9
3292.266667	44.89	---	68.20	23.31	500.0	200.0	V	0.0	-11.9
3651.600000	---	35.85	54.00	18.15	500.0	200.0	H	130.0	-10.3
5226.366667	51.50	---	68.20	16.70	500.0	200.0	V	241.0	-6.0
5435.666667	---	41.60	54.00	12.40	500.0	200.0	V	285.0	-5.5
5760.700000	51.69	---	68.20	16.51	500.0	200.0	V	318.0	-5.1
7271.300000	---	39.83	54.00	14.17	500.0	200.0	V	252.0	-1.7
11220.000000	---	50.69	54.00	3.31	500.0	200.0	H	160.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT80) CH138



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1276.033333	38.06	---	68.20	30.14	500.0	200.0	H	0.0	-19.7
1386.400000	---	30.22	54.00	23.78	500.0	200.0	H	267.0	-19.0
1563.500000	---	30.98	54.00	23.02	500.0	200.0	H	325.0	-17.9
1935.433333	47.88	---	68.20	20.32	500.0	200.0	H	337.0	-15.9
2145.433333	47.25	---	68.20	20.95	500.0	100.0	H	0.0	-15.2
2229.666667	---	35.24	54.00	18.76	500.0	100.0	H	0.0	-15.0
3286.200000	45.05	---	68.20	23.15	500.0	100.0	V	74.0	-11.9
3680.066667	---	35.86	54.00	18.14	500.0	100.0	H	351.0	-10.2
5248.766667	50.14	---	68.20	18.06	500.0	200.0	V	209.0	-6.1
5355.400000	---	40.72	54.00	13.28	500.0	200.0	V	232.0	-5.9
5767.933333	63.08	---	68.20	5.12	500.0	200.0	V	221.0	-5.1
7324.966667	---	40.09	54.00	13.91	500.0	200.0	V	221.0	-1.7
11380.000000	---	51.67	54.00	2.33	500.0	200.0	H	152.0	1.2
12038.000000	---	48.40	54.00	5.60	500.0	200.0	V	354.0	6.0
15675.333333	---	48.16	54.00	5.84	500.0	100.0	V	32.0	6.1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT80) CH155



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1387.333333	48.34	---	74.00	25.66	500.0	100.0	H	347.0	-19.0
1387.566667	---	30.57	54.00	23.43	500.0	200.0	H	300.0	-19.0
1575.166667	---	30.49	54.00	23.51	500.0	200.0	H	314.0	-17.9
1849.800000	48.10	---	68.20	20.10	500.0	200.0	H	327.0	-16.3
2106.233333	49.62	---	68.20	18.58	500.0	200.0	H	340.0	-15.3
2228.500000	---	35.71	54.00	18.29	500.0	100.0	H	19.0	-15.0
3593.500000	44.29	---	68.20	23.91	500.0	100.0	V	84.0	-10.9
3777.133333	---	35.54	54.00	18.46	500.0	100.0	H	275.0	-10.1
5370.333333	---	42.57	54.00	11.43	500.0	200.0	V	232.0	-5.8
5648.933333	62.66	---	68.20	5.54	500.0	200.0	V	288.0	-5.3
5935.000000	62.92	---	68.20	5.28	500.0	200.0	V	232.0	-5.0
7300.700000	---	39.75	54.00	14.25	500.0	200.0	V	260.0	-1.7
12121.000000	---	48.87	54.00	5.13	500.0	200.0	V	9.0	6.2

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT160) CH50



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1387.566667	---	32.15	54.00	21.85	500.0	100.0	H	11.0
1387.566667	49.66	---	74.00	24.34	500.0	100.0	H	11.0
1512.166667	---	31.92	54.00	22.08	500.0	200.0	H	0.0
1934.266667	47.93	---	68.20	20.27	500.0	200.0	H	341.0
2113.233333	47.66	---	68.20	20.54	500.0	200.0	V	301.0
2229.433333	---	36.15	54.00	17.85	500.0	200.0	H	0.0
3274.533333	44.34	---	68.20	23.86	500.0	200.0	H	0.0
3779.700000	---	35.36	54.00	18.64	500.0	100.0	V	12.0
5369.866667	56.81	---	74.00	17.19	500.0	200.0	V	231.0
5384.333333	---	48.67	54.00	5.33	500.0	100.0	V	266.0
7251.233333	---	39.68	54.00	14.32	500.0	100.0	V	0.0
7945.166667	49.99	---	68.20	18.21	500.0	200.0	H	297.0
12067.333333	---	48.66	54.00	5.34	500.0	100.0	H	55.0
15647.666667	---	48.01	54.00	5.99	500.0	100.0	V	95.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT160) CH114



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1299.366667	37.92	---	68.20	30.28	500.0	100.0	H	331.0
1387.566667	---	30.92	54.00	23.08	500.0	100.0	H	320.0
1709.800000	---	30.72	54.00	23.28	500.0	100.0	H	353.0
1850.033333	48.50	---	68.20	19.70	500.0	100.0	H	353.0
2143.566667	46.69	---	68.20	21.51	500.0	100.0	H	265.0
2230.366667	---	35.85	54.00	18.15	500.0	200.0	H	0.0
3271.966667	44.97	---	68.20	23.23	500.0	100.0	V	18.0
3650.900000	---	36.04	54.00	17.96	500.0	200.0	H	266.0
5195.100000	52.11	---	68.20	16.09	500.0	100.0	V	0.0
5432.166667	---	48.13	54.00	5.87	500.0	200.0	V	296.0
5749.266667	52.26	---	68.20	15.94	500.0	200.0	V	251.0
7261.266667	---	39.56	54.00	14.44	500.0	100.0	V	130.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH36



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1255.266667	37.23	---	68.20	30.97	500.0	200.0	H	306.0	-19.8
1388.033333	---	30.46	54.00	23.54	500.0	200.0	H	306.0	-19.0
1445.200000	---	32.00	54.00	22.00	500.0	200.0	H	328.0	-18.6
1850.033333	49.12	---	68.20	19.08	500.0	100.0	H	349.0	-16.3
2158.500000	47.29	---	68.20	20.91	500.0	100.0	H	2.0	-15.2
2774.733333	---	34.78	54.00	19.22	500.0	200.0	H	339.0	-13.5
2980.766667	44.46	---	68.20	23.74	500.0	200.0	H	328.0	-12.7
3769.433333	---	35.38	54.00	18.62	500.0	100.0	H	187.0	-10.1
5124.400000	---	45.16	54.00	8.84	500.0	200.0	V	220.0	-6.1
5557.000000	53.14	---	68.20	15.06	500.0	200.0	V	289.0	-5.3
5760.466667	50.81	---	68.20	17.39	500.0	200.0	V	232.0	-5.1
7380.266667	---	39.15	54.00	14.85	500.0	100.0	V	297.0	-1.9
12092.333333	---	48.08	54.00	5.92	500.0	100.0	V	345.0	6.2
15613.333333	---	48.20	54.00	5.80	500.0	100.0	V	267.0	5.5

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH40



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1393.400000	43.27	---	74.00	30.73	500.0	200.0	H	12.0	-18.9
1407.400000	---	29.90	54.00	24.10	500.0	200.0	H	315.0	-18.8
1646.333333	---	30.80	54.00	23.20	500.0	200.0	H	151.0	-17.5
1850.266667	48.11	---	68.20	20.09	500.0	200.0	H	0.0	-16.3
2111.833333	47.76	---	68.20	20.44	500.0	200.0	H	347.0	-15.3
2774.966667	---	34.43	54.00	19.57	500.0	200.0	H	0.0	-13.5
3285.966667	44.71	---	68.20	23.49	500.0	200.0	V	207.0	-11.9
3768.033333	---	35.54	54.00	18.46	500.0	100.0	V	195.0	-10.1
5354.466667	---	45.08	54.00	8.92	500.0	200.0	V	312.0	-5.9
5466.000000	53.64	---	68.20	14.56	500.0	200.0	V	312.0	-5.3
5819.500000	51.00	---	68.20	17.20	500.0	200.0	V	242.0	-5.0
7321.933333	---	39.54	54.00	14.46	500.0	100.0	H	188.0	-1.7
12119.333333	---	48.25	54.00	5.75	500.0	200.0	H	237.0	6.2
15669.000000	---	48.28	54.00	5.72	500.0	100.0	V	34.0	6.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH48



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1256.666667	37.54	---	68.20	30.66	500.0	200.0	H	359.0	-19.8
1333.200000	---	29.81	54.00	24.19	500.0	100.0	H	29.0	-19.3
1676.433333	---	30.74	54.00	23.26	500.0	200.0	H	162.0	-17.3
1849.800000	48.37	---	68.20	19.83	500.0	200.0	H	327.0	-16.3
2076.600000	45.69	---	68.20	22.51	500.0	200.0	H	305.0	-15.4
2774.733333	---	34.78	54.00	19.22	500.0	200.0	H	349.0	-13.5
2954.866667	44.70	---	68.20	23.50	500.0	100.0	V	264.0	-12.8
3716.233333	---	35.01	54.00	18.99	500.0	200.0	H	262.0	-10.2
5409.766667	---	45.82	54.00	8.18	500.0	200.0	V	286.0	-5.6
5648.933333	53.17	---	68.20	15.03	500.0	200.0	V	286.0	-5.3
5667.600000	51.24	---	68.20	16.96	500.0	100.0	V	252.0	-5.3
7464.966667	---	39.63	54.00	14.37	500.0	200.0	V	50.0	-2.1
12122.666667	---	48.14	54.00	5.86	500.0	200.0	H	286.0	6.2
15720.333333	---	49.09	54.00	4.91	500.0	100.0	H	58.0	6.2

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH52



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1253.866667	37.85	---	68.20	30.35	500.0	100.0	H	282.0	-19.8
1333.200000	---	29.44	54.00	24.56	500.0	200.0	V	297.0	-19.3
1671.066667	---	30.48	54.00	23.52	500.0	200.0	H	47.0	-17.3
1935.200000	48.55	---	68.20	19.65	500.0	200.0	H	326.0	-15.9
2187.900000	48.70	---	68.20	19.50	500.0	200.0	H	337.0	-15.2
2774.966667	---	35.09	54.00	18.91	500.0	200.0	H	350.0	-13.5
3536.566667	44.97	---	68.20	23.23	500.0	100.0	V	89.0	-11.2
3718.100000	---	35.50	54.00	18.50	500.0	200.0	V	286.0	-10.3
5395.066667	---	42.00	54.00	12.00	500.0	200.0	V	0.0	-5.7
5580.800000	51.92	---	68.20	16.28	500.0	200.0	V	0.0	-5.3
5658.033333	50.79	---	68.20	17.41	500.0	200.0	V	230.0	-5.3
7317.733333	---	39.66	54.00	14.34	500.0	100.0	H	348.0	-1.7
11999.000000	---	48.34	54.00	5.66	500.0	100.0	V	274.0	5.8
12132.000000	---	48.44	54.00	5.56	500.0	200.0	H	55.0	6.1
15670.333333	---	48.46	54.00	5.54	500.0	200.0	V	146.0	6.1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH60



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1258.533333	38.18	---	68.20	30.02	500.0	200.0	H	242.0	-19.8
1387.566667	---	29.83	54.00	24.17	500.0	100.0	H	305.0	-19.0
1619.500000	---	31.17	54.00	22.83	500.0	200.0	H	176.0	-17.7
1849.800000	47.61	---	68.20	20.59	500.0	200.0	H	348.0	-16.3
2158.033333	48.35	---	68.20	19.85	500.0	200.0	H	0.0	-15.2
2774.733333	---	35.28	54.00	18.72	500.0	200.0	H	301.0	-13.5
3543.333333	45.11	---	68.20	23.09	500.0	100.0	H	1.0	-11.2
3994.600000	---	35.87	54.00	18.13	500.0	200.0	V	286.0	-9.5
5454.566667	---	42.51	54.00	11.49	500.0	200.0	V	275.0	-5.3
5469.733333	51.02	---	68.20	17.18	500.0	200.0	V	319.0	-5.3
5661.066667	50.96	---	68.20	17.24	500.0	200.0	V	230.0	-5.3
7314.000000	---	40.04	54.00	13.96	500.0	100.0	H	36.0	-1.7
12122.000000	---	48.71	54.00	5.29	500.0	200.0	V	256.0	6.2
15677.666667	---	48.34	54.00	5.66	500.0	100.0	V	347.0	6.1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH64



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1250.833333	37.70	---	68.20	30.50	500.0	100.0	H	117.0	-19.9
1393.166667	---	29.82	54.00	24.18	500.0	100.0	H	1.0	-18.9
1441.933333	---	31.28	54.00	22.72	500.0	200.0	H	10.0	-18.7
1850.033333	47.14	---	68.20	21.06	500.0	200.0	H	335.0	-16.3
2188.133333	48.50	---	68.20	19.70	500.0	200.0	H	335.0	-15.2
2774.966667	---	35.17	54.00	18.83	500.0	100.0	H	305.0	-13.5
3539.833333	45.53	---	68.20	22.67	500.0	200.0	H	359.0	-11.2
3619.400000	---	35.84	54.00	18.16	500.0	200.0	H	177.0	-10.6
5455.500000	---	41.95	54.00	12.05	500.0	200.0	V	229.0	-5.3
5492.366667	51.65	---	68.20	16.55	500.0	200.0	V	229.0	-5.4
5744.600000	51.86	---	68.20	16.34	500.0	200.0	V	229.0	-5.2
7355.766667	---	39.62	54.00	14.38	500.0	100.0	H	359.0	-1.8
12100.333333	---	48.54	54.00	5.46	500.0	200.0	V	116.0	6.3
15690.000000	---	48.27	54.00	5.73	500.0	200.0	H	54.0	6.1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH100



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1254.566667	38.14	---	68.20	30.06	500.0	200.0	H	210.0	-19.8
1346.266667	---	29.71	54.00	24.29	500.0	100.0	H	329.0	-19.3
1442.633333	---	32.27	54.00	21.73	500.0	100.0	H	318.0	-18.7
1914.666667	47.64	---	68.20	20.56	500.0	100.0	H	296.0	-16.0
2114.166667	50.16	---	68.20	18.04	500.0	200.0	H	0.0	-15.3
2774.966667	---	34.93	54.00	19.07	500.0	100.0	H	12.0	-13.5
3485.233333	45.41	---	68.20	22.79	500.0	200.0	H	210.0	-11.3
3721.133333	---	35.86	54.00	18.14	500.0	200.0	H	314.0	-10.3
5342.566667	50.51	---	68.20	17.69	500.0	200.0	V	285.0	-6.0
5355.166667	---	40.78	54.00	13.22	500.0	200.0	V	285.0	-5.9
5820.433333	50.43	---	68.20	17.77	500.0	200.0	V	229.0	-5.0
7335.700000	---	39.61	54.00	14.39	500.0	100.0	H	329.0	-1.7
11000.000000	---	49.88	54.00	4.12	500.0	200.0	H	151.0	0.5
12129.333333	---	48.50	54.00	5.50	500.0	100.0	V	50.0	6.2
15679.333333	---	48.65	54.00	5.35	500.0	200.0	H	101.0	6.1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH116



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1297.500000	37.56	---	68.20	30.64	500.0	200.0	H	20.0	-19.6
1374.500000	---	30.43	54.00	23.57	500.0	200.0	H	325.0	-19.1
1617.166667	---	31.22	54.00	22.78	500.0	200.0	V	166.0	-17.7
1918.166667	49.17	---	68.20	19.03	500.0	200.0	H	349.0	-16.0
2110.200000	49.16	---	68.20	19.04	500.0	200.0	H	349.0	-15.3
2774.966667	---	35.68	54.00	18.32	500.0	100.0	H	0.0	-13.5
3473.333333	45.18	---	68.20	23.02	500.0	200.0	V	177.0	-11.4
3734.200000	---	35.36	54.00	18.64	500.0	100.0	H	151.0	-10.3
5174.800000	49.84	---	68.20	18.36	500.0	200.0	V	211.0	-6.3
5419.566667	---	40.22	54.00	13.78	500.0	200.0	V	278.0	-5.6
5779.833333	50.31	---	68.20	17.89	500.0	200.0	V	267.0	-5.0
7381.433333	---	39.80	54.00	14.20	500.0	100.0	H	84.0	-1.9
11160.000000	---	52.37	54.00	1.63	500.0	200.0	H	173.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH140



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1296.333333	38.09	---	68.20	30.11	500.0	100.0	H	228.0	-19.6
1409.733333	---	29.80	54.00	24.20	500.0	100.0	V	323.0	-18.8
1457.800000	---	30.62	54.00	23.38	500.0	100.0	H	24.0	-18.6
1849.566667	48.64	---	68.20	19.56	500.0	100.0	H	328.0	-16.3
2098.766667	48.07	---	68.20	20.13	500.0	100.0	V	0.0	-15.4
2774.733333	---	35.36	54.00	18.64	500.0	200.0	V	307.0	-13.5
3252.366667	44.69	---	68.20	23.51	500.0	100.0	H	0.0	-11.9
3685.666667	---	35.38	54.00	18.62	500.0	100.0	V	76.0	-10.2
4930.966667	---	38.06	54.00	15.94	500.0	100.0	H	129.0	-6.1
5232.433333	47.10	---	68.20	21.10	500.0	200.0	H	66.0	-6.0
7337.566667	---	39.66	54.00	14.34	500.0	100.0	V	141.0	-1.7
7947.733333	50.21	---	68.20	17.99	500.0	200.0	H	99.0	-2.1
11400.000000	---	50.98	54.00	3.02	500.0	200.0	H	154.0	1.2
12078.000000	---	48.87	54.00	5.13	500.0	200.0	H	194.0	6.2
15667.333333	---	48.27	54.00	5.73	500.0	100.0	V	96.0	6.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH144



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1279.533333	37.62	---	68.20	30.58	500.0	100.0	V	207.0	-19.7
1399.466667	---	29.30	54.00	24.70	500.0	100.0	H	306.0	-18.9
1505.400000	---	31.52	54.00	22.48	500.0	200.0	H	301.0	-18.3
1933.566667	47.56	---	68.20	20.64	500.0	200.0	H	30.0	-15.9
2187.900000	46.61	---	68.20	21.59	500.0	200.0	H	0.0	-15.2
2774.966667	---	34.67	54.00	19.33	500.0	200.0	H	255.0	-13.5
3259.133333	44.85	---	68.20	23.35	500.0	100.0	V	174.0	-11.9
3658.833333	---	35.89	54.00	18.11	500.0	100.0	H	24.0	-10.2
5178.533333	49.25	---	68.20	18.95	500.0	100.0	V	0.0	-6.2
5394.133333	---	39.32	54.00	14.68	500.0	200.0	V	274.0	-5.7
7322.166667	---	39.58	54.00	14.42	500.0	200.0	V	252.0	-1.7
7923.466667	50.26	---	68.20	17.94	500.0	200.0	H	30.0	-2.1
11440.000000	---	49.68	54.00	4.32	500.0	200.0	H	145.0	1.2
12106.666667	---	48.76	54.00	5.24	500.0	100.0	H	207.0	6.3
15721.333333	---	48.48	54.00	5.52	500.0	100.0	H	266.0	6.2

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH149



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1409.500000	---	29.83	54.00	24.17	500.0	100.0	H	0.0	-18.8
1409.500000	42.94	---	74.00	31.06	500.0	100.0	H	0.0	-18.8
1683.200000	---	30.31	54.00	23.69	500.0	200.0	H	167.0	-17.2
1932.400000	47.28	---	68.20	20.92	500.0	200.0	H	0.0	-15.9
2229.666667	---	34.53	54.00	19.47	500.0	200.0	H	0.0	-15.0
2650.366667	47.18	---	68.20	21.02	500.0	100.0	H	0.0	-13.9
3387.233333	44.94	---	68.20	23.26	500.0	100.0	V	290.0	-11.6
3734.900000	---	35.46	54.00	18.54	500.0	100.0	H	194.0	-10.3
5354.233333	---	43.14	54.00	10.86	500.0	200.0	V	276.0	-5.9
5575.900000	53.17	---	68.20	15.03	500.0	200.0	V	262.0	-5.3
5929.633333	52.57	---	68.20	15.64	500.0	200.0	V	235.0	-5.0
7464.966667	---	40.14	54.00	13.86	500.0	200.0	V	329.0	-2.1
12099.333333	---	48.18	54.00	5.82	500.0	100.0	V	310.0	6.3

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH157



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1382.666667	49.95	---	74.00	24.05	500.0	100.0	H	334.0	-19.0
1387.566667	---	35.18	54.00	18.82	500.0	200.0	H	348.0	-19.0
1454.766667	---	31.40	54.00	22.60	500.0	100.0	H	334.0	-18.6
1932.400000	46.81	---	68.20	21.39	500.0	200.0	H	6.0	-15.9
2146.600000	48.72	---	68.20	19.48	500.0	100.0	H	0.0	-15.2
2230.133333	---	34.13	54.00	19.87	500.0	200.0	H	0.0	-15.0
3363.900000	44.68	---	68.20	23.52	500.0	200.0	H	46.0	-11.6
3789.733333	---	35.27	54.00	18.73	500.0	200.0	H	152.0	-10.1
5421.433333	---	42.86	54.00	11.14	500.0	200.0	V	304.0	-5.6
5634.700000	53.70	---	68.20	14.50	500.0	200.0	V	277.0	-5.4
5942.233333	53.52	---	68.20	14.68	500.0	200.0	V	277.0	-5.0
7350.400000	---	39.63	54.00	14.37	500.0	100.0	V	18.0	-1.8
11570.666667	---	51.59	54.00	2.41	500.0	100.0	V	258.0	2.2
12025.000000	---	48.33	54.00	5.67	500.0	200.0	H	113.0	5.9
15670.000000	---	48.09	54.00	5.91	500.0	200.0	H	237.0	6.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH165



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1266.933333	37.32	---	68.20	30.88	500.0	100.0	H	221.0	-19.8
1380.800000	---	29.34	54.00	24.66	500.0	100.0	H	325.0	-19.0
1496.066667	---	30.91	54.00	23.09	500.0	100.0	H	299.0	-18.4
1850.266667	47.24	---	68.20	20.96	500.0	100.0	H	325.0	-16.3
2115.100000	50.40	---	68.20	17.80	500.0	200.0	V	168.0	-15.3
2775.200000	---	35.57	54.00	18.43	500.0	200.0	H	261.0	-13.5
3520.700000	44.51	---	68.20	23.69	500.0	200.0	V	0.0	-11.2
3789.966667	---	35.52	54.00	18.48	500.0	100.0	H	286.0	-10.1
5445.933333	---	41.74	54.00	12.26	500.0	200.0	V	343.0	-5.4
5641.466667	50.97	---	68.20	17.23	500.0	200.0	V	0.0	-5.3
5991.000000	51.44	---	68.20	16.76	500.0	200.0	V	329.0	-4.9
7342.700000	---	39.40	54.00	14.60	500.0	100.0	V	261.0	-1.8
11650.000000	---	50.75	54.00	3.25	500.0	200.0	V	260.0	3.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE40) CH38



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1276.266667	38.02	---	68.20	30.18	500.0	200.0	H	0.0	-19.7
1384.766667	---	30.09	54.00	23.91	500.0	200.0	H	326.0	-19.0
1520.100000	---	32.19	54.00	21.81	500.0	200.0	H	337.0	-18.2
1916.766667	47.71	---	68.20	20.49	500.0	100.0	H	337.0	-16.0
2171.800000	45.59	---	68.20	22.61	500.0	100.0	H	325.0	-15.2
2774.733333	---	35.01	54.00	18.99	500.0	200.0	H	0.0	-13.5
3390.033333	44.75	---	68.20	23.45	500.0	100.0	V	272.0	-11.6
3726.500000	---	35.43	54.00	18.57	500.0	200.0	H	304.0	-10.3
5018.233333	---	44.18	54.00	9.82	500.0	200.0	V	50.0	-5.9
5512.433333	50.57	---	68.20	17.63	500.0	200.0	V	230.0	-5.4
7348.066667	---	39.42	54.00	14.58	500.0	200.0	H	93.0	-1.8
7868.866667	50.16	---	68.20	18.04	500.0	200.0	V	83.0	-2.0
12124.000000	---	48.51	54.00	5.49	500.0	200.0	V	307.0	6.2

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE40) CH46



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1259.000000	37.58	---	68.20	30.62	500.0	200.0	H	329.0	-19.8
1406.466667	---	30.16	54.00	23.84	500.0	200.0	H	296.0	-18.8
1543.200000	---	30.96	54.00	23.04	500.0	100.0	H	302.0	-18.1
1932.633333	47.83	---	68.20	20.37	500.0	200.0	H	307.0	-15.9
2115.100000	49.92	---	68.20	18.28	500.0	200.0	H	329.0	-15.3
2774.966667	---	35.04	54.00	18.96	500.0	100.0	H	325.0	-13.5
3041.666667	44.47	---	68.20	23.73	500.0	100.0	H	66.0	-12.6
3798.133333	---	35.34	54.00	18.66	500.0	200.0	H	0.0	-10.0
5397.866667	---	48.60	54.00	5.40	500.0	200.0	V	230.0	-5.7
5616.500000	55.09	---	68.20	13.11	500.0	200.0	V	243.0	-5.4
5679.266667	51.75	---	68.20	16.45	500.0	200.0	V	243.0	-5.3
7269.200000	---	39.13	54.00	14.87	500.0	200.0	H	219.0	-1.7
12128.666667	---	48.27	54.00	5.73	500.0	100.0	H	199.0	6.2
15690.333333	---	48.51	54.00	5.49	500.0	100.0	H	149.0	6.1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE40) CH54



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1251.300000	37.77	---	68.20	30.43	500.0	100.0	H	0.0	-19.9
1392.233333	---	31.67	54.00	22.33	500.0	100.0	H	0.0	-18.9
1527.100000	---	30.99	54.00	23.01	500.0	100.0	H	312.0	-18.2
1933.333333	49.34	---	68.20	18.86	500.0	200.0	H	296.0	-15.9
2459.033333	48.98	---	68.20	19.22	500.0	200.0	V	221.0	-14.5
2774.966667	---	35.33	54.00	18.67	500.0	200.0	H	263.0	-13.5
3429.700000	44.98	---	68.20	23.22	500.0	200.0	V	255.0	-11.5
3740.266667	---	35.48	54.00	18.52	500.0	100.0	H	54.0	-10.3
5446.400000	---	44.70	54.00	9.30	500.0	200.0	V	277.0	-5.4
5461.566667	52.81	---	68.20	15.39	500.0	200.0	V	299.0	-5.3
5690.933333	50.88	---	68.20	17.32	500.0	200.0	V	310.0	-5.2
7282.500000	---	39.60	54.00	14.40	500.0	200.0	H	252.0	-1.7
12065.666667	---	48.55	54.00	5.45	500.0	100.0	V	333.0	6.1
15670.333333	---	48.13	54.00	5.87	500.0	200.0	H	333.0	6.1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE40) CH62



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1333.433333	---	29.49	54.00	24.51	500.0	200.0	V	221.0	-19.3
1387.566667	42.73	---	74.00	31.27	500.0	200.0	V	313.0	-19.0
1671.300000	---	30.94	54.00	23.06	500.0	200.0	H	315.0	-17.3
1849.800000	48.75	---	68.20	19.45	500.0	200.0	H	348.0	-16.3
2187.666667	50.33	---	68.20	17.87	500.0	100.0	H	1.0	-15.2
2774.733333	---	35.64	54.00	18.36	500.0	100.0	H	337.0	-13.5
3536.333333	44.94	---	68.20	23.26	500.0	100.0	V	296.0	-11.2
3675.866667	---	35.60	54.00	18.40	500.0	200.0	V	290.0	-10.2
5455.500000	---	43.60	54.00	10.40	500.0	200.0	V	232.0	-5.3
5471.600000	53.52	---	68.20	14.68	500.0	200.0	V	232.0	-5.3
5703.066667	51.45	---	68.20	16.75	500.0	200.0	V	243.0	-5.2
7337.566667	---	39.69	54.00	14.31	500.0	200.0	V	64.0	-1.7
12024.666667	---	48.71	54.00	5.29	500.0	200.0	V	236.0	5.9

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE40) CH102



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1387.800000	43.81	---	74.00	30.19	500.0	200.0	H	337.0	-19.0
1394.566667	---	29.53	54.00	24.47	500.0	100.0	H	0.0	-18.9
1448.000000	---	31.05	54.00	22.95	500.0	100.0	H	318.0	-18.6
1850.033333	46.46	---	68.20	21.74	500.0	200.0	H	0.0	-16.3
2046.966667	48.73	---	68.20	19.47	500.0	200.0	H	0.0	-15.5
2774.733333	---	36.14	54.00	17.86	500.0	200.0	H	0.0	-13.5
3289.700000	44.97	---	68.20	23.23	500.0	200.0	H	36.0	-11.9
3732.800000	---	36.09	54.00	17.91	500.0	200.0	H	314.0	-10.3
5335.100000	52.33	---	68.20	15.87	500.0	200.0	V	252.0	-6.0
5352.133333	---	42.86	54.00	11.14	500.0	200.0	V	307.0	-5.9
5843.300000	51.33	---	68.20	16.87	500.0	200.0	V	274.0	-5.0
7306.066667	---	40.20	54.00	13.80	500.0	200.0	H	179.0	-1.7
11020.000000	---	53.09	54.00	0.91	500.0	200.0	H	155.0	0.5
12099.666667	---	48.49	54.00	5.51	500.0	100.0	V	82.0	6.3
15669.000000	---	48.23	54.00	5.77	500.0	200.0	H	145.0	6.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE40) CH134



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1277.666667	38.64	---	68.20	29.56	500.0	100.0	V	324.0	-19.7
1411.833333	---	31.03	54.00	22.97	500.0	100.0	H	316.0	-18.8
1671.066667	---	30.66	54.00	23.34	500.0	200.0	H	164.0	-17.3
1850.033333	46.55	---	68.20	21.65	500.0	100.0	H	338.0	-16.3
2187.433333	49.46	---	68.20	18.74	500.0	200.0	H	349.0	-15.2
2774.966667	---	34.41	54.00	19.59	500.0	200.0	H	197.0	-13.5
3258.200000	45.08	---	68.20	23.12	500.0	200.0	V	186.0	-11.9
3912.700000	---	35.88	54.00	18.12	500.0	100.0	H	151.0	-9.8
5261.133333	51.52	---	68.20	16.68	500.0	200.0	V	297.0	-6.1
5358.666667	---	41.33	54.00	12.67	500.0	200.0	V	231.0	-5.8
5841.433333	52.30	---	68.20	15.90	500.0	200.0	V	231.0	-5.0
7292.533333	---	40.02	54.00	13.98	500.0	200.0	H	299.0	-1.7
11340.000000	---	52.50	54.00	1.50	500.0	200.0	H	152.0	1.2
12096.333333	---	48.53	54.00	5.47	500.0	200.0	H	0.0	6.3
15673.666667	---	48.31	54.00	5.69	500.0	100.0	H	337.0	6.1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE40) CH142



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1274.400000	38.04	---	68.20	30.16	500.0	200.0	H	325.0	-19.7
1333.200000	---	28.54	54.00	25.46	500.0	100.0	H	150.0	-19.3
1449.400000	---	29.05	54.00	24.95	500.0	200.0	H	43.0	-18.6
1849.800000	46.01	---	68.20	22.19	500.0	200.0	H	54.0	-16.3
2187.433333	47.62	---	68.20	20.58	500.0	100.0	H	0.0	-15.2
2244.833333	---	34.46	54.00	19.54	500.0	200.0	H	267.0	-15.0
3251.200000	44.26	---	68.20	23.94	500.0	200.0	V	352.0	-12.0
3677.033333	---	35.38	54.00	18.62	500.0	200.0	V	0.0	-10.2
5297.066667	50.09	---	68.20	18.11	500.0	200.0	V	308.0	-6.1
5360.533333	---	40.25	54.00	13.75	500.0	200.0	V	252.0	-5.8
5887.166667	50.77	---	68.20	17.43	500.0	200.0	V	286.0	-4.9
7354.366667	---	39.40	54.00	14.60	500.0	100.0	V	54.0	-1.8
11420.000000	---	50.08	54.00	3.92	500.0	200.0	H	153.0	1.2
15673.000000	---	48.88	54.00	5.12	500.0	100.0	V	0.0	6.1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE40) CH151



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1386.633333	---	29.75	54.00	24.25	500.0	200.0	H	328.0	-19.0
1386.633333	48.24	---	74.00	25.76	500.0	200.0	H	328.0	-19.0
1707.466667	---	29.63	54.00	24.37	500.0	200.0	H	154.0	-17.1
1849.800000	45.85	---	68.20	22.35	500.0	100.0	H	348.0	-16.3
2163.633333	45.43	---	68.20	22.77	500.0	100.0	H	1.0	-15.2
2774.966667	---	34.58	54.00	19.42	500.0	100.0	H	19.0	-13.5
3428.766667	44.79	---	68.20	23.41	500.0	200.0	V	31.0	-11.5
3736.300000	---	35.39	54.00	18.61	500.0	200.0	V	71.0	-10.3
5442.200000	---	42.98	54.00	11.02	500.0	200.0	V	304.0	-5.4
5580.800000	55.26	---	68.20	12.94	500.0	200.0	V	248.0	-5.3
5930.800000	55.32	---	68.20	12.88	500.0	200.0	V	248.0	-5.0
7282.500000	---	40.05	54.00	13.95	500.0	100.0	H	125.0	-1.7
12115.000000	---	48.27	54.00	5.73	500.0	100.0	V	257.0	6.2

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE40) CH159



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1386.866667	44.35	---	74.00	29.65	500.0	200.0	V	13.0	-19.0
1387.100000	---	30.67	54.00	23.33	500.0	100.0	V	235.0	-19.0
1702.566667	---	29.75	54.00	24.25	500.0	200.0	H	342.0	-17.2
1849.800000	45.25	---	68.20	22.95	500.0	200.0	H	342.0	-16.3
2053.500000	47.88	---	68.20	20.32	500.0	100.0	H	0.0	-15.5
2774.966667	---	34.51	54.00	19.49	500.0	100.0	H	31.0	-13.5
3476.833333	44.61	---	68.20	23.59	500.0	100.0	V	0.0	-11.4
3786.000000	---	35.70	54.00	18.30	500.0	200.0	H	43.0	-10.1
5410.000000	---	43.03	54.00	10.97	500.0	200.0	V	221.0	-5.6
5611.366667	54.43	---	68.20	13.77	500.0	200.0	V	342.0	-5.4
5959.266667	54.96	---	68.20	13.24	500.0	200.0	V	316.0	-5.0
7314.466667	---	39.87	54.00	14.13	500.0	100.0	H	233.0	-1.7
11590.333333	---	49.21	54.00	4.79	500.0	100.0	V	259.0	2.4
12148.666667	---	48.06	54.00	5.94	500.0	100.0	V	12.0	6.1
15666.666667	---	48.26	54.00	5.74	500.0	100.0	V	247.0	6.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE80) CH42



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz



Radiates Emission from 8GHz to 18GHz