


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5573.200	59.75	40.46	100.21	54.00	46.21	AVG	No Limit
2	X	5583.400	66.67	40.51	107.18	68.30	38.88	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11159.80	35.67	11.88	47.55	68.30	-20.75	peak	
2	*	11159.80	27.14	11.88	39.02	54.00	-14.98	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5693.300	56.51	40.96	97.47	54.00	43.47	AVG	No Limit
2	X	5696.300	64.13	40.97	105.10	68.30	36.80	peak	No Limit
3		5725.000	17.80	41.10	58.90	68.30	-9.40	peak	
4		5725.000	11.01	41.10	52.11	54.00	-1.89	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11400.10	37.73	12.63	50.36	68.30	-17.94	peak	
2	*	11400.10	29.68	12.63	42.31	54.00	-11.69	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5693.200	57.16	40.96	98.12	54.00	44.12	AVG	No Limit
2	X	5696.600	64.58	40.98	105.56	68.30	37.26	peak	No Limit
3		5725.000	21.09	41.10	62.19	68.30	-6.11	peak	
4		5725.000	11.28	41.10	52.38	54.00	-1.62	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11400.05	36.64	12.63	49.27	68.30	-19.03	peak	
2	*	11400.05	28.69	12.63	41.32	54.00	-12.68	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


### Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5460.000	17.51	40.03	57.54	68.30	-10.76	peak	
2	5460.000	8.98	40.03	49.01	54.00	-4.99	AVG	
3	5470.000	19.62	40.06	59.68	68.30	-8.62	peak	
4	5470.000	10.87	40.06	50.93	54.00	-3.07	AVG	
5 *	5491.800	63.12	40.13	103.25	54.00	49.25	AVG	No Limit
6 X	5504.500	70.26	40.18	110.44	68.30	42.14	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11000.20	43.25	11.38	54.63	68.30	-13.67	peak	
2	*	11000.20	35.28	11.38	46.66	54.00	-7.34	AVG	



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


### Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5460.000	18.54	40.03	58.57	68.30	-9.73	peak	
2	5460.000	11.14	40.03	51.17	54.00	-2.83	AVG	
3	5470.000	22.96	40.06	63.02	68.30	-5.28	peak	
4	5470.000	12.77	40.06	52.83	54.00	-1.17	AVG	
5 X	5493.800	67.53	40.14	107.67	68.30	39.37	peak	No Limit
6 *	5508.000	61.48	40.20	101.68	54.00	47.68	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11000.20	44.02	11.38	55.40	68.30	-12.90	peak	
2	*	11000.20	36.45	11.38	47.83	54.00	-6.17	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580MHz


### Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5584.800	69.27	40.51	109.78	68.30	41.48	peak	No Limit
2	*	5588.000	63.10	40.53	103.63	54.00	49.63	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11160.26	42.56	11.88	54.44	68.30	-13.86	peak	
2	*	11160.26	33.97	11.88	45.85	54.00	-8.15	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580MHz

### Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5571.800	63.07	40.46	103.53	54.00	49.53	AVG	No Limit
2	X	5586.400	69.40	40.52	109.92	68.30	41.62	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580MHz


### Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11160.14	43.91	11.88	55.79	68.30	-12.51	peak	
2	*	11160.14	34.82	11.88	46.70	54.00	-7.30	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5692.600	68.46	40.96	109.42	68.30	41.12	peak	No Limit
2	*	5693.000	60.73	40.96	101.69	54.00	47.69	AVG	No Limit
3		5725.000	19.82	41.10	60.92	68.30	-7.38	peak	
4		5725.000	11.73	41.10	52.83	54.00	-1.17	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz

### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11400.34	39.84	12.63	52.47	68.30	-15.83	peak	
2	*	11400.34	31.75	12.63	44.38	54.00	-9.62	AVG	



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5704.500	66.04	41.01	107.05	68.30	38.75	peak	No Limit
2	*	5708.000	59.32	41.03	100.35	54.00	46.35	AVG	No Limit
3		5725.000	17.62	41.10	58.72	68.30	-9.58	peak	
4		5725.000	10.76	41.10	51.86	54.00	-2.14	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11400.17	41.35	12.63	53.98	68.30	-14.32	peak	
2	*	11400.17	32.67	12.63	45.30	54.00	-8.70	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


### Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5460.000	15.38	40.03	55.41	68.30	-12.89	peak	
2	5460.000	7.79	40.03	47.82	54.00	-6.18	AVG	
3	5470.000	20.10	40.06	60.16	68.30	-8.14	peak	
4	5470.000	12.81	40.06	52.87	54.00	-1.13	AVG	
5 X	5494.000	67.62	40.14	107.76	68.30	39.46	peak	No Limit
6 *	5494.200	59.44	40.14	99.58	54.00	45.58	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11020.17	36.95	11.44	48.39	68.30	-19.91	peak	
2	*	11020.17	28.63	11.44	40.07	54.00	-13.93	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

### Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5460.000	18.29	40.03	58.32	68.30	-9.98	peak	
2	5460.000	7.85	40.03	47.88	54.00	-6.12	AVG	
3	5470.000	20.86	40.06	60.92	68.30	-7.38	peak	
4	5470.000	12.64	40.06	52.70	54.00	-1.30	AVG	
5 X	5505.800	65.04	40.19	105.23	68.30	36.93	peak	No Limit
6 *	5526.200	56.57	40.27	96.84	54.00	42.84	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11020.09	38.46	11.44	49.90	68.30	-18.40	peak	
2	*	11020.09	29.74	11.44	41.18	54.00	-12.82	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz


### Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5533.000	62.09	40.30	102.39	54.00	48.39	AVG	No Limit
2	X	5549.400	68.31	40.37	108.68	68.30	40.38	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11100.23	36.71	11.69	48.40	68.30	-19.90	peak	
2	*	11100.23	27.58	11.69	39.27	54.00	-14.73	AVG	



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5532.800	69.46	40.29	109.75	68.30	41.45	peak	No Limit
2	*	5533.600	61.94	40.30	102.24	54.00	48.24	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11100.41	38.27	11.69	49.96	68.30	-18.34	peak	
2	*	11100.41	29.95	11.69	41.64	54.00	-12.36	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5686.200	69.65	40.94	110.59	68.30	42.29	peak	No Limit
2	*	5686.800	60.68	40.94	101.62	54.00	47.62	AVG	No Limit
3		5725.000	21.31	41.10	62.41	68.30	-5.89	peak	
4		5725.000	11.52	41.10	52.62	54.00	-1.38	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11339.87	35.92	12.44	48.36	68.30	-19.94	peak	
2	*	11339.87	28.16	12.44	40.60	54.00	-13.40	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5653.600	59.18	40.80	99.98	54.00	45.98	AVG	No Limit
2	X	5655.800	66.84	40.81	107.65	68.30	39.35	peak	No Limit
3		5725.000	17.26	41.10	58.36	68.30	-9.94	peak	
4		5725.000	9.93	41.10	51.03	54.00	-2.97	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


### Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11340.35	34.81	12.44	47.25	68.30	-21.05	peak	
2	*	11340.35	26.15	12.44	38.59	54.00	-15.41	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	16.21	41.06	57.27	68.30	-11.03	peak	
2		5715.000	6.73	41.06	47.79	68.30	-20.51	AVG	
3		5725.000	18.35	41.10	59.45	78.30	-18.85	peak	
4		5725.000	11.82	41.10	52.92	68.30	-15.38	AVG	
5	X	5741.700	62.91	41.16	104.07	78.30	25.77	peak	No Limit
6	*	5747.300	55.22	41.19	96.41	68.30	28.11	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz

### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11490.05	45.98	12.91	58.89	68.30	-9.41	peak	
2	*	11490.05	36.81	12.91	49.72	54.00	-4.28	AVG	



Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz

### Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5715.000	16.81	41.06	57.87	68.30	-10.43	peak	
2	5715.000	6.17	41.06	47.23	68.30	-21.07	AVG	
3	5725.000	21.93	41.10	63.03	78.30	-15.27	peak	
4	5725.000	11.57	41.10	52.67	68.30	-15.63	AVG	
5 *	5748.400	54.70	41.19	95.89	68.30	27.59	AVG	No Limit
6 X	5749.100	62.69	41.20	103.89	78.30	25.59	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11490.05	47.09	12.91	60.00	68.30	-8.30	peak	
2	*	11490.05	37.66	12.91	50.57	54.00	-3.43	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5777.600	67.79	41.31	109.10	78.30	30.80	peak	No Limit
2	*	5778.100	60.52	41.31	101.83	68.30	33.53	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11570.00	48.31	12.89	61.20	68.30	-7.10	peak	
2	*	11570.00	38.83	12.89	51.72	54.00	-2.28	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5780.300	69.59	41.32	110.91	78.30	32.61	peak	No Limit
2	*	5792.400	61.60	41.38	102.98	68.30	34.68	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11570.00	46.75	12.89	59.64	68.30	-8.66	peak	
2	*	11570.00	37.99	12.89	50.88	54.00	-3.12	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5818.200	55.03	41.48	96.51	68.30	28.21	AVG	No Limit
2	X	5821.600	62.64	41.50	104.14	78.30	25.84	peak	No Limit
3		5850.000	16.77	41.62	58.39	78.30	-19.91	peak	
4		5850.000	8.74	41.62	50.36	68.30	-17.94	AVG	
5		5860.000	14.75	41.65	56.40	68.30	-11.90	peak	
6		5860.000	5.61	41.65	47.26	68.30	-21.04	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz

### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11650.10	43.72	12.84	56.56	68.30	-11.74	peak	
2	*	11650.10	33.79	12.84	46.63	54.00	-7.37	AVG	



Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5828.100	64.86	41.52	106.38	78.30	28.08	peak	No Limit
2	*	5831.400	57.56	41.54	99.10	68.30	30.80	AVG	No Limit
3		5850.000	21.44	41.62	63.06	78.30	-15.24	peak	
4		5850.000	10.87	41.62	52.49	68.30	-15.81	AVG	
5		5860.000	15.46	41.65	57.11	68.30	-11.19	peak	
6		5860.000	7.13	41.65	48.78	68.30	-19.52	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11650.10	44.58	12.84	57.42	68.30	-10.88	peak	
2	*	11650.10	34.12	12.84	46.96	54.00	-7.04	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


### Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5715.000	13.85	41.06	54.91	68.30	-13.39	peak	
2	5715.000	6.18	41.06	47.24	68.30	-21.06	AVG	
3	5725.000	21.27	41.10	62.37	78.30	-15.93	peak	
4	5725.000	11.59	41.10	52.69	68.30	-15.61	AVG	
5 *	5749.800	57.30	41.20	98.50	68.30	30.20	AVG	No Limit
6 X	5753.200	64.27	41.21	105.48	78.30	27.18	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11490.51	37.86	12.91	50.77	68.30	-17.53	peak	
2	*	11490.51	29.24	12.91	42.15	54.00	-11.85	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


### Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5715.000	15.93	41.06	56.99	68.30	-11.31	peak	
2	5715.000	5.70	41.06	46.76	68.30	-21.54	AVG	
3	5725.000	17.35	41.10	58.45	78.30	-19.85	peak	
4	5725.000	10.65	41.10	51.75	68.30	-16.55	AVG	
5 X	5749.000	64.68	41.20	105.88	78.30	27.58	peak	No Limit
6 *	5749.700	56.83	41.20	98.03	68.30	29.73	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11490.20	39.01	12.91	51.92	68.30	-16.38	peak	
2	*	11490.20	30.61	12.91	43.52	54.00	-10.48	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


### Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5777.300	63.40	41.31	104.71	68.30	36.41	AVG	No Limit
2	X	5788.400	70.22	41.36	111.58	78.30	33.28	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz

### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11570.20	44.36	12.89	57.25	68.30	-11.05	peak	
2	*	11570.20	36.17	12.89	49.06	54.00	-4.94	AVG	



Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5778.000	72.03	41.31	113.34	78.30	35.04	peak	No Limit
2	*	5792.900	63.15	41.38	104.53	68.30	36.23	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11570.00	45.75	12.89	58.64	68.30	-9.66	peak	
2	*	11570.00	37.26	12.89	50.15	54.00	-3.85	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5826.100	59.29	41.51	100.80	68.30	32.50	AVG	No Limit
2	X	5829.400	66.35	41.53	107.88	78.30	29.58	peak	No Limit
3		5850.000	18.54	41.62	60.16	78.30	-18.14	peak	
4		5850.000	10.69	41.62	52.31	68.30	-15.99	AVG	
5		5860.000	17.27	41.65	58.92	68.30	-9.38	peak	
6		5860.000	7.35	41.65	49.00	68.30	-19.30	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11650.30	41.71	12.84	54.55	68.30	-13.75	peak	
2	*	11650.30	33.16	12.84	46.00	54.00	-8.00	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5832.300	59.37	41.54	100.91	68.30	32.61	AVG	No Limit
2	X	5833.100	66.61	41.55	108.16	78.30	29.86	peak	No Limit
3		5850.000	19.60	41.62	61.22	78.30	-17.08	peak	
4		5850.000	11.19	41.62	52.81	68.30	-15.49	AVG	
5		5860.000	15.74	41.65	57.39	68.30	-10.91	peak	
6		5860.000	8.02	41.65	49.67	68.30	-18.63	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11650.11	42.51	12.84	55.35	68.30	-12.95	peak	
2	*	11650.11	34.17	12.84	47.01	54.00	-6.99	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	19.30	41.06	60.36	68.30	-7.94	peak	
2		5715.000	8.96	41.06	50.02	68.30	-18.28	AVG	
3		5725.000	20.98	41.10	62.08	78.30	-16.22	peak	
4		5725.000	11.51	41.10	52.61	68.30	-15.69	AVG	
5	X	5759.400	61.21	41.24	102.45	78.30	24.15	peak	No Limit
6	*	5771.200	52.28	41.28	93.56	68.30	25.26	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

### Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11510.15	34.53	12.94	47.47	68.30	-20.83	peak	
2	*	11510.15	26.14	12.94	39.08	54.00	-14.92	AVG	



Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

### Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Detector	Comment
		MHz	Level	Factor	ment				
			dBuV	dB	dBuV/m	dBuV/m	dB		
1		5715.000	16.90	41.06	57.96	68.30	-10.34	peak	
2		5715.000	8.01	41.06	49.07	68.30	-19.23	AVG	
3		5725.000	18.92	41.10	60.02	78.30	-18.28	peak	
4		5725.000	10.30	41.10	51.40	68.30	-16.90	AVG	
5	*	5753.000	52.72	41.21	93.93	68.30	25.63	AVG	No Limit
6	X	5759.400	61.99	41.24	103.23	78.30	24.93	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


### Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11509.86	36.52	12.94	49.46	68.30	-18.84	peak	
2	*	11509.86	28.17	12.94	41.11	54.00	-12.89	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5810.800	64.37	41.46	105.83	78.30	27.53	peak	No Limit
2	*	5811.200	58.43	41.46	99.89	68.30	31.59	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


### Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11589.91	35.48	12.88	48.36	68.30	-19.94	peak	
2	*	11589.91	26.43	12.88	39.31	54.00	-14.69	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5789.200	57.90	41.36	99.26	68.30	30.96	AVG	
2	X	5811.200	64.91	41.46	106.37	78.30	28.07	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11590.11	36.15	12.88	49.03	68.30	-19.27	peak	
2	*	11590.11	27.44	12.88	40.32	54.00	-13.68	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz

### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	25.43	39.00	64.43	68.30	-3.87	peak	
2		5150.000	13.68	39.00	52.68	54.00	-1.32	AVG	
3	*	5172.100	63.22	39.07	102.29	54.00	48.29	AVG	No Limit
4	X	5172.500	70.43	39.07	109.50	68.30	41.20	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz

### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10360.17	41.02	11.10	52.12	68.30	-16.18	peak	
2	*	10360.17	32.84	11.10	43.94	54.00	-10.06	AVG	



Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz


### Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5150.000	22.04	39.00	61.04	68.30	-7.26	peak	
2	5150.000	12.02	39.00	51.02	54.00	-2.98	AVG	
3 *	5172.300	62.18	39.07	101.25	54.00	47.25	AVG	No Limit
4 X	5172.400	69.24	39.07	108.31	68.30	40.01	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10359.29	43.63	11.11	54.74	68.30	-13.56	peak	
2	*	10359.29	35.24	11.11	46.35	54.00	-7.65	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz


### Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5192.200	63.51	39.14	102.65	54.00	48.65	AVG	No Limit
2	X	5192.400	70.99	39.14	110.13	68.30	41.83	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10400.30	43.23	11.05	54.28	68.30	-14.02	peak	
2	*	10400.30	34.12	11.05	45.17	54.00	-8.83	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5196.900	70.67	39.15	109.82	68.30	41.52	peak	No Limit
2	*	5208.500	62.89	39.19	102.08	54.00	48.08	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10400.00	43.85	11.05	54.90	68.30	-13.40	peak	
2	*	10400.00	36.11	11.05	47.16	54.00	-6.84	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5232.300	71.31	39.27	110.58	68.30	42.28	peak	No Limit
2	*	5248.000	63.61	39.32	102.93	54.00	48.93	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz

### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10479.68	43.26	10.94	54.20	68.30	-14.10	peak	
2	*	10479.68	35.79	10.94	46.73	54.00	-7.27	AVG	



Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz

### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5232.500	70.06	39.27	109.33	68.30	41.03	peak	No Limit
2	*	5248.600	63.27	39.32	102.59	54.00	48.59	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10480.52	45.46	10.94	56.40	68.30	-11.90	peak	
2	*	10480.52	37.73	10.94	48.67	54.00	-5.33	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

### Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5150.000	23.70	39.00	62.70	68.30	-5.60	peak	
2	5150.000	13.01	39.00	52.01	54.00	-1.99	AVG	
3 *	5172.400	57.66	39.07	96.73	54.00	42.73	AVG	No Limit
4 X	5206.200	65.48	39.18	104.66	68.30	36.36	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz


### Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10380.54	36.67	11.08	47.75	68.30	-20.55	peak	
2	*	10380.54	28.52	11.08	39.60	54.00	-14.40	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

### Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5150.000	17.35	39.00	56.35	68.30	-11.95	peak	
2	5150.000	9.55	39.00	48.55	54.00	-5.45	AVG	
3 *	5172.400	56.07	39.07	95.14	54.00	41.14	AVG	No Limit
4 X	5183.800	62.21	39.11	101.32	68.30	33.02	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10379.64	38.14	11.08	49.22	68.30	-19.08	peak	
2	*	10379.64	30.56	11.08	41.64	54.00	-12.36	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5212.800	70.57	39.21	109.78	68.30	41.48	peak	No Limit
2	*	5247.400	62.96	39.32	102.28	54.00	48.28	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz

### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10460.17	36.89	10.96	47.85	68.30	-20.45	peak	
2	*	10460.17	28.56	10.96	39.52	54.00	-14.48	AVG	



Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz

### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5223.200	67.60	39.24	106.84	68.30	38.54	peak	No Limit
2	*	5247.400	61.38	39.32	100.70	54.00	46.70	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10459.95	39.24	10.96	50.20	68.30	-18.10	peak	
2	*	10459.95	31.78	10.96	42.74	54.00	-11.26	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	22.52	39.00	61.52	68.30	-6.78	peak	
2		5150.000	13.18	39.00	52.18	54.00	-1.82	AVG	
3	*	5174.800	56.43	39.08	95.51	54.00	41.51	AVG	No Limit
4	X	5244.000	64.85	39.31	104.16	68.30	35.86	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10420.13	34.68	11.02	45.70	68.30	-22.60	peak	
2	*	10420.13	26.91	11.02	37.93	54.00	-16.07	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	22.13	39.00	61.13	68.30	-7.17	peak	
2		5150.000	10.67	39.00	49.67	54.00	-4.33	AVG	
3	*	5174.800	54.38	39.08	93.46	54.00	39.46	AVG	No Limit
4	X	5243.600	63.05	39.31	102.36	68.30	34.06	peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz


### Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		10420.83	36.25	11.02	47.27	68.30	-21.03	peak	
2	*	10420.83	28.16	11.02	39.18	54.00	-14.82	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5268.000	70.38	39.38	109.76	68.30	41.46	peak	No Limit
2	*	5268.500	62.72	39.39	102.11	54.00	48.11	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz

### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10519.79	42.16	10.92	53.08	68.30	-15.22	peak	
2	*	10519.79	33.74	10.92	44.66	54.00	-9.34	AVG	



Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5252.300	63.21	39.34	102.55	54.00	48.55	AVG	No Limit
2	X	5264.900	69.99	39.38	109.37	68.30	41.07	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10520.00	44.15	10.92	55.07	68.30	-13.23	peak	
2	*	10520.00	36.29	10.92	47.21	54.00	-6.79	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5294.800	70.66	39.48	110.14	68.30	41.84	peak	No Limit
2	*	5308.600	64.10	39.52	103.62	54.00	49.62	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10600.43	42.75	11.00	53.75	68.30	-14.55	peak	
2	*	10600.43	34.21	11.00	45.21	54.00	-8.79	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5292.300	63.33	39.47	102.80	54.00	48.80	AVG	No Limit
2	X	5294.000	70.51	39.48	109.99	68.30	41.69	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10600.31	43.24	11.00	54.24	68.30	-14.06	peak	
2	*	10600.31	34.85	11.00	45.85	54.00	-8.15	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5312.300	63.57	39.53	103.10	54.00	49.10	AVG	No Limit
2	X	5313.600	69.58	39.54	109.12	68.30	40.82	peak	No Limit
3		5350.000	23.96	39.66	63.62	68.30	-4.68	peak	
4		5350.000	12.81	39.66	52.47	54.00	-1.53	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz

### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10639.45	41.37	11.04	52.41	68.30	-15.89	peak	
2	*	10639.45	32.91	11.04	43.95	54.00	-10.05	AVG	



Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5312.000	70.74	39.53	110.27	68.30	41.97	peak	No Limit
2	*	5312.400	63.38	39.53	102.91	54.00	48.91	AVG	No Limit
3		5350.000	24.96	39.66	64.62	68.30	-3.68	peak	
4		5350.000	13.10	39.66	52.76	54.00	-1.24	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10639.72	42.23	11.04	53.27	68.30	-15.03	peak	
2	*	10639.72	33.17	11.04	44.21	54.00	-9.79	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5255.600	70.62	39.35	109.97	68.30	41.67	peak	No Limit
2	*	5287.400	61.55	39.45	101.00	54.00	47.00	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10540.00	36.85	10.95	47.80	68.30	-20.50	peak	
2	*	10540.00	30.17	10.95	41.12	54.00	-12.88	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz

### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5253.200	69.24	39.34	108.58	68.30	40.28	peak	No Limit
2	*	5253.600	61.73	39.34	101.07	54.00	47.07	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10540.11	39.24	10.95	50.19	68.30	-18.11	peak	
2	*	10540.11	31.38	10.95	42.33	54.00	-11.67	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5307.600	67.03	39.52	106.55	68.30	38.25	peak	No Limit
2	*	5326.200	59.30	39.58	98.88	54.00	44.88	AVG	No Limit
3		5350.000	22.47	39.66	62.13	68.30	-6.17	peak	
4		5350.000	12.47	39.66	52.13	54.00	-1.87	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10619.58	37.44	11.02	48.46	68.30	-19.84	peak	
2	*	10619.58	30.02	11.02	41.04	54.00	-12.96	AVG	



Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5294.200	66.85	39.48	106.33	68.30	38.03	peak	No Limit
2	*	5294.200	59.34	39.48	98.82	54.00	44.82	AVG	No Limit
3		5350.000	23.73	39.66	63.39	68.30	-4.91	peak	
4		5350.000	12.56	39.66	52.22	54.00	-1.78	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10619.86	38.47	11.02	49.49	68.30	-18.81	peak	
2	*	10619.86	30.52	11.02	41.54	54.00	-12.46	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5256.800	65.11	39.35	104.46	68.30	36.16	peak	No Limit
2	*	5324.800	56.08	39.58	95.66	54.00	41.66	AVG	No Limit
3		5350.000	19.47	39.66	59.13	68.30	-9.17	peak	
4		5350.000	10.93	39.66	50.59	54.00	-3.41	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10579.37	35.12	10.99	46.11	68.30	-22.19	peak	
2	*	10579.37	26.85	10.99	37.84	54.00	-16.16	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5256.000	55.79	39.35	95.14	54.00	41.14	AVG	No Limit
2	X	5277.600	63.42	39.42	102.84	68.30	34.54	peak	No Limit
3		5350.000	18.08	39.66	57.74	68.30	-10.56	peak	
4		5350.000	10.86	39.66	50.52	54.00	-3.48	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10580.65	37.53	10.99	48.52	68.30	-19.78	peak	
2	*	10580.65	30.45	10.99	41.44	54.00	-12.56	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	18.98	40.03	59.01	68.30	-9.29	peak	
2		5460.000	10.86	40.03	50.89	54.00	-3.11	AVG	
3		5470.000	19.70	40.06	59.76	68.30	-8.54	peak	
4		5470.000	12.63	40.06	52.69	54.00	-1.31	AVG	
5	X	5495.600	71.43	40.14	111.57	68.30	43.27	peak	No Limit
6	*	5507.400	61.91	40.19	102.10	54.00	48.10	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11000.46	43.47	11.38	54.85	68.30	-13.45	peak	
2	*	11000.46	35.65	11.38	47.03	54.00	-6.97	AVG	



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz


### Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5460.000	17.85	40.03	57.88	68.30	-10.42	peak	
2	5460.000	8.70	40.03	48.73	54.00	-5.27	AVG	
3	5470.000	22.74	40.06	62.80	68.30	-5.50	peak	
4	5470.000	11.48	40.06	51.54	54.00	-2.46	AVG	
5 *	5507.400	62.76	40.19	102.95	54.00	48.95	AVG	No Limit
6 X	5508.300	69.70	40.20	109.90	68.30	41.60	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11000.00	44.53	11.38	55.91	68.30	-12.39	peak	
2	*	11000.00	36.94	11.38	48.32	54.00	-5.68	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5584.400	70.70	40.51	111.21	68.30	42.91	peak	No Limit
2	*	5588.000	63.22	40.53	103.75	54.00	49.75	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11159.73	42.12	11.88	54.00	68.30	-14.30	peak	
2	*	11159.73	33.37	11.88	45.25	54.00	-8.75	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5572.400	63.42	40.46	103.88	54.00	49.88	AVG	No Limit
2	X	5585.500	70.36	40.52	110.88	68.30	42.58	peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11160.35	43.25	11.88	55.13	68.30	-13.17	peak	
2	*	11160.35	34.12	11.88	46.00	54.00	-8.00	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5705.300	67.04	41.01	108.05	68.30	39.75	peak	No Limit
2	*	5706.800	59.66	41.02	100.68	54.00	46.68	AVG	No Limit
3		5725.000	18.76	41.10	59.86	68.30	-8.44	peak	
4		5725.000	11.45	41.10	52.55	54.00	-1.45	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

### Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11400.00	40.37	12.63	53.00	68.30	-15.30	peak	
2	*	11400.00	32.28	12.63	44.91	54.00	-9.09	AVG	



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5704.500	66.82	41.01	107.83	68.30	39.53	peak	No Limit
2	*	5708.000	59.12	41.03	100.15	54.00	46.15	AVG	No Limit
3		5725.000	20.15	41.10	61.25	68.30	-7.05	peak	
4		5725.000	11.00	41.10	52.10	54.00	-1.90	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11400.28	42.25	12.63	54.88	68.30	-13.42	peak	
2	*	11400.28	33.17	12.63	45.80	54.00	-8.20	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz


### Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	5460.000	18.13	40.03	58.16	68.30	-10.14	peak	
2	5460.000	8.52	40.03	48.55	54.00	-5.45	AVG	
3	5470.000	21.13	40.06	61.19	68.30	-7.11	peak	
4	5470.000	12.34	40.06	52.40	54.00	-1.60	AVG	
5 X	5493.200	65.24	40.14	105.38	68.30	37.08	peak	No Limit
6 *	5526.200	56.99	40.27	97.26	54.00	43.26	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11020.15	36.88	11.44	48.32	68.30	-19.98	peak	
2	*	11020.15	28.69	11.44	40.13	54.00	-13.87	AVG	