





Test Mode: UNII-3/TX AC40 Mode\_ANT 7

### TX AC HT40 mode CH151



Date: 9.DEC.2014 14:27:12


### TX AC HT40 mode CH159



Date: 9.DEC.2014 14:33:09

**Test Mode:** UNII-3/TX AC80 Mode\_ANT 4


**TX AC HT80 mode CH155**



Date: 9.DEC.2014 16:06:01

**Test Mode: UNII-3/TX AC80 Mode\_ANT 5**


**TX AC HT80 mode CH155**



Date: 9.DEC.2014 16:04:45

**Test Mode:** UNII-3/TX AC80 Mode\_ANT 6


**TX AC HT80 mode CH155**



Date: 9.DEC.2014 16:07:33

**Test Mode: UNII-3/TX AC80 Mode\_ANT 7**

**TX AC HT80 mode CH155**




Date: 9.DEC.2014 16:08:45

## ATTACHMENT H - POWER SPECTRAL DENSITY






**CH40**



Date: 8.DEC.2014 13:59:56


**CH48**



Date: 8.DEC.2014 14:01:20


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 4**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH36	5180	5.27	0.04	5.31	11.00
CH40	5200	6.00	0.04	6.04	11.00
CH48	5240	7.37	0.04	7.41	11.00




Date: 8.DEC.2014 19:52:40

**CH40**



Date: 8.DEC.2014 19:56:11


**CH48**



Date: 8.DEC.2014 19:59:11




**CH40**



Date: 8.DEC.2014 20:39:27


**CH48**



Date: 8.DEC.2014 20:41:16


**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_ANT 6**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH36	5180	4.11	0.04	4.15	11.00
CH40	5200	7.47	0.04	7.51	11.00
CH48	5240	7.01	0.04	7.05	11.00




Date: 8.DEC.2014 21:04:08

### CH40



Date: 8.DEC.2014 21:00:57

### CH48




Date: 8.DEC.2014 21:02:03






### CH40



Date: 8.DEC.2014 20:59:51

### CH48



Date: 8.DEC.2014 20:58:08

**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH36	5180	10.18	0.04	10.22	11.00
CH40	5200	12.55	0.04	12.59	11.00
CH48	5240	13.12	0.04	13.16	11.00

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 4**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH38	5190	-0.25	0.02	-0.23	11.00
CH46	5230	3.97	0.02	3.99	11.00



**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 5**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH38	5190	-1.65	0.02	-1.63	11.00
CH46	5230	3.94	0.02	3.96	11.00



**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 6**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH38	5190	-0.90	0.02	-0.88	11.00
CH46	5230	3.86	0.02	3.88	11.00

### CH38



Date: 9.DEC.2014 10:50:34

### CH46




Date: 9.DEC.2014 10:56:40



**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_ANT 7**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH38	5190	-1.87	0.02	-1.85	11.00
CH46	5230	4.70	0.02	4.72	11.00

## CH38



Date: 9.DEC.2014 10:53:36

## CH46




Date: 9.DEC.2014 10:55:39

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH38	5190	4.90	0.02	4.92	11.00
CH46	5230	10.15	0.02	10.17	11.00




### CH60



Date: 8.DEC.2014 14:04:57


### CH64



Date: 8.DEC.2014 14:06:14




**CH60**



Date: 8.DEC.2014 21:11:39

**CH64**




Date: 8.DEC.2014 20:03:33






### CH60



Date: 8.DEC.2014 21:12:18


### CH64



Date: 8.DEC.2014 20:44:29


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 6**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH52	5260	4.96	0.04	5.00	11.00
CH60	5300	4.58	0.04	4.62	11.00
CH64	5320	3.89	0.04	3.93	11.00




Date: 8.DEC.2014 21:07:15

## CH60



Date: 8.DEC.2014 21:10:14


## CH64



Date: 8.DEC.2014 21:14:54


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 7**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH52	5260	4.74	0.04	4.78	11.00
CH60	5300	4.70	0.04	4.74	11.00
CH64	5320	4.10	0.04	4.14	11.00




Date: 8.DEC.2014 21:06:22

**CH60**



Date: 8.DEC.2014 21:11:04

**CH64**



Date: 8.DEC.2014 21:16:03


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH52	5260	10.99	0.04	11.03	11.00
CH60	5300	10.86	0.04	10.90	11.00
CH64	5320	10.16	0.04	10.20	11.00

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 4**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH54	5270	3.39	0.02	3.41	11.00
CH62	5310	-3.36	0.02	-3.34	11.00

**CH54**



Date: 9.DEC.2014 11:05:36

**CH62**




Date: 9.DEC.2014 11:13:45



**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 5**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH54	5270	2.68	0.02	2.70	11.00
CH62	5310	-3.39	0.02	-3.37	11.00

**CH54**



Date: 9.DEC.2014 11:03:25

**CH62**



Date: 9.DEC.2014 11:15:03


**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 6**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH54	5270	2.99	0.02	3.01	11.00
CH62	5310	-3.42	0.02	-3.40	11.00

### CH54



Ref 20 dBm      \*Att 30 dB      \*RBW 1 MHz      Marker 1 [T1 ]  
\*VBW 3 MHz      2.99 dBm  
SWT 20 ms      5.257600000 GHz




Date: 9.DEC.2014 11:06:45

### CH62



Ref 20 dBm      \*Att 30 dB      \*RBW 1 MHz      Marker 1 [T1 ]  
\*VBW 3 MHz      -3.42 dBm  
SWT 20 ms      5.324800000 GHz




Date: 9.DEC.2014 11:11:29

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 7**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH54	5270	3.23	0.02	3.25	11.00
CH62	5310	-3.20	0.02	-3.18	11.00

### CH54



Date: 9.DEC.2014 11:07:46

### CH62



Date: 9.DEC.2014 11:12:45


**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH54	5270	9.12	0.02	9.14	11.00
CH62	5310	2.70	0.02	2.72	11.00






### CH116



Date: 8.DEC.2014 19:34:11


### CH140



Date: 8.DEC.2014 19:36:47


**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 4**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH100	5500	4.83	0.04	4.87	11.00
CH116	5580	4.60	0.04	4.64	11.00
CH140	5700	5.58	0.04	5.62	11.00




Date: 8.DEC.2014 21:19:19

### CH116



Date: 9.DEC.2014 08:01:41

### CH140




Date: 8.DEC.2014 20:23:01

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 5**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH100	5500	4.70	0.04	4.74	11.00
CH116	5580	4.83	0.04	4.87	11.00
CH140	5700	4.09	0.04	4.13	11.00

**CH100**




Date: 8.DEC.2014 21:21:50

### CH116



Date: 9.DEC.2014 08:00:28


### CH140



Date: 8.DEC.2014 20:49:46




## CH116



Date: 9.DEC.2014 07:59:54


## CH140



Date: 9.DEC.2014 08:04:18

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 7**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH100	5500	2.74	0.04	2.78	11.00
CH116	5580	4.19	0.04	4.23	11.00
CH140	5700	2.47	0.04	2.51	11.00



Date: 8.DEC.2014 21:22:50




## CH116



Date: 9.DEC.2014 07:58:00

## CH140




Date: 9.DEC.2014 08:05:50

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH100	5500	10.42	0.04	10.46	11.00
CH116	5580	10.55	0.04	10.59	11.00
CH140	5700	10.53	0.04	10.57	11.00


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 4**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH102	5510	-1.47	0.02	-1.45	11.00
CH110	5550	4.52	0.02	4.54	11.00
CH134	5670	5.17	0.02	5.19	11.00




Date: 9.DEC.2014 11:20:37

**CH110**



Date: 9.DEC.2014 13:06:36

**CH134**




Date: 9.DEC.2014 13:13:27

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 5**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH102	5510	0.20	0.02	0.22	11.00
CH110	5550	5.55	0.02	5.57	11.00
CH134	5670	5.03	0.02	5.05	11.00

**CH102**




Date: 9.DEC.2014 11:20:37

**CH110**



Date: 9.DEC.2014 13:06:36


**CH134**



Date: 9.DEC.2014 13:13:27

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 6**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH102	5510	-0.16	0.02	-0.14	11.00
CH110	5550	4.56	0.02	4.58	11.00
CH134	5670	4.74	0.02	4.76	11.00



Date: 9.DEC.2014 11:21:35






**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 7**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH102	5510	0.19	0.02	0.21	11.00
CH110	5550	3.91	0.02	3.93	11.00
CH134	5670	4.73	0.02	4.75	11.00

**CH102**




Date: 9.DEC.2014 12:57:03

CH110



Date: 9.DEC.2014 13:07:37

CH134



Date: 9.DEC.2014 13:09:40


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH102	5510	5.78	0.02	5.80	11.00
CH110	5550	10.71	0.02	10.73	11.00
CH134	5670	10.96	0.02	10.98	11.00

**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	3.83	0.00	3.83	30.00
CH157	5785	4.39	0.00	4.39	30.00
CH165	5825	1.91	0.00	1.91	30.00

**TX CH149**




Date: 8.DEC.2014 14:14:07

### TX CH157



Date: 8.DEC.2014 14:15:41

### TX CH165




Date: 8.DEC.2014 14:28:35

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_ANT 4**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	0.53	0.04	0.53	30.00
CH157	5785	4.87	0.04	4.87	30.00
CH165	5825	1.13	0.04	1.13	30.00

**TX CH149**




Date: 8.DEC.2014 20:28:53

**TX CH157**



Date: 8.DEC.2014 20:29:51

**TX CH165**




Date: 8.DEC.2014 20:30:38






### TX CH157



Date: 8.DEC.2014 20:35:21


### TX CH165



Date: 8.DEC.2014 20:33:23




### TX CH157



Date: 9.DEC.2014 08:14:53


### TX CH165



Date: 9.DEC.2014 08:17:31




**TX CH157**



Date: 9.DEC.2014 08:15:39

**TX CH165**



Date: 9.DEC.2014 08:16:38


**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	5.26	0.04	5.30	30.00
CH157	5785	10.39	0.04	10.43	30.00
CH165	5825	6.72	0.04	6.76	30.00

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 4**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-4.01	0.02	-3.99	30.00
CH159	5795	0.28	0.02	0.30	30.00

### TX CH151



Date: 9.DEC.2014 13:15:16

### TX CH159




Date: 9.DEC.2014 13:25:25



**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 5**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-6.38	0.02	-6.40	30.00
CH159	5795	-0.52	0.02	-0.50	30.00

**TX CH151**



Date: 9.DEC.2014 13:16:53

**TX CH159**




Date: 9.DEC.2014 13:23:52

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 6**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-4.86	0.02	-4.84	30.00
CH159	5795	0.66	0.02	0.68	30.00

**TX CH151**



Date: 9.DEC.2014 13:17:50

**TX CH159**




Date: 9.DEC.2014 13:22:12

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_ANT 7**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-5.45	0.02	-5.43	30.00
CH159	5795	0.42	0.02	0.44	30.00

### TX CH151



Date: 9.DEC.2014 13:18:56

### TX CH159




Date: 9.DEC.2014 13:20:19

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	0.95	0.02	0.97	30.00
CH159	5795	6.27	0.02	6.29	30.00

**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 4**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.47	0.01	5.48	11.00
CH40	5200	8.55	0.01	8.56	11.00
CH48	5240	7.82	0.01	7.83	11.00



Date: 9.DEC.2014 08:29:18




**CH40**



Date: 9.DEC.2014 08:33:28

**CH48**




Date: 9.DEC.2014 08:40:03

**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_ANT 5**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.21	0.01	4.22	11.00
CH40	5200	7.78	0.01	7.79	11.00
CH48	5240	7.21	0.01	7.22	11.00

**CH36**




Date: 9.DEC.2014 08:30:20

## CH40



Date: 9.DEC.2014 08:32:15


## CH48



Date: 9.DEC.2014 08:39:14




### CH40



Date: 9.DEC.2014 08:34:57


### CH48



Date: 9.DEC.2014 08:38:22




## CH40



Date: 9.DEC.2014 08:35:54

## CH48



Date: 9.DEC.2014 08:37:17

**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	10.71	0.01	10.72	11.00
CH40	5200	14.14	0.01	14.15	11.00
CH48	5240	13.37	0.01	13.38	11.00



**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 4**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.32	0.09	-0.23	11.00
CH46	5230	4.94	0.09	5.03	11.00

### CH38



Date: 9.DEC.2014 13:34:39

### CH46




Date: 9.DEC.2014 13:47:29

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 5**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.86	0.09	-1.77	11.00
CH46	5230	3.63	0.09	3.72	11.00

### CH38



Date: 9.DEC.2014 13:35:30

### CH46



Date: 9.DEC.2014 13:46:33

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 6**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.23	0.09	-1.14	11.00
CH46	5230	4.15	0.09	4.24	11.00




**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_ANT 7**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.17	0.09	-2.08	11.00
CH46	5230	3.29	0.09	3.38	11.00

### CH38



\*RBW 1 MHz    Marker 1 [T1 ]  
\*VBW 3 MHz    -2.17 dBm  
SWT 20 ms    5.183800000 GHz




Date: 9.DEC.2014 13:37:50

### CH46



\*RBW 1 MHz    Marker 1 [T1 ]  
\*VBW 3 MHz    3.29 dBm  
SWT 20 ms    5.216200000 GHz



Date: 9.DEC.2014 13:43:58




**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	3.68	0.09	3.77	11.00
CH46	5230	9.04	0.09	9.13	11.00

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 4**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.68	0.06	-4.62	11.00



Date: 9.DEC.2014 15:17:47

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 5**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.81	0.06	-4.78	11.00



Date: 9.DEC.2014 15:09:58

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 6**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.71	0.06	-4.65	11.00




Date: 9.DEC.2014 15:20:10

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_ANT 7**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-5.20	0.06	-5.14	11.00

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-5.20	11.00

**CH42**




Date: 9.DEC.2014 15:21:25

**Test Mode: UNII-1/TX AC80 Mode\_CH42\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	1.18	0.06	1.24	11.00


**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_ANT 4**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.82	0.01	4.83	11.00
CH60	5300	4.74	0.01	4.75	11.00
CH64	5320	3.25	0.01	3.26	11.00




Date: 9.DEC.2014 08:50:21

**CH60**



Date: 9.DEC.2014 08:54:37

**CH64**




Date: 9.DEC.2014 09:04:32






## CH60



Date: 9.DEC.2014 08:55:20


## CH64



Date: 9.DEC.2014 09:02:23




## CH60



Date: 9.DEC.2014 08:56:28

## CH64




Date: 9.DEC.2014 09:00:01

**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_ANT 7**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.21	0.01	4.22	11.00
CH60	5300	4.99	0.01	5.00	11.00
CH64	5320	4.82	0.01	4.83	11.00

**CH52**




Date: 9.DEC.2014 08:47:28

**CH60**



Date: 9.DEC.2014 08:57:17

**CH64**



Date: 9.DEC.2014 08:58:57

**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	10.50	0.01	10.51	11.00
CH60	5300	10.89	0.01	10.90	11.00
CH64	5320	10.37	0.01	10.38	11.00

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 4**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.88	0.09	3.97	11.00
CH62	5310	-2.45	0.09	-2.36	11.00



**CH54**



\*RBW 1 MHz    Marker 1 [T1 ]  
 \*VBW 3 MHz    3.88 dBm  
 \*Att 30 dB    SWT 20 ms    5.257200000 GHz




Date: 9.DEC.2014 13:49:10

**CH62**



\*RBW 1 MHz    Marker 1 [T1 ]  
 \*VBW 3 MHz    -2.45 dBm  
 \*Att 30 dB    SWT 20 ms    5.298600000 GHz




Date: 9.DEC.2014 13:59:44

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 5**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.73	0.09	3.82	11.00
CH62	5310	-2.57	0.09	-2.48	11.00

### CH54



Date: 9.DEC.2014 13:50:01

### CH62




Date: 9.DEC.2014 14:00:55

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 6**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.91	0.09	3.00	11.00
CH62	5310	-4.14	0.09	-4.05	11.00

### CH54



Date: 9.DEC.2014 13:50:47

### CH62




Date: 9.DEC.2014 14:01:56

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 7**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.59	0.09	3.68	11.00
CH62	5310	-2.64	0.09	-2.54	11.00

### CH54



Date: 9.DEC.2014 13:51:38

### CH62



Date: 9.DEC.2014 14:06:33


**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	8.30	0.09	8.39	11.00
CH62	5310	1.78	0.09	1.87	11.00



**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_ANT 4**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-4.14	0.06	-4.08	11.00



Date: 9.DEC.2014 15:32:26

**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_ANT 5**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-4.75	0.06	-4.69	11.00



Date: 9.DEC.2014 15:30:49

**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_ANT 6**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-4.51	0.06	-4.45	11.00



Date: 9.DEC.2014 15:26:25

**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_ANT 7**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-4.08	0.06	-4.02	11.00




Date: 9.DEC.2014 15:24:44

**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	1.72	0.06	1.78	11.00


**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_ANT 4**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.49	0.01	4.50	11.00
CH116	5580	4.20	0.01	4.21	11.00
CH140	5700	4.87	0.01	4.88	11.00




Date: 9.DEC.2014 09:13:35

### CH116



Date: 9.DEC.2014 10:10:41

### CH140




Date: 9.DEC.2014 10:23:49

**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_ANT 5**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.03	0.01	4.04	11.00
CH116	5580	4.78	0.01	4.79	11.00
CH140	5700	2.75	0.01	2.76	11.00


**CH100**



Date: 9.DEC.2014 09:12:29




**CH116**



Date: 9.DEC.2014 10:11:59


**CH140**



Date: 9.DEC.2014 10:24:47




**CH116**



Date: 9.DEC.2014 10:08:29

**CH140**




Date: 9.DEC.2014 10:27:20

**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_ANT 7**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.10	0.01	3.11	11.00
CH116	5580	4.33	0.01	4.34	11.00
CH140	5700	2.67	0.01	2.68	11.00

**CH100**




Date: 9.DEC.2014 09:14:29

## CH116



Date: 9.DEC.2014 10:07:39

## CH140



Date: 9.DEC.2014 10:21:45


**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	10.06	0.01	10.07	11.00
CH116	5580	10.56	0.01	10.57	11.00
CH140	5700	9.75	0.01	9.76	11.00

**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_ANT 4**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	1.31	0.09	1.40	11.00
CH110	5550	4.32	0.09	4.41	11.00
CH134	5670	5.33	0.09	5.42	11.00

**CH102**




Date: 9.DEC.2014 14:10:43

### CH110



Date: 9.DEC.2014 14:12:48

### CH134




Date: 9.DEC.2014 14:24:13



**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_ANT 5**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.80	0.09	2.89	11.00
CH110	5550	5.60	0.09	5.69	11.00
CH134	5670	5.08	0.09	5.17	11.00

**CH102**




Date: 9.DEC.2014 14:09:42

**CH110**



Date: 9.DEC.2014 14:13:32


**CH134**



Date: 9.DEC.2014 14:23:01




**CH110**



Date: 9.DEC.2014 14:17:16


**CH134**



Date: 9.DEC.2014 14:25:20


**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_ANT 7**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.43	0.09	-0.34	11.00
CH110	5550	3.66	0.09	3.75	11.00
CH134	5670	4.22	0.09	4.31	11.00




Date: 9.DEC.2014 14:07:50

### CH110



Date: 9.DEC.2014 14:18:10

### CH134



Date: 9.DEC.2014 14:25:58

**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_Total**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	6.28	0.09	6.37	11.00
CH110	5550	9.55	0.09	9.64	11.00
CH134	5670	9.77	0.09	9.86	11.00

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 4**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-0.07	0.06	-0.01	11.00
CH122	5610	4.40	0.06	4.46	11.00




**CH106**



Date: 9.DEC.2014 15:35:02

**CH122**




Date: 9.DEC.2014 16:13:59

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 5**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-1.89	0.06	-1.83	11.00
CH122	5610	5.67	0.06	5.73	11.00

**CH106**



Date: 9.DEC.2014 15:37:45

**CH122**



Date: 9.DEC.2014 16:11:57

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 6**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-0.98	0.06	-0.92	11.00
CH122	5610	4.48	0.06	4.54	11.00



**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 7**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-3.18	0.06	-3.12	11.00
CH122	5610	3.60	0.06	3.66	11.00

### CH106



Date: 9.DEC.2014 15:40:43

### CH122



Date: 9.DEC.2014 16:17:36


**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_Total**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	4.64	0.06	4.70	11.00
CH122	5610	10.62	0.06	10.68	11.00






**TX CH157**



Date: 9.DEC.2014 10:33:18


**TX CH165**



Date: 9.DEC.2014 10:42:17




**TX CH157**



Date: 9.DEC.2014 10:34:10


**TX CH165**



Date: 9.DEC.2014 10:41:24




**TX CH157**



Date: 9.DEC.2014 10:36:10


**TX CH165**



Date: 9.DEC.2014 10:40:24




**TX CH157**



Date: 9.DEC.2014 10:37:40

**TX CH165**



Date: 9.DEC.2014 10:39:08




**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	3.56	0.01	3.57	30.00
CH157	5785	10.26	0.01	10.27	30.00
CH165	5825	6.50	0.01	6.51	30.00

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 4**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-3.93	0.09	-3.84	30.00
CH159	5795	1.06	0.09	1.25	30.00

### TX CH151



Date: 9.DEC.2014 14:30:45

### TX CH159




Date: 9.DEC.2014 14:39:12

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 5**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-6.55	0.09	-6.46	30.00
CH159	5795	-0.48	0.09	-0.39	30.00

### TX CH151



Date: 9.DEC.2014 14:29:10

### TX CH159




Date: 9.DEC.2014 14:37:09

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 6**


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-5.16	0.09	-5.07	30.00
CH159	5795	-0.25	0.09	-0.16	30.00

### TX CH151



Date: 9.DEC.2014 14:28:09

### TX CH159




Date: 9.DEC.2014 14:33:45

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_ANT 7**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-6.27	0.09	-6.18	30.00
CH159	5795	-0.75	0.09	-0.66	30.00




### TX CH151



Date: 9.DEC.2014 14:27:04

### TX CH159



Date: 9.DEC.2014 14:38:01


**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	0.67	0.09	0.76	30.00
CH159	5795	5.97	0.09	6.06	30.00

**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 4**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH155	5775	-7.22	0.06	-7.16	30.00

**TX CH155**




Date: 9.DEC.2014 16:05:46

**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 5**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH155	5775	-8.78	0.06	-8.72	30.00

**TX CH155**




Date: 9.DEC.2014 16:04:30

**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 6**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH155	5775	-8.39	0.06	-8.33	30.00

**TX CH155**




Date: 9.DEC.2014 16:07:19

**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_ANT 7**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH155	5775	-8.07	0.06	-8.01	30.00

**TX CH155**



Date: 9.DEC.2014 16:08:30

**Test Mode: UNII-3/ TX AC80 Mode\_CH155\_Total**

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH155	5775	-1.99	0.06	-1.93	30.00

## ATTACHMENT I - FREQUENCY STABILITY



<b>Test Mode:</b>	UNII-1
-------------------	--------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0128
120	5180.0123
108	5180.0131
Max. Deviation (MHz)	0.0131
Max. Deviation (ppm)	2.5290

### Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5180.0115
5	5180.0117
15	5180.0120
25	5180.0125
35	5180.0123
45	5180.0126
50	5180.0128
Max. Deviation (MHz)	0.0128
Max. Deviation (ppm)	2.4710

<b>Test Mode:</b>	<b>UNII-2A</b>
-------------------	----------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5260.0121
120	5260.0118
108	5260.0123
Max. Deviation (MHz)	0.0123
Max. Deviation (ppm)	2.3384

### Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5260.0000
-5	5260.0134
5	5260.0136
15	5260.0135
25	5260.0138
35	5260.0137
45	5260.0139
50	5260.0141
Max. Deviation (MHz)	0.0141
Max. Deviation (ppm)	2.6806

<b>Test Mode:</b>	<b>UNII-2C</b>
-------------------	----------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5500.0134
120	5500.0132
108	5500.0137
Max. Deviation (MHz)	0.0137
Max. Deviation (ppm)	2.4909

### Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5500.0000
-5	5500.0137
5	5500.0139
15	5500.0141
25	5500.0143
35	5500.0142
45	5500.0145
50	5500.0147
Max. Deviation (MHz)	0.0147
Max. Deviation (ppm)	2.6727

<b>Test Mode:</b>	<b>UNII-3</b>
-------------------	---------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0236
120	5745.0231
108	5745.0238
Max. Deviation (MHz)	0.0238
Max. Deviation (ppm)	4.1427

### Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5745.0253
5	5745.0254
15	5745.0256
25	5745.0258
35	5745.0257
45	5745.0259
50	5745.0261
Max. Deviation (MHz)	0.0261
Max. Deviation (ppm)	4.5431