


Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11590.13	31.68	12.88	44.56	68.30	-23.74	peak	
2	*	11590.13	23.47	12.88	36.35	54.00	-17.65	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	25.35	41.06	66.41	68.30	-1.89	peak	
2		5715.000	17.78	41.06	58.84	68.30	-9.46	AVG	
3		5725.000	27.43	41.10	68.53	78.30	-9.77	peak	
4		5725.000	18.35	41.10	59.45	68.30	-8.85	AVG	
5	X	5806.600	66.86	41.44	108.30	78.30	30.00	peak	No Limit
6	*	5808.600	58.99	41.45	100.44	68.30	32.14	AVG	No Limit
7		5850.000	24.56	41.62	66.18	78.30	-12.12	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11549.16	30.23	12.91	43.14	68.30	-25.16	peak	
2	*	11549.16	21.89	12.91	34.80	54.00	-19.20	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	26.12	41.06	67.18	68.30	-1.12	peak	
2		5715.000	18.32	41.06	59.38	68.30	-8.92	AVG	
3		5725.000	28.64	41.10	69.74	78.30	-8.56	peak	
4		5725.000	19.08	41.10	60.18	68.30	-8.12	AVG	
5	X	5751.800	66.00	41.21	107.21	78.30	28.91	peak	No Limit
6	*	5809.000	57.74	41.45	99.19	68.30	30.89	AVG	No Limit
7		5850.000	23.69	41.62	65.31	78.30	-12.99	peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11550.89	31.62	12.91	44.53	68.30	-23.77	peak	
2	*	11550.89	23.71	12.91	36.62	54.00	-17.38	AVG	

Orthogonal Axis:	X
Test Mode:	WIFI 2.4GHz + 5GHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10401.47	42.46	11.05	53.51	68.30	-14.79	peak	
2	*	10401.47	33.12	11.05	44.17	54.00	-9.83	AVG	


Orthogonal Axis:	X
Test Mode:	WIFI 2.4GHz + 5GHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10400.83	42.94	11.05	53.99	68.30	-14.31	peak	
2	*	10400.83	34.71	11.05	45.76	54.00	-8.24	AVG	

TX A Mode_DUTY CYCLE



Date: 8.DEC.2014 19:46:12

Duty cycle: TX 5180 MHz

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$

T_{ON} : 5.420 msec

T_{Total} : 5.423 msec

Duty cycle: 0.9994

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$


Duty Factor = 0.00

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be calculated as

$$\text{Output Power} = \text{Measured power} + \text{Duty factor}$$

$$\text{Power Spectral Density} = \text{Measured density} + \text{Duty factor}$$

TX N20 Mode_DUTY CYCLE



Date: 8.DEC.2014 19:54:50

Duty cycle: TX 5180 MHz

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$

T_{ON} : 5.032 msec

T_{Total} : 5.074 msec

Duty cycle: 0.9917

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$


Duty Factor = 0.04

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be calculated as

$$\text{Output Power} = \text{Measured power} + \text{Duty factor}$$

$$\text{Power Spectral Density} = \text{Measured density} + \text{Duty factor}$$

TX N40 Mode_DUTY CYCLE



Date: 9.DEC.2014 10:47:11

Duty cycle: TX 5190 MHz

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$

T_{ON} : 2.450 msec

T_{Total} : 2.460 msec

Duty cycle: 0.9959

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$


Duty Factor = 0.02

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be calculated as

$$\text{Output Power} = \text{Measured power} + \text{Duty factor}$$

$$\text{Power Spectral Density} = \text{Measured density} + \text{Duty factor}$$

TX AC20 Mode_DUTY CYCLE



Date: 24.APR.2015 17:22:19

Duty cycle: TX 5180 MHz

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$

T_{ON} : 5.37 msec

T_{Total} : 5.42 msec

Duty cycle: 0.9908

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$


Duty Factor = 0.04

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be cacluated as

$$\text{Output Power} = \text{Measured power} + \text{Ducy factor}$$

$$\text{Power Spectral Density} = \text{Measured density} + \text{Duty factor}$$

TX AC40 Mode_DUTY CYCLE



Date: 24.APR.2015 17:26:54

Duty cycle: TX 5190 MHz

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$

T_{ON} : 2.450 msec

T_{Total} : 2.480 msec

Duty cycle: 0.9880

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$


Duty Factor = 0.05

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be calculated as

$$\text{Output Power} = \text{Measured power} + \text{Duty factor}$$

$$\text{Power Spectral Density} = \text{Measured density} + \text{Duty factor}$$

TX AC80 Mode_DUTY CYCLE



Date: 24.APR.2015 17:28:37

Duty cycle: TX 5210 MHz

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$

T_{ON} : 1.152 msec

T_{Total} : 1.184 msec

Duty cycle: 0.9730

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$

Duty Factor = 0.12

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be calculated as

$$\text{Output Power} = \text{Measured power} + \text{Duty factor}$$


$$\text{Power Spectral Density} = \text{Measured density} + \text{Duty factor}$$

ATTACHMENT E - BANDWIDTH

Test Mode: UNII-1/TX A Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	23.49	17.20
CH40	5200	37.95	21.20
CH48	5240	39.79	22.00

TX CH36




Date: 8.DEC.2014 19:29:20

TX CH40



Date: 8.DEC.2014 13:59:46

TX CH48




Date: 8.DEC.2014 14:01:10

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	24.78	18.40
CH40	5200	24.90	18.60
CH48	5240	36.09	19.50

TX CH36




Date: 8.DEC.2014 19:52:31

TX CH40



Date: 8.DEC.2014 19:56:01

TX CH48




Date: 8.DEC.2014 19:59:01

Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	42.20	36.40
CH46	5230	72.61	37.20

TX CH38



Date: 9.DEC.2014 10:48:05

TX CH46




Date: 9.DEC.2014 11:01:37

Test Mode: UNII-2A/TX A Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	40.05	22.30
CH60	5300	40.35	22.60
CH64	5320	35.94	17.80

TX CH52




Date: 8.DEC.2014 14:03:33

TX CH60



Date: 8.DEC.2014 14:04:47

TX CH64




Date: 8.DEC.2014 14:06:04

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	30.64	18.80
CH60	5300	32.09	19.10
CH64	5320	25.05	18.50

TX CH52




Date: 8.DEC.2014 20:24:31

TX CH60



Date: 8.DEC.2014 20:11:12

TX CH64




Date: 8.DEC.2014 20:03:23

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	75.79	39.80
CH62	5310	42.30	36.40

TX CH54



Date: 9.DEC.2014 11:05:26

TX CH62




Date: 9.DEC.2014 11:13:35

Test Mode: UNII-2C/TX A Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	24.85	17.10
CH116	5580	23.40	17.10
CH140	5700	23.30	17.10

TX CH100




Date: 8.DEC.2014 14:09:17

TX CH116



Date: 8.DEC.2014 19:33:10

TX CH140




Date: 8.DEC.2014 19:36:38

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	24.89	18.50
CH116	5580	24.95	18.50
CH140	5700	24.99	18.40

TX CH100




Date: 8.DEC.2014 20:14:15

TX CH116



Date: 8.DEC.2014 20:19:32

TX CH140




Date: 8.DEC.2014 20:22:51

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	42.10	36.40
CH110	5550	42.21	36.40
CH134	5670	42.50	36.40

TX CH102




Date: 9.DEC.2014 11:20:27

TX CH110



Date: 9.DEC.2014 13:04:13

TX CH134




Date: 9.DEC.2014 13:13:18

Test Mode: UNII-3/ TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (KHz)
CH149	5745	16.65	17.10	>=500
CH157	5785	16.60	17.20	>=500
CH165	5825	16.65	17.10	>=500

TX CH 149




Date: 8.DEC.2014 14:13:57

TX CH 157




Date: 8.DEC.2014 14:15:32

TX CH 165




Date: 8.DEC.2014 14:16:55

TX CH 157



Date: 8.DEC.2014 20:29:41

TX CH 165




Date: 8.DEC.2014 20:30:28

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (KHz)
CH151	5755	36.50	36.40	>=500
CH159	5795	36.50	36.40	>=500

TX CH 151



Date: 9.DEC.2014 13:15:05

TX CH 159




Date: 9.DEC.2014 13:25:16

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	24.74	18.50
CH40	5200	35.51	19.60
CH48	5240	38.34	20.20

TX CH36




Date: 9.DEC.2014 08:29:08

TX CH40



Date: 9.DEC.2014 08:33:18

TX CH48




Date: 9.DEC.2014 08:39:54

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	42.10	36.40
CH46	5230	68.60	37.00

TX CH38



Date: 9.DEC.2014 13:34:29

TX CH46




Date: 9.DEC.2014 13:47:19

Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	80.20	75.20

TX CH42




Date: 9.DEC.2014 15:17:34

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	25.25	18.70
CH60	5300	29.24	18.70
CH64	5320	25.69	18.70

TX CH52




Date: 9.DEC.2014 08:43:29

TX CH60



Date: 9.DEC.2014 08:54:27

TX CH64




Date: 9.DEC.2014 09:04:22

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	76.90	38.20
CH62	5310	42.00	36.40

TX CH54



Date: 9.DEC.2014 13:49:01

TX CH62




Date: 9.DEC.2014 13:59:33

Test Mode: UNII-2A/TX AC80 Mode_CH58

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH58	5290	80.20	75.20

TX CH58




Date: 9.DEC.2014 15:32:13

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	24.95	18.50
CH116	5580	25.08	18.50
CH140	5700	24.79	18.50

TX CH100




Date: 9.DEC.2014 09:05:57

TX CH116



Date: 9.DEC.2014 10:09:51

TX CH140




Date: 9.DEC.2014 10:23:38

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	42.21	36.40
CH110	5550	42.21	36.40
CH134	5670	42.20	36.40

TX CH102




Date: 9.DEC.2014 14:10:33

TX CH110



Date: 9.DEC.2014 14:12:38

TX CH134




Date: 9.DEC.2014 14:24:04

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH106	5530	80.40	75.60
CH122	5610	81.00	75.20

TX CH106



Date: 9.DEC.2014 15:34:49

TX CH122




Date: 9.DEC.2014 16:13:47

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (KHz)
CH149	5745	17.85	18.50	>=500
CH157	5785	17.75	18.50	>=500
CH165	5825	17.80	18.50	>=500

TX CH 149




Date: 9.DEC.2014 10:31:50

TX CH 157



Date: 9.DEC.2014 10:33:09

TX CH 165




Date: 9.DEC.2014 10:42:07

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (KHz)
CH151	5755	36.60	36.40	>=500
CH159	5795	36.50	36.40	>=500

TX CH 151



Date: 9.DEC.2014 14:30:04

TX CH 159




Date: 9.DEC.2014 14:35:44

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (KHz)
CH155	5775	76.20	75.20	>=500

TX CH 155



Date: 9.DEC.2014 16:05:34

ATTACHMENT F - MAXIMUM OUTPUT POWER

Test Mode: UNII-1/TX A Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.52	0.00	16.52	30.00	1.00
CH40	5200	20.41	0.00	20.41	30.00	1.00
CH48	5240	19.75	0.00	19.75	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.14	0.04	15.18	30.00	1.00
CH40	5200	17.81	0.04	17.85	30.00	1.00
CH48	5240	17.71	0.04	17.75	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 5

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	14.78	0.04	14.82	30.00	1.00
CH40	5200	17.04	0.04	17.08	30.00	1.00
CH48	5240	17.21	0.04	17.25	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 6

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.21	0.04	15.25	30.00	1.00
CH40	5200	17.29	0.04	17.33	30.00	1.00
CH48	5240	17.81	0.04	17.85	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 7

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	14.41	0.04	14.45	30.00	1.00
CH40	5200	16.31	0.04	16.35	30.00	1.00
CH48	5240	17.14	0.04	17.18	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	20.91	0.04	20.95	30.00	1.00
CH40	5200	23.16	0.04	23.20	30.00	1.00
CH48	5240	23.49	0.04	23.53	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.92	0.02	13.94	30.00	1.00
CH46	5230	17.67	0.02	17.69	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 5

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.65	0.02	13.67	30.00	1.00
CH46	5230	17.34	0.02	17.36	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 6

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.95	0.02	13.97	30.00	1.00
CH46	5230	17.62	0.02	17.64	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 7

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.16	0.02	13.18	30.00	1.00
CH46	5230	17.04	0.02	17.06	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	19.70	0.02	19.72	30.00	1.00
CH46	5230	23.44	0.02	23.46	30.00	1.00

Test Mode: UNII-2A/TX A Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	19.56	0.00	19.56	24.00	0.25
CH60	5300	18.85	0.00	18.85	24.00	0.25
CH64	5320	17.28	0.00	17.28	24.00	0.25

Test Mode: UNII-2A/TX N20 Mode_ANT 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	16.14	0.04	16.18	24.00	0.25
CH60	5300	16.84	0.04	16.88	24.00	0.25
CH64	5320	15.93	0.04	15.97	24.00	0.25

Test Mode: UNII-2A/TX N20 Mode_ANT 5

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	15.97	0.04	16.01	24.00	0.25
CH60	5300	16.32	0.04	16.36	24.00	0.25
CH64	5320	16.64	0.04	16.68	24.00	0.25

Test Mode: UNII-2A/TX N20 Mode_ANT 6

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	16.23	0.04	16.27	24.00	0.25
CH60	5300	16.71	0.04	16.75	24.00	0.25
CH64	5320	15.98	0.04	16.02	24.00	0.25

Test Mode: UNII-2A/TX N20 Mode_ANT 7

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	15.71	0.04	15.75	24.00	0.25
CH60	5300	16.03	0.04	16.07	24.00	0.25
CH64	5320	15.27	0.04	15.27	24.00	0.25

Test Mode: UNII-2A/TX N20 Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	22.03	0.04	22.07	24.00	0.25
CH60	5300	22.50	0.04	22.54	24.00	0.25
CH64	5320	21.99	0.04	22.03	24.00	0.25

Test Mode: UNII-2A/TX N40 Mode_ANT 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	17.32	0.02	17.34	24.00	0.25
CH62	5310	13.57	0.02	13.59	24.00	0.25

Test Mode: UNII-2A/TX N40 Mode_ANT 5

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	17.12	0.02	17.14	24.00	0.25
CH62	5310	13.25	0.02	13.27	24.00	0.25

Test Mode: UNII-2A/TX N40 Mode_ANT 6

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	17.43	0.02	17.45	24.00	0.25
CH62	5310	13.51	0.02	13.53	24.00	0.25

Test Mode: UNII-2A/TX N40 Mode_ANT 7

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	16.68	0.02	16.70	24.00	0.25
CH62	5310	12.91	0.02	12.93	24.00	0.25

Test Mode: UNII-2A/TX N40 Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	23.17	0.02	23.19	24.00	0.25
CH62	5310	19.34	0.02	19.36	24.00	0.25

Test Mode: UNII-2C/TX A Mode_ANT 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	16.36	0.00	16.36	24.00	0.25
CH116	5580	18.07	0.00	18.07	24.00	0.25
CH140	5700	16.26	0.00	16.26	24.00	0.25

Test Mode: UNII-2C/TX N20 Mode_ANT 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	13.81	0.04	13.85	24.00	0.25
CH116	5580	12.58	0.04	12.62	24.00	0.25
CH140	5700	14.64	0.04	14.68	24.00	0.25

Test Mode: UNII-2C/TX N20 Mode_ANT 5

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	13.69	0.04	13.73	24.00	0.25
CH116	5580	12.16	0.04	12.20	24.00	0.25
CH140	5700	14.21	0.04	14.25	24.00	0.25

Test Mode: UNII-2C/TX N20 Mode_ANT 6

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	13.97	0.04	14.01	24.00	0.25
CH116	5580	12.63	0.04	12.67	24.00	0.25
CH140	5700	14.76	0.04	14.80	24.00	0.25

Test Mode: UNII-2C/TX N20 Mode_ANT 7

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	13.18	0.04	13.22	24.00	0.25
CH116	5580	11.95	0.04	11.99	24.00	0.25
CH140	5700	13.84	0.04	13.88	24.00	0.25

Test Mode: UNII-2C/TX N20 Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	19.69	0.04	19.73	24.00	0.25
CH116	5580	18.36	0.04	18.40	24.00	0.25
CH140	5700	20.39	0.04	20.43	24.00	0.25

Test Mode: UNII-2C/TX N40 Mode_ANT 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.03	0.02	14.05	24.00	0.25
CH110	5550	16.55	0.02	16.57	24.00	0.25
CH134	5670	16.84	0.02	16.86	24.00	0.25

Test Mode: UNII-2C/TX N40 Mode_ANT 5

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	13.76	0.02	13.78	24.00	0.25
CH110	5550	16.21	0.02	16.23	24.00	0.25
CH134	5670	16.54	0.02	16.56	24.00	0.25

Test Mode: UNII-2C/TX N40 Mode_ANT 6

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.12	0.02	14.14	24.00	0.25
CH110	5550	16.51	0.02	16.53	24.00	0.25
CH134	5670	16.76	0.02	16.78	24.00	0.25

Test Mode: UNII-2C/TX N40 Mode_ANT 7

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	13.25	0.02	13.27	24.00	0.25
CH110	5550	15.69	0.02	15.71	24.00	0.25
CH134	5670	16.07	0.02	16.09	24.00	0.25

Test Mode: UNII-2C/TX N40 Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	19.82	0.02	19.84	24.00	0.25
CH110	5550	22.27	0.02	22.29	24.00	0.25
CH134	5670	22.58	0.02	22.60	24.00	0.25

Test Mode: UNII-3/ TX A Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	17.35	0.00	17.35	30.00	1.00
CH157	5785	18.91	0.00	18.91	30.00	1.00
CH165	5825	16.04	0.00	16.04	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	13.29	0.04	13.33	30.00	1.00
CH157	5785	17.41	0.04	17.45	30.00	1.00
CH165	5825	15.07	0.04	15.11	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 5

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	13.11	0.04	13.15	30.00	1.00
CH157	5785	17.25	0.04	17.29	30.00	1.00
CH165	5825	14.83	0.04	14.87	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 6

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	13.54	0.04	13.58	30.00	1.00
CH157	5785	17.62	0.04	17.66	30.00	1.00
CH165	5825	15.16	0.04	15.20	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 7

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	12.56	0.04	12.60	30.00	1.00
CH157	5785	16.71	0.04	16.75	30.00	1.00
CH165	5825	14.29	0.04	14.33	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.16	0.04	19.20	30.00	1.00
CH157	5785	23.28	0.04	23.32	30.00	1.00
CH165	5825	20.87	0.04	20.91	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	13.12	0.02	13.14	30.00	1.00
CH159	5795	17.65	0.02	17.67	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 5

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	12.86	0.02	12.88	30.00	1.00
CH159	5795	17.37	0.02	17.39	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 6

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	13.25	0.02	13.27	30.00	1.00
CH159	5795	17.24	0.02	17.26	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 7

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	12.36	0.02	12.38	30.00	1.00
CH159	5795	16.87	0.02	16.89	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	18.93	0.02	18.95	30.00	1.00
CH159	5795	23.31	0.02	23.33	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	14.33	0.04	14.37	30.00	1.00
CH40	5200	15.29	0.04	15.33	30.00	1.00
CH48	5240	15.98	0.04	16.02	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 5

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	13.90	0.04	13.94	30.00	1.00
CH40	5200	15.60	0.04	15.64	30.00	1.00
CH48	5240	15.56	0.04	15.60	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 6

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	14.08	0.04	14.12	30.00	1.00
CH40	5200	15.83	0.04	15.87	30.00	1.00
CH48	5240	15.55	0.04	15.59	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 7

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	13.11	0.04	13.15	30.00	1.00
CH40	5200	16.33	0.04	16.37	30.00	1.00
CH48	5240	14.72	0.04	14.76	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.90	0.04	19.94	30.00	1.00
CH40	5200	21.80	0.04	21.84	30.00	1.00
CH48	5240	21.50	0.04	21.54	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	11.04	0.05	11.09	30.00	1.00
CH46	5230	14.77	0.05	14.82	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 5

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	9.92	0.05	9.97	30.00	1.00
CH46	5230	14.04	0.05	14.09	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 6

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	9.71	0.05	9.76	30.00	1.00
CH46	5230	14.23	0.05	14.28	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 7

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	9.02	0.05	9.07	30.00	1.00
CH46	5230	13.43	0.05	13.48	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	15.04	0.05	15.09	30.00	1.00
CH46	5230	19.13	0.05	19.18	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	11.91	0.12	12.03	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 5

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	11.51	0.12	11.63	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 6

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	11.70	0.12	11.82	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 7

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	10.77	0.12	10.89	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	17.51	0.12	17.63	30.00	1.00

Test Mode: UNII-2A/TX AC20 Mode_ANT 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	14.97	0.04	15.01	24.00	0.25
CH60	5300	13.45	0.04	13.49	24.00	0.25
CH64	5320	13.40	0.04	13.44	24.00	0.25

Test Mode: UNII-2A/TX AC20 Mode_ANT 5

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	14.35	0.04	14.39	24.00	0.25
CH60	5300	14.07	0.04	14.11	24.00	0.25
CH64	5320	12.91	0.04	12.95	24.00	0.25

Test Mode: UNII-2A/TX AC20 Mode_ANT 6

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	14.31	0.04	14.35	24.00	0.25
CH60	5300	14.02	0.04	14.06	24.00	0.25
CH64	5320	13.01	0.04	13.05	24.00	0.25

Test Mode: UNII-2A/TX AC20 Mode_ANT 7

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	13.94	0.04	13.98	24.00	0.25
CH60	5300	13.35	0.04	13.39	24.00	0.25
CH64	5320	12.15	0.04	12.19	24.00	0.25

Test Mode: UNII-2A/TX AC20 Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	20.43	0.04	20.47	24.00	0.25
CH60	5300	19.76	0.04	19.80	24.00	0.25
CH64	5320	18.91	0.04	18.95	24.00	0.25

Test Mode: UNII-2A/TX AC40 Mode_ANT 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	15.81	0.05	15.86	24.00	0.25
CH62	5310	11.56	0.05	11.61	24.00	0.25

Test Mode: UNII-2A/TX AC40 Mode_ANT 5

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	15.65	0.05	15.70	24.00	0.25
CH62	5310	11.36	0.05	11.41	24.00	0.25

Test Mode: UNII-2A/TX AC40 Mode_ANT 6

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	15.53	0.05	15.58	24.00	0.25
CH62	5310	11.31	0.05	11.36	24.00	0.25

Test Mode: UNII-2A/TX AC40 Mode_ANT 7

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	15.24	0.05	15.29	24.00	0.25
CH62	5310	10.59	0.05	10.64	24.00	0.25

Test Mode: UNII-2A/TX AC40 Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	20.44	0.05	20.49	24.00	0.25
CH62	5310	16.19	0.05	16.24	24.00	0.25

Test Mode: UNII-2A/TX AC80 Mode_ANT 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	11.51	0.12	11.63	24.00	0.25

Test Mode: UNII-2A/TX AC80 Mode_ANT 5

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	11.16	0.12	11.28	24.00	0.25

Test Mode: UNII-2A/TX AC80 Mode_ANT 6

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	11.20	0.12	11.32	24.00	0.25

Test Mode: UNII-2A/TX AC80 Mode_ANT 7

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	10.26	0.12	10.38	24.00	0.25

Test Mode: UNII-2A/TX AC80 Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	18.08	0.12	18.14	24.00	0.25

Test Mode: UNII-2C/TX AC20 Mode_ANT 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	13.80	0.04	13.84	24.00	0.25
CH116	5580	14.35	0.04	14.39	24.00	0.25
CH140	5700	14.95	0.04	14.99	24.00	0.25

Test Mode: UNII-2C/TX AC20 Mode_ANT 5

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	14.82	0.04	14.86	24.00	0.25
CH116	5580	15.09	0.04	15.13	24.00	0.25
CH140	5700	13.86	0.04	13.90	24.00	0.25

Test Mode: UNII-2C/TX AC20 Mode_ANT 6

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	14.56	0.04	14.60	24.00	0.25
CH116	5580	14.48	0.04	14.52	24.00	0.25
CH140	5700	14.83	0.04	14.87	24.00	0.25

Test Mode: UNII-2C/TX AC20 Mode_ANT 7

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	13.46	0.04	13.50	24.00	0.25
CH116	5580	13.66	0.04	13.70	24.00	0.25
CH140	5700	13.68	0.04	13.72	24.00	0.25

Test Mode: UNII-2C/TX AC20 Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	20.22	0.04	20.26	24.00	0.25
CH116	5580	20.45	0.04	20.49	24.00	0.25
CH140	5700	20.39	0.04	20.43	24.00	0.25

Test Mode: UNII-2C/TX AC40 Mode_ANT 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	8.11	0.05	8.16	24.00	0.25
CH110	5550	14.60	0.05	14.65	24.00	0.25
CH134	5670	14.80	0.05	14.85	24.00	0.25

Test Mode: UNII-2C/TX AC40 Mode_ANT 5

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	9.38	0.05	9.43	24.00	0.25
CH110	5550	15.56	0.05	15.61	24.00	0.25
CH134	5670	15.62	0.05	15.67	24.00	0.25

Test Mode: UNII-2C/TX AC40 Mode_ANT 6

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	9.03	0.05	9.08	24.00	0.25
CH110	5550	14.97	0.05	15.02	24.00	0.25
CH134	5670	14.65	0.05	14.70	24.00	0.25

Test Mode: UNII-2C/TX AC40 Mode_ANT 7

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	8.38	0.05	8.43	24.00	0.25
CH110	5550	14.37	0.05	14.42	24.00	0.25
CH134	5670	13.93	0.05	13.98	24.00	0.25

Test Mode: UNII-2C/TX AC40 Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	13.65	0.05	13.70	24.00	0.25
CH110	5550	19.84	0.05	19.89	24.00	0.25
CH134	5670	19.82	0.05	19.87	24.00	0.25

Test Mode: UNII-2C/TX AC80 Mode_ANT 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	9.95	0.12	10.07	24.00	0.25
CH122	5610	11.58	0.12	11.70	24.00	0.25

Test Mode: UNII-2C/TX AC80 Mode_ANT 5

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	10.84	0.12	10.96	24.00	0.25
CH122	5610	12.15	0.12	12.27	24.00	0.25

Test Mode: UNII-2C/TX AC80 Mode_ANT 6

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	10.31	0.12	10.43	24.00	0.25
CH122	5610	11.61	0.12	11.73	24.00	0.25

Test Mode: UNII-2C/TX AC80 Mode_ANT 7

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	9.58	0.12	9.70	24.00	0.25
CH122	5610	11.03	0.12	11.15	24.00	0.25

Test Mode: UNII-2C/TX AC80 Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	16.33	0.12	16.33	24.00	0.25
CH122	5610	17.75	0.12	17.75	24.00	0.25

Test Mode: UNII-3/TX AC20 Mode_ANT 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	14.79	0.04	14.83	30.00	1.00
CH157	5785	14.08	0.04	14.12	30.00	1.00
CH165	5825	12.09	0.04	12.13	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 5

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	13.60	0.04	13.64	30.00	1.00
CH157	5785	12.35	0.04	12.39	30.00	1.00
CH165	5825	11.04	0.04	11.08	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 6

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	14.73	0.04	14.77	30.00	1.00
CH157	5785	13.47	0.04	13.51	30.00	1.00
CH165	5825	12.05	0.04	12.09	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 7

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	13.82	0.04	13.86	30.00	1.00
CH157	5785	12.42	0.04	12.46	30.00	1.00
CH165	5825	11.56	0.04	11.60	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	20.29	0.04	20.33	30.00	1.00
CH157	5785	19.16	0.04	19.20	30.00	1.00
CH165	5825	17.73	0.04	17.77	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	13.87	0.05	13.92	30.00	1.00
CH159	5795	13.64	0.05	13.69	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 5

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	12.39	0.05	12.44	30.00	1.00
CH159	5795	12.42	0.05	12.47	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 6

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	13.68	0.05	13.73	30.00	1.00
CH159	5795	13.22	0.05	13.27	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 7

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	12.51	0.05	12.56	30.00	1.00
CH159	5795	12.70	0.05	12.75	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	19.19	0.05	19.24	30.00	1.00
CH159	5795	19.04	0.05	19.09	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	11.53	0.12	11.65	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 5

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	9.56	0.12	9.68	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 6

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	10.82	0.12	10.94	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 7

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	9.53	0.12	9.65	30.00	1.00


Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	16.46	0.12	16.58	30.00	1.00

ATTACHMENT G - ANTENNA CONDUCTED SPURIOUS EMISSION


Test Mode: UNII-1/TX A Mode

TX mode CH36



Date: 8.DEC.2014 19:28:05


TX mode CH48



Date: 8.DEC.2014 14:01:28


Test Mode: UNII-1/TX N20 Mode_ANT 4

TX mode CH36



Date: 8.DEC.2014 19:52:48


TX mode CH48



Date: 8.DEC.2014 19:59:19


Test Mode: UNII-1/TX N20 Mode_ANT 5

TX mode CH36



Date: 8.DEC.2014 20:36:24


TX mode CH48



Date: 8.DEC.2014 20:41:24


Test Mode: UNII-1/TX N20 Mode_ANT3

TX mode CH36



Date: 8.DEC.2014 21:04:16


TX mode CH48



Date: 8.DEC.2014 21:02:11


Test Mode: UNII-1/TX N20 Mode_ANT 7

TX mode CH36



Date: 8.DEC.2014 21:05:11


TX mode CH48



Date: 8.DEC.2014 20:58:57


Test Mode: UNII-1/TX N40 Mode_ANT 4

TX mode CH38



Date: 9.DEC.2014 10:48:23


TX mode CH46



Date: 9.DEC.2014 11:01:54


Test Mode: UNII-1/TX N40 Mode_ANT 5

TX mode CH38



Date: 9.DEC.2014 10:49:16


TX mode CH46



Date: 9.DEC.2014 10:59:11


Test Mode: UNII-1/TX N40 Mode_ANT 6

TX mode CH38



Date: 9.DEC.2014 10:50:42


TX mode CH46



Date: 9.DEC.2014 10:56:48


Test Mode: UNII-1/TX N40 Mode_ANT 7

TX mode CH38



Date: 9.DEC.2014 10:53:44


TX mode CH46



Date: 9.DEC.2014 10:55:47


Test Mode: UNII-2A/TX A Mode4

TX mode CH52



Date: 8.DEC.2014 14:03:50


TX mode CH64



Date: 8.DEC.2014 14:06:22


Test Mode: UNII-2A/TX N20 Mode_ANT 4

TX mode CH52



Date: 8.DEC.2014 20:24:49


TX mode CH64



Date: 8.DEC.2014 20:03:40


Test Mode: UNII-2A/TX N20 Mode_ANT 5

TX mode CH52



Date: 8.DEC.2014 20:42:26


TX mode CH64



Date: 8.DEC.2014 20:44:37


Test Mode: UNII-2A/TX N20 Mode_ANT 6

TX mode CH52



Date: 8.DEC.2014 21:07:23


TX mode CH64



Date: 8.DEC.2014 21:15:02


Test Mode: UNII-2A/TX N20 Mode_ANT 7

TX mode CH52



Date: 8.DEC.2014 21:06:30


TX mode CH64



Date: 8.DEC.2014 21:16:11


Test Mode: UNII-2A/TX N40 Mode_ANT 4

TX mode CH54



Date: 9.DEC.2014 11:05:44


TX mode CH62



Date: 9.DEC.2014 11:13:52


Test Mode: UNII-2A/TX N40 Mode_ANT 5

TX mode CH54



Date: 9.DEC.2014 11:03:33


TX mode CH62



Date: 9.DEC.2014 11:15:33


Test Mode: UNII-2A/TX N40 Mode_ANT 6

TX mode CH54



Date: 9.DEC.2014 11:06:54


TX mode CH62



Date: 9.DEC.2014 11:11:37


Test Mode: UNII-2A/TX N40 Mode_ANT 7

TX mode CH54



Date: 9.DEC.2014 11:07:54


TX mode CH62



Date: 9.DEC.2014 11:12:53


Test Mode: UNII-2C/TX A Mode

TX mode CH100



Date: 8.DEC.2014 14:09:35


TX mode CH140



Date: 8.DEC.2014 19:35:59


Test Mode: UNII-2C/TX N20 Mode_ANT 4

TX mode CH100



Date: 8.DEC.2014 20:14:33


TX mode CH140



Date: 8.DEC.2014 20:23:09


Test Mode: UNII-2C/TX N20 Mode_ANT 5

TX mode CH100



Date: 8.DEC.2014 20:47:35


TX mode CH140



Date: 8.DEC.2014 20:49:54


Test Mode: UNII-2C/TX N20 Mode_ANT 6

TX mode CH100



Date: 8.DEC.2014 21:18:14


TX mode CH140



Date: 9.DEC.2014 08:04:25


Test Mode: UNII-2C/TX N20 Mode_ANT 7

TX mode CH100



Date: 8.DEC.2014 21:17:23


TX mode CH140



Date: 9.DEC.2014 08:05:57


Test Mode: UNII-2C/TX N40 Mode_ANT 4

TX mode CH102



Date: 9.DEC.2014 11:20:45


TX mode CH134



Date: 9.DEC.2014 13:13:35


Test Mode: UNII-2C/TX N40 Mode_ANT 5

TX mode CH102



Date: 9.DEC.2014 11:19:46


TX mode CH134



Date: 9.DEC.2014 13:11:52


Test Mode: UNII-2C/TX N40 Mode_ANT 6

TX mode CH102



Date: 9.DEC.2014 12:55:47


TX mode CH134



Date: 9.DEC.2014 13:10:40


Test Mode: UNII-2C/TX N40 Mode_ANT 7

TX mode CH102



Date: 9.DEC.2014 12:57:11


TX mode CH134



Date: 9.DEC.2014 13:09:48


Test Mode: UNII-3/TX A Mode

TX A Mode CH149



Date: 8.DEC.2014 14:14:15


TX A Mode CH165



Date: 8.DEC.2014 14:17:13


Test Mode: UNII-3/TX N20 Mode_ANT 4

TX HT20 mode CH149



Date: 8.DEC.2014 20:29:01


TX HT20 mode CH165



Date: 8.DEC.2014 20:30:46


Test Mode: UNII-3/TX N20 Mode_ANT 5

TX HT20 mode CH149



Date: 8.DEC.2014 20:34:36


X HT20 mode CH165



Date: 8.DEC.2014 20:33:31


Test Mode: UNII-3/TX N20 Mode_ANT 6

TX HT20 mode CH149



Date: 9.DEC.2014 08:10:14


TX HT20 mode CH165



Date: 9.DEC.2014 08:17:39


Test Mode: UNII-3/TX N20 Mode_ANT 7

TX HT20 mode CH149



Date: 9.DEC.2014 08:09:14


X HT20 mode CH165



Date: 9.DEC.2014 08:16:46


Test Mode: UNII-3/TX N40 Mode_ANT 4

UNII-3/TX HT40 mode CH151



Date: 9.DEC.2014 13:15:24


UNII-3/TX HT40 mode CH159



Date: 9.DEC.2014 13:25:34


Test Mode: UNII-3/TX N40 Mode_ANT 5

TX HT40 mode CH151



Date: 9.DEC.2014 13:17:01


HT40 mode CH159



Date: 9.DEC.2014 13:24:00


Test Mode: UNII-3/TX N40 Mode_ANT 6

UNII-3/TX HT40 mode CH151



Date: 9.DEC.2014 13:17:58


UNII-3/TX HT40 mode CH159



Date: 9.DEC.2014 13:22:20


Test Mode: UNII-3/TX N40 Mode_ANT 7

TX HT40 mode CH151



Date: 9.DEC.2014 13:19:05


HT40 mode CH159



Date: 9.DEC.2014 13:20:27


Test Mode: UNII-1/TX AC20 Mode_ANT 4

TX mode CH36



Date: 19.APR.2015 15:07:42


TX mode CH48



Date: 19.APR.2015 15:06:37


Test Mode: UNII-1/TX AC20 Mode_ANT 5

TX mode CH36



Date: 19.APR.2015 15:08:03


TX mode CH48



Date: 19.APR.2015 15:06:11


Test Mode: UNII-1/TX AC20 Mode_ANT 6

TX mode CH36



Date: 19.APR.2015 15:08:24


TX mode CH48



Date: 19.APR.2015 15:05:42


Test Mode: UNII-1/TX AC20 Mode_ANT 7

TX mode CH36



Date: 19.APR.2015 15:08:46


TX mode CH48



Date: 19.APR.2015 15:05:19


Test Mode: UNII-1/TX AC40 Mode_ANT 4

TX mode CH38



Date: 19.APR.2015 15:15:50


TX mode CH46



Date: 19.APR.2015 15:24:14


Test Mode: UNII-1/TX AC40 Mode_ANT 5

TX mode CH38



Date: 19.APR.2015 15:17:26

TX mode CH46



Date: 19.APR.2015 15:23:26