



Test Mode: UNII-3/TX AC40 Mode_ANT 4

TX AC HT40 mode CH151



Date: 19.APR.2015 15:54:18


TX AC HT40 mode CH159



Date: 19.APR.2015 15:55:33


Test Mode: UNII-3/TX AC40 Mode_ANT 5

TX AC HT40 mode CH151



Date: 19.APR.2015 15:53:10


TX AC HT40 mode CH159



Date: 19.APR.2015 15:56:19


Test Mode: UNII-3/TX AC40 Mode_ANT 6

TX AC HT40 mode CH151



Date: 19.APR.2015 15:52:16


TX AC HT40 mode CH159



Date: 19.APR.2015 15:57:16


Test Mode: UNII-3/TX AC40 Mode_ANT 7

TX AC HT40 mode CH151



Date: 19.APR.2015 15:50:36


TX AC HT40 mode CH159



Date: 19.APR.2015 15:58:08

Test Mode: UNII-3/TX AC80 Mode_ANT 4


TX AC HT80 mode CH155



Date: 19.APR.2015 16:40:04

Test Mode: UNII-3/TX AC80 Mode_ANT 5


TX AC HT80 mode CH155



Date: 19.APR.2015 16:38:41

Test Mode: UNII-3/TX AC80 Mode_ANT 6


TX AC HT80 mode CH155



Date: 19.APR.2015 16:37:15

Test Mode: UNII-3/TX AC80 Mode_ANT 7

TX AC HT80 mode CH155




Date: 19.APR.2015 16:36:02

ATTACHMENT H - POWER SPECTRAL DENSITY


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH36	5180	5.79	0.00	5.79	17.00
CH40	5200	9.35	0.00	9.35	17.00
CH48	5240	8.14	0.00	8.14	17.00


CH36



Date: 8.DEC.2014 19:29:29

CH40

Date: 8.DEC.2014 13:59:56


CH48

Date: 8.DEC.2014 14:01:20

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH36	5180	5.27	0.04	5.31	17.00
CH40	5200	6.00	0.04	6.04	17.00
CH48	5240	7.37	0.04	7.41	17.00

CH36




Date: 8.DEC.2014 19:52:40

CH40




Date: 8.DEC.2014 19:56:11

CH48




Date: 8.DEC.2014 19:59:11

CH40



Date: 8.DEC.2014 20:39:27

CH48




Date: 8.DEC.2014 20:41:16

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH36	5180	4.11	0.04	4.15	17.00
CH40	5200	7.47	0.04	7.51	17.00
CH48	5240	7.01	0.04	7.05	17.00

CH36




Date: 8.DEC.2014 21:04:08

CH40



Date: 8.DEC.2014 21:00:57


CH48



Date: 8.DEC.2014 21:02:03


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 7

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH36	5180	2.77	0.04	2.81	17.00
CH40	5200	6.95	0.04	6.99	17.00
CH48	5240	6.97	0.04	7.01	17.00




Date: 8.DEC.2014 21:05:03

CH40



Date: 8.DEC.2014 20:59:51

CH48



Date: 8.DEC.2014 20:58:08


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH36	5180	10.18	0.04	10.22	17.00
CH40	5200	12.55	0.04	12.59	17.00
CH48	5240	13.12	0.04	13.16	17.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH38	5190	-0.25	0.02	-0.23	17.00
CH46	5230	3.97	0.02	3.99	17.00

CH38



Date: 9.DEC.2014 10:48:15

CH46




Date: 9.DEC.2014 11:01:46

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH38	5190	-1.65	0.02	-1.63	17.00
CH46	5230	3.94	0.02	3.96	17.00

CH38



Date: 9.DEC.2014 10:49:08

CH46




Date: 9.DEC.2014 10:59:03

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH38	5190	-0.90	0.02	-0.88	17.00
CH46	5230	3.86	0.02	3.88	17.00

CH38



Date: 9.DEC.2014 10:50:34

CH46




Date: 9.DEC.2014 10:56:40

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 7


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH38	5190	-1.87	0.02	-1.85	17.00
CH46	5230	4.70	0.02	4.72	17.00

CH38



Date: 9.DEC.2014 10:53:36

CH46



Date: 9.DEC.2014 10:55:39


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH38	5190	4.90	0.02	4.92	17.00
CH46	5230	10.15	0.02	10.17	17.00

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH52	5260	7.93	0.00	7.93	11.00
CH60	5300	7.17	0.00	7.17	11.00
CH64	5320	5.44	0.00	5.44	11.00

CH52




Date: 8.DEC.2014 14:03:43

CH60



Date: 8.DEC.2014 14:04:57

CH64




Date: 8.DEC.2014 14:06:14

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH52	5260	5.05	0.04	5.09	11.00
CH60	5300	5.00	0.04	5.04	11.00
CH64	5320	3.94	0.04	3.98	11.00

CH52




Date: 8.DEC.2014 20:25:26

CH60



Date: 8.DEC.2014 21:11:39


CH64



Date: 8.DEC.2014 20:03:33


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 5

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH52	5260	4.99	0.04	5.03	11.00
CH60	5300	4.93	0.04	4.97	11.00
CH64	5320	4.47	0.04	4.51	11.00




Date: 8.DEC.2014 20:42:18

CH60



Date: 8.DEC.2014 21:12:18


CH64



Date: 8.DEC.2014 20:44:29


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 6

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH52	5260	4.96	0.04	5.00	11.00
CH60	5300	4.58	0.04	4.62	11.00
CH64	5320	3.89	0.04	3.93	11.00




Date: 8.DEC.2014 21:07:15

CH60



Date: 8.DEC.2014 21:10:14


CH64



Date: 8.DEC.2014 21:14:54


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 7

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH52	5260	4.74	0.04	4.78	11.00
CH60	5300	4.70	0.04	4.74	11.00
CH64	5320	4.10	0.04	4.14	11.00




Date: 8.DEC.2014 21:06:22

CH60



Date: 8.DEC.2014 21:11:04

CH64




Date: 8.DEC.2014 21:16:03

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH52	5260	10.99	0.04	11.03	11.00
CH60	5300	10.86	0.04	10.90	11.00
CH64	5320	10.16	0.04	10.20	11.00

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH54	5270	3.39	0.02	3.41	11.00
CH62	5310	-3.36	0.02	-3.34	11.00

CH54

Date: 9.DEC.2014 11:05:36


CH62

Date: 9.DEC.2014 11:13:45

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH54	5270	2.68	0.02	2.70	11.00
CH62	5310	-3.39	0.02	-3.37	11.00

CH54



Date: 9.DEC.2014 11:03:25


CH62




Date: 9.DEC.2014 11:15:03

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 6

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH54	5270	2.99	0.02	3.01	11.00
CH62	5310	-3.42	0.02	-3.40	11.00

CH54


Date: 9.DEC.2014 11:06:45

CH62


Date: 9.DEC.2014 11:11:29

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 7

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH54	5270	3.23	0.02	3.25	11.00
CH62	5310	-3.20	0.02	-3.18	11.00

CH54

Date: 9.DEC.2014 11:07:46

CH62

Date: 9.DEC.2014 11:12:45


Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH54	5270	9.12	0.02	9.14	11.00
CH62	5310	2.70	0.02	2.72	11.00

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH100	5500	7.74	0.00	7.74	11.00
CH116	5580	10.11	0.00	10.11	11.00
CH140	5700	6.84	0.00	6.84	11.00

CH100




Date: 8.DEC.2014 14:09:27

CH116




Date: 8.DEC.2014 19:34:11

CH140




Date: 8.DEC.2014 19:36:47

CH116



Date: 9.DEC.2014 08:01:41

CH140




Date: 8.DEC.2014 20:23:01

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH100	5500	4.85	0.04	4.89	11.00
CH116	5580	4.32	0.04	4.36	11.00
CH140	5700	5.14	0.04	5.18	11.00

CH100




Date: 8.DEC.2014 21:18:55

CH116



Date: 9.DEC.2014 07:59:54


CH140



Date: 9.DEC.2014 08:04:18


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 7

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH100	5500	2.74	0.04	2.78	11.00
CH116	5580	4.19	0.04	4.23	11.00
CH140	5700	2.47	0.04	2.51	11.00




Date: 8.DEC.2014 21:22:50

CH116



Date: 9.DEC.2014 07:58:00

CH140



Date: 9.DEC.2014 08:05:50


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH100	5500	10.42	0.04	10.46	11.00
CH116	5580	10.55	0.04	10.59	11.00
CH140	5700	10.53	0.04	10.57	11.00

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH102	5510	-1.47	0.02	-1.45	11.00
CH110	5550	4.52	0.02	4.54	11.00
CH134	5670	5.17	0.02	5.19	11.00

CH102




Date: 9.DEC.2014 11:20:37

CH110



Date: 9.DEC.2014 13:06:36


CH134



Date: 9.DEC.2014 13:13:27


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 5

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH102	5510	0.20	0.02	0.22	11.00
CH110	5550	5.55	0.02	5.57	11.00
CH134	5670	5.03	0.02	5.05	11.00




Date: 9.DEC.2014 11:20:37

CH110




Date: 9.DEC.2014 13:06:36

CH134




Date: 9.DEC.2014 13:13:27

CH110



Date: 9.DEC.2014 13:07:05

CH134




Date: 9.DEC.2014 13:10:32


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 7

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH102	5510	0.19	0.02	0.21	11.00
CH110	5550	3.91	0.02	3.93	11.00
CH134	5670	4.73	0.02	4.75	11.00


CH102



Date: 9.DEC.2014 12:57:03

CH110


Date: 9.DEC.2014 13:07:37

CH134


Date: 9.DEC.2014 13:09:40

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm)
CH102	5510	5.78	0.02	5.80	11.00
CH110	5550	10.71	0.02	10.73	11.00
CH134	5670	10.96	0.02	10.98	11.00

TX CH157

Date: 8.DEC.2014 14:15:41


TX CH165

Date: 8.DEC.2014 14:28:35

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	0.53	0.04	0.53	30.00
CH157	5785	4.87	0.04	4.87	30.00
CH165	5825	1.13	0.04	1.13	30.00

TX CH149




Date: 8.DEC.2014 20:28:53


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 5

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	-1.89	0.04	-1.85	30.00
CH157	5785	3.09	0.04	3.05	30.00
CH165	5825	-0.51	0.04	-0.47	30.00


TX CH149



Date: 8.DEC.2014 20:34:28

TX CH157

Date: 8.DEC.2014 20:35:21


TX CH165

Date: 8.DEC.2014 20:33:23

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	-2.90	0.04	-2.86	30.00
CH157	5785	5.01	0.04	5.05	30.00
CH165	5825	1.47	0.04	1.51	30.00

TX CH149




Date: 9.DEC.2014 08:10:07

TX CH157




Date: 9.DEC.2014 08:14:53


TX CH165



Date: 9.DEC.2014 08:17:31

TX CH157

Date: 9.DEC.2014 08:15:39

TX CH165

Date: 9.DEC.2014 08:16:38


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	5.26	0.04	5.30	30.00
CH157	5785	10.39	0.04	10.43	30.00
CH165	5825	6.72	0.04	6.76	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-4.01	0.02	-3.99	30.00
CH159	5795	0.28	0.02	0.30	30.00

TX CH151



Date: 9.DEC.2014 13:15:16

TX CH159




Date: 9.DEC.2014 13:25:25

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-6.38	0.02	-6.40	30.00
CH159	5795	-0.52	0.02	-0.50	30.00

TX CH151



Date: 9.DEC.2014 13:16:53

TX CH159




Date: 9.DEC.2014 13:23:52

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-4.86	0.02	-4.84	30.00
CH159	5795	0.66	0.02	0.68	30.00

TX CH151



Date: 9.DEC.2014 13:17:50

TX CH159




Date: 9.DEC.2014 13:22:12

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 7


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-5.45	0.02	-5.43	30.00
CH159	5795	0.42	0.02	0.44	30.00

TX CH151



Date: 9.DEC.2014 13:18:56

TX CH159




Date: 9.DEC.2014 13:20:19

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	0.95	0.02	0.97	30.00
CH159	5795	6.27	0.02	6.29	30.00

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.25	0.04	4.29	17.00
CH40	5200	6.24	0.04	6.28	17.00
CH48	5240	5.73	0.04	5.77	17.00



Date: 19.APR.2015 13:58:01


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 5

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.62	0.04	3.66	17.00
CH40	5200	5.02	0.04	5.06	17.00
CH48	5240	5.40	0.04	5.44	17.00




Date: 19.APR.2015 14:03:08

CH40




Date: 19.APR.2015 14:08:46

CH48




Date: 19.APR.2015 14:11:25

CH40



Date: 19.APR.2015 14:06:34


CH48



Date: 19.APR.2015 14:12:03


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 7

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.60	0.04	2.64	17.00
CH40	5200	5.00	0.04	5.04	17.00
CH48	5240	4.09	0.04	4.13	17.00




Date: 19.APR.2015 14:04:58

CH40



Date: 19.APR.2015 14:05:54

CH48



Date: 19.APR.2015 14:12:40


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	9.59	0.04	9.63	17.00
CH40	5200	11.53	0.04	11.57	17.00
CH48	5240	11.24	0.04	11.28	17.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.95	0.05	-2.90	17.00
CH46	5230	1.30	0.05	1.35	17.00

CH38



Date: 19.APR.2015 15:15:42

CH46




Date: 19.APR.2015 15:24:05

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.94	0.05	-3.89	17.00
CH46	5230	0.73	0.05	0.78	17.00

CH38



Date: 19.APR.2015 15:17:18

CH46




Date: 19.APR.2015 15:23:18

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.80	0.05	-3.75	17.00
CH46	5230	0.53	0.05	0.58	17.00

CH38



Date: 19.APR.2015 15:18:07

CH46




Date: 19.APR.2015 15:22:19

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 7


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-4.94	0.05	-4.89	17.00
CH46	5230	0.24	0.05	0.29	17.00

CH38



Date: 19.APR.2015 15:18:58

CH46




Date: 19.APR.2015 15:21:15

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.23	0.05	1.28	17.00
CH46	5230	5.64	0.05	5.69	17.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-3.69	0.12	-3.57	17.00



Date: 19.APR.2015 16:07:20

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 5

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.29	0.12	-4.17	17.00



Date: 19.APR.2015 16:06:13

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-3.94	0.12	-3.82	17.00



Date: 19.APR.2015 16:04:23

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 7

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.73	0.12	-4.61	17.00




Date: 19.APR.2015 16:01:10

Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	1.87	0.12	1.99	17.00


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.89	0.04	4.93	11.00
CH60	5300	4.74	0.04	4.78	11.00
CH64	5320	3.02	0.04	3.06	11.00




Date: 19.APR.2015 15:14:31

CH60



Date: 19.APR.2015 15:03:22


CH64



Date: 19.APR.2015 14:23:20


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 5

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.21	0.04	4.25	11.00
CH60	5300	3.88	0.04	3.92	11.00
CH64	5320	2.91	0.04	4.18	11.00




Date: 19.APR.2015 15:14:11

CH60



Date: 19.APR.2015 15:03:49


CH64



Date: 19.APR.2015 14:22:30

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 6

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.40	0.04	4.44	11.00
CH60	5300	4.11	0.04	4.15	11.00
CH64	5320	2.98	0.04	3.02	11.00



Date: 19.APR.2015 15:13:44