

FCC RF EXPOSURE REPORT

FCC ID: 2AE79-MJ553BT

Project No. : 1606C244
Equipment : WIRELESS STEREO HEADPHONES
Model : SE-MJ553BT-K; SE-MJ553BT-W; SE-MJ553BT-R
Applicant : Onkyo&Pioneer Innovations Corporation
Address : Onkyo Yaesu Bldg,2-3-12, Yaesu, Chuo-ku, Tokyo
104-0028 Japan

According: : FCC Guidelines for Human Exposure IEEE C95.1

B T L I N C .

No.3, Jinshagang 1st Road, Shixia, Dalang Town, Dongguan, China.
TEL: +86-769-8318-3000 FAX: +86-769-8319-6000

Table for Filed Antenna

| Ant. | Brand | Model Name | Antenna Type | Connector | Gain(dBi) |
|------|-------|------------|--------------|-----------|-----------|
| 1 | N/A | N/A | PIFA | N/A | 4.10 |

GENERAL CONCLUSION:

Maximum measured transmitter power:

| OutputPower (dBm) | Output Power (mW) | Limit (mW) |
|----------------------|----------------------|------------|
| 3.97 | 2.5 | 10 |

According to FCC KDB447498 V06, Appendix A, SAR Test Exclusion Thresholds for 100 MHz – 6 GHz and ≤ 50 mm

The maximum measured output peak power of this EUT is 2.5mW, less than 10mW at 5mm distance.

Conclusion: No SAR evaluation required since transmitter power is below FCC threshold