




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	2.002	30	Pass
NVNT	BLE	2442	Ant1	2.128	30	Pass
NVNT	BLE	2480	Ant1	2.099	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.601	0.5	Pass
NVNT	BLE	2442	Ant1	0.6	0.5	Pass
NVNT	BLE	2480	Ant1	0.601	0.5	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.06826294	
NVNT	BLE	2442	Ant1	1.059956595	
NVNT	BLE	2480	Ant1	1.061888423	













Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-4.191	8	Pass
NVNT	BLE	2442	Ant1	-4.075	8	Pass
NVNT	BLE	2480	Ant1	-4.058	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366






Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-55.66	-20	Pass
NVNT	BLE	2480	Ant1	-57.52	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-51.81	-20	Pass
NVNT	BLE	2442	Ant1	-51.44	-20	Pass
NVNT	BLE	2480	Ant1	-51.37	-20	Pass











