



Report No: FCC 1702053-01 File reference No: 2017-02-22

Applicant: AOC

Product: Tablet PC

Model No: A724G

Trademark: AOC

Test Standards: FCC Part 15.247

Test result:

It is herewith confirmed and found to comply with the

requirements set up by ANSI C63.10, FCC Part 15.247 for the

evaluation of electromagnetic compatibility

Approved By

Jack Chung

Jack Chung

Manager

Dated: February 22, 2017

Results appearing herein relate only to the sample tested

The technical reports is issued errors and omissions exempt and is subject to withdrawal at

SHENZHEN TIMEWAY TESTING LABORATORIES

Room 512-519, 5/F., East Tower, Building 4, Anhua Industrial Zone, Futian District, Shenzhen, Guangdong, China

Tel (755) 83448688, Fax (755) 83442996, E-Mail:info@timeway-lab.com

Report No.: FCC1702053-01 Page 2 of 90

Date: 2017-02-22



Special Statement:

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAL. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

CNAL-LAB Code: L2292

The EMC Laboratory has been assessed and in compliance with CNAL/AC01:2002 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:1999 General Requirements) for the Competence of testing Laboratories.

FCC-Registration No.: 899988

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 899988.

Page 3 of 90

Report No.: FCC1702053-01

Date: 2017-02-22



Test Report Conclusion

Content

| 1.0 | General Details | 4 |
|------|-------------------------------------|----|
| 1.1 | Test Lab Details. | 4 |
| 1.2 | Applicant Details | 4 |
| 1.3 | Description of EUT | 4 |
| 1.4 | Submitted Sample. | 5 |
| 1.5 | Test Duration. | 5 |
| 1.6 | Test Uncertainty. | 5 |
| 1.7 | Test By | 5 |
| 2.0 | List of Measurement Equipment. | 6 |
| 3.0 | Technical Details | 8 |
| 3.1 | Summary of Test Results. | 8 |
| 3.2 | Test Standards. | 8 |
| 4.0 | EUT Modification. | 8 |
| 5.0 | Power Line Conducted Emission Test. | 9 |
| 5.1 | Schematics of the Test. | 9 |
| 5.2 | Test Method and Test Procedure. | 9 |
| 5.3 | Configuration of the EUT. | 9 |
| 5.4 | EUT Operating Condition. | 10 |
| 5.5 | Conducted Emission Limit. | 10 |
| 5.6 | Test Result. | 10 |
| 6.0 | Radiated Emission test. | 13 |
| 5.1 | Test Method and Test Procedure. | 13 |
| 5.2 | Configuration of the EUT. | 13 |
| 6.3 | EUT Operation Condition. | 13 |
| 5.4 | Radiated Emission Limit. | 14 |
| 7.0 | 6dB Bandwidth Measurement. | 33 |
| 8.0 | Maximum Output Power | 49 |
| 9.0 | Power Spectral Density Measurement. | 52 |
| 10.0 | Out of Band Measurement. | 67 |
| 11.0 | Antenna Requirement. | 76 |
| 12.0 | FCC ID Label. | 77 |
| 13.0 | Photo of Test Setup and EUT View. | 78 |

Report No.: FCC1702053-01 Page 4 of 90

Date: 2017-02-22



1.0 General Details

1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TESTING LABORATORIES.

Address: Room 512-519,5/F., East Tower, Building 4, Anhua Industrial Zone, Futian District, Shenzhen,

Guangdong China

Telephone: (755) 83448688 Fax: (755) 83442996

Site on File with the Federal Communications Commission – United Sates

Registration Number: 899988

For 3m & 10 m OATS

Site Listed with Industry Canada of Ottawa, Canada

Registration Number: IC: 5205A-02

For 3m & 10 m OATS

1.2 Applicant Details

Applicant: AOC

Address: 14F-5, No. 258, Liancheng Rd., Zhonghe Dist., New Taipei City, Taiwan

Telephone: -Fax: -
1.3 Description of EUT

Product: Tablet PC
Manufacturer: AOC

Address: 14F-5, No. 258, Liancheng Rd., Zhonghe Dist., New Taipei City, Taiwan

Brand Name: AOC
Model Number: A724G

Additional Model Number: N/A

Type of Modulation IEEE 802.11b : DSSS (CCK, QPSK, DBPSK)

IEEE 802.11g/n (HT20): OFDM(64QAM, 16QAM, QPSK, BPSK)

Frequency range IEEE 802.11b/g/n (HT20) : 2412-2462MHz

Channel Spacing 5MHz for IEEE 802.11b/g/n(HT20) Air Data Rate IEEE 802.11b : 11, 5.5, 2, 1 Mbps

IEEE 802.11g: 54, 48,36, 24, 18, 12, 9, 6 Mbps

IEEE 802.11n HT20: msc0-msc7

Frequency Selection By software

Channel Number IEEE 802.11b/g/n (HT20) : 11 Channels

Antenna: Integral Antenna and the maximum Gain of this antenna is 1.56dBi;

Power Adapter Model No.: JHD-AP013U-050150BB-A

Input: 100-240V, 50/60Hz, 0.35A; Output: 5V, 1500mA

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 5 of 90 Report No.: FCC1702053-01

Date: 2017-02-22



Submitted Sample: 2 Samples

Test Duration 1.5 2017-02-17 to 2017-02-22

1.6 Test Uncertainty Conducted Emissions Uncertainty = 3.6dB Radiated Emissions Uncertainty =4.7dB

1.7 Test Engineer

The sample tested by

Print Name: Terry Tang

Page 6 of 90

Report No.: FCC1702053-01

Date: 2017-02-22



| 2.0 Test Equipment | | | | | |
|--------------------|--------------|------------|-------------------|--------------|------------|
| Instrument Type | Manufacturer | Model | Serial No. | Date of Cal. | Due Date |
| ESPI Test Receiver | R&S | ESPI 3 | 100379 | 2016-08-22 | 2017-08-21 |
| TWO | R&S | EZH3-Z5 | 100294 | 2016-08-22 | 2017-08-21 |
| Line-V-NETW | | EZN3-Z3 | 100294 | 2010-08-22 | 2017-08-21 |
| TWO | R&S | EZH3-Z5 | 100253 | 2016-08-22 | 2017-08-21 |
| Line-V-NETW | | EZII3-Z3 | 100233 | 2010-06-22 | 2017-08-21 |
| | R&S | | | | |
| Ultra Broadband | | HL562 | 100157 | 2016-08-23 | 2017-08-22 |
| ANT | | | | | |
| | R&S | ESDV | 100008 | 2016-08-22 | 2017-08-21 |
| ESDV Test Receiver | | | | | |
| Impuls-Begrenzer | R&S | ESH3-Z2 | 100281 | 2016-08-22 | 2017-08-21 |
| System Controller | СТ | SC100 | - | | |
| Printer | EPSON | РНОТО ЕХЗ | CFNH234850 | | |
| Computer | IBM | 8434 | 1S8434KCE99BLXLO* | - | - |
| Loop Antenna | EMCO | 6502 | 00042960 | 2016-08-23 | 2017-08-22 |
| ESPI Test Receiver | R&S | ESI26 | 838786/013 | 2016-08-22 | 2017-08-21 |
| 3m OATS | | - | N/A | 2016-08-24 | 2017-08-23 |
| Horn Antenna | R&S | BBHA 9170 | BBHA9170265 | 2016-08-24 | 2017-08-23 |
| Horn Antenna | R&S | BBHA 9120D | 9120D-631 | 2016-08-24 | 2017-08-23 |
| Power meter | Anritsu | ML2487A | 6K00003613 | 2016-08-22 | 2017-08-21 |
| Power sensor | Anritsu | MA2491A | 32263 | 2016-08-22 | 2017-08-21 |
| Bilog Antenna | Schwarebeck | VULB9163 | 9163/340 | 2016-08-23 | 2017-08-21 |
| LISN | AFJ | LS16C | 10010947251 | 2016-08-22 | 2017-08-21 |
| LISN (Three Phase) | Schwarebeck | NSLK 8126 | 8126453 | 2016-08-23 | 2017-08-22 |
| 9*6*6 Anechoic | | | N/A | 2016-08-24 | 2017-08-23 |
| EMI Test Receiver | RS | ESCS30 | 100139 | 2016-08-22 | 2017-08-21 |
| DE C-1-1- | SCHWARZBEC | | | 2016 00 22 | 2017 00 22 |
| RF Cable | K | | | 2016-08-23 | 2017-08-22 |
| Pre-Amplifier | НР | 8447D | 2727A05017 | 2016-08-05 | 2017-08-04 |
| Pre-Amplifier | EM | EM30265 | | 2016-08-05 | 2017-08-04 |

Report No.: FCC1702053-01

Date: 2017-02-22



Page 7 of 90

3. DESCRIPTION OF TEST MODES

IEEE 802.11b, 802.11g, 802.11n (HT20) mode

The EUT had been tested under operating condition. There are three channels have been tested as following:

| Channel | Frequency (MHz) |
|---------|-----------------|
| Low | 2412 |
| Middle | 2437 |
| High | 2462 |

IEEE 802.11b mode: 1Mbps data rate (worst case) was chosen for full testing. IEEE 802.11g mode: 6Mbps data rate (worst case) was chosen for full testing. IEEE 802.11n (HT20) mode: msc0 data rate (worst case) were chosen for full testing

Page 8 of 90

Report No.: FCC1702053-01

Date: 2017-02-22



3.0 **Technical Details**

3.1 **Summary of test results**

| Standard | Test Type | Result | Notes |
|---|--|--------|----------|
| ECC Part 15, Paragraph 15.107 & 15.207 | Conducted Emission Test | PASS | Complies |
| FCC Part 15 Subpart C Paragraph 15.247(a)(2) Limit | Spectrum bandwidth of a Orthogonal Frequency Division Multiplex System Limit: 6dB bandwidth>500kHz | PASS | Complies |
| FCC Part 15, Paragraph 15.247(b) | Maximum peak output power Limit: max. 30dBm | PASS | Complies |
| FCC Part 15, Paragraph 15.109,15.205 & 15.209 | Transmitter Radiated Emission Limit: Table 15.209 | PASS | Complies |
| FCC Part 15, Paragraph 15.247(e) | Power Spectral Density Limit: max. 8dBm | PASS | Complies |
| FCC Part 15, Paragraph 15.247(d) | Out of Band Emission and Restricted Band Radiation Limit: 20dB less than peak value of fundamental frequency Restricted band limit: Table 15.209 | PASS | Complies |

3.2 **Test Standards**

FCC Part 15 Subpart & Subpart C, Paragraph 15.247

EUT Modification 4.0

No modification by SHENZHEN TIMEWAY TESTING LABORATORIES.


Report No.: FCC1702053-01

Date: 2017-02-22



5.0 Power Line Conducted Emission Test

5.1 Schematics of the test




EUT: Equipment Under Test

5.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.10-2013. The Frequency spectrum From 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.10-2013.

Test Voltage: 120V~, 60Hz Block diagram of Test setup



5.3 Configuration of The EUT

The EUT was configured according to ANSI C63.10-2013. All interface ports were connected to the Appropriate peripherals. All peripherals and cables are listed below.

A. EUT

| Device | Manufacturer | Model | FCC ID |
|-----------|--------------|-------|------------|
| Tablet PC | AOC | A724G | 2AEB5-A724 |

B. Internal Device

| Device | Manufacturer | Model | FCC ID/DOC |
|--------|--------------|-------|------------|
| N/A | | | |

C. Peripherals

| Device | Manufacturer | Model | FCC ID/DOC | Cable |
|--------|--------------|-------|------------|-------|
| | | | | - |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: FCC1702053-01 Page 10 of 90

Date: 2017-02-22



5.4 EUT Operating Condition

Operating condition is according to ANSI C63.10-2013.

- A Setup the EUT and simulators as shown on follow
- B Enable AF signal and confirm EUT active to normal condition

5.5 Power line conducted Emission Limit according to Paragraph 15.207 and 15.107

| Frequency | Class A Lim | its (dB µ V) | Class B Limits (dB µ V) | | | | |
|-------------------|------------------------|--------------|-------------------------|---------------|--|--|--|
| (MHz) | (MHz) Quasi-peak Level | | Quasi-peak Level | Average Level | | | |
| $0.15 \sim 0.50$ | 79.0 | 66.0 | 66.0~56.0* | 56.0~46.0* | | | |
| $0.50 \sim 5.00$ | 73.0 | 60.0 | 56.0 | 46.0 | | | |
| $5.00 \sim 30.00$ | 73.0 | 60.0 | 60.0 | 50.0 | | | |

Notes:

- 1. *Decreasing linearly with logarithm of frequency.
- 2. The tighter limit shall apply at the transition frequencies

5.6 Test Results

The frequency spectrum from 0.15MHz to 30MHz was investigated. All reading are quasi-peak values with a resolution bandwidth of 9kHz.

Report No.: FCC1702053-01 Page 11 of 90

Date: 2017-02-22



A: Conducted Emission on Live Terminal (150kHz to 30MHz)

EUT Operating Environment


Temperature: 26°C Humidity: 65%RH Atmospheric Pressure: 101 KPa

EUT set Condition: Keep WIFI Transmitting

Equipment Level: Class B

Results: PASS

Please refer to following diagram for individual



| No. Mk. | Freq. | Reading Level | | Measure- ment | Limit | Over | | |
|---------|--------|------------------|-------|------------------|-------|--------|----------|---------|
| | MHz | dBuV | dB | dBuV | dBuV | dB | Detector | Comment |
| 1 | 0.6776 | 27.90 | 10.50 | 38.40 | 56.00 | -17.60 | QP | |
| 2 * | 0.6776 | 19.10 | 10.50 | 29.60 | 46.00 | -16.40 | AVG | |

Page 12 of 90

Report No.: FCC1702053-01

Date: 2017-02-22



B: Conducted Emission on Neutral Terminal (150kHz to 30MHz)

EUT Operating Environment


Temperature: 26°C Humidity: 65%RH Atmospheric Pressure: 101 KPa

EUT set Condition: Keep WIFI Transmitting

Equipment Level: Class B

Results: Pass

Please refer to following diagram for individual



| No. | Mk. | Freq. | Reading Level | Correct Factor | Measure- ment | Limit | Over | | |
|-----|-----|--------|------------------|-------------------|------------------|-------|--------|----------|---------|
| | | MHz | dBuV | dB | dBuV | dBuV | dB | Detector | Comment |
| 1 | Ħ | 0.1507 | 36.80 | 9.84 | 46.64 | 65.96 | -19.32 | QP | |
| 2 | | 0.1507 | 4.00 | 9.84 | 13.84 | 55.96 | -42.12 | AVG | |
| 3 | | 0.1646 | 29.70 | 9.86 | 39.56 | 65.23 | -25.67 | QP | |
| 4 | | 0.1646 | 3.00 | 9.86 | 12.86 | 55.23 | -42.37 | AVG | |
| 5 | | 0.2221 | 25.60 | 9.93 | 35.53 | 62.74 | -27.21 | QP | |
| 6 | | 0.2221 | -2.70 | 9.93 | 7.23 | 52.74 | -45.51 | AVG | |

Report No.: FCC1702053-01 Page 13 of 90

Date: 2017-02-22



6 Radiated Emission Test

- 6.1 Test Method and test Procedure:
- (1) The EUT was tested according to ANSI C63.10-2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 8999988
- (2) The EUT, peripherals were put on the turntable which table size is 1m x 1.5 m, table high 0.8 m. All set up is according to ANSI C63.10-2013.
- (3) The frequency spectrum from 30 MHz to 25 GHz was investigated. All readings from 30 MHz to 1 GHz are Quasi-peak values with a resolution bandwidth of 120 kHz. F For measurement above 1GHz, peak values with RBW=1MHz VBW=3MHz and PK detector. AV value with RBW=1MHz, VBW=3MHz and RMS detector. Measurements were made at 3 meters.
- (4) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (5) Maximizing procedure was performed on the six (6) highest emissions to ensure EUT compliance is with all installation combinations. All data was recorded in the peak detection mode. Quasi-peak readings was performed only when an emission was found to be marginal (within -4 dB of specification limit), and are distinguished with a "QP" in the data table.
- (6) The antenna polarization: Vertical polarization and Horizontal polarization.

Block diagram of Test setup Distance = 3m Computer Pre -Amplifier EUT Turn-table Receiver

- 6.2 Configuration of The EUT
 Same as section 5.3 of this report
- 6.3 EUT Operating Condition
 Same as section 5.4 of this report.

The report refers only to the sample tested and does not apply to the bulk.

Report No.: FCC1702053-01 Page 14 of 90

Date: 2017-02-22



6.4 Radiated Emission Limit

All emission from a digital device, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strength specified below:

Frequencies in restricted band are complied to limit on Paragraph 15.209 and 15.109 and RSS-210

| Frequency Range (MHz) | Distance (m) | Field strength (dB µ V/m) |
|-----------------------|--------------|---------------------------|
| 30-88 | 3 | 40.0 |
| 88-216 | 3 | 43.5 |
| 216-960 | 3 | 46.0 |
| Above 960 | 3 | 54.0 |

Note:

- 1. RF Voltage $(dBuV) = 20 \log RF \text{ Voltage } (uV)$
- 2. In the Above Table, the higher limit applies at the band edges.
- 3. Distance refers to the distance in meters between the measuring instrument antenna and the EUT
- 4. This is a handhold device. The radiated emissions should be tested under 3-axes position (Lying, Side, and Stand), After pre-test. It was found that the worse radiated emission was get at the lying position.

Report No.: FCC1702053-01 Page 15 of 90

Date: 2017-02-22



Test result

General Radiated Emission Data and Harmonics Radiated Emission Data

Radiated Emission In Horizontal/Vertical (30MHz----1000MHz)

EUT set Condition: Keep Transmitting

Results: Pass

| Frequency (MHz) | Level@3m (dB \u03b4 V/m) | Antenna Polarity | Limit@3m (dB \(\mu \) V/m) |
|-----------------|--------------------------|------------------|-----------------------------|
| 136.880 | 29.41 | Н | 43.50 |
| 50.720 | 23.67 | Н | 40.00 |
| 95.400 | 26.99 | Н | 43.50 |
| 197.800 | 27.14 | Н | 43.50 |
| | | | |
| 31.160 | 35.82 | V | 40.00 |
| 52.600 | 33.09 | V | 40.00 |
| 110.120 | 27.39 | V | 43.50 |
| 142.880 | 30.91 | V | 43.50 |


Page 16 of 90

Report No.: FCC1702053-01

Date: 2017-02-22



Test Figure:



Date: 17.FEB.2017 15:06:21


Page 17 of 90

Report No.: FCC1702053-01

Date: 2017-02-22



Test Figure:



Date: 17.FEB.2017 15:03:30

Page 18 of 90 Report No.: FCC1702053-01

Date: 2017-02-22



Operation Mode: Transmitting under CH01 for 11g at 6Mbps

| | 8 | <u> </u> | |
|-----------------|--------------------------|------------------|--------------------------|
| Frequency (MHz) | Level@3m (dB \u03b4 V/m) | Antenna Polarity | Limit@3m (dB \u03bc V/m) |
| 4824.00 | 50.78 (PK) | Н | 74(Peak)/ 54(AV) |
| 4824.00 | 52.32 (PK) | V | 74(Peak)/ 54(AV) |
| 7236.00 | | H/V | 74(Peak)/ 54(AV) |
| 9648.00 | | H/V | 74(Peak)/ 54(AV) |
| 12060 | | H/V | 74(Peak)/ 54(AV) |
| 14472 | | H/V | 74(Peak)/ 54(AV) |
| 16884 | | H/V | 74(Peak)/ 54(AV) |
| 19296 | | H/V | 74(Peak)/ 54(AV) |
| 21708 | | H/V | 74(Peak)/ 54(AV) |
| 24120 | | H/V | 74(Peak)/ 54(AV) |

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

^{2.} Remark "---" means that the emissions level is too low to be measured

^{3.} For 802.11g mode 6Mbps

Report No.: FCC1702053-01 Page 19 of 90

Date: 2017-02-22



Operation Mode: Transmitting under CH06 for 11g at 6Mbps

| | 8 | | |
|-----------------|--------------------------|------------------|-----------------------|
| Frequency (MHz) | Level@3m (dB \u03b4 V/m) | Antenna Polarity | Limit@3m (dB \mu V/m) |
| 4874.00 | 52.32 (PK) | V | 74(Peak)/ 54(AV) |
| 4874.00 | 52.47 (PK) | Н | 74(Peak)/ 54(AV) |
| 7311.00 | | H/V | 74(Peak)/ 54(AV) |
| 9748.00 | | H/V | 74(Peak)/ 54(AV) |
| 12185 | | H/V | 74(Peak)/ 54(AV) |
| 14622 | | H/V | 74(Peak)/ 54(AV) |
| 17059 | H/V 74(Pe | | 74(Peak)/ 54(AV) |
| 19496 | | H/V | 74(Peak)/ 54(AV) |
| 21933 | | H/V | 74(Peak)/ 54(AV) |
| 24370 | | H/V | 74(Peak)/ 54(AV) |

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

- 2. Remark "---" means that the emissions level is too low to be measured
- 3. For 802.11g mode 6Mbps

Operation Mode: Transmitting under CH11 for 11g at 6Mbps

| Frequency (MHz) | Level@3m (dB \u03b4 V/m) | Antenna Polarity | Limit@3m (dB \u03b4 V/m) | |
|-----------------|--------------------------|------------------|--------------------------|--|
| 4924 | 50.08 (PK) | Н | 74(Peak)/ 54(AV) | |
| 4924 | 51.64 (PK) | V | 74(Peak)/ 54(AV) | |
| 7368 | 1 | H/V | 74(Peak)/ 54(AV) | |
| 9848 | - | H/V | 74(Peak)/ 54(AV) | |
| 12310 | 1 | H/V | 74(Peak)/ 54(AV) | |
| 14772 | 1 | H/V | 74(Peak)/ 54(AV) | |
| 17234 | H/V 7- | | 74(Peak)/ 54(AV) | |
| 19696 | 596 H/V | | 74(Peak)/ 54(AV) | |
| 22158 | | H/V | 74(Peak)/ 54(AV) | |
| 24620 | | H/V | 74(Peak)/ 54(AV) | |

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

- 2. Remark "---" means that the emissions level is too low to be measured
- 3. For 802.11g mode at 6Mbps

Report No.: FCC1702053-01


Date: 2017-02-22




Please refer to the following test plots for details:

CH01 for 11g at 6Mbps: Horizontal

CHUI for 11g at owidps: Horizontal



CH01 for 11g at 6Mbps: Vertical



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report

discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.


Page 21 of 90

Report No.: FCC1702053-01


Date: 2017-02-22



CH06 for 11g at 6Mbps: Vertical



CH06 for 11g at 6Mbps: Horizontal



The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to


Page 22 of 90

Report No.: FCC1702053-01


Date: 2017-02-22



CH11 for 11g at 6Mbps: Vertical



CH11 for 11g at 6Mbps: Horizontal



Note: For radiated Emissions from 18-25GHz, it is only the floor noise.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Report No.: FCC1702053-01 Page 23 of 90

Date: 2017-02-22



Operation Mode: Transmitting under CH01 for 11b at 1Mbps

| Frequency (MHz) | Level@3m (dB \u03b4 V/m) | Antenna Polarity | Limit@3m (dB \mu V/m) |
|-----------------|--------------------------|------------------|-----------------------|
| 4824.00 | 50.82 (PK) | Н | 74(Peak)/ 54(AV) |
| 4824.00 | 50.59 (PK) | V | 74(Peak)/ 54(AV) |
| 7236.00 | | H/V | 74(Peak)/ 54(AV) |
| 9648.00 | | H/V 74(Peak)/ 5 | |
| 12060 | | H/V | 74(Peak)/ 54(AV) |
| 14472 | H/V | | 74(Peak)/ 54(AV) |
| 16684 | | H/V 74(Peak)/ | |
| 19296 | | H/V | 74(Peak)/ 54(AV) |
| 21708 | | H/V | 74(Peak)/ 54(AV) |
| 24120 | | H/V | 74(Peak)/ 54(AV) |

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

- 2. Remark "---" means that the emissions level is too low to be measured
- 3. For 802.11b mode 1Mbps

Operation Mode: Transmitting under CH06 for 11b at 1Mbps

| | · F · · · · · · · · · · · · · · · · · · | | | | | |
|-----------------|---|------------------|--------------------------|--|--|--|
| Frequency (MHz) | Level@3m (dB \u03b4 V/m) | Antenna Polarity | Limit@3m (dB \u03b4 V/m) | | | |
| 4874.00 | 51.12 (PK) | Н | 74(Peak)/ 54(AV) | | | |
| 4874.00 | 51.81 (PK) | V | 74(Peak)/ 54(AV) | | | |
| 7311.00 | | H/V | 74(Peak)/ 54(AV) | | | |
| 9748.00 | | H/V | 74(Peak)/ 54(AV) | | | |
| 12185 | | H/V | 74(Peak)/ 54(AV) | | | |
| 14622 | | H/V | 74(Peak)/ 54(AV) | | | |
| 17059 | 17059 H/V | | 74(Peak)/ 54(AV) | | | |
| 19496 | | H/V | 74(Peak)/ 54(AV) | | | |
| 21933 | | H/V | 74(Peak)/ 54(AV) | | | |
| 24370 | | H/V | 74(Peak)/ 54(AV) | | | |

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

- 2. Remark "---" means that the emissions level is too low to be measured
- 3. For 802.11b mode 1Mbps

Report No.: FCC1702053-01 Page 24 of 90

Date: 2017-02-22



Operation Mode: Transmitting under CH11 for 11b at 1Mbps

| | 8 | | |
|-----------------|--------------------------|------------------|--------------------------|
| Frequency (MHz) | Level@3m (dB \u03b4 V/m) | Antenna Polarity | Limit@3m (dB \u03b4 V/m) |
| 4924 | 52.29 (PK) | Н | 74(Peak)/ 54(AV) |
| 4924 | 52.13 (PK) | V | 74(Peak)/ 54(AV) |
| 7368 | | H/V | 74(Peak)/ 54(AV) |
| 9848 | | H/V | 74(Peak)/ 54(AV) |
| 12310 | | H/V | 74(Peak)/ 54(AV) |
| 14772 | | H/V | 74(Peak)/ 54(AV) |
| 17234 | H/V | | 74(Peak)/ 54(AV) |
| 19696 | | H/V | 74(Peak)/ 54(AV) |
| 22158 | | H/V | 74(Peak)/ 54(AV) |
| 24620 | | H/V | 74(Peak)/ 54(AV) |

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

- 2. Remark "---" means that the emissions level is too low to be measured
- 3. For 802.11b mode at 1Mbps

Report No.: FCC1702053-01


Date: 2017-02-22




Please refer to the following test plots for details:

CH01 for 11b at 1Mbps: Horizontal





CH01 for 11b at 1Mbps: Vertical



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to


Page 26 of 90

Report No.: FCC1702053-01


Date: 2017-02-22



CH06 for 11b at 1Mbps: Vertical



CH06 for 11b at 1Mbps: Horizontal



The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to


Page 27 of 90

Report No.: FCC1702053-01


Date: 2017-02-22



CH11 for 11b at 1Mbps: Vertical



CH11 for 11b at 1Mbps: Horizontal



Note: For radiated Emissions from 18-25GHz, it is only the floor noise.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Report No.: FCC1702053-01 Page 28 of 90

Date: 2017-02-22



Operation Mode: Transmitting under CH01 for 11n HT20 at msc0

| Frequency (MHz) | Level@3m (dB \u03b4 V/m) | Antenna Polarity | Limit@3m (dB µ V/m) | |
|-----------------|--------------------------|------------------|---------------------|--|
| 4824.00 | 52.35 (PK) | Н | 74(Peak)/ 54(AV) | |
| 4824.00 | 52.10 (PK) | V | 74(Peak)/ 54(AV) | |
| 7236.00 | - | H/V | 74(Peak)/ 54(AV) | |
| 9648.00 | - | H/V | 74(Peak)/ 54(AV) | |
| 12060 | | H/V | 74(Peak)/ 54(AV) | |
| 14472 | | H/V | 74(Peak)/ 54(AV) | |
| 16684 | | H/V | 74(Peak)/ 54(AV) | |
| 19296 | | H/V | 74(Peak)/ 54(AV) | |
| 21708 | | H/V | 74(Peak)/ 54(AV) | |
| 24120 | | H/V | 74(Peak)/ 54(AV) | |

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

- 2. Remark "---" means that the emissions level is too low to be measured
- 3. For 802.11n (HT20) mode msc0

Operation Mode: Transmitting under CH06 for 11n HT20 at msc0

| Frequency (MHz) | Level@3m (dB \u03ba V/m) | Antenna Polarity | Limit@3m (dB \u03b4 V/m) | |
|-----------------|--------------------------|------------------|--------------------------|--|
| 4874.00 | 51.04 (PK) | Н | 74(Peak)/ 54(AV) | |
| 4874.00 | 51.19 (PK) | V | 74(Peak)/ 54(AV) | |
| 7311.00 | ı | H/V | 74(Peak)/ 54(AV) | |
| 9748.00 | | H/V | 74(Peak)/ 54(AV) | |
| 12185 | 1 | H/V | 74(Peak)/ 54(AV) | |
| 14622 | 1 | H/V | 74(Peak)/ 54(AV) | |
| 17059 | 17059 H/V | | 74(Peak)/ 54(AV) | |
| 19496 | | H/V | 74(Peak)/ 54(AV) | |
| 21933 | 1933 H/V | | 74(Peak)/ 54(AV) | |
| 24370 | | H/V | 74(Peak)/ 54(AV) | |

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

- 2. Remark "---" means that the emissions level is too low to be measured
- 3. For 802.11n (HT20) mode msc0

Page 29 of 90 Report No.: FCC1702053-01

Date: 2017-02-22



Operation Mode: Transmitting under CH11 for 11n HT20 at msc0

| Frequency (MHz) | Level@3m (dB \u03b4 V/m) | Antenna Polarity | Limit@3m (dB \u03b4 V/m) | |
|-----------------|--------------------------|------------------|--------------------------|--|
| 4924 | 50.19 (PK) | Н | 74(Peak)/ 54(AV) | |
| 4924 | 50.64 (PK) | V | 74(Peak)/ 54(AV) | |
| 7368 | | H/V | 74(Peak)/ 54(AV) | |
| 9848 | | H/V | 74(Peak)/ 54(AV) | |
| 12310 | | H/V | 74(Peak)/ 54(AV) | |
| 14772 | | H/V | 74(Peak)/ 54(AV) | |
| 17234 | 17234 H/V | | 74(Peak)/ 54(AV) | |
| 19696 | | H/V | 74(Peak)/ 54(AV) | |
| 22158 | | H/V | 74(Peak)/ 54(AV) | |
| 24620 | | H/V | 74(Peak)/ 54(AV) | |

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

- 2. Remark "---" means that the emissions level is too low to be measured
- 3. For 802.11n (HT20) mode msc0


Report No.: FCC1702053-01

Date: 2017-02-22




Please refer to the following test plots for details:

CH01 for 11n HT20 at msc0: Horizontal



CH01 for 11n HT20 at msc0: Vertical



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to


Page 31 of 90

Report No.: FCC1702053-01


Date: 2017-02-22



CH06 for 11n HT20 at msc0: Vertical



CH06 for 11n HT20 at msc0: Horizontal



The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to


Page 32 of 90

Report No.: FCC1702053-01


Date: 2017-02-22



CH11 for 11n HT20 at msc0: Vertical



CH11 for 11n HT20 at msc0: Horizontal



Note: For radiated Emissions from 18-25GHz, it is only the floor noise.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Page 33 of 90


Report No.: FCC1702053-01

Date: 2017-02-22



7.0 6dB Bandwidth Measurement

7.1 Test Setup



7.2 Limits of 6dB Bandwidth Measurement

The minimum of 6dB Bandwidth Measurement is >500 kHz

7.3 Test Procedure

- 1. Set resolution bandwidth (RBW) = 100 kHz
- 2. Set the video bandwidth (VBW) \geq 3 x RBW.
- 3. Detector = Peak.
- 4. Trace mode = \max hold.
- 5. Sweep = auto couple.
- 6. Allow the trace to stabilize.
- 7. Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.

7.4 Test Result

Page 34 of 90 Report No.: FCC1702053-01

Date: 2017-02-22



6dB Occupied Bandwidth


| EUT | | Tablet PC | | Model | | A724G | | |
|----------|---------|-----------------------|---------------------------|---------------|-----------------|-------|-------------------|------------|
| Mode | 802.11b | | | Input Voltage | | DC | DC3.7V | |
| Temperat | ure | 24 | 4 deg. C, | | Humidity 56 | | % RH | |
| Channel | | el Frequency (MHz) | Data Transfer Rate (Mbps) | | andwidth Hz) | | mum Limit MHz) | Pass/ Fail |
| 1 | | 2412 | 1 | 10 | .04 | | 0.5 | Pass |
| 6 | | 2437 | 1 | 10 | .04 | | 0.5 | Pass |
| 11 | | 2462 | 1 | 10 | .04 | | 0.5 | Pass |
| 1 | | 2412 | 11 | 9. | 32 | | 0.5 | Pass |
| 6 | | 2437 | 11 | 9. | 32 | | 0.5 | Pass |
| 11 | | 2462 | 11 | 9. | 32 | | 0.5 | Pass |

Page 35 of 90 Report No.: FCC1702053-01

Date: 2017-02-22



1. 802.11b at 1Mbps of CH01




20.FEB.2017 16:26:19 Date:

Page 36 of 90 Report No.: FCC1702053-01

Date: 2017-02-22



2. 802.11b at 1Mbps of CH06




Date: 20.FEB.2017 16:37:39

Page 37 of 90 Report No.: FCC1702053-01

Date: 2017-02-22



3. 802.11b at 1Mbps of CH11




16:48:06 Date: 20.FEB.2017

Report No.: FCC1702053-01 Page 38 of 90

Date: 2017-02-22



4. 802.11b at 11Mbps of CH01




Date: 20.FEB.2017 16:28:29

Page 39 of 90 Report No.: FCC1702053-01

Date: 2017-02-22



5. 802.11b at 11Mbps of CH06




Date: 20.FEB.2017 16:39:59

Page 40 of 90 Report No.: FCC1702053-01

Date: 2017-02-22



6. 802.11b at 11Mbps of CH11



Date: 20.FEB.2017 16:43:58

Page 41 of 90 Report No.: FCC1702053-01

Date: 2017-02-22



6dB Occupied Bandwidth

| EUT | | Ta | ablet PC | | Model | | A724G | |
|----------|-----|-----------------------|---------------------------|---------------|-----------------|--------|-------------------|------------|
| Mode | | 8 | 302.11g | Input Voltage | | DC3.7V | | |
| Temperat | ure | 24 | 4 deg. C, | | Humidity | r | 5 | 6% RH |
| Channel | | el Frequency (MHz) | Data Transfer Rate (Mbps) | | andwidth Hz) | | num Limit MHz) | Pass/ Fail |
| 1 | | 2412 | 6 | 16 | 5.41 | 41 0.5 | | Pass |
| 6 | | 2437 | 6 | 16 | .41 | | 0.5 | Pass |
| 11 | | 2462 | 6 | 16 | .41 | | 0.5 | Pass |


Report No.: FCC1702053-01 Page 42 of 90

Date: 2017-02-22



Test Plots:

1. 802.11g at 54Mbps of CH01




Date: 21.FEB.2017 10:45:26 Report No.: FCC1702053-01 Page 43 of 90

Date: 2017-02-22



2. 802.11g at 54Mbps of CH06




21.FEB.2017 Date: 10:51:32 Report No.: FCC1702053-01 Page 44 of 90

Date: 2017-02-22



3. 802.11g at 54Mbps of CH11



Date: 21.FEB.2017 10:54:13

Page 45 of 90 Report No.: FCC1702053-01

Date: 2017-02-22



6dB Occupied Bandwidth

| EUT | | T | ablet PC | | Model | | A724G | |
|----------|-----|-----------------------|---------------------------|----|-----------------|------|-------------------|------------|
| Mode | | 802 | .11n HT20 | | Input Vol | tage | DC | 3.7V |
| Temperat | ure | 24 | 4 deg. C, | | Humidity | | 56% | % RH |
| Channel | | el Frequency (MHz) | Data Transfer Rate (Mbps) | | ındwidth Hz) | | mum Limit MHz) | Pass/ Fail |
| 1 | | 2412 | mcs0 | 17 | .56 | | 0.5 | Pass |
| 6 | | 2437 | mcs0 | 17 | .56 | 0.5 | | Pass |
| 11 | | 2462 | mcs0 | 17 | .56 | | 0.5 | Pass |


Report No.: FCC1702053-01 Page 46 of 90

Date: 2017-02-22



Test Plots:

1. 802.11n at HT20 of CH01




Date: 21.FEB.2017 10:47:55

Page 47 of 90 Report No.: FCC1702053-01

Date: 2017-02-22



2. 802.11n at HT20 of CH06




21.FEB.2017 10:50:07 Date:

Report No.: FCC1702053-01 Page 48 of 90

Date: 2017-02-22



3. 802.11n at HT20 of CH11



Date: 21.FEB.2017 10:56:19 Report No.: FCC1702053-01


Date: 2017-02-22



Page 49 of 90

8. Maximum Output Power

8.1 Test Setup



8.2 Limits of Maximum Output Power

The Maximum Output Power Measurement is 30dBm.

8.3 Test Procedure

The RF power output was measured with a Power meter connected to the RF Antenna connector (conducted measurement) while EUT was operating in transmit mode at the appropriate centre frequency.

Note: Average power was measured

Page 50 of 90 Report No.: FCC1702053-01

Date: 2017-02-22



8.4Test Results

| EUT | | Tablet | PC Mo | | odel | | A724G |
|----------|-------|-----------------------|---------------------|--------|-----------|--|------------|
| Mode | 802.1 | | Ilb Input | | Voltage | | DC3.7V |
| Temperat | ure | 24 deg | 24 deg. C, Humidity | | 56% RH | | |
| Channel | Cha | annel Frequency (MHz) | Max. Power (dBm) | Output | Power (dB | | Pass/ Fail |
| | | () | Average | | (") | | |
| 1 | | 2412 12.07 | | | 30 | | Pass |
| 6 | | 2437 | 12.88 | | 30 | | Pass |
| 11 | | 2462 | 12.51 | | 30 | | Pass |

Note: 1. At finial test to get the worst-case emission at 1Mbps for CH01, CH06 and CH11

2. The result basic equation calculation as follow:

Max. Power Output = Power Reading + Cable loss + Attenuator

3. The worse case was recorded

| EUT | | Tablet PC Mo | | odel | | A724G | |
|----------|-------------------------|--------------|------------------|---------------|-------------------|--------|------------|
| Mode | e 802.11g | | 11g | Input Voltage | | DC3.7V | |
| Temperat | ure | 24 deg | g. C, | Humidity | | 56% RH | |
| Channel | Channel Frequency (MHz) | | Max. Power (dBm) | Output | Power Limit (dBm) | | Pass/ Fail |
| | | (WITIZ) | Average | | (GD) | 111) | |
| 1 | | 2412 | 7.20 | | 30 | | Pass |
| 6 | | 2437 | 7.14 | | 30 | | Pass |
| 11 | | 2462 | 7.35 | | 30 |) | Pass |

Note: 1. At finial test to get the worst-case emission at 6Mbps for CH01, CH06 and CH11

2. The result basic equation calculation as follow:

Max. Power Output = Power Reading + Cable loss + Attenuator

3. The worse case was recorded

Report No.: FCC1702053-01 Page 51 of 90

Date: 2017-02-22



| EUT | | Tablet PC | | Model | | A724G | |
|-----------|-------------------------|---------------------------|------------------|----------|-------------------|--------|------------|
| Mode | | 802.11n (HT20) Input Volt | | Voltage | | DC3.7V | |
| Temperati | ure | 24 deg | g. C, | Humidity | | | 56% RH |
| Channel | Channel Frequency (MHz) | | Max. Power (dBm) | Output | Power Limit (dBm) | | Pass/ Fail |
| | | (WITIZ) | Average | 1 | (ubiii) | | |
| 1 | | 2412 | 7.21 | | 30 | | Pass |
| 6 | | 2437 | 7.17 | | 30 |) | Pass |
| 11 | | 2462 | 7.40 | • | 30 | | Pass |

Note: 1. At finial test to get the worst-case emission at msc0 of 11n HT20 for CH01, CH06 and CH11

2. The result basic equation calculation as follow:

Max. Power Output = Power Reading + Cable loss + Attenuator

3. The worse case was recorded


Report No.: FCC1702053-01 Page 52 of 90

Date: 2017-02-22



9. Power Spectral Density Measurement

9.1 Test Setup



9.2 Limits of Power Spectral Density Measurement

The Maximum Power Spectral Density Measurement is 8dBm.

9.3 Test Procedure

- 1. Use this procedure when the maximum peak conducted output power in the fundamental emission is used to demonstrate compliance.
- 2. Set the RBW = 10 kHz.
- 3. Set the VBW \geq 30 kHz.
- 4. Set the span to 1.5 times the DTS channel bandwidth.
- 5. Detector = peak.
- 6. Sweep time = auto couple.
- 7. Trace mode = max hold.
- 8. Allow trace to fully stabilize.
- 9. Use the peak marker function to determine the maximum amplitude level.
- 10. If measured value exceeds limit, reduce RBW (no less than 3 kHz) and repeat.
- 11. The resulting peak PSD level must be ≤ 8 dBm.

Page 53 of 90 Report No.: FCC1702053-01

Date: 2017-02-22



9.4Test Result

| EUT | | Tablet | t PC Mo | | odel | | A724G |
|----------|---|-----------|-----------------|----------|------------|--------|-------|
| Mode | Mode 802.11b 11Mbps | | Input Voltage | | | DC3.7V | |
| Temperat | ure | 24 deg | g. C, | Humidity | | 56% RH | |
| Channel | nannel Channel Frequency Final RF Power M (MHz) Level (dBm) | | Maximui (dB: | - | Pass/ Fail | | |
| | | | 11Mbps | S | | | |
| 1 | | 2412 -6.5 | | 8 | | | Pass |
| 6 | | 2437 | -6.51 | | 8 | | Pass |
| 11 | | 2462 | -6.67 | | 8 | | Pass |

| EUT | UT Tablet | | t PC Mo | | odel | | A724G |
|----------|--------------|-----------------|-----------------------------|----------|---------------|--------|------------|
| Mode | | 802.11b | 802.11b 1Mbps Input Voltage | | | DC3.7V | |
| Temperat | ure | 24 deg | g. C, | Humidity | | 56% RH | |
| Channel | Ch | annel Frequency | ency Final RF Power | | Maximum Limit | | Pass/ Fail |
| Channel | nannel (MHz) | | Level in (dBm) | | (dBm) | | |
| | | | | | | | |
| | | | 1Mbps | , | | | |
| 1 | | 2412 -6.30 | | | 8 | | Pass |
| 6 | | 2437 -7.76 | | | 8 | | Pass |
| 11 | | 2462 | -7.84 | | 8 | | Pass |

Page 54 of 90 Report No.: FCC1702053-01

Date: 2017-02-22



| EUT | EUT Tablet | | t PC Mo | | odel | | A724G | |
|-----------------|-------------------|-----------------|----------------|---------|---------------|--------|------------|--|
| Mode 802.11g 6N | | 6Mbps Input Vol | | Voltage | | DC3.7V | | |
| Temperat | ure | 24 deg | g. C, | Hur | Humidity | | 56% RH | |
| Channel | Channel Frequency | | Final RF Power | | Maximum Limit | | Pass/ Fail | |
| Chamiei | | (MHz) | Level in (dI | Bm) | n) (dBm) | | | |
| | | | 6Mbps | | | | | |
| 1 | 2412 -12.73 | | | 8 | | Pass | | |
| 6 | | 2437 -13.63 | | • | 8 | | Pass | |
| 11 | | 2462 | -12.59 | • | 8 | • | Pass | |

| EUT | UT Tablet | | t PC Mo | | odel | | A724G |
|----------|-------------------|-------------|------------------------|--|---------------|--------|------------|
| Mode | Mode 802.11n HT | | Γ20 msc0 Input Voltage | | Voltage | DC3.7V | |
| Temperat | ure | 24 deg | 24 deg. C, Humidity | | 56% RH | | |
| Channel | Channel Frequency | | Final RF Power | | Maximum Limit | | Pass/ Fail |
| Channel | | (MHz) | Level (dBm) | | (dBm) | | |
| | | | HT20 | | | | |
| 1 | | 2412 -13.17 | | | 8 | | Pass |
| 6 | | 2437 | -14.50 | | 8 | | Pass |
| 11 | | 2462 | -14.16 | | 8 | | Pass |


Page 55 of 90 Report No.: FCC1702053-01

Date: 2017-02-22



9.5 Photo of Power Spectral Density Measurement

1.802.11b at 11Mbps of CH01



Date: 21.FEB.2017 10:05:32


Page 56 of 90

Report No.: FCC1702053-01

Date: 2017-02-22



2. 802.11b at 11Mbps at CH06



10:05:52 Date: 21.FEB.2017


Page 57 of 90

Report No.: FCC1702053-01

Date: 2017-02-22



3. 802.11b at 11Mbps of CH11



10:06:13 Date: 21.FEB.2017


Page 58 of 90

Report No.: FCC1702053-01

Date: 2017-02-22



4. 802.11b at 1Mbps of CH1



21.FEB.2017 10:05:01 Date:


Page 59 of 90

Report No.: FCC1702053-01

Date: 2017-02-22



5. 802.11b at 1Mbps of CH6



10:00:22 Date: 21.FEB.2017


Page 60 of 90

Report No.: FCC1702053-01

Date: 2017-02-22



6. 802.11b at 1Mbps of CH11




21.FEB.2017 09:58:28 Date:

Report No.: FCC1702053-01 Page 61 of 90

Date: 2017-02-22



7. 802.11g at 6Mbps of CH1




11:40:31 Date: 21.FEB.2017

Report No.: FCC1702053-01 Page 62 of 90

Date: 2017-02-22



8. 802.11g at 6Mbps of CH6




Date: 21.FEB.2017 11:42:15 Report No.: FCC1702053-01 Page 63 of 90

Date: 2017-02-22



9. 802.11g at 6Mbps of CH11




11:43:02 Date: 21.FEB.2017

Report No.: FCC1702053-01 Page 64 of 90

Date: 2017-02-22



10. 802.11n at HT20 of CH01




Date: 21.FEB.2017 11:39:15

Page 65 of 90 Report No.: FCC1702053-01

Date: 2017-02-22



11. 802.11n at HT20 of CH06




Date: 21.FEB.2017 11:37:52

Page 66 of 90 Report No.: FCC1702053-01

Date: 2017-02-22



12. 802.11n at HT20 of CH11




Date: 21.FEB.2017 11:36:21 Report No.: FCC1702053-01 Page 67 of 90

Date: 2017-02-22



10 Out of Band Measurement 10.1 Test Setup for band edge



The restricted band requirement based on radiated emission test; please see the clause 6 for the test setup

10.2 Limits of Out of Band Emissions Measurement

- 1. Below –20dB of the highest emission level of operating band (in 100kHz Resolution Bandwidth).
- 2. Fall in the restricted bands listed in section 15.205. The maximum permitted average field strength is listed in section 15.209.

10.3 Test Procedure

For signals in the restricted bands above and below the 2.4-2.483GHz allocated band a measurement was made of radiated emission test.(Peak values with RBW=VBW=1MHz and PK detector. AV value with RBW=1MHz, VBW=10Hz and PK detector)

For bandage test, the spectrum set as follows: RBW=100, VBW=300 kHz. A conducted measurement used

10.4 Test Result

Please see next pages

Note: 1. this is a handhold device. The radiated emissions should be tested under 3-axes position (Lying, Side, and Stand), after pre-test. It was found that the worse radiated emission was get at the lying position. the worse case was recorded

2. For band-edge measurement, the frequency from 30MHz-25GHz was tested. And It met the FCC rule.

Page 68 of 90

Report No.: FCC1702053-01

Date: 2017-02-22




For 802.11b mode

CH01 at 11Mbps

10.4 Band-edge and Restricted band Measurement

| EUT | Tablet PC | | Model | A724G |
|--------------|----------------------|------|---------------|-----------------|
| Mode | Keeping Transmitting | | Input Voltage | DC3.7V |
| Temperature | 24 deg. C, | | Humidity | 56% RH |
| Test Result: | Pass | | Detector | PK |
| 2400 | PK (dBµV/m) | 65.9 | Limit | $74(dB\mu V/m)$ |
| | AV (dBμV/m) | 46.4 | Limit | $54(dB\mu V/m)$ |
| 2390 | PK (dBµV/m) | 49.2 | Limit | $74(dB\mu V/m)$ |
| | AV (dBμV/m) | | Limit | $54(dB\mu V/m)$ |

Test Figure:



Note: The Max. FS in Restrict Band are measured in conventional method.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 69 of 90

Report No.: FCC1702053-01

Date: 2017-02-22




CH11 at 11Mbps

10.4 Band-edge and Restricted band Measurement

| EUT | Tablet PC | | Model | A724G |
|--------------|-------------|----------------|---------------|------------|
| Mode | Keeping | g Transmitting | Input Voltage | DC3.7V |
| Temperature | 24 deg. C, | | Humidity | 56% RH |
| Test Result: | | Pass | Detector | PK |
| 2483.5 | PK (dBµV/m) | 48.6 | T **4 | 74(dBμV/m) |
| | AV (dBμV/m) | | Limit | 54(dBμV/m) |

Test Figure:



Note: The Max. FS in Restrict Band are measured in conventional method.

Page 70 of 90

Report No.: FCC1702053-01

Date: 2017-02-22




For 802.11b mode

CH01 at 1Mbps

10.4 Band-edge and Restricted band Measurement

| EUT | Te | ablet PC | Model | A724G |
|--------------|----------------------|----------|---------------|-----------------|
| | | | | |
| Mode | Keeping Transmitting | | Input Voltage | DC3.7V |
| Temperature | 24 deg. C, | | Humidity | 56% RH |
| Test Result: | Pass | | Detector | PK |
| 2400 | PK (dBµV/m) | 63.5 | Limit | $74(dB\mu V/m)$ |
| | AV (dBμV/m) | 44.1 | Limit | $54(dB\mu V/m)$ |
| 2390 | PK (dBµV/m) | 47.7 | Limit | $74(dB\mu V/m)$ |
| | AV (dBμV/m) | | Liffill | 54(dBµV/m) |

Test Figure:



Note: The Max. FS in Restrict Band are measured in conventional method.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 71 of 90

Report No.: FCC1702053-01

Date: 2017-02-22




CH11 at 1Mbps

10.4 Band-edge and Restricted band Measurement

| EUT | Tablet PC | | Model | A724G |
|--------------|----------------------|------|---------------|------------|
| Mode | Keeping Transmitting | | Input Voltage | DC3.7V |
| Temperature | 24 deg. C, | | Humidity | 56% RH |
| Test Result: | Pass | | Detector | PK |
| 2483.5 | PK (dBµV/m) | 49.2 | Limit | 74(dBμV/m) |
| | AV (dBμV/m) | | | 54(dBμV/m) |

Test Figure:



Note: The Max. FS in Restrict Band are measured in conventional method.

Page 72 of 90

Report No.: FCC1702053-01

Date: 2017-02-22




For 802.11g mode

CH01 at 6Mbps

10.4 Band-edge and Restricted band Measurement

| EUT | Tablet PC | | Model | A724G |
|--------------|----------------------|------|---------------|-----------------|
| Mode | Keeping Transmitting | | Input Voltage | DC3.7V |
| Temperature | 24 deg. C, | | Humidity | 56% RH |
| Test Result: | Pass | | Detector | PK |
| 2400 | PK (dBμV/m) | 65.7 | I imit | $74(dB\mu V/m)$ |
| | AV (dBμV/m) | 46.9 | Limit | 54(dBμV/m) |
| 2390 | PK (dBµV/m) | 53.7 | Limit | $74(dB\mu V/m)$ |
| | AV (dBμV/m) | 35.1 | | 54(dBµV/m) |

Test Figure:



Note: The Max. FS in Restrict Band are measured in conventional method.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 73 of 90

Report No.: FCC1702053-01

Date: 2017-02-22




CH11 at 6Mbps

10.4 Band-edge and Restricted band Measurement

| EUT | Tablet PC | | Model | | A724G | |
|--------------|----------------------|------|---------------|------------|-----------------|--|
| Mode | Keeping Transmitting | | Input Voltage | | DC3.7V | |
| Temperature | 24 deg. C, | | Humidity | | 56% RH | |
| Test Result: | Pass | | Detector | | PK | |
| 2483.5 | PK (dBμV/m) | 55.2 | T : | 74(dBμV/m) | | |
| | AV (dBμV/m) | 36.6 | Limit | | $54(dB\mu V/m)$ | |

Test Figure:



Note: The Max. FS in Restrict Band are measured in conventional method.

Page 74 of 90

Report No.: FCC1702053-01

Date: 2017-02-22




For 802.11n (HT20) mode

CH01 at msc0

10.4 Band-edge and Restricted band Measurement

| EUT | Tablet PC | | Model | A724G |
|--------------|----------------------|------|---------------|------------|
| Mode | Keeping Transmitting | | Input Voltage | DC3.7V |
| Temperature | 24 deg. C, | | Humidity | 56% RH |
| Test Result: | Pass | | Detector | PK |
| 2400 | PK (dBμV/m) | 67.8 | T ::4 | 74(dBμV/m) |
| | AV ($dB\mu V/m$) | 48.2 | Limit | 54(dBμV/m) |
| 2390 | PK (dBμV/m) | 56.9 | I imit | 74(dBμV/m) |
| | AV (dBμV/m) | 38.3 | Limit | 54(dBμV/m) |

Test Figure:



Note: The Max. FS in Restrict Band are measured in conventional method.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 75 of 90

Report No.: FCC1702053-01

Date: 2017-02-22




CH11 at msc0

10.4 Band-edge and Restricted band Measurement

| EUT | Ta | Tablet PC | | A724G |
|--------------|----------------------|-----------|---------------|-----------------|
| Mode | Keeping Transmitting | | Input Voltage | DC3.7V |
| Temperature | 24 deg. C, | | Humidity | 56% RH |
| Test Result: | Pass | | Detector | PK |
| 2483.5 | PK (dBµV/m) | 57.4 | T ' ' | $74(dB\mu V/m)$ |
| | AV (dBμV/m) | 39.5 | Limit | 54(dBµV/m) |

Test Figure:



Note: The Max. FS in Restrict Band are measured in conventional method.

Report No.: FCC1702053-01

Date: 2017-02-22



Page 76 of 90

11.0 Antenna Requirement

11.1 Standard Applicable

For intentional device, according to FCC 47 CFR Section 15.203, an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

And according to FCC 47 CFR Section 15.247 (b), if transmitter antennas of directional gain greater than 6 dBi are used, the power shall be reduced by the mount in dB that the directional gain of the antenna exceeds 6 dBi.

11.2 Antenna Connected construction

Integral antenna used. The maximum Gain of the antennas is 1.56dBi.

Report No.: FCC1702053-01 Page 77 of 90

Date: 2017-02-22




12.0 FCC ID Label

FCC ID: 2AEB5-A724

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

Mark Location:



Page 78 of 90


Report No.: FCC1702053-01

Date: 2017-02-22



13.0 Photo of testing

Conducted Emission Test Setup:




Page 79 of 90

Report No.: FCC1702053-01

Date: 2017-02-22



Radiated Emission Test Setup:





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: FCC1702053-01

Date: 2017-02-22



Photographs - EUT

Outside view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the property. discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Page 81 of 90

Report No.: FCC1702053-01

Date: 2017-02-22



Outside view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the property. discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Page 82 of 90

Report No.: FCC1702053-01

Date: 2017-02-22



Outside view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the property. discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Page 83 of 90

Report No.: FCC1702053-01

Date: 2017-02-22



Outside view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the property. discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Page 84 of 90

Report No.: FCC1702053-01

Date: 2017-02-22



Outside view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the property. discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Report No.: FCC1702053-01 Page 85 of 90

Date: 2017-02-22



Outside view



Page 86 of 90

Report No.: FCC1702053-01

Date: 2017-02-22



Inside view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.


Page 87 of 90

Report No.: FCC1702053-01

Date: 2017-02-22



Inside view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 88 of 90

Report No.: FCC1702053-01

Date: 2017-02-22



Inside view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.


Page 89 of 90

Report No.: FCC1702053-01

Date: 2017-02-22



Inside view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.


Page 90 of 90

Report No.: FCC1702053-01

Date: 2017-02-22



Inside view





End of the report

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.