



RF Exposure Compliance Report

Model : 51382CR

FCC ID : 2AEBL-51382CR

Product Type : Display module with IC card reader

Applicant : ABB Genway Xiamen Electrical Equipment Co.,Ltd

Production Facility : ABB Genway Xiamen Electrical Equipment Co.,Ltd

Address : NO.7 Fangshan South Road,Torch High Technology Development Zone (Xiang An) Industrial Zone,Xiamen S.E.Z,Fujian Province,P.R.China

RF Exposure Compliance Requirement

According to ANSI C63.10:2013 clause 12.7.3 d):
 $EIRP = (E \times d)^2 / 30$

EIRP is power in W
E is the electric field strength in V/m
d is the measurement distance in meters (m)
when d is 3m, $EIRP[dBm] = E[dB\mu V/m] - 95.2$

maximum field strength of 13.56MHz is 48.2dB μ V/m at 3m,
 $EIRP[dBm] = 48.2[dB\mu V/m] - 95.2 = -47dBm$

$EIRP = 0.00002(mW)$
SAR exclusion justification in accordance to KDB 447498 D01 Section 4.3.1:

$[(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)] \cdot [\sqrt{f(GHz)}] \leq 3.0$
 $[(0.00002, mW)/(5, mm)] \cdot [\sqrt{0.01356(GHz)}] \leq 3.0$
 $0.0000005 \leq 3.0$

Therefore the device meets the FCC SAR exemption requirements

--TÜV SÜD Certification and Testing (China) Co., Ltd. Guangzhou Branch--

Reviewed by:

Tony Liu / Project Reviewer
Date: 2019-01-12

Prepared by:

Kevin Ouyang / Project Handler
Date: 2019-01-12