



1.132. LTE Peak to Average Ratio(NTNV)(Subtest:126, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)




1.133. LTE Peak to Average Ratio(NTNV)(Subtest:127, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1855	0.1	4.67	13	Pass




1.134. LTE Peak to Average Ratio(NTNV)(Subtest:128, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:LOW)



1.135. LTE Peak to Average Ratio(NTNV)(Subtest:129, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:MID)




1.136. LTE Peak to Average Ratio(NTNV)(Subtest:130, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:HIGH)




1.137. LTE Peak to Average Ratio(NTNV)(Subtest:131, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1855	0.1	5.05	13	Pass




1.138. LTE Peak to Average Ratio(NTNV)(Subtest:132, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:MID)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1855	0.1	5.19	13	Pass




1.139. LTE Peak to Average Ratio(NTNV)(Subtest:133, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:HIGH)




1.140. LTE Peak to Average Ratio(NTNV)(Subtest:134, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number: 50, RB Position:LOW)




1.141. LTE Peak to Average Ratio(NTNV)(Subtest:135, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.142. LTE Peak to Average Ratio(NTNV)(Subtest:136, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)



1.143. LTE Peak to Average Ratio(NTNV)(Subtest:137, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




1.144. LTE Peak to Average Ratio(NTNV)(Subtest:138, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)




1.145. LTE Peak to Average Ratio(NTNV)(Subtest:139, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.36	13	Pass




1.146. LTE Peak to Average Ratio(NTNV)(Subtest:140, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)




1.147. LTE Peak to Average Ratio(NTNV)(Subtest:141, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




1.148. LTE Peak to Average Ratio(NTNV)(Subtest:142, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:LOW)


1.149. LTE Peak to Average Ratio(NTNV)(Subtest:143, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.24	13	Pass




1.150. LTE Peak to Average Ratio(NTNV)(Subtest:144, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:HIGH)




1.151. LTE Peak to Average Ratio(NTNV)(Subtest:145, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.5	13	Pass



1.152. LTE Peak to Average Ratio(NTNV)(Subtest:146, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:MID)




1.153. LTE Peak to Average Ratio(NTNV)(Subtest:147, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:HIGH)




1.154. LTE Peak to Average Ratio(NTNV)(Subtest:148, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number: 50, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.66	13	Pass




1.155. LTE Peak to Average Ratio(NTNV)(Subtest:149, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.156. LTE Peak to Average Ratio(NTNV)(Subtest:150, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)



1.157. LTE Peak to Average Ratio(NTNV)(Subtest:151, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




1.158. LTE Peak to Average Ratio(NTNV)(Subtest:152, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)




1.159. LTE Peak to Average Ratio(NTNV)(Subtest:153, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	4.22	13	Pass




1.160. LTE Peak to Average Ratio(NTNV)(Subtest:154, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)




1.161. LTE Peak to Average Ratio(NTNV)(Subtest:155, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




1.162. LTE Peak to Average Ratio(NTNV)(Subtest:156, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:LOW)



1.163. LTE Peak to Average Ratio(NTNV)(Subtest:157, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:MID)




1.164. LTE Peak to Average Ratio(NTNV)(Subtest:158, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:HIGH)




1.165. LTE Peak to Average Ratio(NTNV)(Subtest:159, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	5.23	13	Pass



1.166. LTE Peak to Average Ratio(NTNV)(Subtest:160, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:MID)




1.167. LTE Peak to Average Ratio(NTNV)(Subtest:161, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:HIGH)




1.168. LTE Peak to Average Ratio(NTNV)(Subtest:162, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number: 50, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	5.56	13	Pass




1.169. LTE Peak to Average Ratio(NTNV)(Subtest:163, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.170. LTE Peak to Average Ratio(NTNV)(Subtest:164, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)



1.171. LTE Peak to Average Ratio(NTNV)(Subtest:165, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




1.172. LTE Peak to Average Ratio(NTNV)(Subtest:166, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)




1.173. LTE Peak to Average Ratio(NTNV)(Subtest:167, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1857.5	0.1	4.51	13	Pass




1.174. LTE Peak to Average Ratio(NTNV)(Subtest:168, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1857.5	0.1	4.79	13	Pass




1.175. LTE Peak to Average Ratio(NTNV)(Subtest:169, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1857.5	0.1	4.9	13	Pass




1.176. LTE Peak to Average Ratio(NTNV)(Subtest:170, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:LOW)




1.177. LTE Peak to Average Ratio(NTNV)(Subtest:171, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:MID)




1.178. LTE Peak to Average Ratio(NTNV)(Subtest:172, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:HIGH)




1.179. LTE Peak to Average Ratio(NTNV)(Subtest:173, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:LOW)



1.180. LTE Peak to Average Ratio(NTNV)(Subtest:174, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:MID)




1.181. LTE Peak to Average Ratio(NTNV)(Subtest:175, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:HIGH)




1.182. LTE Peak to Average Ratio(NTNV)(Subtest:176, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1857.5	0.1	5.72	13	Pass




1.183. LTE Peak to Average Ratio(NTNV)(Subtest:177, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.184. LTE Peak to Average Ratio(NTNV)(Subtest:178, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.56	13	Pass



1.185. LTE Peak to Average Ratio(NTNV)(Subtest:179, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




1.186. LTE Peak to Average Ratio(NTNV)(Subtest:180, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)




1.187. LTE Peak to Average Ratio(NTNV)(Subtest:181, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.56	13	Pass




1.188. LTE Peak to Average Ratio(NTNV)(Subtest:182, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.72	13	Pass



1.189. LTE Peak to Average Ratio(NTNV)(Subtest:183, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)




1.190. LTE Peak to Average Ratio(NTNV)(Subtest:184, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:LOW)




1.191. LTE Peak to Average Ratio(NTNV)(Subtest:185, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:MID)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.42	13	Pass




1.192. LTE Peak to Average Ratio(NTNV)(Subtest:186, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:HIGH)



1.193. LTE Peak to Average Ratio(NTNV)(Subtest:187, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:LOW)




1.194. LTE Peak to Average Ratio(NTNV)(Subtest:188, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:MID)




1.195. LTE Peak to Average Ratio(NTNV)(Subtest:189, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:HIGH)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.62	13	Pass




1.196. LTE Peak to Average Ratio(NTNV)(Subtest:190, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number: 75, RB Position:LOW)




1.197. LTE Peak to Average Ratio(NTNV)(Subtest:191, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.198. LTE Peak to Average Ratio(NTNV)(Subtest:192, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)




1.199. LTE Peak to Average Ratio(NTNV)(Subtest:193, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




1.200. LTE Peak to Average Ratio(NTNV)(Subtest:194, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)




1.201. LTE Peak to Average Ratio(NTNV)(Subtest:195, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)




1.202. LTE Peak to Average Ratio(NTNV)(Subtest:196, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)



1.203. LTE Peak to Average Ratio(NTNV)(Subtest:197, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)




1.204. LTE Peak to Average Ratio(NTNV)(Subtest:198, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:LOW)




1.205. LTE Peak to Average Ratio(NTNV)(Subtest:199, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1902.5	0.1	4.25	13	Pass




1.206. LTE Peak to Average Ratio(NTNV)(Subtest:200, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:HIGH)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1902.5	0.1	3.75	13	Pass




1.207. LTE Peak to Average Ratio(NTNV)(Subtest:201, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:LOW)



1.208. LTE Peak to Average Ratio(NTNV)(Subtest:202, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:MID)




1.209. LTE Peak to Average Ratio(NTNV)(Subtest:203, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:HIGH)




1.210. LTE Peak to Average Ratio(NTNV)(Subtest:204, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number: 75, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1902.5	0.1	5.86	13	Pass




1.211. LTE Peak to Average Ratio(NTNV)(Subtest:205, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)



1.212. LTE Peak to Average Ratio(NTNV)(Subtest:206, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:MID)




1.213. LTE Peak to Average Ratio(NTNV)(Subtest:207, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




1.214. LTE Peak to Average Ratio(NTNV)(Subtest:208, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	4.13	13	Pass




1.215. LTE Peak to Average Ratio(NTNV)(Subtest:209, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	4.32	13	Pass




1.216. LTE Peak to Average Ratio(NTNV)(Subtest:210, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:HIGH)




1.217. LTE Peak to Average Ratio(NTNV)(Subtest:211, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	4.75	13	Pass




1.218. LTE Peak to Average Ratio(NTNV)(Subtest:212, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number: 1, RB Position:LOW)




1.219. LTE Peak to Average Ratio(NTNV)(Subtest:213, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	4.74	13	Pass




1.220. LTE Peak to Average Ratio(NTNV)(Subtest:214, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	4.84	13	Pass




1.221. LTE Peak to Average Ratio(NTNV)(Subtest:215, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	5.1	13	Pass




1.222. LTE Peak to Average Ratio(NTNV)(Subtest:216, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number: 50, RB Position:MID)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	5.29	13	Pass




1.223. LTE Peak to Average Ratio(NTNV)(Subtest:217, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number: 50, RB Position:HIGH)




1.224. LTE Peak to Average Ratio(NTNV)(Subtest:218, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number: 100, RB Position:LOW)




1.225. LTE Peak to Average Ratio(NTNV)(Subtest:219, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)



1.226. LTE Peak to Average Ratio(NTNV)(Subtest:220, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:MID)




1.227. LTE Peak to Average Ratio(NTNV)(Subtest:221, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




1.228. LTE Peak to Average Ratio(NTNV)(Subtest:222, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.72	13	Pass




1.229. LTE Peak to Average Ratio(NTNV)(Subtest:223, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:MID)




1.230. LTE Peak to Average Ratio(NTNV)(Subtest:224, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.28	13	Pass




1.231. LTE Peak to Average Ratio(NTNV)(Subtest:225, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.81	13	Pass




1.232. LTE Peak to Average Ratio(NTNV)(Subtest:226, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number: 1, RB Position:LOW)




1.233. LTE Peak to Average Ratio(NTNV)(Subtest:227, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.53	13	Pass




1.234. LTE Peak to Average Ratio(NTNV)(Subtest:228, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.46	13	Pass




1.235. LTE Peak to Average Ratio(NTNV)(Subtest:229, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.48	13	Pass




1.236. LTE Peak to Average Ratio(NTNV)(Subtest:230, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number: 50, RB Position:MID)




1.237. LTE Peak to Average Ratio(NTNV)(Subtest:231, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number: 50, RB Position:HIGH)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.18	13	Pass




1.238. LTE Peak to Average Ratio(NTNV)(Subtest:232, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number: 100, RB Position:LOW)



1.239. LTE Peak to Average Ratio(NTNV)(Subtest:233, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.240. LTE Peak to Average Ratio(NTNV)(Subtest:234, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:MID)




1.241. LTE Peak to Average Ratio(NTNV)(Subtest:235, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	2.42	13	Pass




1.242. LTE Peak to Average Ratio(NTNV)(Subtest:236, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	4.08	13	Pass




1.243. LTE Peak to Average Ratio(NTNV)(Subtest:237, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	4.17	13	Pass




1.244. LTE Peak to Average Ratio(NTNV)(Subtest:238, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:HIGH)




1.245. LTE Peak to Average Ratio(NTNV)(Subtest:239, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	4.64	13	Pass




1.246. LTE Peak to Average Ratio(NTNV)(Subtest:240, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number: 1, RB Position:LOW)




1.247. LTE Peak to Average Ratio(NTNV)(Subtest:241, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number: 1, RB Position:MID)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	4.31	13	Pass




1.248. LTE Peak to Average Ratio(NTNV)(Subtest:242, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number: 1, RB Position:HIGH)




1.249. LTE Peak to Average Ratio(NTNV)(Subtest:243, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number: 50, RB Position:LOW)




1.250. LTE Peak to Average Ratio(NTNV)(Subtest:244, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number: 50, RB Position:MID)



1.251. LTE Peak to Average Ratio(NTNV)(Subtest:245, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number: 50, RB Position:HIGH)



1.252. LTE Peak to Average Ratio(NTNV)(Subtest:246, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number: 100, RB Position:LOW)



END