





RF Exposure Evaluation Report

FCC ID : 2AEIM-1133148

Equipment : Car Key Fob with BLE

Brand Name : Tesla Model Name : 1133148

Applicant / : Tesla Motors, Inc.

Manufacturer 3500 Deer Creek Road Palo Alto, California US 94304

United States Of America

Ref. Standard(s) : 47 CFR FCC Part 2 Subpart J, section 2.1093

The product was received on Jul. 06, 2018, and testing was started from Jul. 06, 2018 and completed on Jul. 06, 2018. We, SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory, would like to declare that the tested sample has been evaluated in accordance with the procedures given in ANSI C63.4-2014 and shown compliance with the applicable technical standards.

The report must not be used by the client to claim product certification, approval, or endorsement by TAF or any agency of government.

The test results in this report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory, the test report shall not be reproduced except in full.

Approved by: Allen Lin

SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory

No. 52, Huaya 1st Rd., Guishan Dist., Taoyuan City, Taiwan (R.O.C.)

TEL: 886-3-327-3456 Page Number : 1 of 5

Report Template No.: HE1-G3 Ver2.0 Report Version : 01



Table of Contents

HI	STO	DRY OF THIS TEST REPORT	3
		OFNEDAL DECORIDATION	
1.		GENERAL DESCRIPTION	4
	1.1.	EUT General Information	4
	1.2.	Testing Location Information	4
2.		RF EXPOSURE EVALUATION	5
	2.1.	Applicable Standard	5
	2.2.	SAR evaluation	5

Photographs of EUT V01

TEL: 886-3-327-3456 FAX: 886-3-327-0973

Report Template No.: HE1-G3 Ver2.0

FCC ID: 2AEIM-1133148

Page Number : 2 of 5 Issued Date : Aug. 01, 2018

Report Version : 01



HISTORY OF THIS TEST REPORT

REPORT NO.	VERSION	DESCRIPTION	ISSUED DATE
FA862918	01	Initial issue of report	Aug. 01, 2018

Reviewed by: Sam Chen

Report Producer: Ann Hou

TEL: 886-3-327-3456 Page Number : 3 of 5
FAX: 886-3-327-0973 Issued Date : Aug. 01, 2018

Report Template No.: HE1-G3 Ver2.0 Report Version : 01



1. GENERAL DESCRIPTION

1.1. EUT General Information

		RF Gene	ral Information
Evaluation Mode	Frequency Range (MHz)	Operating Frequency (MHz)	Modulation Type
Bluetooth	2400-2483.5	2402-2480	LE: DSSS (GFSK)

1.2. Testing Location Information

Testing Location						
\boxtimes	HWA YA	ADD	:	No. 52, Huaya 1st Rd., Guishan Dist., Taoyuan City, Taiwan (R.O.C.)		
		TEL	:	886-3-327-3456 FAX : 886-3-327-0973		
	Test site Designation No. TW1190 with FCC.					
	JHUBEI ADD : No.8, Ln. 724, Bo'ai St., Zhubei City, Hsinchu County, Taiwan (R.O.C.)					
		TEL	:	886-3-656-9065 FAX : 886-3-656-9085		
Test site Designation No. TW0006 with FCC.						

TEL: 886-3-327-3456 Page Number : 4 of 5
FAX: 886-3-327-0973 Issued Date : Aug. 01, 2018

Report Version

: 01

Report Template No.: HE1-G3 Ver2.0



2. RF EXPOSURE EVALUATION

2.1. Applicable Standard

In accordance with FCC 47 CFR part 2 (2.1093) this device has been defined as a portable device which is defined as a transmitting device designed to be used so that the radiating structure(s) of the device is/are within 20 centimeters of the body of the user.

Portable devices must be evaluated using the specified in FCC 47 CFR part 2 (2.1093) and ANSI/IEEE C95.1-1992, and had been tested in accordance with the measurement methods and procedures specified in IEEE 1528-2003.

2.2. SAR evaluation

- Per FCC KDB 447498 D01 v06, the 1-g and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distances ≤ 50 mm are determined by:
 [(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)]•
 [√f (GHz)] ≤ 3.0 for 1-g SAR and ≤ 7.5 for 10-g extremity SAR
 - f_(GHz) is the RF channel transmit frequency in GHz
 - Power and distance are rounded to the nearest mW and mm before calculation
 - The result is rounded to one decimal place for comparison

Tune-up Ave	erage Power	Test Distance	Frequency	Exclusion Thresholds
(dBm)	(mW)	(mm)	(GHz)	Exclusion Thesholds
5.81	9.55	5	2.402	2.96

2. Per FCC KDB 447498 D01 v06 exclusion thresholds is 2.96 < 7.5, RF exposure evaluation is not required.

——THE END——

TEL: 886-3-327-3456 Page Number : 5 of 5
FAX: 886-3-327-0973 Issued Date : Aug. 01, 2018

Report Template No.: HE1-G3 Ver2.0 Report Version : 01