

Test Result
NR SA

Test Mode & Test Freq.[MHz]	Frequency [MHz]	PK+Level [dBm]	PK+Limit [dBm]	PK+Margin [dB]	Polarization	Azimuth [deg]
NR_SA_N2_20M_CH376000_Low	943.900	-39.59	-13.00	26.59	H	240.4
NR_SA_N2_20M_CH376000_High	3,742.000	-33.88	-13.00	20.88	V	0
	5,613.000	-28.73	-13.00	15.73	H	360
	7,483.500	-32.49	-13.00	19.49	H	106.9
	9,354.500	-39.20	-13.00	26.20	V	184.1
	11,226.000	-37.77	-13.00	24.77	V	41.5
	13,097.000	-35.78	-13.00	22.78	V	0
	14,956.000	-34.15	-13.00	21.15	V	358.6
	16,838.500	-28.84	-13.00	15.84	V	244.4
NR_SA_N5_20M_CH167300_Low	939.363	-38.96	-13.00	25.96	H	338.8
NR_SA_N5_20M_CH167300_High	1,671.500	-45.37	-13.00	32.37	V	360
	2,507.500	-38.90	-13.00	25.90	H	0
	3,344.000	-34.75	-13.00	21.75	H	360
	4,180.000	-32.71	-13.00	19.71	H	93.6
	5,015.500	-30.31	-13.00	17.31	H	266.5
	5,852.000	-27.69	-13.00	14.69	H	124.9
	6,687.500	-36.85	-13.00	23.85	H	360
	7,524.000	-35.76	-13.00	22.76	V	360
	8,360.500	-39.69	-13.00	26.69	V	360
NR_SA_N7_20M_CH507000_Low	948.392	-38.34	-25.00	13.34	H	227.1
NR_SA_N7_20M_CH507000_High	5,052.500	-44.42	-25.00	19.42	V	237
	7,572.500	-42.58	-25.00	17.58	V	15.4
	10,104.000	-50.32	-25.00	25.32	V	360
	12,629.500	-49.96	-25.00	24.96	H	88
	15,156.500	-47.15	-25.00	22.15	V	355.4
	17,681.500	-45.11	-25.00	20.11	V	0
NR_SA_N12_15M_CH141500_Low	944.863	-39.17	-13.00	26.17	H	230.7
NR_SA_N12_15M_CH141500_High	1,414.000	-45.55	-13.00	32.55	V	298.5
	2,121.000	-40.62	-13.00	27.62	H	297.4
	2,827.500	-37.30	-13.00	24.30	V	298.5
	3,535.000	-35.83	-13.00	22.83	V	120.2
	4,242.000	-32.13	-13.00	19.13	V	48.7
	4,948.500	-32.16	-13.00	19.16	H	0
	5,656.000	-29.46	-13.00	16.46	H	0
	6,363.000	-35.66	-13.00	22.66	H	176.6
	7,069.500	-36.71	-13.00	23.71	V	360
NR_SA_N14_10M_CH152600_Low	946.971	-39.82	-13.00	26.82	H	118.8
NR_SA_N14_10M_CH152600_High	1,586.000	-47.09	-13.00	34.09	H	288.6

	2,379.000	-39.98	-13.00	26.98	H	297.3
	3,171.500	-35.17	-13.00	22.17	V	237.5
	3,965.000	-33.31	-13.00	20.31	V	47.5
	4,757.500	-32.45	-13.00	19.45	V	360
	5,552.000	-28.54	-13.00	15.54	V	360
	6,343.500	-35.16	-13.00	22.16	V	360
	7,138.000	-35.22	-13.00	22.22	H	360
	7,930.000	-37.16	-13.00	24.16	H	23.6
NR_SA_N25_20M_CH376500_Low	946.008	-39.51	-13.00	26.51	H	56.8
NR_SA_N25_20M_CH376500_High	3,745.500	-33.96	-13.00	20.96	V	326.6
	5,619.000	-29.29	-13.00	16.29	V	235.2
	7,491.500	-31.70	-13.00	18.70	H	360
	9,366.000	-38.05	-13.00	25.05	V	173.2
	11,239.000	-37.63	-13.00	24.63	V	355.4
	13,110.000	-36.16	-13.00	23.16	H	360
	14,985.000	-34.32	-13.00	21.32	H	3.7
	16,858.000	-28.81	-13.00	15.81	V	360
NR_SA_N26_10M_CH163800_Low	954.763	-39.69	-13.00	26.69	H	359.6
NR_SA_N26_10M_CH163800_High	1,637.500	-45.94	-13.00	32.94	V	310.3
	2,456.500	-40.13	-13.00	27.13	V	0
	3,275.500	-35.32	-13.00	22.32	V	328.4
	4,095.500	-33.31	-13.00	20.31	V	0
	4,913.500	-31.27	-13.00	18.27	H	360
	5,733.000	-28.17	-13.00	15.17	H	122.5
	6,551.500	-37.03	-13.00	24.03	H	0
	7,371.500	-34.09	-13.00	21.09	V	0
	8,189.500	-41.10	-13.00	28.10	V	273.8
NR_SA_N26_20M_CH167300_Low	942.525	-39.51	-13.00	26.51	H	360
NR_SA_N26_20M_CH167300_High	1,672.000	-44.16	-13.00	31.16	H	0
	2,508.000	-38.53	-13.00	25.53	V	306.8
	3,345.000	-34.48	-13.00	21.48	H	360
	4,179.500	-32.75	-13.00	19.75	H	0
	5,016.000	-30.64	-13.00	17.64	H	360
	5,852.000	-27.82	-13.00	14.82	H	0
	6,688.000	-36.88	-13.00	23.88	H	219.8
	7,523.500	-37.06	-13.00	24.06	V	219.8
	8,360.000	-38.79	-13.00	25.79	V	360
NR_SA_N38_15M_CH519000_Low	950.363	-39.25	-25.00	14.25	H	241.4
NR_SA_N38_20M_CH519000_High	5,175.000	-45.20	-25.00	20.20	H	311.4
	7,760.500	-42.42	-25.00	17.42	H	360
	10,348.500	-51.11	-25.00	26.11	V	6.7
	12,936.000	-49.85	-25.00	24.85	V	0

	15,522.000	-47.95	-25.00	22.95	V	114.5
NR_SA_N41_100M_CH518598_Low	954.121	-39.81	-25.00	14.81	H	62.7
NR_SA_N41_100M_CH518598_High	5,090.000	-44.90	-25.00	19.90	H	45.1
	7,635.000	-42.53	-25.00	17.53	H	360
	10,179.500	-50.92	-25.00	25.92	H	353.3
	12,725.500	-48.57	-25.00	23.57	V	245.6
	15,270.500	-48.38	-25.00	23.38	H	353.3
NR_SA_N41_100M_CH518598_High	17,814.500	-44.33	-25.00	19.33	H	360
NR_SA_N48_40M_CH641667_Low	954.625	-57.44	-40.00	17.44	H	201.7
NR_SA_N48_40M_CH641667_High	7,214.000	-44.11	-40.00	4.11	V	338.6
	10,821.000	-52.83	-40.00	12.83	V	353.2
	14,428.000	-52.61	-40.00	12.61	H	112
NR_SA_N66_20M_CH349000_Low	939.638	-39.95	-13.00	26.95	H	349.7
NR_SA_N66_20M_CH349000_High	3,490.000	-35.48	-13.00	22.48	V	360
	5,235.000	-30.14	-13.00	17.14	V	313.8
	6,980.000	-34.83	-13.00	21.83	H	337.6
	8,725.000	-37.16	-13.00	24.16	H	114.4
	10,470.000	-36.71	-13.00	23.71	V	353.3
	12,215.000	-36.76	-13.00	23.76	V	246.9
	13,960.000	-36.42	-13.00	23.42	H	0
	15,705.000	-32.46	-13.00	19.46	V	112.1
NR_SA_N66_20M_CH349000_High	17,450.000	-28.64	-13.00	15.64	H	360
NR_SA_N71_20M_CH136100_Low	949.217	-39.92	-13.00	26.92	H	119.7
NR_SA_N71_20M_CH136100_High	1,362.000	-46.25	-13.00	33.25	H	61.6
	2,043.000	-40.21	-13.00	27.21	H	360
	2,724.000	-38.13	-13.00	25.13	V	360
	3,405.000	-35.40	-13.00	22.40	H	236.3
	4,086.000	-32.26	-13.00	19.26	H	0
	4,767.000	-32.49	-13.00	19.49	H	360
	5,448.000	-28.74	-13.00	15.74	V	360
	6,129.000	-27.35	-13.00	14.35	H	43.9
	6,810.000	-35.26	-13.00	22.26	H	0
NR_SA_N77_100M_CH633334_Low	948.529	-39.74	-13.00	26.74	H	106.9
NR_SA_N77_100M_CH656000_Low	946.650	-39.52	-13.00	26.52	H	304.2
NR_SA_N77_100M_CH633334_High	6,902.000	-34.95	-13.00	21.95	H	139.3
	10,352.500	-37.49	-13.00	24.49	H	87.1
	13,804.000	-36.58	-13.00	23.58	H	0
	17,255.000	-28.95	-13.00	15.95	V	172.3
NR_SA_N77_100M_CH656000_High	7,583.500	-36.99	-13.00	23.99	V	360
	11,375.000	-37.04	-13.00	24.04	H	353.7
	15,166.000	-32.28	-13.00	19.28	V	6.4
NR_SA_N78_100M_CH633334_Low	900.679	-41.90	-13.00	28.90	H	155.9

NR_SA_N78_100M_CH633334_High	6,903.000	-34.98	-13.00	21.98	H	183.4
	10,362.500	-36.96	-13.00	23.96	V	350.5
	13,804.000	-35.92	-13.00	22.92	H	7.8
	17,256.000	-27.98	-13.00	14.98	V	0
NR_SA_N78_100M_CH650000_Low	948.025	-39.14	-13.00	26.14	H	360
NR_SA_N78_100M_CH650000_High	7,402.000	-33.46	-13.00	20.46	H	22.5
	11,105.000	-37.18	-13.00	24.18	V	116.8
	14,804.500	-34.42	-13.00	21.42	V	360

Remark: 'Low' indicates a frequency range below 1GHz, and 'High' indicates a frequency range above 1GHz.

NR UL MIMO

Test Mode & Test Freq.[MHz]	Frequency [MHz]	PK+Level [dBm]	PK+Limit [dBm]	PK+Margin [dB]	Polarization	Azimuth [deg]
n77A_100M_CH633334_Low	950.958	-39.25	-13.00	26.25	H	0
n77A_100M_CH656000_Low	951.233	-39.21	-13.00	26.21	H	102.2
n77A_100M_CH633334_High	6,903.000	-35.49	-13.00	22.49	H	360
	10,353.000	-37.48	-13.00	24.48	H	0
	13,804.500	-36.06	-13.00	23.06	H	118
	17,255.000	-28.28	-13.00	15.28	V	233.8
n77A_100M_CH656000_High	7,584.000	-37.10	-13.00	24.10	V	0
	11,375.500	-37.38	-13.00	24.38	H	187.7
	15,167.000	-33.67	-13.00	20.67	H	360
n78A_100M_CH633334_Low	947.017	-39.47	-13.00	26.47	H	1.3
n78A_100M_CH633334_High	6,904.000	-34.90	-13.00	21.90	H	231.3
	10,355.500	-36.94	-13.00	23.94	V	234.3
	13,808.000	-35.22	-13.00	22.22	V	0
	17,260.000	-29.53	-13.00	16.53	V	176.5
n78A_100M_CH650000_Low	944.175	-39.39	-13.00	26.39	H	259.1
n78A_100M_CH650000_High	7,404.500	-33.66	-13.00	20.66	V	171.6
	11,105.500	-36.63	-13.00	23.63	V	358.9
	14,807.500	-34.29	-13.00	21.29	H	126.7

Remark: 'Low' indicates a frequency range below 1GHz, and 'High' indicates a frequency range above 1GHz.

NR NSA

Test Mode & Test Freq.[MHz]	Frequency [MHz]	PK+Level [dBm]	PK+Limit [dBm]	PK+Margin [dB]	Polarization	Azimuth [deg]
DC_26A_n77_20M_CH630666_High	6,902.000	-34.73	-13.00	21.73	H	28.3
	10,353.000	-37.27	-13.00	24.27	V	360
	13,804.000	-35.92	-13.00	22.92	V	115.7
	17,255.000	-28.94	-13.00	15.94	V	0
DC_26A_n77_20M_CH630666_Low	920.113	-41.58	-13.00	28.58	H	360
DC_26A_n77_20M_CH656000_High	7,662.000	-36.88	-13.00	23.88	H	335.3
	11,493.000	-36.25	-13.00	23.25	V	0
	15,324.000	-33.52	-13.00	20.52	H	0
DC_26A_n77_20M_CH656000_Low	937.621	-40.35	-13.00	27.35	H	333.8
DC_2A_n5_5M_CH165300_Low	947.567	-39.50	-13.00	26.50	H	194.2
DC_2A_n5_5M_CH165300_High	1,653.000	-45.76	-13.00	32.76	V	218.2
	2,479.500	-38.75	-13.00	25.75	H	215.5
	3,306.000	-35.20	-13.00	22.20	H	36.1
	4,132.500	-33.05	-13.00	20.05	H	360
	4,959.000	-31.18	-13.00	18.18	H	0
	5,785.500	-27.14	-13.00	14.14	H	360
	6,612.000	-36.58	-13.00	23.58	H	220.6
	7,438.500	-33.30	-13.00	20.30	H	0
	8,265.000	-39.29	-13.00	26.29	H	89.8
DC_2A_n12_5M_CH141500_Low	956.367	-40.06	-13.00	27.06	H	259.1
DC_2A_n12_5M_CH141500_High	1,415.000	-45.62	-13.00	32.62	V	61.5
	2,122.500	-39.61	-13.00	26.61	H	76.2
	2,830.000	-37.39	-13.00	24.39	H	359.8
	3,537.500	-35.09	-13.00	22.09	H	52.3
	4,245.000	-32.88	-13.00	19.88	V	238.7
	4,952.500	-32.17	-13.00	19.17	V	0
	5,660.000	-28.54	-13.00	15.54	V	0
	6,367.500	-35.54	-13.00	22.54	H	179
	7,075.000	-36.36	-13.00	23.36	H	360
DC_2A_n71_5M_CH136100_Low	957.100	-39.83	-13.00	26.83	H	243.2
DC_2A_n71_5M_CH136100_High	1,361.000	-46.04	-13.00	33.04	V	285
	2,041.500	-41.04	-13.00	28.04	V	285
	2,722.000	-37.81	-13.00	24.81	H	286.2
	3,402.500	-35.33	-13.00	22.33	H	360
	4,083.000	-32.36	-13.00	19.36	V	0
	4,763.500	-32.11	-13.00	19.11	H	310.2
	5,444.000	-29.51	-13.00	16.51	V	360
	6,124.500	-27.46	-13.00	14.46	H	310.2
	6,805.000	-35.30	-13.00	22.30	V	28.4

DC_5A_n2_20M_CH376000_Low	951.188	-39.69	-13.00	26.69	H	0
DC_5A_n2_20M_CH376000_High	3,742.000	-34.53	-13.00	21.53	V	0
	5,613.000	-29.62	-13.00	16.62	H	360.2
	7,484.000	-32.77	-13.00	19.77	V	0
	9,355.000	-39.18	-13.00	26.18	V	0
	11,226.000	-38.26	-13.00	25.26	H	0
	13,097.000	-35.99	-13.00	22.99	V	116.8
	14,968.000	-33.99	-13.00	20.99	V	0
	16,839.000	-28.96	-13.00	15.96	V	9.6
DC_5A_n7_40M_CH510000_Low	953.342	-39.66	-25.00	14.66	H	3
DC_5A_n7_40M_CH510000_High	5,062.000	-43.90	-25.00	18.90	V	238.7
	7,593.000	-40.77	-25.00	15.77	V	176.6
	10,124.000	-50.75	-25.00	25.75	V	9.5
	12,655.000	-50.48	-25.00	25.48	H	116.8
	15,186.000	-48.77	-25.00	23.77	H	351.7
	17,717.000	-44.76	-25.00	19.76	V	360
DC_5A_n41_90M_CH518601_Low	942.250	-39.41	-25.00	14.41	H	63
DC_5A_n41_90M_CH518601_High	5,100.000	-44.93	-25.00	19.93	V	0
	7,650.000	-41.50	-25.00	16.50	V	22.5
	10,200.000	-51.11	-25.00	26.11	V	114.5
	12,750.000	-49.16	-25.00	24.16	V	7.3
	15,300.000	-48.06	-25.00	23.06	V	0
	17,850.000	-45.07	-25.00	20.07	H	0
DC_5A_n66_5M_CH342500_Low	947.979	-39.39	-13.00	26.39	H	153.6
DC_5A_n66_5M_CH342500_High	3,422.000	-35.93	-13.00	22.93	H	360
	5,133.000	-31.00	-13.00	18.00	V	46.3
	6,844.000	-34.59	-13.00	21.59	H	337.6
	8,555.000	-38.55	-13.00	25.55	H	360
	10,266.000	-37.12	-13.00	24.12	V	360
	11,977.000	-36.89	-13.00	23.89	V	0
	13,688.000	-35.95	-13.00	22.95	H	353.3
	15,399.000	-33.38	-13.00	20.38	V	245.6
	17,110.000	-29.95	-13.00	16.95	V	0
DC_12A_n25_40M_CH379000_Low	943.350	-38.29	-13.00	25.29	H	299.7
DC_12A_n25_40M_CH379000_High	3,752.000	-34.18	-13.00	21.18	V	51.2
	5,628.000	-28.94	-13.00	15.94	V	122.5
	7,504.000	-37.12	-13.00	24.12	V	177.8
	9,380.000	-38.66	-13.00	25.66	V	244.4
	11,256.000	-37.46	-13.00	24.46	V	351.7
	13,132.000	-36.46	-13.00	23.46	H	0
	15,008.000	-33.60	-13.00	20.60	V	360
	16,884.000	-28.91	-13.00	15.91	H	244.4

DC_71A_n38_20M_CH516000_Low	945.504	-39.12	-25.00	14.12	H	224.4
DC_71A_n38_20M_CH516000_High	5,144.000	-44.75	-25.00	19.75	H	237.4
	7,716.000	-41.85	-25.00	16.85	V	176.6
	10,288.000	-51.27	-25.00	26.27	V	0
	12,860.000	-50.33	-25.00	25.33	H	113.2
	15,432.000	-47.60	-25.00	22.60	H	360
DC_12A_n77_20M_CH630666_Low	945.733	-39.43	-13.00	26.43	H	260.2
DC_12A_n77_20M_CH630666_High	6,902.000	-35.92	-13.00	22.92	V	180.2
	10,353.000	-37.52	-13.00	24.52	H	360
	13,804.000	-35.83	-13.00	22.83	V	120.5
	17,255.000	-29.65	-13.00	16.65	H	0
DC_12A_n77_40M_CH656000_Low	857.183	-41.44	-13.00	28.44	V	15.3
DC_12A_n77_40M_CH656000_High	7,644.500	-36.80	-13.00	23.80	V	218.9
	11,466.000	-36.40	-13.00	23.40	V	0
	15,288.500	-32.61	-13.00	19.61	V	360
DC_12A_n78_60M_CH633334_Low	938.033	-39.71	-13.00	26.71	H	298.5
DC_12A_n78_60M_CH633334_High	6,944.000	-34.91	-13.00	21.91	V	0
	10,416.000	-37.15	-13.00	24.15	V	360
	13,888.000	-35.63	-13.00	22.63	V	352.8
	17,360.000	-29.00	-13.00	16.00	H	0
DC_2A_n78_20M_CH652666_Low	957.696	-40.08	-13.00	27.08	H	211.2
DC_2A_n78_20M_CH652666_High	7,562.000	-35.09	-13.00	22.09	H	29.5
	11,343.000	-36.32	-13.00	23.32	V	360
	15,124.000	-33.33	-13.00	20.33	V	360
DC_26A_n78_30M_CH652334_Low	950.729	-38.11	-13.00	25.11	H	164.6
DC_26A_n78_30M_CH652334_High	7,544.000	-34.62	-13.00	21.62	V	360
	11,316.000	-37.52	-13.00	24.52	V	360
	15,088.000	-34.08	-13.00	21.08	H	349

Remark: 'Low' indicates a frequency range below 1GHz, and 'High' indicates a frequency range above 1GHz.