


Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	20050	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	35.9655	-51.99	-76.47	-13.00	63.47	-24.48	RMS	Vertical
2	71.9525	-59.89	-82.93	-13.00	69.93	-23.04	RMS	Vertical
3	107.988	-60.03	-75.00	-13.00	62.00	-14.97	RMS	Vertical
4	143.975	-60.54	-77.34	-13.00	64.34	-16.80	RMS	Vertical
5	251.0145	-60.83	-81.52	-13.00	68.52	-20.69	RMS	Vertical
6	959.551	-67.93	-74.99	-13.00	61.99	-7.06	RMS	Vertical

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	20175	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	56.772	-61.20	-77.50	-13.00	64.50	-16.30	RMS	Horizontal
2	107.988	-55.47	-79.14	-13.00	66.14	-23.67	RMS	Horizontal
3	250.869	-63.54	-80.41	-13.00	67.41	-16.87	RMS	Horizontal
4	385.9415	-64.05	-79.66	-13.00	66.66	-15.61	RMS	Horizontal
5	540.026	-65.52	-76.39	-13.00	63.39	-10.87	RMS	Horizontal
6	987.6325	-67.96	-74.29	-13.00	61.29	-6.33	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	20175	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	35.9655	-51.21	-75.69	-13.00	62.69	-24.48	RMS	Vertical
2	107.988	-59.52	-74.49	-13.00	61.49	-14.97	RMS	Vertical
3	143.975	-61.18	-77.98	-13.00	64.98	-16.80	RMS	Vertical
4	248.25	-61.17	-82.16	-13.00	69.16	-20.99	RMS	Vertical
5	540.026	-65.42	-76.25	-13.00	63.25	-10.83	RMS	Vertical
6	953.828	-67.25	-74.17	-13.00	61.17	-6.92	RMS	Vertical

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	20300	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	56.772	-61.95	-78.25	-13.00	65.25	-16.30	RMS	Horizontal
2	107.988	-55.74	-79.41	-13.00	66.41	-23.67	RMS	Horizontal
3	249.4625	-62.57	-79.35	-13.00	66.35	-16.78	RMS	Horizontal
4	417.806	-64.87	-78.93	-13.00	65.93	-14.06	RMS	Horizontal
5	737.324	-66.77	-75.85	-13.00	62.85	-9.08	RMS	Horizontal
6	983.0735	-68.20	-74.59	-13.00	61.59	-6.39	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	20300	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	35.9655	-51.92	-76.40	-13.00	63.40	-24.48	RMS	Vertical
2	107.988	-60.12	-75.09	-13.00	62.09	-14.97	RMS	Vertical
3	144.0235	-61.37	-78.17	-13.00	65.17	-16.80	RMS	Vertical
4	172.008	-61.01	-79.84	-13.00	66.84	-18.83	RMS	Vertical
5	252.3725	-61.88	-82.43	-13.00	69.43	-20.55	RMS	Vertical
6	949.075	-68.21	-75.02	-13.00	62.02	-6.81	RMS	Vertical

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	20450	Band:	Band=5 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	56.675	-62.32	-78.35	-13.00	65.35	-16.03	RMS	Horizontal
2	107.988	-56.74	-80.01	-13.00	67.01	-23.27	RMS	Horizontal
3	149.989	-64.05	-84.02	-13.00	71.02	-19.97	RMS	Horizontal
4	251.4025	-62.14	-78.38	-13.00	65.38	-16.24	RMS	Horizontal
5	385.99	-64.49	-79.30	-13.00	66.30	-14.81	RMS	Horizontal
6	992.725	-68.67	-73.67	-13.00	60.67	-5.00	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	20450	Band:	Band=5 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	35.9655	-53.39	-77.66	-13.00	64.66	-24.27	RMS	Vertical
2	107.988	-61.12	-75.69	-13.00	62.69	-14.57	RMS	Vertical
3	144.0235	-63.18	-79.55	-13.00	66.55	-16.37	RMS	Vertical
4	251.839	-62.09	-82.02	-13.00	69.02	-19.93	RMS	Vertical
5	540.026	-65.77	-75.84	-13.00	62.84	-10.07	RMS	Vertical
6	981.5215	-67.78	-73.18	-13.00	60.18	-5.40	RMS	Vertical

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	20525	Band:	Band=5 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	56.578	-61.85	-77.88	-13.00	64.88	-16.03	RMS	Horizontal
2	107.988	-56.30	-79.57	-13.00	66.57	-23.27	RMS	Horizontal
3	246.892	-63.28	-79.34	-13.00	66.34	-16.06	RMS	Horizontal
4	387.9785	-64.61	-79.39	-13.00	66.39	-14.78	RMS	Horizontal
5	700.0275	-65.71	-74.90	-13.00	61.90	-9.19	RMS	Horizontal
6	951.9365	-67.67	-73.29	-13.00	60.29	-5.62	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	20525	Band:	Band=5 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	36.014	-53.82	-78.08	-13.00	65.08	-24.26	RMS	Vertical
2	71.9525	-59.90	-82.62	-13.00	69.62	-22.72	RMS	Vertical
3	107.988	-60.36	-74.93	-13.00	61.93	-14.57	RMS	Vertical
4	143.975	-62.74	-79.11	-13.00	66.11	-16.37	RMS	Vertical
5	253.197	-61.53	-81.32	-13.00	68.32	-19.79	RMS	Vertical
6	968.669	-67.45	-73.44	-13.00	60.44	-5.99	RMS	Vertical

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	20600	Band:	Band=5 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	56.578	-62.24	-78.27	-13.00	65.27	-16.03	RMS	Horizontal
2	107.988	-56.24	-79.51	-13.00	66.51	-23.27	RMS	Horizontal
3	249.6565	-63.32	-79.43	-13.00	66.43	-16.11	RMS	Horizontal
4	385.99	-63.79	-78.60	-13.00	65.60	-14.81	RMS	Horizontal
5	612.9215	-68.19	-77.63	-13.00	64.63	-9.44	RMS	Horizontal
6	990.3485	-68.24	-73.25	-13.00	60.25	-5.01	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	20600	Band:	Band=5 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	35.9655	-52.91	-77.18	-13.00	64.18	-24.27	RMS	Vertical
2	107.988	-60.75	-75.32	-13.00	62.32	-14.57	RMS	Vertical
3	143.975	-62.51	-78.88	-13.00	65.88	-16.37	RMS	Vertical
4	172.008	-61.48	-79.82	-13.00	66.82	-18.34	RMS	Vertical
5	252.3725	-62.13	-82.01	-13.00	69.01	-19.88	RMS	Vertical
6	939.7145	-67.51	-73.14	-13.00	60.14	-5.63	RMS	Vertical

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23060	Band:	Band=12 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	55.996	-62.47	-78.38	-13.00	65.38	-15.91	RMS	Horizontal
2	107.988	-56.73	-79.84	-13.00	66.84	-23.11	RMS	Horizontal
3	149.989	-64.11	-83.92	-13.00	70.92	-19.81	RMS	Horizontal
4	251.16	-63.78	-79.85	-13.00	66.85	-16.07	RMS	Horizontal
5	385.99	-64.33	-78.81	-13.00	65.81	-14.48	RMS	Horizontal
6	930.742	-67.38	-72.83	-13.00	59.83	-5.45	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23060	Band:	Band=12 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	35.9655	-55.06	-79.24	-13.00	66.24	-24.18	RMS	Vertical
2	107.988	-62.12	-76.53	-13.00	63.53	-14.41	RMS	Vertical
3	141.2105	-65.01	-80.88	-13.00	67.88	-15.87	RMS	Vertical
4	249.8505	-61.90	-81.89	-13.00	68.89	-19.99	RMS	Vertical
5	540.026	-64.11	-73.69	-13.00	60.69	-9.58	RMS	Vertical
6	964.9345	-67.26	-72.60	-13.00	59.60	-5.34	RMS	Vertical

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23095	Band:	Band=12 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	55.9475	-60.75	-76.66	-13.00	63.66	-15.91	RMS	Horizontal
2	107.988	-56.32	-79.43	-13.00	66.43	-23.11	RMS	Horizontal
3	149.989	-64.41	-84.22	-13.00	71.22	-19.81	RMS	Horizontal
4	252.615	-63.24	-79.42	-13.00	66.42	-16.18	RMS	Horizontal
5	387.9785	-63.74	-78.23	-13.00	65.23	-14.49	RMS	Horizontal
6	987.681	-68.64	-73.26	-13.00	60.26	-4.62	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23095	Band:	Band=12 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	35.9655	-56.97	-81.15	-13.00	68.15	-24.18	RMS	Vertical
2	56.7235	-60.75	-83.18	-13.00	70.18	-22.43	RMS	Vertical
3	107.988	-60.71	-75.12	-13.00	62.12	-14.41	RMS	Vertical
4	172.008	-61.60	-79.75	-13.00	66.75	-18.15	RMS	Vertical
5	540.026	-68.07	-77.65	-13.00	64.65	-9.58	RMS	Vertical
6	981.6185	-67.92	-73.11	-13.00	60.11	-5.19	RMS	Vertical

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23130	Band:	Band=12 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	56.578	-61.99	-77.91	-13.00	64.91	-15.92	RMS	Horizontal
2	107.988	-56.40	-79.51	-13.00	66.51	-23.11	RMS	Horizontal
3	149.989	-63.48	-83.29	-13.00	70.29	-19.81	RMS	Horizontal
4	249.9475	-63.62	-79.60	-13.00	66.60	-15.98	RMS	Horizontal
5	387.9785	-65.62	-80.11	-13.00	67.11	-14.49	RMS	Horizontal
6	981.376	-67.81	-72.52	-13.00	59.52	-4.71	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23130	Band:	Band=12 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	35.9655	-57.53	-81.71	-13.00	68.71	-24.18	RMS	Vertical
2	107.988	-61.79	-76.20	-13.00	63.20	-14.41	RMS	Vertical
3	172.008	-62.82	-80.97	-13.00	67.97	-18.15	RMS	Vertical
4	247.765	-61.77	-81.99	-13.00	68.99	-20.22	RMS	Vertical
5	540.026	-63.66	-73.24	-13.00	60.24	-9.58	RMS	Vertical
6	994.2285	-67.93	-72.83	-13.00	59.83	-4.90	RMS	Vertical

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23230	Band:	Band=13 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	37.3235	-64.59	-78.65	-13.00	65.65	-14.06	RMS	Horizontal
2	55.9475	-63.25	-79.54	-13.00	66.54	-16.29	RMS	Horizontal
3	107.988	-54.51	-78.18	-13.00	65.18	-23.67	RMS	Horizontal
4	248.832	-62.33	-79.10	-13.00	66.10	-16.77	RMS	Horizontal
5	565.8765	-63.36	-74.31	-13.00	61.31	-10.95	RMS	Horizontal
6	978.7085	-62.00	-68.49	-13.00	55.49	-6.49	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23230	Band:	Band=13 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	35.9655	-57.13	-81.61	-13.00	68.61	-24.48	RMS	Vertical
2	72.001	-60.34	-83.39	-13.00	70.39	-23.05	RMS	Vertical
3	107.988	-60.73	-75.70	-13.00	62.70	-14.97	RMS	Vertical
4	613.9885	-63.06	-73.22	-13.00	60.22	-10.16	RMS	Vertical
5	978.9995	-61.88	-68.82	-13.00	55.82	-6.94	RMS	Vertical
6	35.9655	-57.13	-81.61	-13.00	68.61	-24.48	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23780	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-10-12		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	39.894	-48.20	-62.00	-13.00	49.00	-13.80	RMS	Horizontal
2	103.235	-43.38	-66.62	-13.00	53.62	-23.24	RMS	Horizontal
3	249.996	-44.90	-60.88	-13.00	47.88	-15.98	RMS	Horizontal
4	335.9865	-51.20	-67.17	-13.00	54.17	-15.97	RMS	Horizontal
5	419.9885	-48.86	-61.76	-13.00	48.76	-12.90	RMS	Horizontal
6	503.9905	-51.46	-63.42	-13.00	50.42	-11.96	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23780	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-10-12		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	40.3305	-28.45	-51.71	-13.00	38.71	-23.26	RMS	Vertical
2	105.175	-37.79	-53.12	-13.00	40.12	-15.33	RMS	Vertical
3	249.996	-36.90	-56.87	-13.00	43.87	-19.97	RMS	Vertical
4	335.9865	-43.16	-57.35	-13.00	44.35	-14.19	RMS	Vertical
5	419.9885	-41.91	-55.81	-13.00	42.81	-13.90	RMS	Vertical
6	503.9905	-47.76	-59.46	-13.00	46.46	-11.70	RMS	Vertical

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23790	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-10-12		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	39.4575	-47.66	-61.46	-13.00	48.46	-13.80	RMS	Horizontal
2	85.1445	-43.53	-67.70	-13.00	54.70	-24.17	RMS	Horizontal
3	102.0225	-42.02	-65.30	-13.00	52.30	-23.28	RMS	Horizontal
4	249.996	-45.09	-61.07	-13.00	48.07	-15.98	RMS	Horizontal
5	335.9865	-49.22	-65.19	-13.00	52.19	-15.97	RMS	Horizontal
6	419.9885	-49.83	-62.73	-13.00	49.73	-12.90	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23790	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-10-12		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	40.767	-31.14	-54.32	-13.00	41.32	-23.18	RMS	Vertical
2	83.9805	-35.98	-57.77	-13.00	44.77	-21.79	RMS	Vertical
3	105.6115	-37.20	-52.39	-13.00	39.39	-15.19	RMS	Vertical
4	249.996	-36.24	-56.21	-13.00	43.21	-19.97	RMS	Vertical
5	335.9865	-41.48	-55.67	-13.00	42.67	-14.19	RMS	Vertical
6	419.9885	-41.74	-55.64	-13.00	42.64	-13.90	RMS	Vertical

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23800	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-10-12		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	40.2335	-42.43	-56.28	-13.00	43.28	-13.85	RMS	Horizontal
2	104.011	-41.11	-64.34	-13.00	51.34	-23.23	RMS	Horizontal
3	249.996	-46.34	-62.32	-13.00	49.32	-15.98	RMS	Horizontal
4	335.9865	-48.79	-64.76	-13.00	51.76	-15.97	RMS	Horizontal
5	420.037	-50.65	-63.55	-13.00	50.55	-12.90	RMS	Horizontal
6	504.039	-53.25	-65.20	-13.00	52.20	-11.95	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23800	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-10-12		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	40.767	-28.53	-51.71	-13.00	38.71	-23.18	RMS	Vertical
2	106.339	-38.03	-52.99	-13.00	39.99	-14.96	RMS	Vertical
3	249.996	-36.44	-56.41	-13.00	43.41	-19.97	RMS	Vertical
4	335.9865	-42.03	-56.22	-13.00	43.22	-14.19	RMS	Vertical
5	419.9885	-42.26	-56.16	-13.00	43.16	-13.90	RMS	Vertical
6	503.9905	-48.05	-59.75	-13.00	46.75	-11.70	RMS	Vertical

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	18700	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1842.3	-42.65	-37.28	-13.00	24.28	5.37	RMS	Horizontal
2	1943.8	-47.25	-40.84	-13.00	27.84	6.41	RMS	Horizontal
3	3158.25	-51.80	-54.38	-13.00	41.38	-2.58	RMS	Horizontal
4	5730	-61.21	-55.09	-13.00	42.09	6.12	RMS	Horizontal
5	6750	-64.79	-55.17	-13.00	42.17	9.62	RMS	Horizontal
6	17699.25	-77.66	-45.72	-13.00	32.72	31.94	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	18700	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1842.1	-44.19	-36.33	-13.00	23.33	7.86	RMS	Vertical
2	1944.9	-41.99	-35.12	-13.00	22.12	6.87	RMS	Vertical
3	5697.75	-60.00	-54.78	-13.00	41.78	5.22	RMS	Vertical
4	10225.5	-77.08	-53.44	-13.00	40.44	23.64	RMS	Vertical
5	14754.75	-79.63	-50.37	-13.00	37.37	29.26	RMS	Vertical
6	17888.25	-78.43	-45.75	-13.00	32.75	32.68	RMS	Vertical

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	18900	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1835.6	-52.41	-47.35	-13.00	34.35	5.06	RMS	Horizontal
2	1962.1	-47.05	-40.86	-13.00	27.86	6.19	RMS	Horizontal
3	3158.25	-51.85	-54.43	-13.00	41.43	-2.58	RMS	Horizontal
4	5728.5	-61.50	-55.42	-13.00	42.42	6.08	RMS	Horizontal
5	16551.75	-77.74	-46.10	-13.00	33.10	31.64	RMS	Horizontal
6	17907.75	-78.50	-44.03	-13.00	31.03	34.47	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	18900	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1835.8	-52.55	-44.80	-13.00	31.80	7.75	RMS	Vertical
2	1962.1	-40.67	-33.93	-13.00	20.93	6.74	RMS	Vertical
3	5706	-59.10	-53.80	-13.00	40.80	5.30	RMS	Vertical
4	10342.5	-77.19	-53.28	-13.00	40.28	23.91	RMS	Vertical
5	14604.75	-79.55	-50.12	-13.00	37.12	29.43	RMS	Vertical
6	17998.5	-77.70	-44.18	-13.00	31.18	33.52	RMS	Vertical

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	19100	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1891	-51.90	-46.88	-13.00	33.88	5.02	RMS	Horizontal
2	1986.4	-49.35	-44.06	-13.00	31.06	5.29	RMS	Horizontal
3	3158.25	-53.15	-55.73	-13.00	42.73	-2.58	RMS	Horizontal
4	5724	-60.68	-54.73	-13.00	41.73	5.95	RMS	Horizontal
5	9901.5	-75.11	-53.95	-13.00	40.95	21.16	RMS	Horizontal
6	17900.25	-78.89	-43.90	-13.00	30.90	34.99	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	19100	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1891.1	-52.82	-45.14	-13.00	32.14	7.68	RMS	Vertical
2	1971.9	-43.16	-36.47	-13.00	23.47	6.69	RMS	Vertical
3	5710.5	-60.06	-54.69	-13.00	41.69	5.37	RMS	Vertical
4	6750	-64.91	-55.44	-13.00	42.44	9.47	RMS	Vertical
5	11003.25	-77.25	-53.04	-13.00	40.04	24.21	RMS	Vertical
6	17972.25	-78.04	-45.78	-13.00	32.78	32.26	RMS	Vertical

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	20050	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1711.2	-40.50	-35.48	-25.00	10.48	5.02	RMS	Horizontal
2	2119.3	-48.04	-40.76	-25.00	15.76	7.28	RMS	Horizontal
3	3158.25	-52.19	-54.77	-25.00	29.77	-2.58	RMS	Horizontal
4	5728.5	-61.14	-55.06	-25.00	30.06	6.08	RMS	Horizontal
5	9892.5	-74.70	-53.72	-25.00	28.72	20.98	RMS	Horizontal
6	17898.75	-78.98	-44.09	-25.00	19.09	34.89	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	20050	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1711.2	-42.63	-36.10	-25.00	11.10	6.53	RMS	Vertical
2	2123.8	-41.74	-34.65	-25.00	9.65	7.09	RMS	Vertical
3	5701.5	-58.98	-53.77	-25.00	28.77	5.21	RMS	Vertical
4	10263.75	-77.05	-53.47	-25.00	28.47	23.58	RMS	Vertical
5	14609.25	-79.69	-50.39	-25.00	25.39	29.30	RMS	Vertical

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	20175	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1797.9	-68.41	-56.19	-25.00	31.19	12.22	RMS	Horizontal
2	2124.6	-50.30	-42.91	-25.00	17.91	7.39	RMS	Horizontal
3	3158.25	-51.75	-54.33	-25.00	29.33	-2.58	RMS	Horizontal
4	5726.25	-60.60	-54.59	-25.00	29.59	6.01	RMS	Horizontal
5	16554	-77.37	-45.92	-25.00	20.92	31.45	RMS	Horizontal
6	17899.5	-79.21	-44.26	-25.00	19.26	34.95	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	20175	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1804	-67.63	-52.16	-25.00	27.16	15.47	RMS	Vertical
2	2127.4	-42.41	-35.25	-25.00	10.25	7.16	RMS	Vertical
3	5697.75	-58.92	-53.70	-25.00	28.70	5.22	RMS	Vertical
4	6750	-64.01	-54.54	-25.00	29.54	9.47	RMS	Vertical
5	14598.75	-79.78	-50.28	-25.00	25.28	29.50	RMS	Vertical
6	17998.5	-77.76	-44.24	-25.00	19.24	33.52	RMS	Vertical

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	20300	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1797.1	-68.51	-56.34	-25.00	31.34	12.17	RMS	Horizontal
2	2142.2	-51.88	-44.13	-25.00	19.13	7.75	RMS	Horizontal
3	3158.25	-52.79	-55.37	-25.00	30.37	-2.58	RMS	Horizontal
4	5733	-61.43	-55.22	-25.00	30.22	6.21	RMS	Horizontal
5	9901.5	-74.88	-53.72	-25.00	28.72	21.16	RMS	Horizontal
6	17900.25	-78.67	-43.68	-25.00	18.68	34.99	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	20300	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1805.6	-67.71	-52.47	-25.00	27.47	15.24	RMS	Vertical
2	2153.4	-43.76	-36.09	-25.00	11.09	7.67	RMS	Vertical
3	5699.25	-59.07	-53.87	-25.00	28.87	5.20	RMS	Vertical
4	10199.25	-76.70	-53.19	-25.00	28.19	23.51	RMS	Vertical
5	14598.75	-79.66	-50.16	-25.00	25.16	29.50	RMS	Vertical
6	17970	-77.94	-45.79	-25.00	20.79	32.15	RMS	Vertical

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	20450	Band:	Band=5 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1648.9	-40.66	-52.07	-13.00	39.07	-11.41	RMS	Horizontal
2	2473.3	-43.93	-48.83	-13.00	35.83	-4.90	RMS	Horizontal
3	3158.2	-51.33	-53.45	-13.00	40.45	-2.12	RMS	Horizontal
4	5739.4	-59.65	-51.26	-13.00	38.26	8.39	RMS	Horizontal
5	7653.7	-63.11	-48.09	-13.00	35.09	15.02	RMS	Horizontal
6	9971.2	-65.05	-41.04	-13.00	28.04	24.01	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	20450	Band:	Band=5 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1648.9	-43.13	-55.00	-13.00	42.00	-11.87	RMS	Vertical
2	2473.3	-42.83	-47.85	-13.00	34.85	-5.02	RMS	Vertical
3	3344.5	-58.75	-62.03	-13.00	49.03	-3.28	RMS	Vertical
4	5738.5	-58.23	-50.37	-13.00	37.37	7.86	RMS	Vertical
5	7643.8	-62.92	-47.75	-13.00	34.75	15.17	RMS	Vertical
6	9827.2	-64.52	-40.85	-13.00	27.85	23.67	RMS	Vertical

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	20525	Band:	Band=5 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1664.2	-45.73	-57.36	-13.00	44.36	-11.63	RMS	Horizontal
2	2495.8	-44.24	-49.58	-13.00	36.58	-5.34	RMS	Horizontal
3	3158.2	-51.96	-54.08	-13.00	41.08	-2.12	RMS	Horizontal
4	5724.1	-59.43	-51.26	-13.00	38.26	8.17	RMS	Horizontal
5	7645.6	-62.94	-48.04	-13.00	35.04	14.90	RMS	Horizontal
6	9758.8	-64.56	-41.31	-13.00	28.31	23.25	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	20525	Band:	Band=5 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1664.2	-48.55	-60.08	-13.00	47.08	-11.53	RMS	Vertical
2	2495.8	-41.49	-46.78	-13.00	33.78	-5.29	RMS	Vertical
3	3358	-58.78	-62.09	-13.00	49.09	-3.31	RMS	Vertical
4	5717.8	-57.84	-50.03	-13.00	37.03	7.81	RMS	Vertical
5	7631.2	-62.87	-47.72	-13.00	34.72	15.15	RMS	Vertical
6	9978.4	-64.96	-40.84	-13.00	27.84	24.12	RMS	Vertical

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	20600	Band:	Band=5 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1678.6	-45.53	-57.36	-13.00	44.36	-11.83	RMS	Horizontal
2	2518.3	-46.05	-51.43	-13.00	38.43	-5.38	RMS	Horizontal
3	3158.2	-52.02	-54.14	-13.00	41.14	-2.12	RMS	Horizontal
4	5743.9	-59.69	-51.24	-13.00	38.24	8.45	RMS	Horizontal
5	6960.7	-61.21	-48.77	-13.00	35.77	12.44	RMS	Horizontal
6	9749.8	-64.10	-40.91	-13.00	27.91	23.19	RMS	Horizontal

NOTE: NO.6 is the fundamental frequency signal.

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	20600	Band:	Band=5 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1678.6	-47.22	-58.40	-13.00	45.40	-11.18	RMS	Vertical
2	2029.6	-55.56	-62.50	-13.00	49.50	-6.94	RMS	Vertical
3	2518.3	-45.89	-51.09	-13.00	38.09	-5.20	RMS	Vertical
4	5718.7	-58.02	-50.20	-13.00	37.20	7.82	RMS	Vertical
5	7654.6	-62.82	-47.62	-13.00	34.62	15.20	RMS	Vertical
6	9801.1	-64.95	-41.07	-13.00	28.07	23.88	RMS	Vertical

NOTE: NO.6 is the fundamental frequency signal.

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23060	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1398.7	-34.07	-43.52	-13.00	30.52	-9.45	RMS	Horizontal
2	2098.9	-49.14	-56.03	-13.00	43.03	-6.89	RMS	Horizontal
3	2798.2	-51.44	-54.62	-13.00	41.62	-3.18	RMS	Horizontal
4	3158.2	-52.19	-54.31	-13.00	41.31	-2.12	RMS	Horizontal
5	5722.3	-59.32	-51.18	-13.00	38.18	8.14	RMS	Horizontal
6	9999.1	-65.14	-40.11	-13.00	27.11	25.03	RMS	Horizontal

NOTE: NO.6 is the fundamental frequency signal.

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23060	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1398.7	-39.35	-49.78	-13.00	36.78	-10.43	RMS	Vertical
2	2098.9	-50.79	-57.91	-13.00	44.91	-7.12	RMS	Vertical
3	2798.2	-49.44	-52.78	-13.00	39.78	-3.34	RMS	Vertical
4	3497.5	-52.70	-54.33	-13.00	41.33	-1.63	RMS	Vertical
5	5741.2	-58.20	-50.33	-13.00	37.33	7.87	RMS	Vertical
6	9998.2	-64.94	-40.36	-13.00	27.36	24.58	RMS	Vertical

NOTE: NO.6 is the fundamental frequency signal.

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23095	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1405.9	-33.14	-42.48	-13.00	29.48	-9.34	RMS	Horizontal
2	2108.8	-49.90	-56.52	-13.00	43.52	-6.62	RMS	Horizontal
3	2811.7	-49.06	-52.44	-13.00	39.44	-3.38	RMS	Horizontal
4	3158.2	-51.94	-54.06	-13.00	41.06	-2.12	RMS	Horizontal
5	5739.4	-59.15	-50.76	-13.00	37.76	8.39	RMS	Horizontal
6	9988.3	-65.20	-40.57	-13.00	27.57	24.63	RMS	Horizontal

NOTE: NO.6 is the fundamental frequency signal.

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23095	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1405.9	-37.77	-47.91	-13.00	34.91	-10.14	RMS	Vertical
2	2108.8	-52.88	-59.75	-13.00	46.75	-6.87	RMS	Vertical
3	2812.6	-47.40	-50.84	-13.00	37.84	-3.44	RMS	Vertical
4	3515.5	-53.26	-54.68	-13.00	41.68	-1.42	RMS	Vertical
5	5720.5	-59.04	-51.22	-13.00	38.22	7.82	RMS	Vertical
6	9989.2	-64.81	-40.43	-13.00	27.43	24.38	RMS	Vertical

NOTE: NO.6 is the fundamental frequency signal.

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23130	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1413.1	-31.30	-40.47	-13.00	27.47	-9.17	RMS	Horizontal
2	2119.6	-47.77	-54.05	-13.00	41.05	-6.28	RMS	Horizontal
3	2826.1	-48.76	-52.45	-13.00	39.45	-3.69	RMS	Horizontal
4	3158.2	-52.11	-54.23	-13.00	41.23	-2.12	RMS	Horizontal
5	5730.4	-58.89	-50.63	-13.00	37.63	8.26	RMS	Horizontal
6	9994.6	-64.90	-40.03	-13.00	27.03	24.87	RMS	Horizontal

NOTE: NO.2 is the fundamental frequency signal.

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23130	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1413.1	-36.14	-45.91	-13.00	32.91	-9.77	RMS	Vertical
2	2119.6	-50.73	-57.29	-13.00	44.29	-6.56	RMS	Vertical
3	2826.1	-47.51	-51.10	-13.00	38.10	-3.59	RMS	Vertical
4	4239.1	-57.67	-56.11	-13.00	43.11	1.56	RMS	Vertical
5	5732.2	-57.98	-50.13	-13.00	37.13	7.85	RMS	Vertical
6	9990.1	-65.06	-40.67	-13.00	27.67	24.39	RMS	Vertical

NOTE: NO.2 is the fundamental frequency signal.

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23230	Band:	Band=13 BW=5MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1459	-56.45	-65.16	-13.00	52.16	-8.71	RMS	Horizontal
2	1554.85	-49.43	-59.10	-13.00	46.10	-9.67	RMS	Horizontal
3	2048.95	-58.02	-64.48	-13.00	51.48	-6.46	RMS	Horizontal
4	3158.65	-51.55	-53.67	-13.00	40.67	-2.12	RMS	Horizontal
5	5729.95	-60.56	-52.31	-13.00	39.31	8.25	RMS	Horizontal
6	9968.95	-72.65	-48.72	-13.00	35.72	23.93	RMS	Horizontal

NOTE: NO.1 is the fundamental frequency signal.

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23230	Band:	Band=13 BW=5MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1459	-57.11	-65.25	-13.00	52.25	-8.14	RMS	Vertical
2	1554.85	-52.18	-61.92	-13.00	48.92	-9.74	RMS	Vertical
3	2021.95	-55.25	-62.19	-13.00	49.19	-6.94	RMS	Vertical
4	3185.2	-58.27	-61.39	-13.00	48.39	-3.12	RMS	Vertical
5	5723.2	-58.66	-50.84	-13.00	37.84	7.82	RMS	Vertical
6	9826.3	-72.40	-48.72	-13.00	35.72	23.68	RMS	Vertical

NOTE: NO.1 is the fundamental frequency signal.

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23780	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-10-12		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1408.6	-15.94	-25.22	-13.00	12.22	-9.28	RMS	Horizontal
2	2113.3	-18.50	-24.98	-13.00	11.98	-6.48	RMS	Horizontal
3	2818	-25.20	-28.72	-13.00	15.72	-3.52	RMS	Horizontal
4	3522.7	-32.41	-33.83	-13.00	20.83	-1.42	RMS	Horizontal
5	4227.4	-35.38	-33.75	-13.00	20.75	1.63	RMS	Horizontal
6	4932.1	-39.35	-34.35	-13.00	21.35	5.00	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23780	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-10-12		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1408.6	-26.25	-36.26	-13.00	23.26	-10.01	RMS	Horizontal
2	2114.2	-25.53	-32.25	-13.00	19.25	-6.72	RMS	Horizontal
3	2818	-23.85	-27.35	-13.00	14.35	-3.50	RMS	Horizontal
4	3522.7	-30.14	-31.50	-13.00	18.50	-1.36	RMS	Horizontal
5	4227.4	-38.73	-37.41	-13.00	24.41	1.32	RMS	Horizontal
6	4932.1	-41.68	-37.02	-13.00	24.02	4.66	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23790	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-10-12		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1410.4	-12.14	-21.38	-13.00	8.38	-9.24	RMS	Horizontal
2	2116	-18.73	-25.13	-13.00	12.13	-6.40	RMS	Horizontal
3	2822.5	-24.70	-28.31	-13.00	15.31	-3.61	RMS	Horizontal
4	3528.1	-31.44	-32.89	-13.00	19.89	-1.45	RMS	Horizontal
5	4233.7	-37.05	-35.40	-13.00	22.40	1.65	RMS	Horizontal
6	4939.3	-38.29	-33.28	-13.00	20.28	5.01	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23790	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-10-12		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1411.3	-20.98	-30.84	-13.00	17.84	-9.86	RMS	Vertical
2	2116.9	-23.13	-29.77	-13.00	16.77	-6.64	RMS	Vertical
3	2821.6	-27.47	-31.01	-13.00	18.01	-3.54	RMS	Vertical
4	3528.1	-32.89	-34.21	-13.00	21.21	-1.32	RMS	Vertical
5	4233.7	-40.45	-39.01	-13.00	26.01	1.44	RMS	Vertical
6	4939.3	-40.21	-35.47	-13.00	22.47	4.74	RMS	Vertical

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23800	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-10-12		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1413.1	-14.72	-23.89	-13.00	10.89	-9.17	RMS	Horizontal
2	2119.6	-21.45	-27.73	-13.00	14.73	-6.28	RMS	Horizontal
3	2826.1	-27.29	-30.98	-13.00	17.98	-3.69	RMS	Horizontal
4	3533.5	-35.82	-37.29	-13.00	24.29	-1.47	RMS	Horizontal
5	4239.1	-41.16	-39.47	-13.00	26.47	1.69	RMS	Horizontal
6	4946.5	-41.23	-36.20	-13.00	23.20	5.03	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	23800	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-10-12		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1412.2	-13.26	-23.08	-13.00	10.08	-9.82	RMS	Vertical
2	2119.6	-21.84	-28.40	-13.00	15.40	-6.56	RMS	Vertical
3	2826.1	-29.53	-33.12	-13.00	20.12	-3.59	RMS	Vertical
4	3532.6	-34.45	-35.73	-13.00	22.73	-1.28	RMS	Vertical
5	4239.1	-39.78	-38.22	-13.00	25.22	1.56	RMS	Vertical
6	5653	-48.12	-40.61	-13.00	27.61	7.51	RMS	Vertical

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	18700	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18166.88	-66.98	-82.62	-13.00	69.62	-15.64	RMS	Horizontal
2	18686.90	-67.41	-83.29	-13.00	70.29	-15.88	RMS	Horizontal
3	18953.15	-66.94	-83.27	-13.00	70.27	-16.33	RMS	Horizontal
4	19204.04	-67.90	-83.71	-13.00	70.71	-15.81	RMS	Horizontal
5	19501.90	-67.80	-83.94	-13.00	70.94	-16.14	RMS	Horizontal
6	19872.07	-69.17	-84.65	-13.00	71.65	-15.48	RMS	Horizontal

NOTE: NO.1 is the fundamental frequency signal.

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	18700	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18249.77	-67.86	-84.19	-13.00	71.19	-16.33	RMS	Vertical
2	18525.38	-67.30	-85.21	-13.00	72.21	-17.91	RMS	Vertical
3	18743.70	-67.13	-83.34	-13.00	70.34	-16.21	RMS	Vertical
4	19013.88	-67.51	-84.55	-13.00	71.55	-17.04	RMS	Vertical
5	19318.21	-67.70	-84.19	-13.00	71.19	-16.49	RMS	Vertical
6	19610.06	-67.76	-84.17	-13.00	71.17	-16.41	RMS	Vertical

NOTE: NO.1 is the fundamental frequency signal.

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	18900	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18260.49	-67.34	-82.72	-13.00	69.72	-15.38	RMS	Horizontal
2	18454.65	-66.89	-83.70	-13.00	70.70	-16.81	RMS	Horizontal
3	18723.94	-67.59	-83.22	-13.00	70.22	-15.63	RMS	Horizontal
4	19259.01	-67.74	-83.41	-13.00	70.41	-15.67	RMS	Horizontal
5	19566.22	-68.00	-83.89	-13.00	70.89	-15.89	RMS	Horizontal
6	19820.23	-68.70	-84.03	-13.00	71.03	-15.33	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	18900	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18252.73	-67.71	-84.06	-13.00	71.06	-16.35	RMS	Vertical
2	18521.22	-66.88	-84.82	-13.00	71.82	-17.94	RMS	Vertical
3	18826.91	-66.67	-83.11	-13.00	70.11	-16.44	RMS	Vertical
4	19247.00	-67.81	-84.22	-13.00	71.22	-16.41	RMS	Vertical
5	19613.82	-67.86	-84.25	-13.00	71.25	-16.39	RMS	Vertical
6	19841.19	-68.77	-84.88	-13.00	71.88	-16.11	RMS	Vertical

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	19100	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18264.01	-67.43	-82.84	-13.00	69.84	-15.41	RMS	Horizontal
2	18511.54	-67.00	-84.07	-13.00	71.07	-17.07	RMS	Horizontal
3	18885.87	-67.19	-83.24	-13.00	70.24	-16.05	RMS	Horizontal
4	19212.92	-67.85	-83.63	-13.00	70.63	-15.78	RMS	Horizontal
5	19553.42	-68.01	-83.94	-13.00	70.94	-15.93	RMS	Horizontal
6	19740.46	-68.31	-83.49	-13.00	70.49	-15.18	RMS	Horizontal

—Blank space below this page—

Project Information			
ProjectNo:	E202409184352	EUT:	E202409184352-0002
Channel	19100	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:23.6°C;Humi: 62%RH	Engineer:	Zhao Yaru
Date:	2024-09-22		

Test Graph



Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18258.89	-68.04	-84.44	-13.00	71.44	-16.40	RMS	Vertical
2	18724.34	-67.66	-84.02	-13.00	71.02	-16.36	RMS	Vertical
3	18922.83	-67.09	-83.89	-13.00	70.89	-16.80	RMS	Vertical
4	19223.32	-68.02	-84.49	-13.00	71.49	-16.47	RMS	Vertical
5	19585.10	-67.77	-84.26	-13.00	71.26	-16.49	RMS	Vertical
6	19799.19	-68.43	-84.47	-13.00	71.47	-16.04	RMS	Vertical

Remark:

The disturbance below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the worst case data had been displayed.

We have tested all modulation and all Bandwidth , but only the worst case data presented in this report.

----- End of Report -----