

## 1. Effective (Isotropic) Radiated Power Output Data

### 1.1 PCS1900\_EIRP

#### 1.1.1 Test Result

| Band: PCS1900 |         |            |                 |                       |            |            |         |         |
|---------------|---------|------------|-----------------|-----------------------|------------|------------|---------|---------|
| ENV           | Mode    |            | Frequency (MHz) | Conducted Power (dBm) | Gain (dBi) | EIRP (dBm) |         | Verdict |
|               | Network | Subset     |                 |                       |            | Result     | Limit   |         |
| NTNV          | GSM     | GSM        | 1850.2          | 30.20                 | 0.41       | 30.61      | <=33.01 | Pass    |
|               |         |            | 1880            | 29.86                 | 0.41       | 30.27      | <=33.01 | Pass    |
|               |         |            | 1909.8          | 29.43                 | 0.41       | 29.84      | <=33.01 | Pass    |
|               | GPRS    | 1 TX Slot  | 1850.2          | 30.22                 | 0.41       | 30.63      | <=33.01 | Pass    |
|               |         | 2 TX Slots | 1850.2          | 28.18                 | 0.41       | 28.59      | <=33.01 | Pass    |
|               |         | 3 TX Slots | 1850.2          | 27.05                 | 0.41       | 27.46      | <=33.01 | Pass    |
|               |         | 4 TX Slots | 1850.2          | 25.11                 | 0.41       | 25.52      | <=33.01 | Pass    |
|               |         | 1 TX Slot  | 1880            | 29.85                 | 0.41       | 30.26      | <=33.01 | Pass    |
|               |         | 2 TX Slots | 1880            | 27.73                 | 0.41       | 28.14      | <=33.01 | Pass    |
|               |         | 3 TX Slots | 1880            | 26.54                 | 0.41       | 26.95      | <=33.01 | Pass    |
|               |         | 4 TX Slots | 1880            | 24.55                 | 0.41       | 24.96      | <=33.01 | Pass    |
|               |         | 1 TX Slot  | 1909.8          | 29.35                 | 0.41       | 29.76      | <=33.01 | Pass    |
|               |         | 2 TX Slots | 1909.8          | 26.93                 | 0.41       | 27.34      | <=33.01 | Pass    |
|               |         | 3 TX Slots | 1909.8          | 25.74                 | 0.41       | 26.15      | <=33.01 | Pass    |
|               |         | 4 TX Slots | 1909.8          | 23.68                 | 0.41       | 24.09      | <=33.01 | Pass    |
|               | EGPRS   | 1 TX Slot  | 1850.2          | 25.86                 | 0.41       | 26.27      | <=33.01 | Pass    |
|               |         | 2 TX Slots | 1850.2          | 24.66                 | 0.41       | 25.07      | <=33.01 | Pass    |
|               |         | 3 TX Slots | 1850.2          | 22.50                 | 0.41       | 22.91      | <=33.01 | Pass    |
|               |         | 4 TX Slots | 1850.2          | 21.46                 | 0.41       | 21.87      | <=33.01 | Pass    |
|               |         | 1 TX Slot  | 1880            | 25.04                 | 0.41       | 25.45      | <=33.01 | Pass    |
|               |         | 2 TX Slots | 1880            | 25.24                 | 0.41       | 25.65      | <=33.01 | Pass    |
|               |         | 3 TX Slots | 1880            | 21.68                 | 0.41       | 22.09      | <=33.01 | Pass    |
|               |         | 4 TX Slots | 1880            | 20.58                 | 0.41       | 20.99      | <=33.01 | Pass    |
|               |         | 1 TX Slot  | 1909.8          | 24.36                 | 0.41       | 24.77      | <=33.01 | Pass    |
|               |         | 2 TX Slots | 1909.8          | 23.17                 | 0.41       | 23.58      | <=33.01 | Pass    |
|               |         | 3 TX Slots | 1909.8          | 23.07                 | 0.41       | 23.48      | <=33.01 | Pass    |
|               |         | 4 TX Slots | 1909.8          | 19.94                 | 0.41       | 20.35      | <=33.01 | Pass    |

Note1: EIRP=Conducted Power+Antenna Gain

## 2. Frequency Stability

### 2.1 PCS1900

#### 2.1.1 Test Result

| Band: PCS1900 |                 |            |               |                  |                       |             |         |
|---------------|-----------------|------------|---------------|------------------|-----------------------|-------------|---------|
| Network       | Frequency (MHz) | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|               |                 |            |               |                  | Result                | Limit       |         |
| GSM           | 1850.2          | 20         | 3.27          | 23.343           | 0.0126                | -2.5 to 2.5 | Pass    |
|               |                 |            | 3.85          | 23.310           | 0.0126                | -2.5 to 2.5 | Pass    |
|               |                 |            | 4.43          | 25.441           | 0.0138                | -2.5 to 2.5 | Pass    |
|               |                 | -30        | 3.85          | 24.860           | 0.0134                | -2.5 to 2.5 | Pass    |
|               |                 | -20        | 3.85          | 26.733           | 0.0144                | -2.5 to 2.5 | Pass    |
|               |                 | -10        | 3.85          | 25.248           | 0.0136                | -2.5 to 2.5 | Pass    |

|      |        |        |        |             |             |             |             |      |
|------|--------|--------|--------|-------------|-------------|-------------|-------------|------|
|      |        | 0      | 3.85   | 26.184      | 0.0142      | -2.5 to 2.5 | Pass        |      |
|      |        | 10     | 3.85   | 25.118      | 0.0136      | -2.5 to 2.5 | Pass        |      |
|      |        | 30     | 3.85   | 26.604      | 0.0144      | -2.5 to 2.5 | Pass        |      |
|      |        | 40     | 3.85   | 25.054      | 0.0135      | -2.5 to 2.5 | Pass        |      |
|      |        | 50     | 3.85   | 31.188      | 0.0169      | -2.5 to 2.5 | Pass        |      |
|      | 1880   | 20     | 3.27   | 27.637      | 0.0147      | -2.5 to 2.5 | Pass        |      |
|      |        |        | 3.85   | 25.215      | 0.0134      | -2.5 to 2.5 | Pass        |      |
|      |        |        | 4.43   | 23.084      | 0.0123      | -2.5 to 2.5 | Pass        |      |
|      |        | -30    | 3.85   | 26.087      | 0.0139      | -2.5 to 2.5 | Pass        |      |
|      |        | -20    | 3.85   | 25.377      | 0.0135      | -2.5 to 2.5 | Pass        |      |
|      |        | -10    | 3.85   | 24.118      | 0.0128      | -2.5 to 2.5 | Pass        |      |
|      |        | 0      | 3.85   | 22.471      | 0.0120      | -2.5 to 2.5 | Pass        |      |
|      |        | 10     | 3.85   | 25.086      | 0.0133      | -2.5 to 2.5 | Pass        |      |
|      |        | 30     | 3.85   | 20.760      | 0.0110      | -2.5 to 2.5 | Pass        |      |
|      |        | 40     | 3.85   | 22.310      | 0.0119      | -2.5 to 2.5 | Pass        |      |
|      |        | 50     | 3.85   | 21.244      | 0.0113      | -2.5 to 2.5 | Pass        |      |
|      |        | 1909.8 | 20     | 3.27        | 27.378      | 0.0143      | -2.5 to 2.5 | Pass |
|      |        |        |        | 3.85        | 27.314      | 0.0143      | -2.5 to 2.5 | Pass |
|      |        |        |        | 4.43        | 29.961      | 0.0157      | -2.5 to 2.5 | Pass |
|      |        |        | -30    | 3.85        | 29.961      | 0.0157      | -2.5 to 2.5 | Pass |
|      | -20    |        | 3.85   | 33.900      | 0.0178      | -2.5 to 2.5 | Pass        |      |
|      | -10    |        | 3.85   | 25.732      | 0.0135      | -2.5 to 2.5 | Pass        |      |
|      | 0      |        | 3.85   | 28.767      | 0.0151      | -2.5 to 2.5 | Pass        |      |
|      | 10     |        | 3.85   | 29.445      | 0.0154      | -2.5 to 2.5 | Pass        |      |
|      | 30     |        | 3.85   | 31.382      | 0.0164      | -2.5 to 2.5 | Pass        |      |
| 40   | 3.85   |        | 29.897 | 0.0157      | -2.5 to 2.5 | Pass        |             |      |
| 50   | 3.85   |        | 29.380 | 0.0154      | -2.5 to 2.5 | Pass        |             |      |
| GPRS | 1850.2 |        | 20     | 3.27        | 25.441      | 0.0138      | -2.5 to 2.5 | Pass |
|      |        |        |        | 3.85        | 23.149      | 0.0125      | -2.5 to 2.5 | Pass |
|      |        |        |        | 4.43        | 23.666      | 0.0128      | -2.5 to 2.5 | Pass |
|      |        |        | -30    | 3.85        | 27.830      | 0.0150      | -2.5 to 2.5 | Pass |
|      |        | -20    | 3.85   | 23.149      | 0.0125      | -2.5 to 2.5 | Pass        |      |
|      |        | -10    | 3.85   | 25.151      | 0.0136      | -2.5 to 2.5 | Pass        |      |
|      |        | 0      | 3.85   | 22.697      | 0.0123      | -2.5 to 2.5 | Pass        |      |
|      |        | 10     | 3.85   | 19.210      | 0.0104      | -2.5 to 2.5 | Pass        |      |
|      |        | 30     | 3.85   | 20.114      | 0.0109      | -2.5 to 2.5 | Pass        |      |
|      |        | 40     | 3.85   | 30.381      | 0.0164      | -2.5 to 2.5 | Pass        |      |
|      |        | 50     | 3.85   | 25.312      | 0.0137      | -2.5 to 2.5 | Pass        |      |
|      |        | 1880   | 20     | 3.27        | 24.440      | 0.0130      | -2.5 to 2.5 | Pass |
|      |        |        |        | 3.85        | 25.280      | 0.0134      | -2.5 to 2.5 | Pass |
|      |        |        |        | 4.43        | 21.083      | 0.0112      | -2.5 to 2.5 | Pass |
|      |        |        | -30    | 3.85        | 21.728      | 0.0116      | -2.5 to 2.5 | Pass |
|      | -20    |        | 3.85   | 19.016      | 0.0101      | -2.5 to 2.5 | Pass        |      |
|      | -10    |        | 3.85   | 22.406      | 0.0119      | -2.5 to 2.5 | Pass        |      |
|      | 0      |        | 3.85   | 24.182      | 0.0129      | -2.5 to 2.5 | Pass        |      |
|      | 10     |        | 3.85   | 18.242      | 0.0097      | -2.5 to 2.5 | Pass        |      |
|      | 30     |        | 3.85   | 23.117      | 0.0123      | -2.5 to 2.5 | Pass        |      |
|      | 40     |        | 3.85   | 23.633      | 0.0126      | -2.5 to 2.5 | Pass        |      |
|      | 1909.8 | 20     | 3.27   | 18.209      | 0.0095      | -2.5 to 2.5 | Pass        |      |
|      |        |        | 3.85   | 24.311      | 0.0127      | -2.5 to 2.5 | Pass        |      |
|      |        |        | 4.43   | 25.054      | 0.0131      | -2.5 to 2.5 | Pass        |      |
|      |        | -30    | 3.85   | 20.954      | 0.0110      | -2.5 to 2.5 | Pass        |      |
| -20  |        | 3.85   | 22.213 | 0.0116      | -2.5 to 2.5 | Pass        |             |      |
| -10  | 3.85   | 27.088 | 0.0142 | -2.5 to 2.5 | Pass        |             |             |      |

|       |        |        |        |             |             |             |      |
|-------|--------|--------|--------|-------------|-------------|-------------|------|
| EGPRS |        | 0      | 3.85   | 27.572      | 0.0144      | -2.5 to 2.5 | Pass |
|       |        | 10     | 3.85   | 25.893      | 0.0136      | -2.5 to 2.5 | Pass |
|       |        | 30     | 3.85   | 23.698      | 0.0124      | -2.5 to 2.5 | Pass |
|       |        | 40     | 3.85   | 20.986      | 0.0110      | -2.5 to 2.5 | Pass |
|       |        | 50     | 3.85   | 21.406      | 0.0112      | -2.5 to 2.5 | Pass |
|       | 1850.2 | 20     | 3.27   | 24.828      | 0.0134      | -2.5 to 2.5 | Pass |
|       |        |        | 3.85   | 18.048      | 0.0098      | -2.5 to 2.5 | Pass |
|       |        |        | 4.43   | 23.698      | 0.0128      | -2.5 to 2.5 | Pass |
|       |        | -30    | 3.85   | 23.633      | 0.0128      | -2.5 to 2.5 | Pass |
|       |        | -20    | 3.85   | 14.884      | 0.0080      | -2.5 to 2.5 | Pass |
|       |        | -10    | 3.85   | 17.370      | 0.0094      | -2.5 to 2.5 | Pass |
|       |        | 0      | 3.85   | 22.439      | 0.0121      | -2.5 to 2.5 | Pass |
|       |        | 10     | 3.85   | 14.593      | 0.0079      | -2.5 to 2.5 | Pass |
|       |        | 30     | 3.85   | 22.697      | 0.0123      | -2.5 to 2.5 | Pass |
|       |        | 40     | 3.85   | 19.565      | 0.0106      | -2.5 to 2.5 | Pass |
|       | 50     | 3.85   | 23.343 | 0.0126      | -2.5 to 2.5 | Pass        |      |
|       | 1880   | 20     | 3.27   | 22.471      | 0.0120      | -2.5 to 2.5 | Pass |
|       |        |        | 3.85   | 24.666      | 0.0131      | -2.5 to 2.5 | Pass |
|       |        |        | 4.43   | 25.118      | 0.0134      | -2.5 to 2.5 | Pass |
|       |        | -30    | 3.85   | 15.691      | 0.0083      | -2.5 to 2.5 | Pass |
|       |        | -20    | 3.85   | 20.146      | 0.0107      | -2.5 to 2.5 | Pass |
|       |        | -10    | 3.85   | 20.405      | 0.0109      | -2.5 to 2.5 | Pass |
|       |        | 0      | 3.85   | 22.794      | 0.0121      | -2.5 to 2.5 | Pass |
|       |        | 10     | 3.85   | 11.365      | 0.0060      | -2.5 to 2.5 | Pass |
|       |        | 30     | 3.85   | 15.562      | 0.0083      | -2.5 to 2.5 | Pass |
|       |        | 40     | 3.85   | 23.601      | 0.0126      | -2.5 to 2.5 | Pass |
|       | 50     | 3.85   | 18.887 | 0.0100      | -2.5 to 2.5 | Pass        |      |
|       | 1909.8 | 20     | 3.27   | 18.371      | 0.0096      | -2.5 to 2.5 | Pass |
|       |        |        | 3.85   | 16.434      | 0.0086      | -2.5 to 2.5 | Pass |
|       |        |        | 4.43   | 14.819      | 0.0078      | -2.5 to 2.5 | Pass |
|       |        | -30    | 3.85   | 17.079      | 0.0089      | -2.5 to 2.5 | Pass |
|       |        | -20    | 3.85   | 20.308      | 0.0106      | -2.5 to 2.5 | Pass |
|       |        | -10    | 3.85   | 13.754      | 0.0072      | -2.5 to 2.5 | Pass |
|       |        | 0      | 3.85   | 17.144      | 0.0090      | -2.5 to 2.5 | Pass |
|       |        | 10     | 3.85   | 19.113      | 0.0100      | -2.5 to 2.5 | Pass |
| 30    |        | 3.85   | 17.757 | 0.0093      | -2.5 to 2.5 | Pass        |      |
| 40    |        | 3.85   | 13.625 | 0.0071      | -2.5 to 2.5 | Pass        |      |
| 50    | 3.85   | 12.204 | 0.0064 | -2.5 to 2.5 | Pass        |             |      |



### 3. Modulation Characteristics


#### 3.1 PCS1900

##### 3.1.1 Test Result

| Band: PCS1900 |         |           |                 |                            |       |         |
|---------------|---------|-----------|-----------------|----------------------------|-------|---------|
| ENV           | Mode    |           | Frequency (MHz) | Modulation Characteristics |       | Verdict |
|               | Network | Subset    |                 | Result                     | Limit |         |
| NTNV          | GSM     | GSM       | 1880            | Refer To Test Graph        |       | Pass    |
|               | GPRS    | 1 TX Slot | 1880            | Refer To Test Graph        |       | Pass    |
|               | EGPRS   | 1 TX Slot | 1880            | Refer To Test Graph        |       | Pass    |

3.1.2 Test Graph







4. 99% & 26dB Bandwidth

4.1 PCS1900\_OBW


4.1.1 Test Result

| Band: PCS1900 |         |           |                 |                              |         |
|---------------|---------|-----------|-----------------|------------------------------|---------|
| ENV           | Mode    |           | Frequency (MHz) | 99% Occupied Bandwidth (MHz) | Verdict |
|               | Network | Subset    |                 | Result                       |         |
| NTNV          | GSM     | GSM       | 1850.2          | 0.245                        | Pass    |
|               |         |           | 1880            | 0.243                        | Pass    |
|               |         |           | 1909.8          | 0.240                        | Pass    |
|               | GPRS    | 1 TX Slot | 1850.2          | 0.245                        | Pass    |
|               |         |           | 1880            | 0.244                        | Pass    |
|               |         |           | 1909.8          | 0.249                        | Pass    |
|               | EGPRS   | 1 TX Slot | 1850.2          | 0.246                        | Pass    |
|               |         |           | 1880            | 0.243                        | Pass    |
|               |         |           | 1909.8          | 0.237                        | Pass    |


4.1.2 Test Graph



PCS1900\_GSM\_HCH\_1909.8MHz\_GSM\_NTNV




PCS1900\_GPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV







PCS1900\_GPRS\_MCH\_1880MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_HCH\_1909.8MHz\_1 TX Slot\_NTNV




PCS1900\_EGPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV



PCS1900\_EGPRS\_MCH\_1880MHz\_1 TX Slot\_NTNV







4.2 PCS1900\_XDB


4.2.1 Test Result

| Band: PCS1900 |         |           |                 |                      |         |
|---------------|---------|-----------|-----------------|----------------------|---------|
| ENV           | Mode    |           | Frequency (MHz) | 26dB Bandwidth (MHz) | Verdict |
|               | Network | Subset    |                 | Result               |         |
| NTNV          | GSM     | GSM       | 1850.2          | 0.319                | Pass    |
|               |         |           | 1880            | 0.317                | Pass    |
|               |         |           | 1909.8          | 0.316                | Pass    |
|               | GPRS    | 1 TX Slot | 1850.2          | 0.320                | Pass    |
|               |         |           | 1880            | 0.309                | Pass    |
|               |         |           | 1909.8          | 0.320                | Pass    |
|               | EGPRS   | 1 TX Slot | 1850.2          | 0.310                | Pass    |
|               |         |           | 1880            | 0.308                | Pass    |
|               |         |           | 1909.8          | 0.318                | Pass    |


4.2.2 Test Graph




PCS1900\_GSM\_HCH\_1909.8MHz\_GSM\_NTNV




PCS1900\_GPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_MCH\_1880MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_HCH\_1909.8MHz\_1 TX Slot\_NTNV




PCS1900\_EGPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV



PCS1900\_EGPRS\_MCH\_1880MHz\_1 TX Slot\_NTNV









## 5. Peak-Average Ratio

### 5.1 PCS1900


#### 5.1.1 Test Result

| Band: PCS1900 |         |            |                 |                         |       |         |
|---------------|---------|------------|-----------------|-------------------------|-------|---------|
| ENV           | Mode    |            | Frequency (MHz) | Peak-Average Ratio (dB) |       | Verdict |
|               | Network | Subset     |                 | Result                  | Limit |         |
| NTNV          | GSM     | GSM        | 1850.2          | 9.47                    | <=13  | Pass    |
|               |         |            | 1880            | 9.07                    | <=13  | Pass    |
|               |         |            | 1909.8          | 9.28                    | <=13  | Pass    |
|               | GPRS    | 4 TX Slots | 1850.2          | 9.80                    | <=13  | Pass    |
|               |         |            | 1880            | 3.81                    | <=13  | Pass    |
|               |         |            | 1909.8          | 3.60                    | <=13  | Pass    |
|               | EGPRS   | 4 TX Slots | 1850.2          | 7.41                    | <=13  | Pass    |
|               |         |            | 1880            | 8.74                    | <=13  | Pass    |
|               |         |            | 1909.8          | 9.52                    | <=13  | Pass    |


5.1.2 Test Graph




PCS1900\_GSM\_HCH\_1909.8MHz\_GSM\_NTNV




PCS1900\_GPRS\_LCH\_1850.2MHz\_4 TX Slots\_NTNV




PCS1900\_GPRS\_MCH\_1880MHz\_4 TX Slots\_NTNV




PCS1900\_GPRS\_HCH\_1909.8MHz\_4 TX Slots\_NTNV




PCS1900\_EGPRS\_LCH\_1850.2MHz\_4 TX Slots\_NTNV



PCS1900\_EGPRS\_MCH\_1880MHz\_4 TX Slots\_NTNV





## 6. Spurious Emission



### 6.1 PCS1900

#### 6.1.1 Test Result


| Band: PCS1900 |         |           |                 |                     |       |         |
|---------------|---------|-----------|-----------------|---------------------|-------|---------|
| ENV           | Mode    |           | Frequency (MHz) | Spurious Emission   |       | Verdict |
|               | Network | Subset    |                 | Result              | Limit |         |
| NTNV          | GSM     | GSM       | 1850.2          | Refer To Test Graph |       | Pass    |
|               |         |           | 1880            | Refer To Test Graph |       | Pass    |
|               |         |           | 1909.8          | Refer To Test Graph |       | Pass    |
|               | GPRS    | 1 TX Slot | 1850.2          | Refer To Test Graph |       | Pass    |
|               |         |           | 1880            | Refer To Test Graph |       | Pass    |
|               |         |           | 1909.8          | Refer To Test Graph |       | Pass    |
|               | EGPRS   | 1 TX Slot | 1850.2          | Refer To Test Graph |       | Pass    |
|               |         |           | 1880            | Refer To Test Graph |       | Pass    |
|               |         |           | 1909.8          | Refer To Test Graph |       | Pass    |




6.1.2 Test Graph




PCS1900\_GSM\_LCH\_1850.2MHz\_GSM\_NTNV




PCS1900\_GSM\_LCH\_1850.2MHz\_GSM\_NTNV




PCS1900\_GSM\_LCH\_1850.2MHz\_GSM\_NTNV




PCS1900\_GSM\_LCH\_1850.2MHz\_GSM\_NTNV




PCS1900\_GSM\_MCH\_1880MHz\_GSM\_NTNV




PCS1900\_GSM\_MCH\_1880MHz\_GSM\_NTNV




PCS1900\_GSM\_MCH\_1880MHz\_GSM\_NTNV




PCS1900\_GSM\_MCH\_1880MHz\_GSM\_NTNV




PCS1900\_GSM\_MCH\_1880MHz\_GSM\_NTNV




PCS1900\_GSM\_HCH\_1909.8MHz\_GSM\_NTNV




PCS1900\_GSM\_HCH\_1909.8MHz\_GSM\_NTNV




PCS1900\_GSM\_HCH\_1909.8MHz\_GSM\_NTNV



PCS1900\_GSM\_HCH\_1909.8MHz\_GSM\_NTNV




PCS1900\_GSM\_HCH\_1909.8MHz\_GSM\_NTNV







PCS1900\_GSM\_HCH\_1909.8MHz\_GSM\_NTNV




PCS1900\_GPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_MCH\_1880MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_MCH\_1880MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_MCH\_1880MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_MCH\_1880MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_MCH\_1880MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_HCH\_1909.8MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_HCH\_1909.8MHz\_1 TX Slot\_NTNV



PCS1900\_GPRS\_HCH\_1909.8MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_HCH\_1909.8MHz\_1 TX Slot\_NTNV







PCS1900\_GPRS\_HCH\_1909.8MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_HCH\_1909.8MHz\_1 TX Slot\_NTNV




PCS1900\_EGPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV




PCS1900\_EGPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV




PCS1900\_EGPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV




PCS1900\_EGPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV




PCS1900\_EGPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV




PCS1900\_EGPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV




PCS1900\_EGPRS\_MCH\_1880MHz\_1 TX Slot\_NTNV




PCS1900\_EGPRS\_MCH\_1880MHz\_1 TX Slot\_NTNV




PCS1900\_EGPRS\_MCH\_1880MHz\_1 TX Slot\_NTNV




PCS1900\_EGPRS\_MCH\_1880MHz\_1 TX Slot\_NTNV




PCS1900\_EGPRS\_MCH\_1880MHz\_1 TX Slot\_NTNV




PCS1900\_EGPRS\_HCH\_1909.8MHz\_1 TX Slot\_NTNV



PCS1900\_EGPRS\_HCH\_1909.8MHz\_1 TX Slot\_NTNV




PCS1900\_EGPRS\_HCH\_1909.8MHz\_1 TX Slot\_NTNV







PCS1900\_EGPRS\_HCH\_1909.8MHz\_1 TX Slot\_NTNV



PCS1900\_EGPRS\_HCH\_1909.8MHz\_1 TX Slot\_NTNV





## 7. Form731

### 7.1 Form731\_Power

#### 7.1.1 Test Result

| Band    | BW  | Lower Freq | High Freq | MAX Power (W) | Value  | Hz/ppm | Emission Designator | Rule Parts | MAX Power (dBm) |
|---------|-----|------------|-----------|---------------|--------|--------|---------------------|------------|-----------------|
| PCS1900 | 0.2 | 1850.2     | 1909.8    | 1.0520        | 0.0178 | ppm    | 249KGXW             | 24E        | 30.22           |
| PCS1900 | 0.2 | 1850.2     | 1909.8    | 0.3855        | 0.0134 | ppm    | 246KG7W             | 24E        | 25.86           |

### 7.2 Form731\_EIRP

#### 7.2.1 Test Result

| Band    | BW  | Lower Freq | High Freq | MAX Power (W) | Value  | Hz/ppm | Emission Designator | Rule Parts | MAX Power (dBm) |
|---------|-----|------------|-----------|---------------|--------|--------|---------------------|------------|-----------------|
| PCS1900 | 0.2 | 1850.2     | 1909.8    | 1.1561        | 0.0178 | ppm    | 249KGXW             | 24E        | 30.63           |
| PCS1900 | 0.2 | 1850.2     | 1909.8    | 0.4236        | 0.0134 | ppm    | 246KG7W             | 24E        | 26.27           |