



Spurious Emissions at Antenna Terminal



Channel

20MHz Bandwidth QPSK



Lowest




Middle




Highest




Out of band emission, Band Edge




Out of band emission, Band Edge



Out of band emission, Band Edge



Out of band emission, Band Edge



4.7 Antenna Port Test Data and Results for LTE Band 4

Serial Number:	22HX	Test Date:	2023/3/8~2023/3/20
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jou Zhou	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	23.4~25.1	Relative Humidity: (%)	43~47	ATM Pressure: (kPa)	100.6~102
----------------------	-----------	------------------------------	-------	------------------------	-----------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101474	2022-07-15	2023-07-14
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
YINSAIGE	Coaxial Cable	SS402	SJ0100004	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554404	Each time	N/A
eastsheep	Coaxial Attenuator	2W-SMA- JK-18G	21060301	Each time	N/A
Weinschel	Power splitter	1515	RA915	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	149218	2022-07-15	2023-07-14
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30174	2022-04-06	2023-04-05
UNI-T	Multimeter	UT39A+	C210582554	2022-09-29	2023-09-28
ZHAOXIN	DC Power Supply	RXN-6010D	21R6010D0912386	N/A	N/A

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Frequency For Each Mode:

Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
1.4MHz	1710.7	1732.5	1754.3
3MHz	1711.5	1732.5	1753.5
5MHz	1712.5	1732.5	1752.5
10MHz	1715	1732.5	1750
15MHz	1717.5	1732.5	1747.5
20MHz	1720	1732.5	1745

Test Data:**FCC §2.1046; § 27.50(d)(4)****RF Output Power:**

Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum EIRP (dBm)	EIRP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
1.4MHz QPSK	RB1#0	21.11	21.14	21.42	23.48	30
	RB1#3	21.16	21.14	21.43		
	RB1#5	21.15	21.18	21.45		
	RB3#0	21.15	21.19	21.33		
	RB3#3	21.23	21.18	21.34		
	RB6#0	20.16	20.22	20.26		
1.4MHz 16QAM	RB1#0	20.86	19.64	21.19	23.23	30
	RB1#3	20.82	19.75	21.17		
	RB1#5	20.87	19.65	21.2		
	RB3#0	19.97	20.04	20.48		
	RB3#3	20.06	20.07	20.46		
	RB6#0	19.24	19.27	19.35		
3MHz QPSK	RB1#0	21.05	20.97	21.19	23.22	30
	RB1#8	21.15	21.14	21.17		
	RB1#14	21.18	21.1	21.18		
	RB6#0	20.18	20.27	20.29		
	RB6#9	20.1	20.25	20.27		
	RB15#0	20.02	20.28	20.37		
3MHz 16QAM	RB1#0	20.83	19.9	20.39	22.94	30
	RB1#8	20.89	19.92	20.35		
	RB1#14	20.91	20	20.38		
	RB6#0	19.25	19.43	19.31		
	RB6#9	19.26	19.45	19.26		
	RB15#0	19.12	19.3	19.28		
5MHz QPSK	RB1#0	21.16	21.07	21.31	23.36	30
	RB1#13	21.15	21.08	21.33		
	RB1#24	21.1	21.12	21.32		
	RB15#0	20.06	20.25	20.34		
	RB15#10	20.08	20.22	20.35		
	RB25#0	20.08	20.2	20.36		
5MHz 16QAM	RB1#0	20.13	19.85	19.5	22.29	30
	RB1#13	20.25	19.89	19.56		
	RB1#24	20.26	19.99	19.62		
	RB15#0	18.99	19.23	19.47		
	RB15#10	19.09	19.33	19.38		
	RB25#0	19.1	19.2	19.46		
10MHz QPSK	RB1#0	21.2	21.16	21.22	23.34	30
	RB1#25	21.13	21.17	21.28		
	RB1#49	21.25	21.2	21.31		

	RB25#0	20.17	20.23	20.27		
	RB25#25	20.19	20.25	20.37		
	RB50#0	20.17	20.15	20.28		
10MHz 16QAM	RB1#0	20.27	19.7	20.49	22.65	30
	RB1#25	20.28	19.7	20.62		
	RB1#49	20.29	19.75	20.6		
	RB25#0	19.24	19.44	19.38		
	RB25#25	19.38	19.42	19.39		
	RB50#0	19.22	19.28	19.47		
15MHz QPSK	RB1#0	21.2	21.03	21.12	23.35	30
	RB1#38	21.21	21.09	21.23		
	RB1#74	21.32	21.12	21.32		
	RB36#0	20.1	20.17	20.2		
	RB36#39	20.09	20.32	20.3		
	RB75#0	20.1	20.17	20.34		
15MHz 16QAM	RB1#0	20.25	20.48	20.42	22.62	30
	RB1#38	20.35	20.54	20.52		
	RB1#74	20.4	20.54	20.59		
	RB36#0	19.23	19.24	19.36		
	RB36#39	19.36	19.37	19.5		
	RB75#0	19.27	19.33	19.4		
20MHz QPSK	RB1#0	21.26	21.13	21.32	23.58	30
	RB1#50	21.25	21.2	21.38		
	RB1#99	21.36	21.28	21.55		
	RB50#0	20.07	20.1	20.21		
	RB50#50	20.1	20.22	20.31		
	RB100#0	20.18	20.26	20.3		
20MHz 16QAM	RB1#0	20.06	20.91	19.81	23.09	30
	RB1#50	20.11	21.02	19.87		
	RB1#99	20.29	21.06	20.87		
	RB50#0	19.18	19.16	19.26		
	RB50#50	19.3	19.26	19.42		
	RB100#0	19.22	19.3	19.23		

Note: EIRP=Conducted Power(dBm) - Lc(dB) + Gr(dBi)

Result:

Pass

Peak-to-average Ratio(PAR)					
Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Channel	Middle Channel	Highest Channel	
20MHz QPSK	RB1#0	4.81	5.22	5.48	13
	RB100#0	4.14	4.38	4.26	13
20MHz 16QAM	RB1#0	5.83	6.17	6.12	13
	RB100#0	6.12	5.91	5.8	13
Result:					Pass

FCC §2.1049, §27.53:Occupied Bandwidth

Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
1.4MHz QPSK	1.102	1.102	1.102	1.26	1.254	1.26
1.4MHz 16QAM	1.09	1.102	1.108	1.248	1.26	1.266
3MHz QPSK	2.695	2.695	2.695	3.012	3.012	3
3MHz 16QAM	2.695	2.683	2.695	3.012	3.024	3.012
5MHz QPSK	4.511	4.511	4.531	5	5	5
5MHz 16QAM	4.531	4.531	4.491	5.02	5.02	4.98
10MHz QPSK	8.942	8.942	8.982	9.8	9.8	9.8
10MHz 16QAM	8.982	8.942	8.982	9.8	9.84	9.72
15MHz QPSK	13.473	13.533	13.533	15	15.12	15.06
15MHz 16QAM	13.533	13.533	13.533	15.12	15.06	15.06
20MHz QPSK	17.964	18.044	17.964	19.52	19.92	19.6
20MHz 16QAM	17.964	17.964	18.044	19.76	19.76	19.68

Note: The test plots please refer to the Plots of Occupied Bandwidth

FCC §2.1051, §27.53:Spurious Emissions at Antenna Terminal

Result:	Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.
----------------	--

FCC §2.1051, §27.53:Out of band emission, Band Edge


Result:	Pass, Please refer to the test plots of Out of band emission, Band Edge.
----------------	---

FCC §2.1055, §27.54: Frequency Stability

Test Mode:	20M QPSK	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.7	1711.020	1710.00	1754.061	1755
	-20	3.7	1711.090	1710.00	1754.041	1755
	-10	3.7	1711.016	1710.00	1754.035	1755
	0	3.7	1711.073	1710.00	1754.084	1755
	10	3.7	1711.059	1710.00	1754.077	1755
	20	3.7	1711.058	1710.00	1754.022	1755
	30	3.7	1711.091	1710.00	1754.024	1755
	40	3.7	1711.089	1710.00	1754.016	1755
	50	3.7	1711.000	1710.00	1754.075	1755
Frequency Stability vs. Voltage	20	3.5	1711.071	1710.00	1754.064	1755
	20	4.2	1711.030	1710.00	1754.035	1755
					Result:	Pass

Test Mode:	20M 16QAM	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.7	1711.068	1710.00	1754.066	1755
	-20	3.7	1711.017	1710.00	1754.018	1755
	-10	3.7	1711.001	1710.00	1754.055	1755
	0	3.7	1711.032	1710.00	1754.085	1755
	10	3.7	1711.060	1710.00	1754.010	1755
	20	3.7	1711.058	1710.00	1754.102	1755
	30	3.7	1711.010	1710.00	1754.033	1755
	40	3.7	1711.061	1710.00	1754.067	1755
	50	3.7	1711.045	1710.00	1754.074	1755
Frequency Stability vs. Voltage	20	3.5	1711.097	1710.00	1754.042	1755
	20	4.2	1711.090	1710.00	1754.018	1755
					Result:	Pass


Test Plots(Note: The 5.6dB is the Insertion loss of the RF cable, Power Splitter and DC Block, which was offset into the Spectrum Analyzer):



Occupied Bandwidth

Channel	3MHz Bandwidth QPSK	3MHz Bandwidth 16QAM																																																																						
Lowest	<p>Ref Level 30.00 dBm Offset 5.60 dB RBW 30 kHz Att 35 dB SWT 1.1 ms VBW 100 kHz Mode Sweep</p> <p>CF 1.7115 GHz 501 pts Span 6.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>1.71 GHz</td> <td>-17.19 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>1.7101587 GHz</td> <td>3.56 dBm</td> <td>Occ Bw</td> <td>2.694610778 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>1.7128533 GHz</td> <td>5.83 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>3.012 MHz</td> <td>0.86 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		1.71 GHz	-17.19 dBm			T1	1		1.7101587 GHz	3.56 dBm	Occ Bw	2.694610778 MHz	T2	1		1.7128533 GHz	5.83 dBm			D1	M1	1	3.012 MHz	0.86 dB			<p>Ref Level 30.00 dBm Offset 5.60 dB RBW 30 kHz Att 35 dB SWT 1.1 ms VBW 100 kHz Mode Sweep</p> <p>CF 1.7115 GHz 501 pts Span 6.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>1.71 GHz</td> <td>-17.82 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>1.7101587 GHz</td> <td>3.90 dBm</td> <td>Occ Bw</td> <td>2.694610778 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>1.7128533 GHz</td> <td>2.42 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>3.012 MHz</td> <td>-0.55 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		1.71 GHz	-17.82 dBm			T1	1		1.7101587 GHz	3.90 dBm	Occ Bw	2.694610778 MHz	T2	1		1.7128533 GHz	2.42 dBm			D1	M1	1	3.012 MHz	-0.55 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		1.71 GHz	-17.19 dBm																																																																				
T1	1		1.7101587 GHz	3.56 dBm	Occ Bw	2.694610778 MHz																																																																		
T2	1		1.7128533 GHz	5.83 dBm																																																																				
D1	M1	1	3.012 MHz	0.86 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		1.71 GHz	-17.82 dBm																																																																				
T1	1		1.7101587 GHz	3.90 dBm	Occ Bw	2.694610778 MHz																																																																		
T2	1		1.7128533 GHz	2.42 dBm																																																																				
D1	M1	1	3.012 MHz	-0.55 dB																																																																				
Middle	<p>Ref Level 30.00 dBm Offset 5.60 dB RBW 30 kHz Att 35 dB SWT 1.1 ms VBW 100 kHz Mode Sweep</p> <p>CF 1.7325 GHz 501 pts Span 6.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>1.731 GHz</td> <td>-17.04 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>1.7311587 GHz</td> <td>5.43 dBm</td> <td>Occ Bw</td> <td>2.694610778 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>1.7338533 GHz</td> <td>4.47 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>3.012 MHz</td> <td>-1.11 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		1.731 GHz	-17.04 dBm			T1	1		1.7311587 GHz	5.43 dBm	Occ Bw	2.694610778 MHz	T2	1		1.7338533 GHz	4.47 dBm			D1	M1	1	3.012 MHz	-1.11 dB			<p>Ref Level 30.00 dBm Offset 5.60 dB RBW 30 kHz Att 35 dB SWT 1.1 ms VBW 100 kHz Mode Sweep</p> <p>CF 1.7325 GHz 501 pts Span 6.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>1.730988 GHz</td> <td>-17.02 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>1.7311587 GHz</td> <td>3.82 dBm</td> <td>Occ Bw</td> <td>2.682634731 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>1.7338413 GHz</td> <td>3.94 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>3.024 MHz</td> <td>-0.12 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		1.730988 GHz	-17.02 dBm			T1	1		1.7311587 GHz	3.82 dBm	Occ Bw	2.682634731 MHz	T2	1		1.7338413 GHz	3.94 dBm			D1	M1	1	3.024 MHz	-0.12 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		1.731 GHz	-17.04 dBm																																																																				
T1	1		1.7311587 GHz	5.43 dBm	Occ Bw	2.694610778 MHz																																																																		
T2	1		1.7338533 GHz	4.47 dBm																																																																				
D1	M1	1	3.012 MHz	-1.11 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		1.730988 GHz	-17.02 dBm																																																																				
T1	1		1.7311587 GHz	3.82 dBm	Occ Bw	2.682634731 MHz																																																																		
T2	1		1.7338413 GHz	3.94 dBm																																																																				
D1	M1	1	3.024 MHz	-0.12 dB																																																																				
Highest	<p>Ref Level 30.00 dBm Offset 5.60 dB RBW 30 kHz Att 35 dB SWT 1.1 ms VBW 100 kHz Mode Sweep</p> <p>CF 1.7535 GHz 501 pts Span 6.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>1.752 GHz</td> <td>-15.81 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>1.7521587 GHz</td> <td>3.48 dBm</td> <td>Occ Bw</td> <td>2.694610778 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>1.7548533 GHz</td> <td>4.63 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>3.0 MHz</td> <td>-0.76 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		1.752 GHz	-15.81 dBm			T1	1		1.7521587 GHz	3.48 dBm	Occ Bw	2.694610778 MHz	T2	1		1.7548533 GHz	4.63 dBm			D1	M1	1	3.0 MHz	-0.76 dB			<p>Ref Level 30.00 dBm Offset 5.60 dB RBW 30 kHz Att 35 dB SWT 1.1 ms VBW 100 kHz Mode Sweep</p> <p>CF 1.7535 GHz 501 pts Span 6.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>1.752 GHz</td> <td>-17.14 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>1.7521587 GHz</td> <td>3.24 dBm</td> <td>Occ Bw</td> <td>2.694610778 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>1.7548533 GHz</td> <td>2.08 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>3.012 MHz</td> <td>-0.44 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		1.752 GHz	-17.14 dBm			T1	1		1.7521587 GHz	3.24 dBm	Occ Bw	2.694610778 MHz	T2	1		1.7548533 GHz	2.08 dBm			D1	M1	1	3.012 MHz	-0.44 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		1.752 GHz	-15.81 dBm																																																																				
T1	1		1.7521587 GHz	3.48 dBm	Occ Bw	2.694610778 MHz																																																																		
T2	1		1.7548533 GHz	4.63 dBm																																																																				
D1	M1	1	3.0 MHz	-0.76 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		1.752 GHz	-17.14 dBm																																																																				
T1	1		1.7521587 GHz	3.24 dBm	Occ Bw	2.694610778 MHz																																																																		
T2	1		1.7548533 GHz	2.08 dBm																																																																				
D1	M1	1	3.012 MHz	-0.44 dB																																																																				

Occupied Bandwidth





Occupied Bandwidth

Channel



10MHz Bandwidth QPSK

10MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



15MHz Bandwidth QPSK

15MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel


20MHz Bandwidth QPSK

20MHz Bandwidth 16QAM



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

1.4MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

3MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

5MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

10MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

15MHz Bandwidth QPSK

Lowest



Middle



Highest

