



Spurious Emissions at Antenna Terminal



Channel

20MHz Bandwidth QPSK



Lowest




Middle




Highest




Out of band emission, Band Edge




Out of band emission, Band Edge



Out of band emission, Band Edge



Out of band emission, Band Edge



4.8 Antenna Port Test Data and Results for LTE Band 5

Serial Number:	22HX	Test Date:	2023/3/8~2023/3/20
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jou Zhou	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	23.4~25.1	Relative Humidity: (%)	43~47	ATM Pressure: (kPa)	100.6~102
----------------------	-----------	------------------------------	-------	------------------------	-----------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101474	2022-07-15	2023-07-14
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
YINSAIGE	Coaxial Cable	SS402	SJ0100004	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554404	Each time	N/A
eastsheep	Coaxial Attenuator	2W-SMA- JK-18G	21060301	Each time	N/A
Weinschel	Power splitter	1515	RA915	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	149218	2022-07-15	2023-07-14
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30174	2022-04-06	2023-04-05
UNI-T	Multimeter	UT39A+	C210582554	2022-09-29	2023-09-28
ZHAOXIN	DC Power Supply	RXN-6010D	21R6010D0912386	N/A	N/A

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Frequency For Each Mode:

Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
1.4MHz	824.7	836.5	848.3
3MHz	825.5	836.5	847.5
5MHz	826.5	836.5	846.5
10MHz	829	836.5	844

Test Data:**FCC §2.1046; § 22.913 (a)****RF Output Power:**

Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum ERP (dBm)	ERP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
1.4MHz QPSK	RB1#0	21.74	21.71	21.75	22.83	38.45
	RB1#3	21.7	21.8	21.83		
	RB1#5	21.82	21.68	21.81		
	RB3#0	21.74	21.75	21.72		
	RB3#3	21.69	21.71	21.86		
	RB6#0	20.7	20.8	20.73		
1.4MHz 16QAM	RB1#0	20.85	20.27	21.19	22.16	38.45
	RB1#3	20.72	20.27	21.18		
	RB1#5	20.72	20.24	21.17		
	RB3#0	20.65	20.51	20.77		
	RB3#3	20.66	20.52	20.87		
	RB6#0	20.22	20.11	20.29		
3MHz QPSK	RB1#0	21.65	21.69	21.73	22.8	38.45
	RB1#8	21.7	21.61	21.83		
	RB1#14	21.69	21.58	21.71		
	RB6#0	20.67	20.67	20.75		
	RB6#9	20.78	20.87	20.76		
	RB15#0	20.69	20.73	20.67		
3MHz 16QAM	RB1#0	21.31	20.43	20.94	22.42	38.45
	RB1#8	21.35	20.39	21.07		
	RB1#14	21.45	20.39	21.06		
	RB6#0	20.07	20.31	20.05		
	RB6#9	19.84	20.3	20.09		
	RB15#0	20	20.12	20.16		
5MHz QPSK	RB1#0	21.62	21.63	21.69	22.75	38.45
	RB1#13	21.64	21.63	21.68		
	RB1#24	21.67	21.7	21.78		
	RB15#0	20.61	20.71	20.71		
	RB15#10	20.61	20.68	20.71		
	RB25#0	20.66	20.72	20.67		
5MHz 16QAM	RB1#0	20.59	20.28	19.81	21.78	38.45
	RB1#13	20.75	20.31	19.81		
	RB1#24	20.74	20.81	19.92		
	RB15#0	19.87	20.12	20.15		
	RB15#10	19.49	20.14	20.21		
	RB25#0	19.69	20.04	20.31		
10MHz QPSK	RB1#0	21.64	21.61	21.54	22.81	38.45
	RB1#25	21.71	21.67	21.6		
	RB1#49	21.84	21.73	21.7		

	RB25#0	20.58	20.63	20.74		
	RB25#25	20.62	20.98	20.72		
	RB50#0	20.56	20.75	20.73		
10MHz 16QAM	RB1#0	20.63	20.06	21.13	22.17	38.45
	RB1#25	20.79	20.19	20.79		
	RB1#49	21.2	20.28	20.9		
	RB25#0	19.73	20.26	20.03		
	RB25#25	19.81	20.2	20.15		
	RB50#0	19.71	20.16	19.78		

Note:

ERP= Conducted Power(dBm) - Lc(dB) + Gr(dBd)

Gr(dBd)=Gr(dBi)-2.15

Result:**Pass**

Peak-to-average Ratio(PAR)					
Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit(dB)
		Lowest Channel	Middle Channel	Highest Channel	
10MHz QPSK	RB1#0	5.13	5.1	5.51	13
	RB50#0	5.13	5.39	5.07	13
10MHz 16QAM	RB1#0	6.17	5.8	6.38	13
	RB50#0	6.06	6.2	5.94	13
Result:					Pass

FCC §2.1049, §22.905:Occupied Bandwidth

Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
1.4MHz QPSK	1.102	1.102	1.096	1.26	1.254	1.26
1.4MHz 16QAM	1.09	1.102	1.102	1.254	1.26	1.266
3MHz QPSK	2.695	2.683	2.695	3	3.024	2.988
3MHz 16QAM	2.683	2.695	2.695	3.012	3.024	3
5MHz QPSK	4.511	4.511	4.511	5	5	5
5MHz 16QAM	4.531	4.551	4.511	5.02	5.04	5
10MHz QPSK	8.942	8.942	8.942	9.76	9.8	9.76
10MHz 16QAM	8.942	8.982	8.942	9.8	9.88	9.76

Note: The test plots please refer to the Plots of Occupied Bandwidth


FCC §2.1051, §22.917(a):Spurious Emissions at Antenna Terminal**Result:** Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.**FCC §2.1051, §22.917(a):Out of band emission, Band Edge****Result:** Pass, Please refer to the test plots of Out of band emission, Band Edge.

FCC §2.1055, §2.355: Frequency Stability					
Test Mode:	10 MHz QPSK		Test Channel:	836.5	MHz
Test Item	Temperature (°C)	Voltage (V _{DC})	Frequency Error		Limit
			(Hz)	(ppm)	(ppm)
Frequency Stability vs. Temperature	-30	3.7	1	0.001	2.5
	-20	3.7	3	0.004	2.5
	-10	3.7	4	0.005	2.5
	0	3.7	31	0.037	2.5
	10	3.7	6	0.007	2.5
	20	3.7	24	0.029	2.5
	30	3.7	36	0.043	2.5
	40	3.7	8	0.010	2.5
Frequency Stability vs. Voltage	50	3.7	5	0.006	2.5
	20	3.5	6	0.007	2.5
	20	4.2	7	0.008	2.5
Result:				Pass	

Test Mode:	10 MHz 16QAM		Test Channel:	836.5	MHz
Test Item	Temperature (°C)	Voltage (V _{DC})	Frequency Error		Limit
			(Hz)	(ppm)	(ppm)
Frequency Stability vs. Temperature	-30	3.7	2	0.002	2.5
	-20	3.7	5	0.006	2.5
	-10	3.7	3	0.004	2.5
	0	3.7	36	0.043	2.5
	10	3.7	7	0.008	2.5
	20	3.7	42	0.050	2.5
	30	3.7	38	0.045	2.5
	40	3.7	5	0.006	2.5
Frequency Stability vs. Voltage	50	3.7	6	0.007	2.5
	20	3.5	8	0.010	2.5
	20	4.2	7	0.008	2.5
Result:				Pass	

Test Plots(Note: The 5.6dB is the Insertion loss of the RF cable, Power Splitter and DC Block, which was offset into the Spectrum Analyzer):

Occupied Bandwidth



Occupied Bandwidth

Channel	3MHz Bandwidth QPSK	3MHz Bandwidth 16QAM																																																																						
Lowest	<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>824.012 MHz</td> <td>-14.70 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>824.1587 MHz</td> <td>4.89 dBm</td> <td>Occ Bw</td> <td>2.694610778 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>826.8533 MHz</td> <td>6.78 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>3.0 MHz</td> <td>-1.11 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		824.012 MHz	-14.70 dBm			T1	1		824.1587 MHz	4.89 dBm	Occ Bw	2.694610778 MHz	T2	1		826.8533 MHz	6.78 dBm			D1	M1	1	3.0 MHz	-1.11 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>824.0 MHz</td> <td>-15.50 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>824.1587 MHz</td> <td>5.71 dBm</td> <td>Occ Bw</td> <td>2.682634731 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>826.8413 MHz</td> <td>5.75 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>3.012 MHz</td> <td>-0.15 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		824.0 MHz	-15.50 dBm			T1	1		824.1587 MHz	5.71 dBm	Occ Bw	2.682634731 MHz	T2	1		826.8413 MHz	5.75 dBm			D1	M1	1	3.012 MHz	-0.15 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		824.012 MHz	-14.70 dBm																																																																				
T1	1		824.1587 MHz	4.89 dBm	Occ Bw	2.694610778 MHz																																																																		
T2	1		826.8533 MHz	6.78 dBm																																																																				
D1	M1	1	3.0 MHz	-1.11 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		824.0 MHz	-15.50 dBm																																																																				
T1	1		824.1587 MHz	5.71 dBm	Occ Bw	2.682634731 MHz																																																																		
T2	1		826.8413 MHz	5.75 dBm																																																																				
D1	M1	1	3.012 MHz	-0.15 dB																																																																				
Middle	<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>834.988 MHz</td> <td>-16.95 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>835.1587 MHz</td> <td>7.42 dBm</td> <td>Occ Bw</td> <td>2.682634731 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>837.8413 MHz</td> <td>7.71 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>3.024 MHz</td> <td>-0.07 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		834.988 MHz	-16.95 dBm			T1	1		835.1587 MHz	7.42 dBm	Occ Bw	2.682634731 MHz	T2	1		837.8413 MHz	7.71 dBm			D1	M1	1	3.024 MHz	-0.07 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>834.9880 MHz</td> <td>-15.30 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>835.1467 MHz</td> <td>3.11 dBm</td> <td>Occ Bw</td> <td>2.694610778 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>837.8413 MHz</td> <td>5.45 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>3.024 MHz</td> <td>-0.23 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		834.9880 MHz	-15.30 dBm			T1	1		835.1467 MHz	3.11 dBm	Occ Bw	2.694610778 MHz	T2	1		837.8413 MHz	5.45 dBm			D1	M1	1	3.024 MHz	-0.23 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		834.988 MHz	-16.95 dBm																																																																				
T1	1		835.1587 MHz	7.42 dBm	Occ Bw	2.682634731 MHz																																																																		
T2	1		837.8413 MHz	7.71 dBm																																																																				
D1	M1	1	3.024 MHz	-0.07 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		834.9880 MHz	-15.30 dBm																																																																				
T1	1		835.1467 MHz	3.11 dBm	Occ Bw	2.694610778 MHz																																																																		
T2	1		837.8413 MHz	5.45 dBm																																																																				
D1	M1	1	3.024 MHz	-0.23 dB																																																																				
Highest	<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>846.0 MHz</td> <td>-14.03 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>846.1587 MHz</td> <td>6.01 dBm</td> <td>Occ Bw</td> <td>2.694610778 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>848.8533 MHz</td> <td>5.63 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>2.988 MHz</td> <td>-0.20 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		846.0 MHz	-14.03 dBm			T1	1		846.1587 MHz	6.01 dBm	Occ Bw	2.694610778 MHz	T2	1		848.8533 MHz	5.63 dBm			D1	M1	1	2.988 MHz	-0.20 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>846.0 MHz</td> <td>-15.45 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>846.1587 MHz</td> <td>5.66 dBm</td> <td>Occ Bw</td> <td>2.694610778 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>848.8533 MHz</td> <td>3.60 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>3.0 MHz</td> <td>0.38 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		846.0 MHz	-15.45 dBm			T1	1		846.1587 MHz	5.66 dBm	Occ Bw	2.694610778 MHz	T2	1		848.8533 MHz	3.60 dBm			D1	M1	1	3.0 MHz	0.38 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		846.0 MHz	-14.03 dBm																																																																				
T1	1		846.1587 MHz	6.01 dBm	Occ Bw	2.694610778 MHz																																																																		
T2	1		848.8533 MHz	5.63 dBm																																																																				
D1	M1	1	2.988 MHz	-0.20 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		846.0 MHz	-15.45 dBm																																																																				
T1	1		846.1587 MHz	5.66 dBm	Occ Bw	2.694610778 MHz																																																																		
T2	1		848.8533 MHz	3.60 dBm																																																																				
D1	M1	1	3.0 MHz	0.38 dB																																																																				

Occupied Bandwidth

Channel	5MHz Bandwidth QPSK	5MHz Bandwidth 16QAM																																																																						
Lowest	<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>824.0 MHz</td> <td>-13.32 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>824.2445 MHz</td> <td>6.87 dBm</td> <td>Occ Bw</td> <td>4.510978044 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>828.7555 MHz</td> <td>6.47 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>5.0 MHz</td> <td>0.58 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		824.0 MHz	-13.32 dBm			T1	1		824.2445 MHz	6.87 dBm	Occ Bw	4.510978044 MHz	T2	1		828.7555 MHz	6.47 dBm			D1	M1	1	5.0 MHz	0.58 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>824.0 MHz</td> <td>-13.29 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>824.2445 MHz</td> <td>6.30 dBm</td> <td>Occ Bw</td> <td>4.530938124 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>828.7754 MHz</td> <td>6.41 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>5.02 MHz</td> <td>1.21 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		824.0 MHz	-13.29 dBm			T1	1		824.2445 MHz	6.30 dBm	Occ Bw	4.530938124 MHz	T2	1		828.7754 MHz	6.41 dBm			D1	M1	1	5.02 MHz	1.21 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		824.0 MHz	-13.32 dBm																																																																				
T1	1		824.2445 MHz	6.87 dBm	Occ Bw	4.510978044 MHz																																																																		
T2	1		828.7555 MHz	6.47 dBm																																																																				
D1	M1	1	5.0 MHz	0.58 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		824.0 MHz	-13.29 dBm																																																																				
T1	1		824.2445 MHz	6.30 dBm	Occ Bw	4.530938124 MHz																																																																		
T2	1		828.7754 MHz	6.41 dBm																																																																				
D1	M1	1	5.02 MHz	1.21 dB																																																																				
Middle	<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>834.0 MHz</td> <td>-11.48 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>834.2445 MHz</td> <td>7.34 dBm</td> <td>Occ Bw</td> <td>4.510978044 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>838.7555 MHz</td> <td>7.86 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>5.0 MHz</td> <td>-1.07 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		834.0 MHz	-11.48 dBm			T1	1		834.2445 MHz	7.34 dBm	Occ Bw	4.510978044 MHz	T2	1		838.7555 MHz	7.86 dBm			D1	M1	1	5.0 MHz	-1.07 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>833.98 MHz</td> <td>-13.85 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>834.2245 MHz</td> <td>6.92 dBm</td> <td>Occ Bw</td> <td>4.550938204 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>838.7754 MHz</td> <td>6.55 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>5.04 MHz</td> <td>0.03 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		833.98 MHz	-13.85 dBm			T1	1		834.2245 MHz	6.92 dBm	Occ Bw	4.550938204 MHz	T2	1		838.7754 MHz	6.55 dBm			D1	M1	1	5.04 MHz	0.03 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		834.0 MHz	-11.48 dBm																																																																				
T1	1		834.2445 MHz	7.34 dBm	Occ Bw	4.510978044 MHz																																																																		
T2	1		838.7555 MHz	7.86 dBm																																																																				
D1	M1	1	5.0 MHz	-1.07 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		833.98 MHz	-13.85 dBm																																																																				
T1	1		834.2245 MHz	6.92 dBm	Occ Bw	4.550938204 MHz																																																																		
T2	1		838.7754 MHz	6.55 dBm																																																																				
D1	M1	1	5.04 MHz	0.03 dB																																																																				
Highest	<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>844.0 MHz</td> <td>-12.74 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>844.2445 MHz</td> <td>9.06 dBm</td> <td>Occ Bw</td> <td>4.510978044 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>848.7555 MHz</td> <td>8.26 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>5.0 MHz</td> <td>-1.13 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		844.0 MHz	-12.74 dBm			T1	1		844.2445 MHz	9.06 dBm	Occ Bw	4.510978044 MHz	T2	1		848.7555 MHz	8.26 dBm			D1	M1	1	5.0 MHz	-1.13 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>844.0 MHz</td> <td>-13.93 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>844.2445 MHz</td> <td>6.92 dBm</td> <td>Occ Bw</td> <td>4.510978044 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>848.7555 MHz</td> <td>6.46 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>5.0 MHz</td> <td>1.75 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		844.0 MHz	-13.93 dBm			T1	1		844.2445 MHz	6.92 dBm	Occ Bw	4.510978044 MHz	T2	1		848.7555 MHz	6.46 dBm			D1	M1	1	5.0 MHz	1.75 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		844.0 MHz	-12.74 dBm																																																																				
T1	1		844.2445 MHz	9.06 dBm	Occ Bw	4.510978044 MHz																																																																		
T2	1		848.7555 MHz	8.26 dBm																																																																				
D1	M1	1	5.0 MHz	-1.13 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		844.0 MHz	-13.93 dBm																																																																				
T1	1		844.2445 MHz	6.92 dBm	Occ Bw	4.510978044 MHz																																																																		
T2	1		848.7555 MHz	6.46 dBm																																																																				
D1	M1	1	5.0 MHz	1.75 dB																																																																				

Occupied Bandwidth



Channel	10MHz Bandwidth QPSK	10MHz Bandwidth 16QAM																																																																						
Lowest	<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>824.16 MHz</td> <td>-14.57 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>824.5289 MHz</td> <td>5.54 dBm</td> <td>Occ Bw</td> <td>8.942115768 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>833.4711 MHz</td> <td>7.16 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>9.76 MHz</td> <td>-1.75 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		824.16 MHz	-14.57 dBm			T1	1		824.5289 MHz	5.54 dBm	Occ Bw	8.942115768 MHz	T2	1		833.4711 MHz	7.16 dBm			D1	M1	1	9.76 MHz	-1.75 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>824.12 MHz</td> <td>-16.14 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>824.5289 MHz</td> <td>5.12 dBm</td> <td>Occ Bw</td> <td>8.942115768 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>833.4711 MHz</td> <td>6.65 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>9.8 MHz</td> <td>-0.85 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		824.12 MHz	-16.14 dBm			T1	1		824.5289 MHz	5.12 dBm	Occ Bw	8.942115768 MHz	T2	1		833.4711 MHz	6.65 dBm			D1	M1	1	9.8 MHz	-0.85 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		824.16 MHz	-14.57 dBm																																																																				
T1	1		824.5289 MHz	5.54 dBm	Occ Bw	8.942115768 MHz																																																																		
T2	1		833.4711 MHz	7.16 dBm																																																																				
D1	M1	1	9.76 MHz	-1.75 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		824.12 MHz	-16.14 dBm																																																																				
T1	1		824.5289 MHz	5.12 dBm	Occ Bw	8.942115768 MHz																																																																		
T2	1		833.4711 MHz	6.65 dBm																																																																				
D1	M1	1	9.8 MHz	-0.85 dB																																																																				
Middle	<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>831.62 MHz</td> <td>-14.82 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>832.0289 MHz</td> <td>7.92 dBm</td> <td>Occ Bw</td> <td>8.942115768 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>840.9711 MHz</td> <td>7.27 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>9.8 MHz</td> <td>-0.37 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		831.62 MHz	-14.82 dBm			T1	1		832.0289 MHz	7.92 dBm	Occ Bw	8.942115768 MHz	T2	1		840.9711 MHz	7.27 dBm			D1	M1	1	9.8 MHz	-0.37 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>831.58 MHz</td> <td>-15.25 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>831.989 MHz</td> <td>5.55 dBm</td> <td>Occ Bw</td> <td>8.982035928 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>840.9711 MHz</td> <td>6.90 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>9.88 MHz</td> <td>-0.69 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		831.58 MHz	-15.25 dBm			T1	1		831.989 MHz	5.55 dBm	Occ Bw	8.982035928 MHz	T2	1		840.9711 MHz	6.90 dBm			D1	M1	1	9.88 MHz	-0.69 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		831.62 MHz	-14.82 dBm																																																																				
T1	1		832.0289 MHz	7.92 dBm	Occ Bw	8.942115768 MHz																																																																		
T2	1		840.9711 MHz	7.27 dBm																																																																				
D1	M1	1	9.8 MHz	-0.37 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		831.58 MHz	-15.25 dBm																																																																				
T1	1		831.989 MHz	5.55 dBm	Occ Bw	8.982035928 MHz																																																																		
T2	1		840.9711 MHz	6.90 dBm																																																																				
D1	M1	1	9.88 MHz	-0.69 dB																																																																				
Highest	<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>839.12 MHz</td> <td>-15.55 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>839.5289 MHz</td> <td>5.35 dBm</td> <td>Occ Bw</td> <td>8.942115768 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>848.4711 MHz</td> <td>7.80 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>9.76 MHz</td> <td>0.44 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		839.12 MHz	-15.55 dBm			T1	1		839.5289 MHz	5.35 dBm	Occ Bw	8.942115768 MHz	T2	1		848.4711 MHz	7.80 dBm			D1	M1	1	9.76 MHz	0.44 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>839.12 MHz</td> <td>-15.11 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>839.5289 MHz</td> <td>4.30 dBm</td> <td>Occ Bw</td> <td>8.942115768 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>848.4711 MHz</td> <td>8.09 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td>9.76 MHz</td> <td>-0.50 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		839.12 MHz	-15.11 dBm			T1	1		839.5289 MHz	4.30 dBm	Occ Bw	8.942115768 MHz	T2	1		848.4711 MHz	8.09 dBm			D1	M1	1	9.76 MHz	-0.50 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		839.12 MHz	-15.55 dBm																																																																				
T1	1		839.5289 MHz	5.35 dBm	Occ Bw	8.942115768 MHz																																																																		
T2	1		848.4711 MHz	7.80 dBm																																																																				
D1	M1	1	9.76 MHz	0.44 dB																																																																				
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																		
M1	1		839.12 MHz	-15.11 dBm																																																																				
T1	1		839.5289 MHz	4.30 dBm	Occ Bw	8.942115768 MHz																																																																		
T2	1		848.4711 MHz	8.09 dBm																																																																				
D1	M1	1	9.76 MHz	-0.50 dB																																																																				

Spurious Emissions at Antenna Terminal



Channel

1.4MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

3MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

5MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

10MHz Bandwidth QPSK



Lowest




Middle




Highest




Out of band emission, Band Edge




Out of band emission, Band Edge



Out of band emission, Band Edge



Out of band emission, Band Edge



4.9 Antenna Port Test Data and Results for LTE Band 7

Serial Number:	1OGW	Test Date:	2023/3/8~2023/3/20
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jou Zhou	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	23.4~25.1	Relative Humidity: (%)	43~47	ATM Pressure: (kPa)	100.6~102
-------------------	-----------	------------------------	-------	---------------------	-----------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101474	2022-07-15	2023-07-14
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
YINSAIGE	Coaxial Cable	SS402	SJ0100004	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554404	Each time	N/A
eastsheep	Coaxial Attenuator	2W-SMA-JK-18G	21060301	Each time	N/A
Weinschel	Power splitter	1515	RA915	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	149218	2022-07-15	2023-07-14
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30174	2022-04-06	2023-04-05
UNI-T	Multimeter	UT39A+	C210582554	2022-09-29	2023-09-28
ZHAOXIN	DC Power Supply	RXN-6010D	21R6010D0912386	N/A	N/A

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Frequency For Each Mode:

Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
5MHz	2502.5	2535	2567.5
10MHz	2505	2535	2565
15MHz	2507.5	2535	2562.5
20MHz	2510	2535	2560

Test Data:

FCC §2.1046; § 27.50(h)(2)						
RF Output Power:						
Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum EIRP (dBm)	EIRP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
5MHz QPSK	RB1#0	18.47	18.74	18.17	19.11	33
	RB1#13	18.41	18.89	18.07		
	RB1#24	18.44	18.17	17.99		
	RB15#0	17.37	18.03	17.15		
	RB15#10	17.47	17.81	16.98		
	RB25#0	17.43	17.87	17.09		
5MHz 16QAM	RB1#0	17.45	17.88	17.16	18.29	33
	RB1#13	17.68	18.07	16.8		
	RB1#24	17.46	17.33	16.36		
	RB15#0	16.42	17.1	16.31		
	RB15#10	16.5	16.89	16.22		
	RB25#0	16.56	16.97	16.26		
10MHz QPSK	RB1#0	18.51	19.27	18.33	19.49	33
	RB1#25	18.51	18.81	18.16		
	RB1#49	18.54	18.58	18.03		
	RB25#0	17.48	18.23	18.24		
	RB25#25	17.37	17.9	17.23		
	RB50#0	17.41	18.07	17.78		
10MHz 16QAM	RB1#0	17.5	18.39	18.84	19.06	33
	RB1#25	17.49	17.94	18.23		
	RB1#49	17.5	17.75	17.24		
	RB25#0	16.63	17.37	17.4		
	RB25#25	16.63	17.04	16.45		
	RB50#0	16.6	17.17	16.95		
15MHz QPSK	RB1#0	18.5	19.6	18.06	19.82	33
	RB1#38	18.47	18.79	17.96		
	RB1#74	18.57	18.16	17.94		
	RB36#0	17.37	18.6	17.29		
	RB36#39	17.52	17.71	17.14		
	RB75#0	17.38	18.19	17.09		
15MHz 16QAM	RB1#0	17.61	19.33	17.73	19.55	33
	RB1#38	17.56	18.41	17.67		
	RB1#74	17.72	17.78	17.22		
	RB36#0	16.54	17.6	16.38		
	RB36#39	16.63	16.7	16.39		
	RB75#0	16.55	17.19	16.32		

20MHz QPSK	RB1#0	18.62	19.67	18.21	19.89	33
	RB1#50	18.65	18.59	18.15		
	RB1#99	19.09	18.25	18.2		
	RB50#0	17.44	18.5	17.18		
	RB50#50	17.62	17.71	17.24		
	RB100#0	17.39	18.11	17.07		
20MHz 16QAM	RB1#0	17.68	19.74	17.14	19.96	33
	RB1#50	17.66	18.36	17.31		
	RB1#99	18.56	18.25	17.08		
	RB50#0	16.54	17.49	16.4		
	RB50#50	16.65	16.65	16.4		
	RB100#0	16.46	17.1	16.25		
Note: EIRP=Conducted Power(dBm) - Lc(dB) + Gr(dBi)						
					Result:	Pass

Peak-to-average Ratio(PAR)					
Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit(dB)
		Lowest Channel	Middle Channel	Highest Channel	
20MHz QPSK	RB1#0	5.28	4.64	5.59	13
	RB100#0	4.29	4.26	4.17	13
20MHz 16QAM	RB1#0	6.12	5.45	6.09	13
	RB100#0	5.86	5.83	5.83	13
Result:					Pass

FCC §2.1049, §27.53:Occupied Bandwidth						
Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
5MHz QPSK	4.511	4.511	4.531	5.02	5.02	5
5MHz 16QAM	4.531	4.551	4.511	5.02	5.02	5
10MHz QPSK	8.982	8.942	8.942	9.76	9.8	9.72
10MHz 16QAM	8.982	8.942	8.942	9.84	9.84	9.8
15MHz QPSK	13.473	13.533	13.533	15.06	15.12	15
15MHz 16QAM	13.593	13.533	13.533	15.12	15.06	14.94
20MHz QPSK	18.044	18.044	17.964	19.6	19.84	19.6
20MHz 16QAM	17.964	18.044	17.964	19.84	19.68	19.76
Note: The test plots please refer to the Plots of Occupied Bandwidth						

FCC §2.1051, §27.53:Spurious Emissions at Antenna Terminal	
Result:	Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.

FCC §2.1051, §27.53: Out of band emission, Band Edge**Result: Pass, Please refer to the test plots of Out of band emission, Band Edge.****FCC §2.1055, §27.54: Frequency Stability**

Test Mode:	20M QPSK	Test Channel: Lowest for Lower Edge, Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.7	2501.026	2500.00	2569.087	2570
	-20	3.7	2501.009	2500.00	2569.062	2570
	-10	3.7	2501.073	2500.00	2569.055	2570
	0	3.7	2501.012	2500.00	2569.012	2570
	10	3.7	2501.085	2500.00	2569.085	2570
	20	3.7	2501.058	2500.00	2569.022	2570
	30	3.7	2501.069	2500.00	2569.038	2570
	40	3.7	2501.019	2500.00	2569.003	2570
	50	3.7	2501.081	2500.00	2569.060	2570
Frequency Stability vs. Voltage	20	3.5	2501.083	2500.00	2569.040	2570
	20	4.2	2501.019	2500.00	2569.036	2570
					Result:	Pass

Test Mode:	20M 16QAM	Test Channel: Lowest for Lower Edge, Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.7	2501.181	2500.00	2569.036	2570
	-20	3.7	2501.144	2500.00	2569.085	2570
	-10	3.7	2501.136	2500.00	2569.018	2570
	0	3.7	2501.116	2500.00	2569.083	2570
	10	3.7	2501.073	2500.00	2569.045	2570
	20	3.7	2501.058	2500.00	2569.022	2570
	30	3.7	2501.089	2500.00	2569.005	2570
	40	3.7	2501.094	2500.00	2569.039	2570
	50	3.7	2501.026	2500.00	2569.017	2570
Frequency Stability vs. Voltage	20	3.5	2501.1	2500.00	2569.084	2570
	20	4.2	2501.059	2500.00	2569.062	2570
					Result:	Pass