

Copyright © 2014 Cenique Infotainment Group, LLC.
All rights reserved.

The content of this guide may differ in some details from the product or its software. All information in this document is subject to change without notice.


This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

FCC ID



C610 Start-Up Guide

Preloaded Android Digital Signage Media Player



Copyright © 2014 Cenique Infotainment Group, LLC.
All rights reserved.

The content of this guide may differ in some details from the product or its software. All information in this document is subject to change without notice.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

FCC ID




C610 Start-Up Guide

Preloaded Android Digital Signage Media Player

Simple Set-Up

Step 1. Connect the media player to your display and power using the included cables



Step 2. Use a mouse, keyboard or remote to access the Home Screen → Settings → either WiFi or Ethernet to connect to the internet.

To confirm your connection, return to the Home screen. Select 'Ping'. You should see:


Ping Gateway: PASS
Internet Access: PASS

Media Player

wifi or
LAN

Internet

PC Computer




Step 3. In Settings, view "Date & Time" options to select your time zone. Customize "Screen" and "Display" settings to adjust resolution, rotation, and scaling.

Step 4. From the Home screen, launch the CMS App. Follow the instructions from your CMS provider to claim your player to your CMS account.

Your presentation will begin automatically!

Media Player Overview

| | | | |
|------------------|--------------------------|-----------------|----------------|
| Processor | Quad Core ARM Cortex A17 | Connectivity | |
| | 1.8Ghz | WiFi | 802.11bgn |
| GPU | Quad Core Mali-T764 GPU | Bluetooth | 4.0 |
| OS | Cenique Configured | Physical | |
| | Android 4.4 KitKat | Dimensions | |
| Memory | | Weight | |
| DDR3 | 2GB | | |
| Internal Storage | 16GB eMMC / 32GB eMMC | | |
| Ports | | | |
| USB 2.0 | 3 Standard | Power | DC 5V, 3A |
| OTG | 1 Built-in | HDMI Cable | Standard Cable |
| HDMI 2.0 | upto 4K @60Hz | Remote | Standard |
| CVBS | Standard Definiton | Certifications | CE, FCC, ULPS |




Support

For online support, view our Quick Start Tutorials, FAQs, and Manuals at: support.cenique.com



Simple Set-Up

Step 1. Connect the media player to your display and power using the included cables



Step 2. Use a mouse, keyboard or remote to access the Home Screen → Settings → either WiFi or Ethernet to connect to the internet.

To confirm your connection, return to the Home screen. Select 'Ping'. You should see:


Ping Gateway: PASS
Internet Access: PASS

Media Player

wifi or
LAN

Internet

PC Computer




Step 3. In Settings, view "Date & Time" options to select your time zone. Customize "Screen" and "Display" settings to adjust resolution, rotation, and scaling.

Step 4. From the Home screen, launch the CMS App. Follow the instructions from your CMS provider to claim your player to your CMS account.

Your presentation will begin automatically!

Media Player Overview

| | | | |
|------------------|--------------------------|-----------------|----------------|
| Processor | Quad Core ARM Cortex A17 | Connectivity | |
| | 1.8Ghz | WiFi | 802.11bgn |
| GPU | Quad Core Mali-T764 GPU | Bluetooth | 4.0 |
| OS | Cenique Configured | Physical | |
| | Android 4.4 KitKat | Dimensions | |
| Memory | | Weight | |
| DDR3 | 2GB | | |
| Internal Storage | 16GB eMMC / 32GB eMMC | | |
| Ports | | | |
| USB 2.0 | 3 Standard | Power | DC 5V, 3A |
| OTG | 1 Built-in | HDMI Cable | Standard Cable |
| HDMI 2.0 | upto 4K @60Hz | Remote | Standard |
| CVBS | Standard Definiton | Certifications | CE, FCC, ULPS |



Support

For online support, view our Quick Start Tutorials, FAQs, and Manuals at: support.cenique.com



FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.