








Mode	29																																																																																													
	Band Edge - L																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full RU_5795MHz																																																																																													
ANT	5G Ant 0+1 (CDD)																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak																																																																																														
	Site : 03CH23-HY Condition: PEAK_BE(B4)_16-24 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5645.83</td><td>57.27</td><td>68.20</td><td>-10.93</td><td>42.41</td><td>33.37</td><td>11.15</td><td>33.83</td><td>4.17</td><td>250</td><td>212</td><td>PEAK</td></tr><tr><td>2</td><td>5650.12</td><td>55.32</td><td>68.29</td><td>-12.97</td><td>40.44</td><td>33.40</td><td>11.14</td><td>33.83</td><td>4.17</td><td>250</td><td>212</td><td>PEAK</td></tr><tr><td>3</td><td>5719.34</td><td>73.19</td><td>110.62</td><td>-37.43</td><td>58.06</td><td>33.78</td><td>11.04</td><td>33.87</td><td>4.18</td><td>250</td><td>212</td><td>PEAK</td></tr><tr><td>4</td><td>5720.90</td><td>71.52</td><td>112.85</td><td>-41.33</td><td>56.40</td><td>33.78</td><td>11.03</td><td>33.87</td><td>4.18</td><td>250</td><td>212</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5645.83	57.27	68.20	-10.93	42.41	33.37	11.15	33.83	4.17	250	212	PEAK	2	5650.12	55.32	68.29	-12.97	40.44	33.40	11.14	33.83	4.17	250	212	PEAK	3	5719.34	73.19	110.62	-37.43	58.06	33.78	11.04	33.87	4.18	250	212	PEAK	4	5720.90	71.52	112.85	-41.33	56.40	33.78	11.03	33.87	4.18	250	212
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5645.83	57.27	68.20	-10.93	42.41	33.37	11.15	33.83	4.17	250	212	PEAK																																																																																		
2	5650.12	55.32	68.29	-12.97	40.44	33.40	11.14	33.83	4.17	250	212	PEAK																																																																																		
3	5719.34	73.19	110.62	-37.43	58.06	33.78	11.04	33.87	4.18	250	212	PEAK																																																																																		
4	5720.90	71.52	112.85	-41.33	56.40	33.78	11.03	33.87	4.18	250	212	PEAK																																																																																		
Peak																																																																																														
	Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>121.20</td><td>-----</td><td>-----</td><td>106.00</td><td>33.99</td><td>10.93</td><td>33.92</td><td>4.20</td><td>250</td><td>212</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	121.20	-----	-----	106.00	33.99	10.93	33.92	4.20	250	212	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5795.00	121.20	-----	-----	106.00	33.99	10.93	33.92	4.20	250	212	PEAK																																																																																		




Mode	29																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full RU_5795MHz																																																																																				
ANT	5G Ant 0+1 (CDD)																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	 Site : 03CH23-HY Condition: PEAK_BE(B4)_16-24 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5852.66</td><td>76.69</td><td>116.13</td><td>-39.44</td><td>61.46</td><td>33.90</td><td>11.11</td><td>33.95</td><td>4.17</td><td>250</td><td>212</td><td>PEAK</td></tr><tr><td>2</td><td>5863.05</td><td>77.68</td><td>108.55</td><td>-30.87</td><td>62.43</td><td>33.90</td><td>11.15</td><td>33.96</td><td>4.16</td><td>250</td><td>212</td><td>PEAK</td></tr><tr><td>3</td><td>5923.81</td><td>60.88</td><td>69.08</td><td>-8.20</td><td>45.43</td><td>33.95</td><td>11.37</td><td>33.99</td><td>4.12</td><td>250</td><td>212</td><td>PEAK</td></tr><tr><td>4</td><td>5925.67</td><td>57.96</td><td>68.20</td><td>-10.24</td><td>42.51</td><td>33.95</td><td>11.38</td><td>34.00</td><td>4.12</td><td>250</td><td>212</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5852.66	76.69	116.13	-39.44	61.46	33.90	11.11	33.95	4.17	250	212	PEAK	2	5863.05	77.68	108.55	-30.87	62.43	33.90	11.15	33.96	4.16	250	212	PEAK	3	5923.81	60.88	69.08	-8.20	45.43	33.95	11.37	33.99	4.12	250	212	PEAK	4	5925.67	57.96	68.20	-10.24	42.51	33.95	11.38	34.00	4.12	250	212	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5852.66	76.69	116.13	-39.44	61.46	33.90	11.11	33.95	4.17	250	212	PEAK																																																																									
2	5863.05	77.68	108.55	-30.87	62.43	33.90	11.15	33.96	4.16	250	212	PEAK																																																																									
3	5923.81	60.88	69.08	-8.20	45.43	33.95	11.37	33.99	4.12	250	212	PEAK																																																																									
4	5925.67	57.96	68.20	-10.24	42.51	33.95	11.38	34.00	4.12	250	212	PEAK																																																																									





		29																																																																																												
Mode	Band Edge - L																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full RU_5795MHz																																																																																													
ANT	5G Ant 0+1 (CDD)																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
	Site : 03CH23-HY Condition: PEAK_BE(B4)_16-24 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5638.03</td><td>55.46</td><td>68.20</td><td>-12.74</td><td>40.62</td><td>33.33</td><td>11.16</td><td>33.82</td><td>4.17</td><td>179</td><td>288</td><td>PEAK</td></tr><tr><td>2</td><td>5650.70</td><td>54.38</td><td>68.72</td><td>-14.34</td><td>39.50</td><td>33.40</td><td>11.14</td><td>33.83</td><td>4.17</td><td>179</td><td>288</td><td>PEAK</td></tr><tr><td>3</td><td>5717.98</td><td>68.31</td><td>110.23</td><td>-41.92</td><td>53.19</td><td>33.77</td><td>11.04</td><td>33.87</td><td>4.18</td><td>179</td><td>288</td><td>PEAK</td></tr><tr><td>4</td><td>5720.71</td><td>67.53</td><td>112.41</td><td>-44.88</td><td>52.41</td><td>33.78</td><td>11.03</td><td>33.87</td><td>4.18</td><td>179</td><td>288</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5638.03	55.46	68.20	-12.74	40.62	33.33	11.16	33.82	4.17	179	288	PEAK	2	5650.70	54.38	68.72	-14.34	39.50	33.40	11.14	33.83	4.17	179	288	PEAK	3	5717.98	68.31	110.23	-41.92	53.19	33.77	11.04	33.87	4.18	179	288	PEAK	4	5720.71	67.53	112.41	-44.88	52.41	33.78	11.03	33.87	4.18	179	288
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5638.03	55.46	68.20	-12.74	40.62	33.33	11.16	33.82	4.17	179	288	PEAK																																																																																		
2	5650.70	54.38	68.72	-14.34	39.50	33.40	11.14	33.83	4.17	179	288	PEAK																																																																																		
3	5717.98	68.31	110.23	-41.92	53.19	33.77	11.04	33.87	4.18	179	288	PEAK																																																																																		
4	5720.71	67.53	112.41	-44.88	52.41	33.78	11.03	33.87	4.18	179	288	PEAK																																																																																		





Mode	29																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full RU_5795MHz																																																																																														
ANT	5G Ant 0+1 (CDD)																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	 Site : 03CH23-HY Condition: PEAK_BE(B4)_16-24 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>73.85</td><td>110.83</td><td>-36.98</td><td>58.62</td><td>33.90</td><td>11.12</td><td>33.95</td><td>4.16</td><td>179</td><td>288</td><td>PEAK</td></tr><tr><td>2</td><td>5860.57</td><td>73.20</td><td>109.24</td><td>-36.04</td><td>57.96</td><td>33.90</td><td>11.14</td><td>33.96</td><td>4.16</td><td>179</td><td>288</td><td>PEAK</td></tr><tr><td>3</td><td>5924.27</td><td>55.59</td><td>68.74</td><td>-13.15</td><td>40.13</td><td>33.95</td><td>11.38</td><td>33.99</td><td>4.12</td><td>179</td><td>288</td><td>PEAK</td></tr><tr><td>4</td><td>5929.54</td><td>56.68</td><td>68.20</td><td>-11.52</td><td>41.20</td><td>33.96</td><td>11.40</td><td>34.00</td><td>4.12</td><td>179</td><td>288</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.99	73.85	110.83	-36.98	58.62	33.90	11.12	33.95	4.16	179	288	PEAK	2	5860.57	73.20	109.24	-36.04	57.96	33.90	11.14	33.96	4.16	179	288	PEAK	3	5924.27	55.59	68.74	-13.15	40.13	33.95	11.38	33.99	4.12	179	288	PEAK	4	5929.54	56.68	68.20	-11.52	41.20	33.96	11.40	34.00	4.12	179	288	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.99	73.85	110.83	-36.98	58.62	33.90	11.12	33.95	4.16	179	288	PEAK																																																																																			
2	5860.57	73.20	109.24	-36.04	57.96	33.90	11.14	33.96	4.16	179	288	PEAK																																																																																			
3	5924.27	55.59	68.74	-13.15	40.13	33.95	11.38	33.99	4.12	179	288	PEAK																																																																																			
4	5929.54	56.68	68.20	-11.52	41.20	33.96	11.40	34.00	4.12	179	288	PEAK																																																																																			





Mode	29																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full RU_5795MHz																																																																																																																									
ANT	5G Ant 0+1 (CDD)																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	 Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 11590.00</td><td>52.04</td><td>74.00</td><td>-21.96</td><td>35.43</td><td>38.42</td><td>15.72</td><td>39.74</td><td>2.21</td><td>-- -- PEAK</td></tr><tr><td>2 11590.00</td><td>42.57</td><td>54.00</td><td>-11.43</td><td>25.96</td><td>38.42</td><td>15.72</td><td>39.74</td><td>2.21</td><td>-- -- AVERAGE</td></tr><tr><td>3 17385.00</td><td>55.21</td><td>68.20</td><td>-12.99</td><td>39.19</td><td>39.90</td><td>19.06</td><td>46.33</td><td>3.39</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11590.00	52.04	74.00	-21.96	35.43	38.42	15.72	39.74	2.21	-- -- PEAK	2 11590.00	42.57	54.00	-11.43	25.96	38.42	15.72	39.74	2.21	-- -- AVERAGE	3 17385.00	55.21	68.20	-12.99	39.19	39.90	19.06	46.33	3.39	-- -- PEAK	 Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 11590.00</td><td>51.09</td><td>74.00</td><td>-22.91</td><td>34.48</td><td>38.42</td><td>15.72</td><td>39.74</td><td>2.21</td><td>-- -- PEAK</td></tr><tr><td>2 11590.00</td><td>43.76</td><td>54.00</td><td>-10.24</td><td>27.15</td><td>38.42</td><td>15.72</td><td>39.74</td><td>2.21</td><td>-- -- AVERAGE</td></tr><tr><td>3 17385.00</td><td>54.79</td><td>68.20</td><td>-13.41</td><td>38.77</td><td>39.90</td><td>19.06</td><td>46.33</td><td>3.39</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11590.00	51.09	74.00	-22.91	34.48	38.42	15.72	39.74	2.21	-- -- PEAK	2 11590.00	43.76	54.00	-10.24	27.15	38.42	15.72	39.74	2.21	-- -- AVERAGE	3 17385.00	54.79	68.20	-13.41	38.77	39.90	19.06	46.33	3.39	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 11590.00	52.04	74.00	-21.96	35.43	38.42	15.72	39.74	2.21	-- -- PEAK																																																																																																																	
2 11590.00	42.57	54.00	-11.43	25.96	38.42	15.72	39.74	2.21	-- -- AVERAGE																																																																																																																	
3 17385.00	55.21	68.20	-12.99	39.19	39.90	19.06	46.33	3.39	-- -- PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 11590.00	51.09	74.00	-22.91	34.48	38.42	15.72	39.74	2.21	-- -- PEAK																																																																																																																	
2 11590.00	43.76	54.00	-10.24	27.15	38.42	15.72	39.74	2.21	-- -- AVERAGE																																																																																																																	
3 17385.00	54.79	68.20	-13.41	38.77	39.90	19.06	46.33	3.39	-- -- PEAK																																																																																																																	




Mode	29	
	Harmonic	
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full RU_5795MHz	
ANT	5G Ant 0+1 (CDD)	
Pol.	Horizontal	Vertical
10.6G -18G Avg	 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL	 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL





Mode	30																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																																																															
ANT	5G Ant 0+1 (CDD)																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	 Site : 03CH23-HY Condition: PEAK_BE(B4)_16-24 3m DRH18-E_LE2C05A18EN 230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5646.20</td><td>66.68</td><td>68.20</td><td>-1.52</td><td>51.81</td><td>33.38</td><td>11.15</td><td>33.83</td><td>4.17</td><td>141 207 PEAK</td></tr><tr><td>2 5650.93</td><td>63.15</td><td>68.89</td><td>-5.74</td><td>48.26</td><td>33.41</td><td>11.14</td><td>33.83</td><td>4.17</td><td>141 207 PEAK</td></tr><tr><td>3 5700.98</td><td>75.83</td><td>105.47</td><td>-29.64</td><td>60.75</td><td>33.70</td><td>11.06</td><td>33.86</td><td>4.18</td><td>141 207 PEAK</td></tr><tr><td>4 5720.23</td><td>77.67</td><td>111.31</td><td>-33.64</td><td>62.55</td><td>33.78</td><td>11.03</td><td>33.87</td><td>4.18</td><td>141 207 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5646.20	66.68	68.20	-1.52	51.81	33.38	11.15	33.83	4.17	141 207 PEAK	2 5650.93	63.15	68.89	-5.74	48.26	33.41	11.14	33.83	4.17	141 207 PEAK	3 5700.98	75.83	105.47	-29.64	60.75	33.70	11.06	33.86	4.18	141 207 PEAK	4 5720.23	77.67	111.31	-33.64	62.55	33.78	11.03	33.87	4.18	141 207 PEAK	 Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN 230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5775.00</td><td>115.79</td><td>-----</td><td>100.62</td><td>33.88</td><td>10.99</td><td>33.89</td><td>4.19</td><td>141</td><td>207 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5775.00	115.79	-----	100.62	33.88	10.99	33.89	4.19	141	207 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5646.20	66.68	68.20	-1.52	51.81	33.38	11.15	33.83	4.17	141 207 PEAK																																																																																																							
2 5650.93	63.15	68.89	-5.74	48.26	33.41	11.14	33.83	4.17	141 207 PEAK																																																																																																							
3 5700.98	75.83	105.47	-29.64	60.75	33.70	11.06	33.86	4.18	141 207 PEAK																																																																																																							
4 5720.23	77.67	111.31	-33.64	62.55	33.78	11.03	33.87	4.18	141 207 PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5775.00	115.79	-----	100.62	33.88	10.99	33.89	4.19	141	207 PEAK																																																																																																							




Mode	30																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																							
ANT	5G Ant 0+1 (CDD)																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	 Site : 03CH23-HY Condition: PEAK_BE(B4)_16-24 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5854.00</td><td>71.64</td><td>111.26</td><td>-39.62</td><td>56.41</td><td>33.90</td><td>11.12</td><td>33.95</td><td>4.16</td><td>141 207 PEAK</td></tr><tr><td>2 5865.30</td><td>72.53</td><td>107.91</td><td>-35.38</td><td>57.28</td><td>33.90</td><td>11.15</td><td>33.96</td><td>4.16</td><td>141 207 PEAK</td></tr><tr><td>3 5924.98</td><td>59.05</td><td>68.22</td><td>-9.17</td><td>43.59</td><td>33.95</td><td>11.38</td><td>33.99</td><td>4.12</td><td>141 207 PEAK</td></tr><tr><td>4 5927.43</td><td>60.46</td><td>68.20</td><td>-7.74</td><td>45.00</td><td>33.95</td><td>11.39</td><td>34.00</td><td>4.12</td><td>141 207 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5854.00	71.64	111.26	-39.62	56.41	33.90	11.12	33.95	4.16	141 207 PEAK	2 5865.30	72.53	107.91	-35.38	57.28	33.90	11.15	33.96	4.16	141 207 PEAK	3 5924.98	59.05	68.22	-9.17	43.59	33.95	11.38	33.99	4.12	141 207 PEAK	4 5927.43	60.46	68.20	-7.74	45.00	33.95	11.39	34.00	4.12	141 207 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																															
1 5854.00	71.64	111.26	-39.62	56.41	33.90	11.12	33.95	4.16	141 207 PEAK																																																															
2 5865.30	72.53	107.91	-35.38	57.28	33.90	11.15	33.96	4.16	141 207 PEAK																																																															
3 5924.98	59.05	68.22	-9.17	43.59	33.95	11.38	33.99	4.12	141 207 PEAK																																																															
4 5927.43	60.46	68.20	-7.74	45.00	33.95	11.39	34.00	4.12	141 207 PEAK																																																															



	30																																																																																													
Mode	Band Edge - L																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																																													
ANT	5G Ant 0+1 (CDD)																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
	Site : 03CH23-HY Condition: PEAK_BE(B4)_16-24 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5646.73</td><td>55.44</td><td>68.20</td><td>-12.76</td><td>40.57</td><td>33.38</td><td>11.15</td><td>33.83</td><td>4.17</td><td>141</td><td>207</td><td>PEAK</td></tr><tr><td>2</td><td>5650.05</td><td>54.44</td><td>68.24</td><td>-13.80</td><td>39.56</td><td>33.40</td><td>11.14</td><td>33.83</td><td>4.17</td><td>141</td><td>207</td><td>PEAK</td></tr><tr><td>3</td><td>5701.33</td><td>65.27</td><td>105.57</td><td>-40.30</td><td>50.18</td><td>33.71</td><td>11.06</td><td>33.86</td><td>4.18</td><td>141</td><td>207</td><td>PEAK</td></tr><tr><td>4</td><td>5728.05</td><td>66.91</td><td>110.91</td><td>-44.00</td><td>51.79</td><td>33.78</td><td>11.03</td><td>33.87</td><td>4.18</td><td>141</td><td>207</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.73	55.44	68.20	-12.76	40.57	33.38	11.15	33.83	4.17	141	207	PEAK	2	5650.05	54.44	68.24	-13.80	39.56	33.40	11.14	33.83	4.17	141	207	PEAK	3	5701.33	65.27	105.57	-40.30	50.18	33.71	11.06	33.86	4.18	141	207	PEAK	4	5728.05	66.91	110.91	-44.00	51.79	33.78	11.03	33.87	4.18	141	207
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5646.73	55.44	68.20	-12.76	40.57	33.38	11.15	33.83	4.17	141	207	PEAK																																																																																		
2	5650.05	54.44	68.24	-13.80	39.56	33.40	11.14	33.83	4.17	141	207	PEAK																																																																																		
3	5701.33	65.27	105.57	-40.30	50.18	33.71	11.06	33.86	4.18	141	207	PEAK																																																																																		
4	5728.05	66.91	110.91	-44.00	51.79	33.78	11.03	33.87	4.18	141	207	PEAK																																																																																		
	Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>109.09</td><td>-----</td><td>-----</td><td>93.90</td><td>33.95</td><td>10.95</td><td>33.91</td><td>4.20</td><td>141</td><td>207</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	109.09	-----	-----	93.90	33.95	10.95	33.91	4.20	141	207	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5775.00	109.09	-----	-----	93.90	33.95	10.95	33.91	4.20	141	207	PEAK																																																																																		





Mode	30																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																																				
ANT	5G Ant 0+1 (CDD)																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	 Site : 03CH23-HY Condition: PEAK_BE(B4)_16-24 3m DRH18-E_LE2C05A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.28</td><td>67.18</td><td>112.45</td><td>-45.27</td><td>51.96</td><td>33.90</td><td>11.11</td><td>33.95</td><td>4.16</td><td>141</td><td>207</td><td>PEAK</td></tr><tr><td>2</td><td>5866.18</td><td>66.75</td><td>107.67</td><td>-40.92</td><td>51.49</td><td>33.90</td><td>11.16</td><td>33.96</td><td>4.16</td><td>141</td><td>207</td><td>PEAK</td></tr><tr><td>3</td><td>5923.05</td><td>58.39</td><td>69.64</td><td>-11.25</td><td>42.94</td><td>33.95</td><td>11.37</td><td>33.99</td><td>4.12</td><td>141</td><td>207</td><td>PEAK</td></tr><tr><td>4</td><td>5926.73</td><td>57.00</td><td>68.20</td><td>-11.20</td><td>41.54</td><td>33.95</td><td>11.39</td><td>34.00</td><td>4.12</td><td>141</td><td>207</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.28	67.18	112.45	-45.27	51.96	33.90	11.11	33.95	4.16	141	207	PEAK	2	5866.18	66.75	107.67	-40.92	51.49	33.90	11.16	33.96	4.16	141	207	PEAK	3	5923.05	58.39	69.64	-11.25	42.94	33.95	11.37	33.99	4.12	141	207	PEAK	4	5926.73	57.00	68.20	-11.20	41.54	33.95	11.39	34.00	4.12	141	207	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.28	67.18	112.45	-45.27	51.96	33.90	11.11	33.95	4.16	141	207	PEAK																																																																									
2	5866.18	66.75	107.67	-40.92	51.49	33.90	11.16	33.96	4.16	141	207	PEAK																																																																									
3	5923.05	58.39	69.64	-11.25	42.94	33.95	11.37	33.99	4.12	141	207	PEAK																																																																									
4	5926.73	57.00	68.20	-11.20	41.54	33.95	11.39	34.00	4.12	141	207	PEAK																																																																									





Mode	30																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																																																																									
ANT	5G Ant 0+1 (CDD)																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11550.00</td><td>51.49</td><td>74.00</td><td>-22.51</td><td>34.00</td><td>38.50</td><td>15.68</td><td>39.69</td><td>2.20</td><td>-- PEAK</td></tr><tr><td>2 11550.00</td><td>42.93</td><td>54.00</td><td>-11.07</td><td>26.24</td><td>38.50</td><td>15.68</td><td>39.69</td><td>2.20</td><td>-- AVERAGE</td></tr><tr><td>3 17325.00</td><td>54.95</td><td>68.20</td><td>-13.25</td><td>38.87</td><td>39.95</td><td>19.02</td><td>46.25</td><td>3.36</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 11550.00	51.49	74.00	-22.51	34.00	38.50	15.68	39.69	2.20	-- PEAK	2 11550.00	42.93	54.00	-11.07	26.24	38.50	15.68	39.69	2.20	-- AVERAGE	3 17325.00	54.95	68.20	-13.25	38.87	39.95	19.02	46.25	3.36	-- PEAK	Site : 03CH23-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C05A18EN_230712 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11550.00</td><td>52.24</td><td>74.00</td><td>-21.76</td><td>35.55</td><td>38.50</td><td>15.68</td><td>39.69</td><td>2.20</td><td>250 327 PEAK</td></tr><tr><td>2 11550.00</td><td>44.87</td><td>54.00</td><td>-9.13</td><td>28.18</td><td>38.50</td><td>15.68</td><td>39.69</td><td>2.20</td><td>250 327 AVERAGE</td></tr><tr><td>3 17325.00</td><td>54.72</td><td>68.20</td><td>-13.48</td><td>38.64</td><td>39.95</td><td>19.02</td><td>46.25</td><td>3.36</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 11550.00	52.24	74.00	-21.76	35.55	38.50	15.68	39.69	2.20	250 327 PEAK	2 11550.00	44.87	54.00	-9.13	28.18	38.50	15.68	39.69	2.20	250 327 AVERAGE	3 17325.00	54.72	68.20	-13.48	38.64	39.95	19.02	46.25	3.36	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1 11550.00	51.49	74.00	-22.51	34.00	38.50	15.68	39.69	2.20	-- PEAK																																																																																																																	
2 11550.00	42.93	54.00	-11.07	26.24	38.50	15.68	39.69	2.20	-- AVERAGE																																																																																																																	
3 17325.00	54.95	68.20	-13.25	38.87	39.95	19.02	46.25	3.36	-- PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1 11550.00	52.24	74.00	-21.76	35.55	38.50	15.68	39.69	2.20	250 327 PEAK																																																																																																																	
2 11550.00	44.87	54.00	-9.13	28.18	38.50	15.68	39.69	2.20	250 327 AVERAGE																																																																																																																	
3 17325.00	54.72	68.20	-13.48	38.64	39.95	19.02	46.25	3.36	-- PEAK																																																																																																																	





Mode	30	
	Harmonic	
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz	
ANT	5G Ant 0+1 (CDD)	
Pol.	Horizontal	Vertical
10.6G -18G Avg	 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 HORIZONTAL	 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_LE2C05A18EN_230712 VERTICAL



Mode	31																																																																																																																																																																																																			
	LF																																																																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																																																																																																																																																			
ANT	5G Ant 0+1 (CDD)																																																																																																																																																																																																			
Pol.	Horizontal								Vertical																																																																																																																																																																																											
QP/ Peak																																																																																																																																																																																																				
	Site : 03CH23-HY Condition: QP 3m LF_633038001_231015 HORIZONTAL								Site : 03CH23-HY Condition: QP 3m LF_633038001_231015 VERTICAL																																																																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>67.83</td><td>29.13</td><td>40.00</td><td>-10.87</td><td>47.93</td><td>12.41</td><td>1.44</td><td>32.72</td><td>0.07 -- -- PEAK</td></tr><tr><td>2</td><td>91.11</td><td>29.54</td><td>43.50</td><td>-13.96</td><td>45.36</td><td>15.24</td><td>1.55</td><td>32.70</td><td>0.09 -- -- PEAK</td></tr><tr><td>3</td><td>159.01</td><td>18.11</td><td>43.50</td><td>-25.39</td><td>31.09</td><td>16.71</td><td>1.99</td><td>32.70</td><td>0.22 -- -- PEAK</td></tr><tr><td>4</td><td>308.39</td><td>35.36</td><td>46.00</td><td>-10.64</td><td>46.08</td><td>19.35</td><td>2.63</td><td>32.79</td><td>0.09 -- -- PEAK</td></tr><tr><td>5</td><td>453.89</td><td>37.69</td><td>46.00</td><td>-8.31</td><td>44.25</td><td>23.08</td><td>3.17</td><td>32.90</td><td>0.09 -- -- PEAK</td></tr><tr><td>6</td><td>579.02</td><td>32.76</td><td>46.00</td><td>-13.24</td><td>36.31</td><td>25.82</td><td>3.49</td><td>33.03</td><td>0.17 -- -- PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	67.83	29.13	40.00	-10.87	47.93	12.41	1.44	32.72	0.07 -- -- PEAK	2	91.11	29.54	43.50	-13.96	45.36	15.24	1.55	32.70	0.09 -- -- PEAK	3	159.01	18.11	43.50	-25.39	31.09	16.71	1.99	32.70	0.22 -- -- PEAK	4	308.39	35.36	46.00	-10.64	46.08	19.35	2.63	32.79	0.09 -- -- PEAK	5	453.89	37.69	46.00	-8.31	44.25	23.08	3.17	32.90	0.09 -- -- PEAK	6	579.02	32.76	46.00	-13.24	36.31	25.82	3.49	33.03	0.17 -- -- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>67.83</td><td>32.37</td><td>40.00</td><td>-7.63</td><td>51.17</td><td>12.41</td><td>1.44</td><td>32.72</td><td>0.07 -- -- PEAK</td></tr><tr><td>2</td><td>90.14</td><td>31.72</td><td>43.50</td><td>-11.78</td><td>47.65</td><td>15.14</td><td>1.54</td><td>32.70</td><td>0.09 -- -- PEAK</td></tr><tr><td>3</td><td>307.42</td><td>31.34</td><td>46.00</td><td>-14.66</td><td>42.08</td><td>19.33</td><td>2.63</td><td>32.79</td><td>0.09 -- -- PEAK</td></tr><tr><td>4</td><td>450.98</td><td>38.63</td><td>46.00</td><td>-7.37</td><td>45.25</td><td>23.03</td><td>3.17</td><td>32.90</td><td>0.08 -- -- PEAK</td></tr><tr><td>5</td><td>474.26</td><td>37.60</td><td>46.00</td><td>-8.40</td><td>43.75</td><td>23.46</td><td>3.20</td><td>32.92</td><td>0.11 -- -- PEAK</td></tr><tr><td>6</td><td>938.89</td><td>33.25</td><td>46.00</td><td>-12.75</td><td>29.97</td><td>30.49</td><td>4.28</td><td>31.74</td><td>0.25 -- -- PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	67.83	32.37	40.00	-7.63	51.17	12.41	1.44	32.72	0.07 -- -- PEAK	2	90.14	31.72	43.50	-11.78	47.65	15.14	1.54	32.70	0.09 -- -- PEAK	3	307.42	31.34	46.00	-14.66	42.08	19.33	2.63	32.79	0.09 -- -- PEAK	4	450.98	38.63	46.00	-7.37	45.25	23.03	3.17	32.90	0.08 -- -- PEAK	5	474.26	37.60	46.00	-8.40	43.75	23.46	3.20	32.92	0.11 -- -- PEAK	6	938.89	33.25	46.00	-12.75	29.97	30.49	4.28	31.74	0.25 -- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																										
	1	67.83	29.13	40.00	-10.87	47.93	12.41	1.44	32.72	0.07 -- -- PEAK																																																																																																																																																																																										
	2	91.11	29.54	43.50	-13.96	45.36	15.24	1.55	32.70	0.09 -- -- PEAK																																																																																																																																																																																										
	3	159.01	18.11	43.50	-25.39	31.09	16.71	1.99	32.70	0.22 -- -- PEAK																																																																																																																																																																																										
	4	308.39	35.36	46.00	-10.64	46.08	19.35	2.63	32.79	0.09 -- -- PEAK																																																																																																																																																																																										
5	453.89	37.69	46.00	-8.31	44.25	23.08	3.17	32.90	0.09 -- -- PEAK																																																																																																																																																																																											
6	579.02	32.76	46.00	-13.24	36.31	25.82	3.49	33.03	0.17 -- -- PEAK																																																																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																											
1	67.83	32.37	40.00	-7.63	51.17	12.41	1.44	32.72	0.07 -- -- PEAK																																																																																																																																																																																											
2	90.14	31.72	43.50	-11.78	47.65	15.14	1.54	32.70	0.09 -- -- PEAK																																																																																																																																																																																											
3	307.42	31.34	46.00	-14.66	42.08	19.33	2.63	32.79	0.09 -- -- PEAK																																																																																																																																																																																											
4	450.98	38.63	46.00	-7.37	45.25	23.03	3.17	32.90	0.08 -- -- PEAK																																																																																																																																																																																											
5	474.26	37.60	46.00	-8.40	43.75	23.46	3.20	32.92	0.11 -- -- PEAK																																																																																																																																																																																											
6	938.89	33.25	46.00	-12.75	29.97	30.49	4.28	31.74	0.25 -- -- PEAK																																																																																																																																																																																											




Mode	31																																																																	
	SHF																																																																	
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																	
ANT	5G Ant 0+1 (CDD)																																																																	
Pol.	Horizontal						Vertical																																																											
Peak																																																																		
	Site : 03CH23-HY Condition: PEAK(UNII) 1m SHF_1223_230710 HORIZONTAL																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>23641.00</td><td>39.12</td><td>74.00</td><td>-34.88</td><td>49.63</td><td>38.94</td><td>20.13</td><td>60.04</td><td>-9.54</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>39371.85</td><td>46.62</td><td>74.00</td><td>-27.38</td><td>47.98</td><td>44.94</td><td>27.04</td><td>63.80</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	23641.00	39.12	74.00	-34.88	49.63	38.94	20.13	60.04	-9.54	--	PEAK	2	39371.85	46.62	74.00	-27.38	47.98	44.94	27.04	63.80	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	23641.00	39.12	74.00	-34.88	49.63	38.94	20.13	60.04	-9.54	--	PEAK																																																							
2	39371.85	46.62	74.00	-27.38	47.98	44.94	27.04	63.80	-9.54	--	PEAK																																																							
Site : 03CH23-HY Condition: PEAK(UNII) 1m SHF_1223_230710 VERTICAL																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>24830.48</td><td>39.49</td><td>68.20</td><td>-28.71</td><td>48.41</td><td>39.64</td><td>20.82</td><td>59.84</td><td>-9.54</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>39181.75</td><td>46.55</td><td>74.00</td><td>-27.45</td><td>48.05</td><td>44.55</td><td>27.14</td><td>63.65</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	24830.48	39.49	68.20	-28.71	48.41	39.64	20.82	59.84	-9.54	--	PEAK	2	39181.75	46.55	74.00	-27.45	48.05	44.55	27.14	63.65	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	24830.48	39.49	68.20	-28.71	48.41	39.64	20.82	59.84	-9.54	--	PEAK																																																							
2	39181.75	46.55	74.00	-27.45	48.05	44.55	27.14	63.65	-9.54	--	PEAK																																																							



Appendix D. Duty Cycle Plots




Antenna	Band	Duty Cycle(%)	T(us)	Duty Factor(dB)
0	5GHz 802.11ac VHT80	94.68	2490	0.24
0	5GHz 802.11be EHT80 Full RU	93.44	2280	0.29
0+1	802.11a_Ant 0	94.64	1976	0.24
0+1	802.11a_Ant 1	94.74	1980	0.23
0+1	5GHz 802.11ac VHT20_Ant 0	94.83	4402	0.23
0+1	5GHz 802.11ac VHT20_Ant 1	94.83	4402	0.23
0+1	5GHz 802.11ac VHT40_Ant 0	95.05	2690	0.22
0+1	5GHz 802.11ac VHT40_Ant 1	95.05	2690	0.22
0+1	5GHz 802.11ac VHT80_Ant 0	92.34	1265	0.35
0+1	5GHz 802.11ac VHT80_Ant 1	92.34	1265	0.35
0+1	5GHz 802.11be EHT20 Full RU_Ant 0	94.74	4680	0.23
0+1	5GHz 802.11be EHT20 Full RU_Ant 1	94.74	4680	0.23
0+1	5GHz 802.11be EHT40 Full RU_Ant 0	94.89	2376	0.23
0+1	5GHz 802.11be EHT40 Full RU_Ant 1	94.82	2380	0.23
0+1	5GHz 802.11be EHT80 Full RU_Ant 0	90.68	1168	0.42
0+1	5GHz 802.11be EHT80 Full RU_Ant 1	91.20	1171	0.40

SISO <Ant. 0>






MIMO <Ant. 0+1>







5GHz 802.11ac VHT80_Ant 0




5GHz 802.11ac VHT80_Ant 1




5GHz 802.11be EHT20 Full RU_Ant 0




5GHz 802.11be EHT20 Full RU_Ant 1




5GHz 802.11be EHT40 Full RU_Ant 0



5GHz 802.11be EHT40 Full RU_Ant 1





—THE END—