

Appendix A

A.1 Radar Type 5 Parameters for 20 MHz Bandwidth

TYPE 5 PARAMETER SHEET						
						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	59.5	6			215.493
2	2	95.7	6	1386		225.917
3	1	88.8	6			617.5
4	2	93.1	6	1133		329.91
5	2	82.2	6	1321		375.64
6	2	58.7	6	1446		131.62
7	2	66.7	6	1136		113.16
8	3	76.1	6	1074	1653	154.79
9	3	94.4	6	1533	1225	464.61
10	1	92.1	6			180.45
11	3	94.7	6	1511	1983	307.58
12	3	66.7	6	1040	1368	155.65
13	1	74.3	6			338.18
14	2	53.6	6	1133		404.3
15	1	90	6			463.3
16	1	51.8	6			407.1

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 2						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	73.4	12	1012		302.371
2	1	78.3	12			439.423
3	3	83.3	12	1877	1486	422.876
4	1	84.5	12			720.639
5	2	90.1	12	1050		408.902
6	1	84.2	12			398.625
7	1	63.7	12			607.248
8	2	71.2	12	1990		632.722
9	3	86	12	1703	1432	916.095
10	2	86.9	12	1844		111.968
11	2	76.2	12	1238		785.231
12	2	56.2	12	1425		736.354
13	1	68.9	12			275.577

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	50.2	16			370.626
2	2	68.8	16	1342		445.888
3	1	77.8	16			260.625
4	2	92.5	16	1781		251.963
5	3	66.3	16	1441	1038	73.091
6	2	61	16	1322		441.718
7	3	71.9	16	1186	1307	673.836
8	3	80.9	16	1433	1960	519.924
9	1	57.6	16			629.241
10	1	78.7	16			554.529
11	1	88.1	16			683.186
12	3	93.1	16	1818	1895	622.934
13	3	84.7	16	1154	1409	283.352
14	2	60.7	16	1082		67.699
15	2	71.4	16	1701		487.347
16	3	72	16	1663	1350	437.665
17	2	58.2	16	1294		56.982

TYPE 5 PARAMETER SHEET						
						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	57.9	18	1444		449.745
2	2	50.5	18	1305		550.023
3	2	88	18	1503		407.177
4	2	51.6	18	1439		152.78
5	3	90.8	18	1527	1123	70.193
6	1	100	18			613.607
7	2	64.9	18	1917		278.81
8	3	83.2	18	1695	1981	385.763
9	1	84.8	18			481.667
10	2	84.2	18	1736		99.46
11	2	97.5	18	1309		656.563
12	2	71.8	18	1402		247.427
13	2	61.9	18	1056		19.98
14	2	88.7	18	1575		471.053
15	3	62.6	18	1169	1977	596.857
16	3	97.1	18	1621	1263	119.3
17	2	74	18	1611		215.033
18	2	75.9	18	1590		434.067

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 5						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	92.1	20	1529		345.863
2	2	86.2	20	1508		812.73
3	3	69.3	20	1309	1070	381.24
4	2	66.6	20	1148		688.24
5	2	51.5	20	1025		22.61
6	2	95	20	1334		260.74
7	2	65.7	20	1024		529.3
8	2	79.8	20	2000		65.95
9	2	91.8	20	1956		704.09
10	2	77.3	20	1650		334.27
11	1	73.2	20			854.2
12	2	92.2	20	1397		31.5

TYPE 5 PARAMETER SHEET						
Rohde & Schwarz Pulse Sequencer						
Trial Number : 6						
Bursts in Trial: 9						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	77.5	17			73.435
2	3	80.7	17	1894	1598	1215.417
3	1	98.7	17			1198.923
4	2	76.1	17	1028		1257.99
5	2	84.4	17	1978		942.157
6	1	75.3	17			315.423
7	1	56.9	17			258.13
8	2	56.7	17	1450		1063.867
9	3	61.5	17	1991	1894	9.433

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 10						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	68.5	16			63.307
2	1	67.1	16			304.38
3	2	86.2	16	1265		252.38
4	1	55.8	16			302.76
5	2	77.4	16	1102		145.79
6	2	75.2	16	1586		278.56
7	2	52.7	16	1629		864.14
8	3	58.6	16	1259	1639	395.02
9	2	97.3	16	1210		217.83
10	1	89.5	16			865.3

TYPE 5 PARAMETER SHEET							Rohde & Schwarz Pulse Sequencer
Trial Number : 8							
Bursts in Trial: 16							
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)	
1	2	83.2	5	1656		133.532	
2	2	97.9	5	1468		366.69	
3	1	94.9	5			90.31	
4	1	53.7	5			659.68	
5	3	89.7	5	1606	1447	180.96	
6	3	78.8	5	1451	1523	615.6	
7	1	77.6	5			230.05	
8	2	70	5	1872		613.28	
9	2	69.2	5	1869		494.49	
10	2	76.8	5	1614		52.29	
11	2	55.7	5	1575		133.07	
12	2	75.1	5	1907		688.77	
13	1	89.2	5			110.33	
14	1	77.2	5			308	
15	1	94.7	5			5.1	
16	2	66.7	5	1927		67.7	

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 8						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	87.1	15	1706		896.996
2	1	65.5	15			468.34
3	3	51.3	15	1716	1769	1125.78
4	1	94.3	15			279.36
5	1	51	15			13.86
6	2	85.6	15	1847		496.48
7	2	97.6	15	1632		624.05
8	2	64.4	15	1192		1098.8

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 10						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	55	12	1303	1849	561.285
2	1	50.2	12			270.455
3	3	61.1	12	1910	1735	413.312
4	1	65.3	12			69.863
5	2	79.2	12	1756		603.424
6	2	98.5	12	1696		571.715
7	2	83.9	12	1990		393.966
8	3	79.2	12	1908	1837	346.187
9	2	63.2	12	1168		40.208
10	2	74.5	12	1956		89.729
11	3	94.7	12	1483	1818	462.831
12	2	68	12	1497		510.152
13	1	68.2	12			248.703
14	2	97.9	12	1761		411.484
15	2	85.2	12	1397		592.735
16	2	75.5	12	1448		204.796
17	1	52.8	12			563.937
18	3	78.7	12	1972	1716	368.158
19	3	95.7	12	1107	1124	120.279

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 11						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	78.2	17			654.428
2	2	61.9	17	1886		544.687
3	2	76.7	17	1100		527.914
4	3	90.2	17	1176	1815	811.791
5	2	60.3	17	1085		847.739
6	1	98	17			835.256
7	1	68.4	17			478.193
8	2	92.1	17	1688		584.18
9	3	96.9	17	1317	1517	19.547
10	2	54.3	17	1849		377.844
11	2	77.2	17	1419		441.551
12	2	92	17	1916		67.139
13	1	84.9	17			341.986
14	3	72.2	17	1164	1003	242.143

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	67.8	18			904.328
2	3	72.8	18	1358	1822	28.654
3	1	90.1	18			81.526
4	2	68.1	18	1909		289.589
5	2	64.7	18	1786		351.602
6	2	78.5	18	1725		502.745
7	2	86.4	18	1843		914.868
8	2	65.4	18	1766		860.102
9	3	73.9	18	1801	1887	18.925
10	1	90.8	18			353.168
11	1	83.7	18			586.641
12	2	60.9	18	1140		534.954
13	3	64.4	18	1171	1820	233.577

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 13						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	53.8	10	1694	1743	122.752
2	2	81.9	10	1422		478.94
3	2	98.8	10	1270		477.76
4	2	66.8	10	1520		195.73
5	2	51.7	10	1653		475.3
6	2	74.9	10	1084		518.59
7	1	65	10			226.82
8	2	89.4	10	1383		669.72
9	2	82.3	10	1471		368.56
10	2	59.4	10	1475		79.75
11	2	62.3	10	1452		353.18
12	3	63	10	1745	1306	112.51
13	1	51.7	10			230.87
14	1	68.9	10			522
15	3	90.4	10	1690	1876	172.4
16	3	93.6	10	1562	1030	465.1

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 14						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	83.3	19	1244	1211	399.832
2	3	76.3	19	1795	1108	167.516
3	3	51.1	19	1604	1657	696.7
4	3	71.1	19	1306	1179	448.21
5	2	65.5	19	1851		233.14
6	2	73.4	19	1482		161.58
7	2	50	19	1142		671.83
8	2	60.4	19	1047		164.69
9	2	79.6	19	1088		733.39
10	2	64.9	19	1971		303.67
11	2	57.6	19	1259		315.8
12	2	58.4	19	1234		579.88
13	3	70.3	19	1207	1971	73.19
14	2	93.9	19	1337		369.5
15	1	72.3	19			51.8
16	1	92.6	19			41

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 15						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	89.8	16	1300	1497	473.392
2	1	51.6	16			769.653
3	2	88.1	16	1254		472.806
4	2	57	16	1154		97.899
5	2	82.7	16	1692		189.512
6	2	75.3	16	1522		343.975
7	2	72.3	16	1805		135.278
8	2	50.4	16	1136		141.422
9	3	60.1	16	1075	1376	217.705
10	3	92	16	1935	1111	331.878
11	2	54	16	1581		878.131
12	2	53.3	16	1632		239.654
13	1	60.6	16			538.677

TYPE 5 PARAMETER SHEET						
						Rohde & Schwarz Pulse Sequencer
Trial Number : 16						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	98.6	6	1274		216.978
2	2	50.6	6	1708		352.507
3	1	68.9	6			408.604
4	2	86.2	6	1264		780.301
5	2	74.5	6	1461		245.409
6	3	56.8	6	1774	1140	373.396
7	2	99.2	6	1343		387.253
8	3	87.3	6	1855	1526	574.14
9	2	84.2	6	1833		259.607
10	2	74.6	6	1649		391.964
11	2	72.3	6	1224		576.071
12	2	51.9	6	1719		429.289
13	3	50.5	6	1667	1036	340.286
14	2	87.1	6	1917		447.243

TYPE 5 PARAMETER SHEET							Rohde & Schwarz Pulse Sequencer
Trial Number : 17							
Bursts in Trial: 15							
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)	
1	1	64.1	19			442.393	
2	2	99.3	19	1579		66.328	
3	1	61.2	19			761.09	
4	3	73.7	19	1436	1520	555.38	
5	3	75.4	19	1749	1821	342.89	
6	2	59.7	19	1682		117.9	
7	2	90.9	19	1166		606.23	
8	2	57.2	19	1687		543.02	
9	3	99.5	19	1100	1452	581.62	
10	2	71.7	19	1382		72.09	
11	3	55.5	19	1529	1859	383.87	
12	1	92	19			711.43	
13	2	77.8	19	1658		421.4	
14	3	97.3	19	1201	1386	714.6	
15	3	50.8	19	1562	1215	104.2	

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 18						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	78.2	18	1166	1693	489.169
2	2	55.4	18	1887		15.311
3	2	97.8	18	1499		325.652
4	2	50.1	18	1784		204.663
5	1	98.3	18			288.634
6	1	83.5	18			126.685
7	1	91.6	18			541.336
8	1	71	18			419.827
9	1	92	18			343.488
10	1	66.3	18			293.989
11	2	76.5	18	1021		104.771
12	2	88.8	18	1587		314.912
13	1	78.5	18			468.343
14	2	92.2	18	1742		613.154
15	2	60.2	18	1301		441.965
16	2	94.6	18	1009		137.686
17	3	96	18	1203	1027	299.037
18	1	86.8	18			33.058
19	1	97.8	18			83.779

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 19						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	90.3	8	1628		236.122
2	3	79.2	8	1025	1160	509.998
3	2	82.7	8	1742		93.475
4	1	91	8			403.153
5	3	50	8	1486	1391	546.071
6	2	73.9	8	1718		299.038
7	3	94.6	8	1593	1452	523.816
8	1	85.1	8			10.134
9	2	60.2	8	1968		142.061
10	1	82	8			290.219
11	1	63.2	8			253.666
12	2	59	8	1954		217.164
13	2	95.5	8	1174		170.652
14	2	94.1	8	1482		223.499
15	2	68	8	1436		639.647
16	3	85.5	8	1150	1114	86.965
17	2	72.4	8	1156		593.582

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	60.9	12	1038		571.537
2	1	95.6	12			758.45
3	3	58.7	12	1268	1353	44.39
4	3	62	12	1381	1655	434.41
5	1	88.7	12			137.48
6	1	74.7	12			645.57
7	2	69	12	1655		351.75
8	1	82.8	12			536.9
9	1	92.3	12			40.64
10	3	64.6	12	1720	1338	318.32
11	2	61.9	12	1705		705.45
12	1	63.6	12			437.21
13	1	62.5	12			743.7
14	2	65.1	12	1616		540.2
15	3	61.5	12	1028	1331	535.6

TYPE 5 PARAMETER SHEET

Rohde & Schwarz
 Pulse Sequencer

Trial Number : 22

Bursts in Trial: 8

Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	74.6	7	1034		931.504
2	2	89.9	7	1649		782.76
3	2	57.5	7	1860		1373.78
4	1	65.2	7			646.07
5	2	96.3	7	1596		411.88
6	3	79.1	7	1747	1020	713.94
7	1	94.6	7			469.71
8	2	72.3	7	1379		990.7

TYPE 5 PARAMETER SHEET						
Rohde & Schwarz Pulse Sequencer						
Trial Number : 23						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	1	98.8	13			990.547
2	3	95	13	1907	1605	117.101
3	2	68.6	13	1442		742.652
4	3	73.2	13	1667	1815	328.783
5	2	89.2	13	1271		168.604
6	2	63.4	13	1740		771.725
7	2	70.2	13	1276		230.875
8	2	65.1	13	1746		88.176
9	2	87.1	13	1107		1028.657
10	1	97.9	13			1014.718
11	1	90	13			201.409

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	85.8	16			225.697
2	1	59.6	16			681.658
3	2	97.8	16	1063		405.145
4	1	98.3	16			6.963
5	1	82.4	16			699.041
6	1	62.5	16			637.358
7	3	91.2	16	1769	1041	298.996
8	2	72.2	16	1053		257.264
9	1	94.2	16			286.041
10	3	53.1	16	1002	1844	63.859
11	2	59.2	16	1075		683.476
12	3	61.2	16	1232	1688	603.074
13	3	54.3	16	1862	1776	600.022
14	2	52.4	16	1093		226.449
15	2	64.5	16	1893		508.647
16	2	61.6	16	1498		16.765
17	3	50.5	16	1195	1792	413.782

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 9						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	61.5	5	1242		174.625
2	3	85.2	5	1976	1850	845.707
3	2	89.1	5	1996		1163.273
4	1	59.2	5			126.84
5	2	51.3	5	1558		540.237
6	3	64.4	5	1345	1652	1141.023
7	3	90.2	5	1417	1420	1205.46
8	1	60.7	5			548.097
9	2	65.8	5	1351		330.933

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	74.7	7			449.123
2	1	64.5	7			343.828
3	2	58.1	7	1737		229.855
4	3	77.7	7	1830	1395	498.573
5	2	96.6	7	1497		208.281
6	1	76.2	7			51.398
7	1	59.8	7			520.456
8	2	89.7	7	1806		33.494
9	2	76.7	7	1181		319.491
10	2	96.8	7	1496		679.119
11	2	77	7	1689		19.006
12	1	93.9	7			124.024
13	2	73.7	7	1951		557.612
14	3	63.4	7	1957	1246	340.529
15	3	53.2	7	1477	1042	695.047
16	2	79.2	7	1245		125.165
17	2	77	7	1630		498.682

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 27						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	60.1	6	1334		108.354
2	2	97.7	6	1451		516.76
3	1	65.3	6			629.18
4	2	67.4	6	1523		371.75
5	2	64.8	6	1642		595.48
6	3	71.3	6	1395	1267	499.54
7	2	85.8	6	1082		366.82
8	3	94.8	6	1897	1679	549.8
9	2	58.1	6	1553		470.28
10	2	67.4	6	1372		411.55
11	1	93	6			660
12	2	54.1	6	1483		522.71
13	1	72.3	6			156.17
14	2	98.5	6	1664		63.42
15	3	67.1	6	1413	1345	578.1
16	2	77.1	6	1842		693.6

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 28						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	89.9	15	1297		144.957
2	1	82.2	15			883.233
3	2	64.3	15	1537		300.456
4	2	58	15	1349		9.739
5	3	61.4	15	1177	1959	494.792
6	3	54.9	15	1521	1060	177.375
7	1	59.6	15			63.448
8	1	81.5	15			382.592
9	2	79.6	15	1747		243.315
10	3	53.4	15	1148	1623	833.558
11	3	58	15	1245	1723	9.151
12	2	72.2	15	1388		141.554
13	2	62.7	15	1208		28.577

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	95.6	11	1923		309.65
2	2	79.5	11	1005		475.69
3	3	63.7	11	1608	1419	387.09
4	2	74.3	11	1712		305.77
5	2	79.5	11	1385		225.73
6	2	63.4	11	1348		48.3
7	3	93.9	11	1298	1773	407.33
8	1	96.9	11			401.88
9	1	62	11			290.85
10	1	83.7	11			487.35
11	2	73.8	11	1478		242.98
12	1	66.9	11			29.79
13	1	80.9	11			278.19
14	3	51.1	11	1473	1762	37.05
15	2	73.6	11	1044		445.34
16	2	72.7	11	1243		532.42
17	3	96.8	11	1534	1917	553.4
18	3	61	11	1427	1702	389.1
19	3	85.8	11	1159	1023	120.5
20	3	87.5	11	1202	1582	509.1

TYPE 5 PARAMETER SHEET						
						Rohde & Schwarz Pulse Sequencer
Trial Number : 30						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	82.4	13	1570	1288	657.091
2	3	63.5	13	1102	1790	41.503
3	2	58.8	13	1101		130.294
4	3	96.1	13	1288	1737	648.731
5	1	89.9	13			608.249
6	2	50	13	1188		5.196
7	3	82.9	13	1926	1876	807.273
8	2	84.5	13	1864		197.64
9	2	97.9	13	1641		208.997
10	3	100	13	1477	1456	807.414
11	2	92.2	13	1879		414.541
12	3	77.6	13	1915	1168	398.889
13	1	71.1	13			164.786
14	2	82.5	13	1163		580.143

A.2 Radar Type 5 Parameters for 40 MHz Bandwidth

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	72.8	15			683.201
2	1	68.3	15			166.28
3	1	88.3	15			29.64
4	3	87.5	15	1018	1396	609.34
5	2	82.7	15	1597		589.31
6	1	56	15			810.89
7	3	83	15	1847	1402	96.83
8	1	86	15			369.5
9	3	75.7	15	1376	1396	974.27
10	2	54.6	15	1332		753.8
11	1	69.8	15			172.3
12	2	62	15	1809		342.6

TYPE 5 PARAMETER SHEET						
						Rohde & Schwarz Pulse Sequencer
Trial Number : 2						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	98	14	1485		490.284
2	1	50.1	14			508.968
3	2	51.4	14	1982		682.875
4	2	75.5	14	1463		382.463
5	2	74.1	14	1904		243.751
6	3	78.9	14	1007	1114	530.338
7	2	75.5	14	1865		23.336
8	1	87.7	14			72.184
9	2	67.3	14	1882		663.971
10	2	56.2	14	1186		320.299
11	2	93	14	1364		305.466
12	1	53.3	14			396.344
13	3	78.3	14	1739	1036	652.122
14	3	99.8	14	1720	1911	233.659
15	2	62.5	14	1323		464.447
16	2	53.9	14	1998		378.965
17	1	67.7	14			473.282

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	99.8	20	1451		327.759
2	2	94.9	20	1072		156.035
3	2	55.2	20	1712		196.35
4	2	58.2	20	1983		242.48
5	1	53.2	20			130.23
6	2	69.9	20	1770		589.82
7	2	71.6	20	1046		32.64
8	2	70.3	20	1657		531.97
9	3	83	20	1028	1197	175.34
10	3	60.6	20	1710	1170	297.67
11	2	83.8	20	1774		239.69
12	1	68.5	20			341.35
13	1	86.3	20			155.01
14	2	73.1	20	1238		11.39
15	1	96	20			517.82
16	3	84.4	20	1036	1650	372.45
17	2	80	20	1436		555.4
18	2	80.1	20	1249		85.5
19	2	86.1	20	1906		401.1
20	2	81.3	20	1202		59

TYPE 5 PARAMETER SHEET						
						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	87.8	13			75.854
2	1	71.6	13			288.2
3	2	85.9	13	1214		382.21
4	3	70.9	13	1406	1368	722.76
5	2	80.5	13	1460		726.31
6	3	71.6	13	1866	1781	521.18
7	2	65.6	13	1317		691.88
8	2	64.6	13	1840		239.65
9	3	54	13	1689	1939	104.59
10	1	54.3	13			711.15
11	2	63.4	13	1310		734.31
12	2	83.8	13	1640		691.87
13	3	72	13	1216	1553	539.47
14	1	83.7	13			371
15	2	50.4	13	1344		43.1
16	2	75.4	13	1635		477

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 5						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	87.5	6	1235		481.486
2	3	70.3	6	1701	1447	514.853
3	2	62.7	6	1638		401.707
4	2	76	6	1864		81.32
5	3	71.8	6	1159	1607	264.913
6	3	73.5	6	1349	1995	117.507
7	3	62.9	6	1618	1689	594.89
8	3	59.5	6	1841	1851	44.573
9	1	87.4	6			337.177
10	3	88.1	6	1886	1663	275.64
11	2	99.1	6	1061		131.653
12	3	79.6	6	1669	1901	450.917
13	2	72.7	6	1865		259.76
14	1	69.5	6			550.983
15	2	52	6	1145		477.657
16	3	63.8	6	1697	1955	173
17	2	66.1	6	1282		280.833
18	1	96.5	6			460.867

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	72	14	1507		251.704
2	2	64.1	14	1950		26.778
3	3	68	14	1480	1305	271.125
4	1	82.8	14			142.533
5	1	86.1	14			330.611
6	2	92.7	14	1140		190.408
7	2	59	14	1156		154.396
8	3	58.1	14	1490	1250	620.464
9	2	66.4	14	1501		646.091
10	1	70.3	14			551.399
11	3	97.5	14	1469	1208	354.166
12	3	95	14	1705	1548	178.644
13	3	82.1	14	1823	1040	220.962
14	1	66	14			119.579
15	1	71.4	14			373.447
16	1	85.9	14			349.365
17	2	51	14	1080		497.782

TYPE 5 PARAMETER SHEET						
						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 8						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	60.4	15	1170	1475	825.612
2	2	74.4	15	1582		1011.81
3	2	53.2	15	1578		1269.63
4	3	81.4	15	1712	1681	78.8
5	1	81.9	15			1000.06
6	1	96.7	15			271.63
7	1	58.5	15			1476.3
8	2	93.6	15	1804		108.4

TYPE 5 PARAMETER SHEET						
						Rohde & Schwarz Pulse Sequencer
Trial Number : 8						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	94.5	12	1621		674.744
2	2	97	12	1876		104
3	2	76.2	12	1702		282.15
4	2	58.2	12	1787		757.8
5	3	75	12	1407	1248	697.83
6	1	88.7	12			163.18
7	3	62.7	12	1734	1387	106.32
8	2	78.9	12	1809		646.51
9	2	89.1	12	1037		138.01
10	2	64.6	12	1658		289.4
11	3	52.8	12	1778	1443	579.2
12	2	60.6	12	1264		878.9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	58	7			173.179
2	2	73	7	1581		136.497
3	2	51.5	7	1541		326.4
4	2	94.6	7	1918		344.66
5	2	83.5	7	1790		364.07
6	1	65.3	7			740.14
7	3	60.3	7	1407	1306	538.85
8	3	76.7	7	1420	1931	201.42
9	2	52.6	7	1355		110.61
10	1	57.6	7			473.74
11	2	56.8	7	1052		78.01
12	2	57.4	7	1959		347.7
13	2	52.3	7	1786		501.38
14	2	76.8	7	1455		418.3
15	2	75	7	1075		253.3
16	2	89.5	7	1776		677.3

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 10						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	93.8	15	1061	1061	288.95
2	2	62.1	15	1397		5.523
3	2	54.2	15	1709		376.845
4	3	66.5	15	1926	1333	197.793
5	3	57.4	15	1511	1919	141.811
6	3	57.1	15	1641	1284	268.788
7	3	77.3	15	1004	1324	269.266
8	2	58.2	15	1074		334.524
9	2	63.3	15	1053		578.331
10	3	97.6	15	1495	1604	508.639
11	3	54	15	1141	1686	380.196
12	2	68.3	15	1184		648.144
13	3	50.7	15	1724	1980	282.392
14	2	64.5	15	1393		398.959
15	1	66.9	15			305.247
16	2	76.7	15	1905		531.065
17	1	68.2	15			91.982

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 11						
Bursts in Trial: 9						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	91	14	1330		810.145
2	1	54.2	14			1065.227
3	2	70.7	14	1269		1254.073
4	3	53.3	14	1533	1674	480.49
5	2	59.5	14	1869		518.017
6	1	53.6	14			965.743
7	3	76.1	14	1288	1784	974.14
8	3	54.8	14	1831	1337	1019.267
9	3	71.2	14	1791	1542	942.333

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	87	15	1930		293.234
2	2	90.2	15	1533		161.638
3	3	87.6	15	1456	1702	483.072
4	2	92.9	15	1600		35.673
5	1	89.2	15			258.744
6	2	50.7	15	1747		325.375
7	3	82.2	15	1199	1693	604.196
8	2	81.2	15	1871		461.587
9	1	79.9	15			174.928
10	2	87	15	1035		469.509
11	3	84.2	15	1208	1221	577.581
12	2	78.9	15	1970		388.732
13	3	55	15	1552	1377	236.553
14	2	60.4	15	1148		425.484
15	2	64.9	15	1712		382.845
16	3	52.2	15	1744	1999	284.806
17	2	83.3	15	1155		407.937
18	2	58.7	15	1975		294.358
19	2	97.7	15	1608		129.179

TYPE 5 PARAMETER SHEET						
						Rohde & Schwarz Pulse Sequencer
Trial Number : 13						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	94.3	5	1069	1854	527.246
2	2	72	5	1762		919.04
3	3	56	5	1132	1770	826.43
4	2	54.2	5	1087		818.01
5	2	70	5	1669		655.69
6	3	61.3	5	1417	1541	495.34
7	2	82	5	1342		958.97
8	2	51.4	5	1940		534.07
9	2	65.1	5	1284		641.6
10	1	78.2	5			551.35
11	3	72.3	5	1543	1379	819.4
12	2	66.7	5	1679		790

TYPE 5 PARAMETER SHEET						
						Rohde & Schwarz Pulse Sequencer
Trial Number : 14						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	71.7	19	1005		384.316
2	3	72.1	19	1252	1637	200.041
3	2	67	19	1267		737.522
4	2	77.5	19	1864		156.163
5	1	66	19			187.454
6	2	70.2	19	1066		367.805
7	2	68.6	19	1850		989.095
8	2	89.1	19	1193		139.326
9	3	64.7	19	1265	1698	94.357
10	2	58.4	19	1243		187.618
11	3	58.1	19	1462	1468	265.309

TYPE 5 PARAMETER SHEET						
						Rohde & Schwarz Pulse Sequencer
Trial Number : 15						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	62.4	9			144.089
2	3	59.2	9	1587	1690	76.465
3	2	84.1	9	1588		346.716
4	1	82.1	9			645.219
5	1	76.1	9			776.372
6	1	74.2	9			66.555
7	1	60.6	9			271.088
8	1	52.9	9			571.052
9	2	90.3	9	1654		707.795
10	3	85.4	9	1198	1288	789.678
11	3	77.9	9	1498	1076	42.221
12	2	97.5	9	1276		663.654
13	1	60	9			340.377

TYPE 5 PARAMETER SHEET							Rohde & Schwarz Pulse Sequencer
Trial Number : 16							
Bursts in Trial: 9							
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)	
1	2	63.2	9	1555		613.461	
2	2	86.9	9	1639		1038.867	
3	2	51.1	9	1606		884.113	
4	3	91.2	9	1166	1236	461.52	
5	2	60.9	9	1775		614.417	
6	2	76.8	9	1875		23.913	
7	2	54.7	9	1909		889.66	
8	3	76.9	9	1560	1958	431.177	
9	2	64.2	9	1315		544.033	

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	64.1	7	1998	1960	316.504
2	3	96.6	7	1366	1098	174.665
3	2	53.3	7	1711		194.765
4	2	87.8	7	1511		140.483
5	2	92.2	7	1110		538.871
6	2	84.1	7	1620		191.528
7	3	83.4	7	1074	1593	107.276
8	2	93.7	7	1474		103.554
9	3	72.1	7	1352	1701	669.201
10	1	70.9	7			165.229
11	3	76.6	7	1326	1375	446.076
12	2	79.7	7	1013		156.244
13	1	65.7	7			240.072
14	2	96	7	1687		237.719
15	3	67.2	7	1226	1468	233.347
16	1	86.6	7			510.065
17	1	96.9	7			611.882

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 18						
Bursts in Trial: 10						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	96.5	9			307.812
2	2	90.9	9	1689		561.46
3	2	51.7	9	1737		916.34
4	1	93.7	9			1017.61
5	1	91.3	9			21.33
6	2	63.8	9	1079		680.09
7	1	95.8	9			417.76
8	3	83.6	9	1570	1388	459.22
9	3	68.4	9	1587	1843	764.2
10	3	63.6	9	1286	1804	559.4

TYPE 5 PARAMETER SHEET							Rohde & Schwarz Pulse Sequencer
Trial Number : 19							
Bursts in Trial: 9							
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)	
1	2	54.7	17	1590		927.798	
2	1	56.2	17			756.307	
3	1	66.3	17			703.163	
4	2	75.3	17	1328		1241.73	
5	1	83	17			928.817	
6	1	94.9	17			178.133	
7	2	86.6	17	1413		353.46	
8	3	75.9	17	1593	1922	1054.067	
9	2	53.4	17	1504		690.733	

TYPE 5 PARAMETER SHEET						
						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	58.6	5	1140	1551	551.494
2	2	76.1	5	1913		676.47
3	2	76.1	5	1923		285.33
4	2	98.2	5	1154		620.53
5	1	80.4	5			54.53
6	3	78.5	5	1612	1376	120.44
7	1	90.3	5			371.74
8	2	80.3	5	1401		622.15
9	2	98.1	5	1569		225.3
10	3	69.5	5	1330	1407	32.68
11	2	79.9	5	1380		390.38
12	2	79	5	1991		582.01
13	3	78.5	5	1459	1100	627.81
14	3	66.2	5	1721	1032	666.7
15	1	64	5			689
16	2	64.4	5	1324		212.1

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	1	98.8	18			975.27
2	1	80.7	18			16.37
3	2	70.2	18	1474		468.49
4	1	61.5	18			657.83
5	2	53.9	18	1569		803.96
6	2	90.8	18	1839		564.72
7	1	83.7	18			679.92
8	3	53.1	18	1568	1434	259.67
9	3	55.4	18	1057	1086	833.23
10	3	97.6	18	1460	1233	54.07
11	3	80.6	18	1686	1768	688.8
12	2	97.2	18	1000		867.4

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	61.4	14	1824		705.253
2	3	90	14	1475	1553	703.97
3	3	65.3	14	1712	1520	556.1
4	2	58.8	14	1157		221.04
5	2	71.4	14	1918		677.91
6	1	58.3	14			578.72
7	3	72.1	14	1745	1693	472.36
8	1	86.7	14			109.03
9	2	73.1	14	1325		712.6
10	2	55.3	14	1026		678.11
11	2	70.8	14	1486		670.44
12	1	66	14			41.5
13	1	80.3	14			721.58
14	2	75	14	1409		481.8
15	2	55.8	14	1823		564.1
16	2	56.9	14	1561		291.4

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 23						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	68.8	16	1324		371.765
2	2	87.9	16	1022		465.22
3	1	90.4	16			695.75
4	3	91.3	16	1908	1808	964.47
5	1	64.7	16			617.86
6	1	61.7	16			733.34
7	1	97.1	16			396.69
8	2	96.2	16	1272		556.84
9	1	62.2	16			42
10	3	97.4	16	1031	1963	694.63
11	1	74.5	16			467.2
12	2	65.1	16	1373		701.7

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	58.9	9	1630		147.415
2	3	61.1	9	1314	1130	112.41
3	2	85.5	9	1489		184.385
4	2	88.5	9	1233		342.903
5	2	50.6	9	1648		696.061
6	2	74.5	9	1493		615.718
7	3	93.9	9	1857	1463	611.256
8	1	85.9	9			55.244
9	1	57.1	9			88.761
10	1	78.9	9			648.259
11	3	70.7	9	1836	1178	200.386
12	3	66.7	9	1035	1144	696.534
13	2	76.2	9	1508		433.082
14	2	97.5	9	1520		619.379
15	3	58.3	9	1160	1512	651.447
16	3	92.7	9	1045	1488	188.165
17	3	55.1	9	1385	1701	536.182

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 10						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	62.3	8	1171	1491	779.318
2	1	96.1	8			40.75
3	2	57.3	8	1134		797.47
4	2	70.2	8	1516		185.52
5	3	74.1	8	1390	1680	991.26
6	2	67	8	1317		501.78
7	3	56.3	8	1789	1655	935.63
8	2	58.4	8	1997		1080.69
9	2	61.1	8	1806		149.7
10	2	89	8	1713		1110.7

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	91.7	5	1915	1865	113.865
2	2	95.6	5	1189		664.247
3	3	63.2	5	1150	1286	581.504
4	1	99.2	5			112.591
5	2	80.6	5	1304		508.539
6	2	70.8	5	1879		258.986
7	2	70	5	1043		559.403
8	1	78.6	5			43.78
9	2	66.2	5	1039		445.467
10	1	84.3	5			354.804
11	1	79.7	5			737.611
12	3	79	5	1349	1649	774.829
13	3	90.4	5	1033	1259	174.586
14	3	98.7	5	1681	1210	557.843

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 27						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	53.1	10	1210	1255	295.817
2	3	80.6	10	1189	1855	520.311
3	3	57.8	10	1223	1896	163.172
4	2	75.5	10	1247		255.173
5	2	55.6	10	1876		513.364
6	1	63.8	10			92.265
7	1	62.4	10			298.876
8	2	93.9	10	1207		269.297
9	3	88.4	10	1210	1765	352.428
10	2	65.8	10	1713		361.569
11	1	62.4	10			470.261
12	2	98.7	10	1321		314.342
13	3	78.6	10	1051	1909	30.353
14	1	92.1	10			528.544
15	1	54.8	10			22.275
16	3	74.5	10	1303	1164	580.716
17	3	58.4	10	1460	1346	457.337
18	2	87.1	10	1830		129.958
19	2	63.4	10	1026		90.679

TYPE 5 PARAMETER SHEET							Rohde & Schwarz Pulse Sequencer
Trial Number : 28							
Bursts in Trial: 12							
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)	
1	2	55.6	18	1340		912.925	
2	2	78.1	18	1520		313.96	
3	2	81.4	18	1951		725.64	
4	1	69.4	18			278.57	
5	2	99.6	18	1703		469.42	
6	2	79.7	18	1781		904.29	
7	3	94.8	18	1595	1989	554.75	
8	2	97.8	18	1257		968.93	
9	2	91.3	18	1881		488.33	
10	2	97.6	18	1539		210.52	
11	1	61.2	18			753.5	
12	2	74.3	18	1069		562.8	

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	85.7	6	1048	1753	161.077
2	1	96.7	6			44.195
3	3	91.9	6	1868	1146	385.52
4	2	68.3	6	1341		390.9
5	1	74.5	6			57.33
6	2	65.6	6	1262		629.26
7	2	60	6	1310		319.88
8	2	99.4	6	1712		721.6
9	1	55.9	6			312.32
10	1	78.7	6			48.67
11	2	83.8	6	1761		532.18
12	2	71.4	6	1696		785.54
13	3	85.1	6	1679	1473	357.76
14	3	74.4	6	1901	1006	393.4
15	2	50.5	6	1003		287.5

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 30						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	53.4	7	1518	1307	212.45
2	1	86.7	7			99.298
3	1	55.3	7			520.654
4	2	62.7	7	1821		235.551
5	2	53	7	1080		250.459
6	2	87.1	7	1752		476.056
7	1	85	7			329.973
8	3	95.3	7	1380	1389	635.71
9	2	59.2	7	1177		639.187
10	1	68.9	7			744.154
11	3	50.8	7	1270	1513	694.991
12	3	73.1	7	1173	1650	710.629
13	2	51.2	7	1820		806.286
14	2	58.3	7	1023		499.143

A.3 Radar Type 5 Parameters for 80 MHz Bandwidth

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	92.2	17	1141		190.544
2	3	70	17	1728	1962	540.683
3	1	89	17			90.317
4	1	62.4	17			32.12
5	3	97.7	17	1536	1568	139.493
6	2	94.5	17	1723		573.857
7	3	82.2	17	1051	1436	342.45
8	2	66.5	17	1371		619.383
9	2	66.4	17	1862		297.167
10	2	100	17	1793		217.47
11	3	97	17	1548	1981	397.633
12	2	93.8	17	1619		616.107
13	3	93.5	17	1851	1774	287.14
14	2	97.1	17	1210		423.773
15	2	93.3	17	1372		387.857
16	2	56	17	1492		557.4
17	2	67.1	17	1167		569.633
18	2	75.6	17	1245		306.667

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 2						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	56.3	8	1733	1132	352.005
2	3	86.2	8	1042	1403	73.108
3	1	75	8			222.012
4	1	88.8	8			144.153
5	3	76.8	8	1520	1706	67.684
6	1	51.6	8			370.565
7	3	80.2	8	1602	1516	571.026
8	1	57.7	8			130.007
9	1	51.5	8			79.878
10	2	95.6	8	1287		17.859
11	3	95.9	8	1302	1605	504.901
12	3	83.1	8	1470	1874	430.902
13	2	71.5	8	1703		194.113
14	2	92.6	8	1066		461.814
15	1	62	8			402.045
16	2	84.6	8	1771		421.686
17	2	82	8	1119		476.237
18	2	55.3	8	1223		375.458
19	3	52	8	1048	1375	113.479

TYPE 5 PARAMETER SHEET						
						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	70	17	1444		1049.23
2	2	98.2	17	1615		735.791
3	2	85.7	17	1777		497.582
4	2	95.7	17	1186		814.983
5	1	63.5	17			18.044
6	3	83.4	17	1316	1075	690.705
7	3	52.7	17	1844	1165	669.445
8	2	55.3	17	1176		174.096
9	1	61.8	17			775.657
10	2	54.5	17	1151		136.328
11	1	88.3	17			255.609

TYPE 5 PARAMETER SHEET						
Rohde & Schwarz Pulse Sequencer						
Trial Number : 4						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	99.2	18	1914		670.256
2	2	55.5	18	1324		218.531
3	2	63.6	18	1630		454.402
4	3	68.3	18	1845	1972	279.153
5	2	99.7	18	1071		804.184
6	3	67.2	18	1674	1585	776.815
7	1	68.8	18			450.935
8	2	74.1	18	1160		848.016
9	2	88.3	18	1804		756.647
10	3	74.1	18	1384	1710	96.168
11	2	66.2	18	1541		301.009

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 5						
Bursts in Trial: 8						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	76.6	11	1169		555.218
2	1	73.8	11			846.07
3	1	91.6	11			1443.3
4	2	68.2	11	1174		743.96
5	2	75.4	11	1164		842.65
6	2	52.8	11	1030		950.43
7	2	67.9	11	1269		1093.7
8	1	96.1	11			208.4

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 8						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	80.4	7	1983		1237.63
2	1	71.9	7			465.55
3	3	58.3	7	1874	1355	979.91
4	1	67.6	7			81.9
5	2	52.6	7	1905		468.82
6	2	70	7	1195		912.61
7	3	76.1	7	1995	1112	1439.5
8	2	78.2	7	1105		1299.8

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	58.8	10	1024		106.423
2	1	70.8	10			431.013
3	3	82.7	10	1105	1015	759.776
4	1	89.2	10			391.129
5	3	76.1	10	1797	1617	677.432
6	2	75.9	10	1077		807.805
7	2	93.9	10	1318		116.798
8	2	90.5	10	1454		650.352
9	2	78.2	10	1174		367.125
10	3	59.4	10	1677	1016	457.248
11	2	53.2	10	1083		51.421
12	2	61.4	10	1191		171.554
13	2	77.4	10	1660		269.477

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 8						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	74.2	20	1771		374.747
2	3	92	20	1794	1586	531.687
3	1	54.2	20			535.944
4	1	80.9	20			46.771
5	2	54.9	20	1163		511.689
6	3	52.7	20	1951	1896	831.096
7	2	54.9	20	1106		841.163
8	3	77	20	1080	1856	97.04
9	2	83.4	20	1142		302.377
10	3	53.3	20	1960	1281	46.804
11	3	72.9	20	1629	1122	773.241
12	1	50	20			572.429
13	3	65.7	20	1135	1135	373.386
14	2	80.9	20	1495		707.643

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	85.6	20	1969		382.813
2	3	69.1	20	1436	1172	5.09
3	3	67.5	20	1954	1077	464.776
4	3	61.9	20	1133	1958	732.139
5	3	95.3	20	1141	1220	584.762
6	3	78.1	20	1910	1544	90.075
7	1	71.5	20			203.408
8	1	91.3	20			693.742
9	3	86.9	20	1809	1598	802.915
10	3	66.7	20	1842	1452	352.848
11	3	90.2	20	1660	1594	908.131
12	2	98.9	20	1162		696.054
13	2	80	20	1717		464.477

TYPE 5 PARAMETER SHEET

Rohde & Schwarz
Pulse Sequencer

Trial Number : 10

Bursts in Trial: 10

Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	3	97.9	16	1144	1561	1184.79
2	2	78.2	16	1152		556.3
3	1	75.9	16			148.79
4	1	57.8	16			873.8
5	2	64.3	16	1607		641.67
6	2	58.8	16	1465		764.23
7	1	86.6	16			1138.88
8	1	57.5	16			361.05
9	1	82.1	16			211.78
10	2	87.6	16	1712		396.2

TYPE 5 PARAMETER SHEET						
Rohde & Schwarz Pulse Sequencer						
Trial Number : 11						
Bursts in Trial: 8						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	88.9	19	1658		761.836
2	1	98.5	19			1424.7
3	3	79.2	19	1033	1821	618.98
4	2	52.6	19	1705		693.49
5	3	82.1	19	1931	1182	672.65
6	1	97.1	19			1116.49
7	1	93.5	19			469.01
8	2	58.2	19	1625		612.9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	81.1	17	1634	1894	451.466
2	2	76.6	17	1429		550.113
3	3	75.3	17	1028	1943	24.756
4	3	59.2	17	1732	1425	254.049
5	3	90.7	17	1035	1638	487.212
6	3	83.9	17	1178	1022	846.475
7	2	79.7	17	1605		441.338
8	3	87.4	17	1729	1117	596.432
9	3	79.4	17	1340	1206	510.275
10	3	70.5	17	1098	1788	698.278
11	1	70.9	17			750.681
12	2	81.1	17	1969		142.654
13	3	86	17	1445	1190	824.177

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 13						
Bursts in Trial: 9						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	94.6	12			1232.67
2	2	100	12	1082		62.447
3	1	89.2	12			144.893
4	2	63.2	12	1354		846.6
5	2	68.6	12	1231		159.607
6	2	97.8	12	1613		1182.333
7	2	93.5	12	1103		824.39
8	2	97.6	12	1637		806.767
9	1	78.8	12			823.233

TYPE 5 PARAMETER SHEET							Rohde & Schwarz Pulse Sequencer
Trial Number : 14							
Bursts in Trial: 15							
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)	
1	2	97.2	12	1042		326.686	
2	2	85	12	1991		721.32	
3	3	73.9	12	1276	1059	93.76	
4	2	83	12	1017		92.42	
5	2	67.1	12	1427		700.41	
6	2	74.6	12	1680		411	
7	2	89	12	1195		54.75	
8	1	50.2	12			438.59	
9	1	87.1	12			451.79	
10	2	67.5	12	1938		198.64	
11	2	98.1	12	1875		740.02	
12	1	51.4	12			291.31	
13	2	71.6	12	1806		211.81	
14	1	71.6	12			525.9	
15	3	78.7	12	1367	1082	117.6	

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 15						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	99.4	19	1281	1790	576.018
2	1	64.5	19			503.151
3	2	94	19	1775		124.272
4	3	75.5	19	1881	1349	174.173
5	1	89.8	19			996.744
6	2	61.3	19	1357		1060.805
7	2	69.5	19	1336		324.815
8	1	54	19			269.226
9	3	64.4	19	1483	1063	58.117
10	3	93.2	19	1606	1214	927.018
11	2	74.6	19	1273		747.409

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 16						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	86.2	17	1453	1650	209.148
2	2	64.1	17	1549		23.135
3	2	62.7	17	1028		693.02
4	3	84.8	17	1359	1046	43.41
5	1	89.4	17			678.33
6	3	95.3	17	1561	1275	124.71
7	3	94.5	17	1315	1942	243.7
8	2	56.7	17	1082		705.33
9	2	79.3	17	1631		262.34
10	3	58.5	17	1601	1510	289.03
11	3	91.4	17	1842	1095	336.45
12	2	74.3	17	1939		91.31
13	2	56.6	17	1101		437.76
14	1	82.9	17			491.2
15	3	52.9	17	1098	1861	10.6
16	2	58.1	17	1619		262.8

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 8						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	1	84.3	10			921.889
2	2	58.7	10	1394		463.51
3	3	79.6	10	1048	1775	828.77
4	1	69.7	10			528.47
5	2	71.7	10	1539		925.48
6	2	92.2	10	1331		289.87
7	3	99.6	10	1695	1953	1328.5
8	2	97.8	10	1737		745.7

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 18						
Bursts in Trial: 10						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	88.4	6			646.579
2	1	91.6	6			576.78
3	3	83.7	6	1264	1918	277.52
4	2	73.2	6	1799		894.31
5	3	81.2	6	1924	1294	1008.16
6	3	57.5	6	1019	1985	961.76
7	1	83.4	6			893.51
8	3	70.1	6	1298	1090	136.11
9	1	70	6			355.64
10	2	69.2	6	1855		431.2

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 19						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	70.8	20	1384	1334	193.87
2	2	85	20	1662		830.603
3	1	51.2	20			109.126
4	1	80.8	20			278.569
5	2	79.5	20	1753		164.512
6	2	70.3	20	1916		210.355
7	2	86.3	20	1295		12.738
8	2	86.8	20	1576		799.802
9	2	62.8	20	1003		54.095
10	2	64.2	20	1293		149.478
11	2	99.8	20	1292		410.731
12	2	87.5	20	1132		765.054
13	2	82.8	20	1214		747.777

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	95.4	15	1870		113.897
2	1	74.5	15			517.838
3	1	52.4	15			338.995
4	2	69.1	15	1622		122.963
5	1	97.1	15			237.901
6	2	60.6	15	1292		400.308
7	1	73.6	15			668.446
8	2	61.5	15	1282		664.104
9	3	97.5	15	1387	1831	223.371
10	2	77.4	15	1888		663.829
11	2	86.7	15	1725		547.426
12	2	60.4	15	1594		667.154
13	3	85.2	15	1396	1376	22.642
14	3	66.8	15	1390	1037	475.759
15	1	86.3	15			667.447
16	3	92	15	1582	1557	460.765
17	2	81	15	1681		345.382

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	64.9	11			442.349
2	2	54.7	11	1748		237.689
3	3	91.7	11	1839	1503	130.01
4	3	64.3	11	1466	1314	49.09
5	2	63.4	11	1987		3.88
6	3	73.3	11	1373	1996	349.48
7	2	76.3	11	1092		438.99
8	2	84.7	11	1749		353.88
9	1	77.7	11			298.39
10	1	96.6	11			211.19
11	1	87.6	11			206.08
12	1	95.6	11			519.1
13	1	52	11			4.66
14	2	94.6	11	1413		370.39
15	2	65.7	11	1458		407.7
16	3	63.2	11	1353	1384	289.44
17	2	57	11	1635		80.33
18	2	78.6	11	1207		79.1
19	3	58.7	11	1091	1011	374.8
20	2	80	11	1568		83.9

TYPE 5 PARAMETER SHEET						
						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	53.5	13	1396		249.061
2	2	54.4	13	1948		106.586
3	2	78.8	13	1104		184.71
4	2	89.3	13	1134		644.4
5	2	84.1	13	1043		760.71
6	1	54.1	13			737.22
7	2	82.9	13	1376		613.17
8	2	53.4	13	1269		529.04
9	1	62.6	13			167.59
10	3	89.5	13	1957	1037	101.76
11	1	87.8	13			766.04
12	3	87.1	13	1833	1114	481.38
13	3	79.7	13	1070	1125	542.3
14	3	67.2	13	1528	1457	2.5
15	3	59.2	13	1732	1877	157

TYPE 5 PARAMETER SHEET						
						Rohde & Schwarz Pulse Sequencer
Trial Number : 23						
Bursts in Trial: 8						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	62.9	8	1386		1401.45
2	2	65.9	8	1049		552.44
3	3	79.5	8	1044	1150	531.5
4	2	60.2	8	1436		85.38
5	1	97.9	8			1369.06
6	3	75.3	8	1416	1341	0.3
7	1	73.5	8			1075.2
8	3	64.9	8	1335	1116	167

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	1	70.3	18			747.17
2	2	61.3	18	1176		55.895
3	2	71.9	18	1261		303.474
4	2	77.1	18	1139		594.171
5	3	92.9	18	1832	1402	615.989
6	2	61.1	18	1307		557.396
7	1	64.1	18			676.893
8	2	98.5	18	1216		223.87
9	3	65.9	18	1310	1253	754.737
10	2	91.2	18	1573		712.474
11	1	81.1	18			476.661
12	2	92.5	18	1825		733.029
13	1	60.4	18			458.086
14	1	62.6	18			224.243

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	88.2	19	1145		474.229
2	3	69.8	19	1446	1378	18.516
3	3	83.8	19	1709	1059	448.497
4	2	80.8	19	1652		56.84
5	1	75.2	19			388.363
6	3	71.6	19	1419	1935	393.357
7	2	96.7	19	1866		631.41
8	3	79.4	19	1997	1606	225.133
9	3	58.3	19	1258	1083	76.477
10	3	67.9	19	1253	1578	322.03
11	1	71	19			175.003
12	3	93.4	19	1720	1604	301.857
13	2	93	19	1038		554.07
14	3	58.4	19	1411	1927	357.643
15	2	66	19	1050		136.777
16	1	57.7	19			516.9
17	2	71.9	19	1958		186.633
18	2	90.8	19	1882		451.467

TYPE 5 PARAMETER SHEET							Rohde & Schwarz Pulse Sequencer
Trial Number : 26							
Bursts in Trial: 11							
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)	
1	2	65	13	1963		89.436	
2	1	71	13			77.671	
3	3	76	13	1795	1545	613.912	
4	1	82.6	13			245.833	
5	2	92.5	13	1958		74.544	
6	2	95.4	13	1045		390.715	
7	1	96.5	13			670.325	
8	2	56.6	13	1430		163.466	
9	2	66.5	13	1838		675.927	
10	1	84.1	13			344.018	
11	2	54	13	1180		193.909	

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 27						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	54.3	17	1318	1316	120.898
2	2	90.6	17	1933		82.587
3	1	78.2	17			195.98
4	3	52.1	17	1044	1308	212.26
5	3	69.5	17	1378	1049	346.93
6	2	53.4	17	1848		728.35
7	3	88.3	17	1264	1456	297.31
8	2	67.9	17	1629		563.95
9	2	83.5	17	1151		3.37
10	1	80.1	17			679.76
11	2	52.2	17	1462		257.94
12	2	72.2	17	1270		473.18
13	2	93.1	17	1157		736.79
14	2	86.1	17	1937		240.1
15	1	76.2	17			652.5
16	3	51.1	17	1992	1028	199.1

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 28						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	66.6	10	1492	1443	70.644
2	1	65.1	10			596.103
3	3	76.1	10	1863	1998	589.016
4	3	85.1	10	1199	1908	897.859
5	3	66.4	10	1789	1252	840.172
6	2	52.1	10	1886		244.375
7	1	65.4	10			907.818
8	2	60.1	10	1421		14.432
9	2	72.1	10	1341		452.575
10	2	87.3	10	1778		397.648
11	2	91.8	10	1374		267.951
12	3	94.3	10	1609	1874	323.554
13	2	83.9	10	1609		901.577

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 10						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	64.1	6	1705		529.721
2	2	80.7	6	1207		134.47
3	1	61.6	6			814.23
4	2	57.7	6	1450		707.28
5	3	93.6	6	1156	1892	400.45
6	1	62.7	6			367.6
7	2	77	6	1189		790.82
8	2	51.9	6	1097		866.44
9	3	69.1	6	1762	1597	1038.6
10	2	90.1	6	1861		506.9

A.4 Radar Type 6 Parameters for 20 MHz Bandwidth

5260MHZ-20MHZ BW-T6-TRIAL-1						5260MHZ-20MHZ BW-T6-TRIAL-2					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.681	35	5.699	69	5.479	1	5.252	35	5.658	69	5.266
2	5.467	36	5.538	70	5.415	2	5.709	36	5.338	70	5.259
3	5.379	37	5.675	71	5.267	3	5.369	37	5.489	71	5.449
4	5.691	38	5.694	72	5.667	4	5.48	38	5.284	72	5.427
5	5.339	39	5.588	73	5.345	5	5.451	39	5.514	73	5.719
6	5.705	40	5.581	74	5.594	6	5.507	40	5.54	74	5.295
7	5.52	41	5.498	75	5.488	7	5.722	41	5.382	75	5.327
8	5.414	42	5.373	76	5.526	8	5.361	42	5.532	76	5.322
9	5.641	43	5.47	77	5.666	9	5.313	43	5.323	77	5.365
10	5.658	44	5.343	78	5.721	10	5.716	44	5.404	78	5.408
11	5.4	45	5.299	79	5.33	11	5.375	45	5.29	79	5.537
12	5.375	46	5.637	80	5.346	12	5.356	46	5.696	80	5.337
13	5.317	47	5.575	81	5.433	13	5.559	47	5.377	81	5.43
14	5.521	48	5.385	82	5.551	14	5.59	48	5.32	82	5.718
15	5.412	49	5.473	83	5.608	15	5.588	49	5.724	83	5.283
16	5.319	50	5.595	84	5.335	16	5.695	50	5.505	84	5.646
17	5.709	51	5.357	85	5.565	17	5.679	51	5.486	85	5.411
18	5.629	52	5.413	86	5.524	18	5.396	52	5.36	86	5.678
19	5.263	53	5.586	87	5.308	19	5.597	53	5.34	87	5.574
20	5.503	54	5.592	88	5.72	20	5.616	54	5.541	88	5.461
21	5.509	55	5.539	89	5.436	21	5.287	55	5.688	89	5.316
22	5.554	56	5.657	90	5.393	22	5.693	56	5.478	90	5.606
23	5.59	57	5.371	91	5.672	23	5.495	57	5.501	91	5.436
24	5.324	58	5.558	92	5.441	24	5.352	58	5.533	92	5.469
25	5.634	59	5.618	93	5.425	25	5.617	59	5.655	93	5.467
26	5.582	60	5.341	94	5.716	26	5.607	60	5.278	94	5.394
27	5.627	61	5.391	95	5.651	27	5.508	61	5.422	95	5.496
28	5.403	62	5.568	96	5.607	28	5.603	62	5.652	96	5.46
29	5.325	63	5.606	97	5.68	29	5.282	63	5.42	97	5.274
30	5.365	64	5.605	98	5.366	30	5.659	64	5.596	98	5.668
31	5.569	65	5.471	99	5.555	31	5.694	65	5.69	99	5.669
32	5.292	66	5.402	100	5.397	32	5.544	66	5.554	100	5.602
33	5.459	67	5.417			33	5.493	67	5.305		
34	5.556	68	5.513			34	5.354	68	5.421		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5260MHZ-20MHZ BW-T6-TRIAL-3						5260MHZ-20MHZ BW-T6-TRIAL-4					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.496	35	5.641	69	5.423	1	5.485	35	5.454	69	5.686
2	5.644	36	5.28	70	5.513	2	5.68	36	5.286	70	5.625
3	5.635	37	5.406	71	5.482	3	5.525	37	5.694	71	5.387
4	5.721	38	5.373	72	5.37	4	5.338	38	5.488	72	5.647
5	5.606	39	5.495	73	5.444	5	5.305	39	5.683	73	5.589
6	5.442	40	5.665	74	5.57	6	5.417	40	5.302	74	5.605
7	5.688	41	5.687	75	5.611	7	5.665	41	5.371	75	5.48
8	5.475	42	5.656	76	5.315	8	5.337	42	5.542	76	5.662
9	5.494	43	5.289	77	5.293	9	5.354	43	5.579	77	5.429
10	5.615	44	5.375	78	5.679	10	5.534	44	5.402	78	5.256
11	5.642	45	5.548	79	5.459	11	5.33	45	5.715	79	5.255
12	5.617	46	5.645	80	5.609	12	5.684	46	5.42	80	5.668
13	5.515	47	5.517	81	5.318	13	5.72	47	5.616	81	5.505
14	5.316	48	5.452	82	5.614	14	5.673	48	5.34	82	5.431
15	5.369	49	5.432	83	5.69	15	5.293	49	5.644	83	5.569
16	5.44	50	5.669	84	5.555	16	5.407	50	5.628	84	5.642
17	5.534	51	5.436	85	5.523	17	5.528	51	5.385	85	5.325
18	5.624	52	5.379	86	5.646	18	5.63	52	5.706	86	5.598
19	5.433	53	5.252	87	5.25	19	5.667	53	5.299	87	5.372
20	5.672	54	5.389	88	5.683	20	5.723	54	5.376	88	5.335
21	5.655	55	5.33	89	5.276	21	5.609	55	5.39	89	5.411
22	5.469	56	5.505	90	5.507	22	5.45	56	5.461	90	5.565
23	5.296	57	5.304	91	5.32	23	5.591	57	5.695	91	5.307
24	5.552	58	5.409	92	5.712	24	5.414	58	5.608	92	5.275
25	5.411	59	5.571	93	5.321	25	5.527	59	5.438	93	5.379
26	5.431	60	5.681	94	5.412	26	5.707	60	5.492	94	5.418
27	5.619	61	5.486	95	5.691	27	5.519	61	5.36	95	5.398
28	5.573	62	5.46	96	5.666	28	5.426	62	5.462	96	5.513
29	5.723	63	5.435	97	5.258	29	5.651	63	5.473	97	5.53
30	5.384	64	5.377	98	5.722	30	5.347	64	5.717	98	5.295
31	5.491	65	5.546	99	5.26	31	5.284	65	5.499	99	5.278
32	5.471	66	5.65	100	5.4	32	5.708	66	5.468	100	5.538
33	5.504	67	5.348			33	5.551	67	5.356		
34	5.465	68	5.484			34	5.537	68	5.672		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5260MHZ-20MHZ BW-T6-TRIAL-5						5260MHZ-20MHZ BW-T6-TRIAL-6					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.515	35	5.353	69	5.518	1	5.614	35	5.438	69	5.349
2	5.671	36	5.583	70	5.253	2	5.499	36	5.515	70	5.632
3	5.559	37	5.597	71	5.434	3	5.261	37	5.56	71	5.686
4	5.375	38	5.372	72	5.562	4	5.426	38	5.705	72	5.434
5	5.506	39	5.582	73	5.426	5	5.417	39	5.553	73	5.456
6	5.378	40	5.639	74	5.467	6	5.291	40	5.51	74	5.35
7	5.598	41	5.545	75	5.511	7	5.427	41	5.338	75	5.482
8	5.325	42	5.298	76	5.66	8	5.518	42	5.522	76	5.694
9	5.552	43	5.609	77	5.479	9	5.643	43	5.588	77	5.354
10	5.331	44	5.27	78	5.607	10	5.337	44	5.581	78	5.275
11	5.62	45	5.275	79	5.577	11	5.292	45	5.403	79	5.652
12	5.364	46	5.652	80	5.721	12	5.389	46	5.715	80	5.259
13	5.704	47	5.693	81	5.541	13	5.362	47	5.713	81	5.441
14	5.496	48	5.252	82	5.588	14	5.634	48	5.605	82	5.578
15	5.526	49	5.399	83	5.254	15	5.446	49	5.272	83	5.365
16	5.529	50	5.333	84	5.629	16	5.552	50	5.589	84	5.358
17	5.719	51	5.278	85	5.678	17	5.393	51	5.467	85	5.58
18	5.295	52	5.469	86	5.464	18	5.339	52	5.666	86	5.449
19	5.504	53	5.288	87	5.567	19	5.688	53	5.318	87	5.712
20	5.673	54	5.563	88	5.638	20	5.587	54	5.289	88	5.353
21	5.304	55	5.572	89	5.519	21	5.638	55	5.683	89	5.267
22	5.265	56	5.416	90	5.68	22	5.637	56	5.255	90	5.286
23	5.689	57	5.722	91	5.423	23	5.314	57	5.444	91	5.256
24	5.644	58	5.516	92	5.666	24	5.46	58	5.415	92	5.457
25	5.54	59	5.717	93	5.274	25	5.689	59	5.361	93	5.44
26	5.368	60	5.694	94	5.683	26	5.404	60	5.265	94	5.607
27	5.649	61	5.621	95	5.691	27	5.371	61	5.327	95	5.377
28	5.264	62	5.393	96	5.657	28	5.472	62	5.658	96	5.574
29	5.634	63	5.514	97	5.46	29	5.328	63	5.293	97	5.528
30	5.348	64	5.696	98	5.723	30	5.692	64	5.421	98	5.282
31	5.309	65	5.258	99	5.29	31	5.453	65	5.703	99	5.503
32	5.438	66	5.328	100	5.389	32	5.412	66	5.682	100	5.42
33	5.494	67	5.474			33	5.378	67	5.448		
34	5.257	68	5.636			34	5.38	68	5.679		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5260MHZ-20MHZ BW-T6-TRIAL-7						5260MHZ-20MHZ BW-T6-TRIAL-8					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.279	35	5.408	69	5.443	1	5.64	35	5.625	69	5.59
2	5.579	36	5.441	70	5.314	2	5.338	36	5.604	70	5.311
3	5.684	37	5.715	71	5.477	3	5.408	37	5.416	71	5.466
4	5.529	38	5.498	72	5.682	4	5.347	38	5.503	72	5.32
5	5.387	39	5.723	73	5.479	5	5.375	39	5.438	73	5.648
6	5.608	40	5.268	74	5.298	6	5.715	40	5.277	74	5.402
7	5.488	41	5.675	75	5.48	7	5.293	41	5.583	75	5.592
8	5.31	42	5.403	76	5.62	8	5.492	42	5.686	76	5.616
9	5.552	43	5.712	77	5.323	9	5.685	43	5.6	77	5.25
10	5.711	44	5.304	78	5.641	10	5.692	44	5.305	78	5.455
11	5.432	45	5.681	79	5.633	11	5.567	45	5.385	79	5.594
12	5.393	46	5.523	80	5.482	12	5.392	46	5.314	80	5.48
13	5.404	47	5.457	81	5.313	13	5.315	47	5.266	81	5.348
14	5.669	48	5.559	82	5.685	14	5.336	48	5.281	82	5.496
15	5.325	49	5.512	83	5.34	15	5.498	49	5.556	83	5.418
16	5.66	50	5.331	84	5.695	16	5.714	50	5.283	84	5.7
17	5.693	51	5.308	85	5.688	17	5.534	51	5.673	85	5.568
18	5.516	52	5.71	86	5.601	18	5.258	52	5.535	86	5.355
19	5.466	53	5.619	87	5.493	19	5.546	53	5.502	87	5.331
20	5.56	54	5.273	88	5.678	20	5.657	54	5.363	88	5.349
21	5.484	55	5.377	89	5.514	21	5.384	55	5.444	89	5.478
22	5.653	56	5.446	90	5.33	22	5.57	56	5.341	90	5.655
23	5.721	57	5.64	91	5.357	23	5.397	57	5.344	91	5.514
24	5.568	58	5.265	92	5.626	24	5.284	58	5.425	92	5.487
25	5.509	59	5.312	93	5.647	25	5.649	59	5.67	93	5.512
26	5.45	60	5.36	94	5.348	26	5.72	60	5.467	94	5.471
27	5.472	61	5.525	95	5.368	27	5.584	61	5.3	95	5.325
28	5.546	62	5.596	96	5.251	28	5.306	62	5.429	96	5.262
29	5.461	63	5.422	97	5.701	29	5.482	63	5.716	97	5.346
30	5.439	64	5.673	98	5.284	30	5.426	64	5.472	98	5.591
31	5.468	65	5.401	99	5.562	31	5.356	65	5.608	99	5.633
32	5.551	66	5.674	100	5.261	32	5.447	66	5.47	100	5.269
33	5.663	67	5.724			33	5.723	67	5.558		
34	5.589	68	5.474			34	5.663	68	5.322		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5260MHZ-20MHZ BW-T6-TRIAL-9						5260MHZ-20MHZ BW-T6-TRIAL-10					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.638	35	5.466	69	5.31	1	5.427	35	5.481	69	5.303
2	5.686	36	5.656	70	5.54	2	5.404	36	5.501	70	5.398
3	5.631	37	5.384	71	5.294	3	5.618	37	5.499	71	5.418
4	5.551	38	5.313	72	5.614	4	5.472	38	5.516	72	5.633
5	5.574	39	5.479	73	5.453	5	5.648	39	5.436	73	5.556
6	5.318	40	5.344	74	5.512	6	5.505	40	5.421	74	5.334
7	5.533	41	5.556	75	5.529	7	5.695	41	5.71	75	5.611
8	5.349	42	5.274	76	5.553	8	5.275	42	5.441	76	5.678
9	5.394	43	5.288	77	5.287	9	5.475	43	5.288	77	5.511
10	5.681	44	5.492	78	5.618	10	5.538	44	5.502	78	5.724
11	5.321	45	5.591	79	5.629	11	5.295	45	5.653	79	5.456
12	5.578	46	5.468	80	5.648	12	5.296	46	5.263	80	5.61
13	5.607	47	5.6	81	5.582	13	5.557	47	5.723	81	5.412
14	5.461	48	5.723	82	5.333	14	5.373	48	5.46	82	5.45
15	5.335	49	5.623	83	5.63	15	5.655	49	5.701	83	5.567
16	5.56	50	5.297	84	5.562	16	5.29	50	5.513	84	5.56
17	5.53	51	5.544	85	5.471	17	5.413	51	5.528	85	5.379
18	5.519	52	5.33	86	5.387	18	5.58	52	5.399	86	5.714
19	5.619	53	5.35	87	5.413	19	5.629	53	5.314	87	5.638
20	5.671	54	5.444	88	5.449	20	5.649	54	5.473	88	5.35
21	5.376	55	5.666	89	5.308	21	5.64	55	5.39	89	5.493
22	5.357	56	5.658	90	5.254	22	5.306	56	5.33	90	5.273
23	5.644	57	5.567	91	5.585	23	5.491	57	5.72	91	5.449
24	5.526	58	5.312	92	5.602	24	5.673	58	5.419	92	5.506
25	5.315	59	5.626	93	5.539	25	5.377	59	5.575	93	5.269
26	5.395	60	5.543	94	5.346	26	5.536	60	5.718	94	5.589
27	5.505	61	5.374	95	5.502	27	5.564	61	5.672	95	5.251
28	5.606	62	5.485	96	5.407	28	5.343	62	5.631	96	5.545
29	5.531	63	5.428	97	5.296	29	5.301	63	5.48	97	5.36
30	5.303	64	5.613	98	5.722	30	5.584	64	5.691	98	5.468
31	5.256	65	5.421	99	5.497	31	5.594	65	5.509	99	5.665
32	5.668	66	5.654	100	5.304	32	5.292	66	5.364	100	5.434
33	5.547	67	5.48			33	5.549	67	5.641		
34	5.263	68	5.718			34	5.329	68	5.258		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5260MHZ-20MHZ BW-T6-TRIAL-11						5260MHZ-20MHZ BW-T6-TRIAL-12					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.682	35	5.562	69	5.684	1	5.571	35	5.501	69	5.37
2	5.519	36	5.358	70	5.608	2	5.388	36	5.324	70	5.538
3	5.623	37	5.427	71	5.46	3	5.396	37	5.334	71	5.565
4	5.615	38	5.508	72	5.606	4	5.288	38	5.601	72	5.439
5	5.272	39	5.32	73	5.678	5	5.58	39	5.384	73	5.495
6	5.31	40	5.374	74	5.545	6	5.609	40	5.616	74	5.321
7	5.712	41	5.284	75	5.298	7	5.55	41	5.696	75	5.408
8	5.503	42	5.591	76	5.392	8	5.359	42	5.641	76	5.313
9	5.495	43	5.257	77	5.56	9	5.509	43	5.387	77	5.449
10	5.585	44	5.51	78	5.704	10	5.717	44	5.398	78	5.403
11	5.655	45	5.357	79	5.275	11	5.382	45	5.525	79	5.311
12	5.558	46	5.599	80	5.589	12	5.294	46	5.489	80	5.596
13	5.696	47	5.388	81	5.557	13	5.43	47	5.455	81	5.592
14	5.279	48	5.681	82	5.665	14	5.274	48	5.541	82	5.598
15	5.331	49	5.41	83	5.648	15	5.698	49	5.563	83	5.554
16	5.622	50	5.54	84	5.563	16	5.306	50	5.482	84	5.283
17	5.716	51	5.375	85	5.717	17	5.302	51	5.391	85	5.478
18	5.322	52	5.401	86	5.377	18	5.625	52	5.654	86	5.505
19	5.449	53	5.349	87	5.444	19	5.547	53	5.484	87	5.351
20	5.365	54	5.364	88	5.44	20	5.612	54	5.281	88	5.352
21	5.304	55	5.576	89	5.432	21	5.682	55	5.339	89	5.619
22	5.294	56	5.491	90	5.656	22	5.524	56	5.564	90	5.5
23	5.722	57	5.316	91	5.683	23	5.358	57	5.441	91	5.526
24	5.638	58	5.666	92	5.263	24	5.531	58	5.523	92	5.621
25	5.621	59	5.506	93	5.346	25	5.424	59	5.65	93	5.676
26	5.385	60	5.417	94	5.57	26	5.361	60	5.528	94	5.516
27	5.718	61	5.511	95	5.28	27	5.46	61	5.62	95	5.581
28	5.667	62	5.292	96	5.332	28	5.623	62	5.268	96	5.436
29	5.429	63	5.389	97	5.318	29	5.446	63	5.341	97	5.333
30	5.439	64	5.305	98	5.627	30	5.657	64	5.406	98	5.49
31	5.498	65	5.705	99	5.556	31	5.422	65	5.687	99	5.471
32	5.72	66	5.53	100	5.472	32	5.624	66	5.649	100	5.636
33	5.612	67	5.273			33	5.63	67	5.292		
34	5.536	68	5.354			34	5.52	68	5.346		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5260MHZ-20MHZ BW-T6-TRIAL-13						5260MHZ-20MHZ BW-T6-TRIAL-14					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.498	35	5.369	69	5.479	1	5.418	35	5.599	69	5.459
2	5.612	36	5.558	70	5.339	2	5.29	36	5.255	70	5.585
3	5.353	37	5.714	71	5.487	3	5.586	37	5.525	71	5.486
4	5.438	38	5.636	72	5.543	4	5.39	38	5.701	72	5.397
5	5.426	39	5.511	73	5.469	5	5.313	39	5.691	73	5.628
6	5.554	40	5.589	74	5.603	6	5.619	40	5.25	74	5.289
7	5.349	41	5.363	75	5.48	7	5.503	41	5.357	75	5.643
8	5.271	42	5.684	76	5.557	8	5.713	42	5.287	76	5.508
9	5.383	43	5.648	77	5.289	9	5.623	43	5.529	77	5.567
10	5.306	44	5.718	78	5.272	10	5.27	44	5.477	78	5.268
11	5.71	45	5.522	79	5.528	11	5.482	45	5.305	79	5.5
12	5.692	46	5.419	80	5.432	12	5.702	46	5.308	80	5.583
13	5.463	47	5.595	81	5.6	13	5.694	47	5.489	81	5.315
14	5.519	48	5.359	82	5.3	14	5.621	48	5.399	82	5.447
15	5.398	49	5.474	83	5.658	15	5.284	49	5.445	83	5.57
16	5.615	50	5.297	84	5.52	16	5.505	50	5.385	84	5.513
17	5.564	51	5.365	85	5.526	17	5.386	51	5.677	85	5.288
18	5.384	52	5.514	86	5.556	18	5.629	52	5.548	86	5.348
19	5.666	53	5.655	87	5.331	19	5.689	53	5.597	87	5.577
20	5.476	54	5.251	88	5.389	20	5.511	54	5.538	88	5.711
21	5.379	55	5.617	89	5.592	21	5.476	55	5.614	89	5.327
22	5.472	56	5.452	90	5.531	22	5.406	56	5.617	90	5.523
23	5.54	57	5.457	91	5.559	23	5.373	57	5.522	91	5.626
24	5.38	58	5.56	92	5.373	24	5.372	58	5.7	92	5.642
25	5.659	59	5.292	93	5.32	25	5.273	59	5.297	93	5.474
26	5.645	60	5.695	94	5.652	26	5.716	60	5.635	94	5.42
27	5.409	61	5.437	95	5.665	27	5.573	61	5.693	95	5.429
28	5.503	62	5.504	96	5.631	28	5.419	62	5.441	96	5.267
29	5.293	63	5.259	97	5.494	29	5.678	63	5.613	97	5.299
30	5.53	64	5.59	98	5.529	30	5.582	64	5.439	98	5.504
31	5.609	65	5.719	99	5.408	31	5.649	65	5.533	99	5.697
32	5.439	66	5.295	100	5.362	32	5.349	66	5.269	100	5.294
33	5.651	67	5.375			33	5.41	67	5.402		
34	5.678	68	5.286			34	5.717	68	5.659		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5260MHZ-20MHZ BW-T6-TRIAL-15						5260MHZ-20MHZ BW-T6-TRIAL-16					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.514	35	5.702	69	5.505	1	5.713	35	5.405	69	5.338
2	5.302	36	5.671	70	5.654	2	5.606	36	5.277	70	5.326
3	5.349	37	5.37	71	5.697	3	5.696	37	5.633	71	5.528
4	5.476	38	5.294	72	5.331	4	5.663	38	5.545	72	5.683
5	5.473	39	5.6	73	5.681	5	5.697	39	5.489	73	5.311
6	5.256	40	5.343	74	5.689	6	5.362	40	5.332	74	5.392
7	5.42	41	5.264	75	5.673	7	5.33	41	5.598	75	5.425
8	5.446	42	5.368	76	5.299	8	5.355	42	5.394	76	5.25
9	5.452	43	5.508	77	5.688	9	5.7	43	5.491	77	5.585
10	5.701	44	5.489	78	5.663	10	5.253	44	5.61	78	5.38
11	5.58	45	5.419	79	5.405	11	5.258	45	5.348	79	5.591
12	5.548	46	5.483	80	5.658	12	5.493	46	5.486	80	5.709
13	5.591	47	5.262	81	5.406	13	5.327	47	5.36	81	5.387
14	5.341	48	5.49	82	5.31	14	5.613	48	5.615	82	5.608
15	5.434	49	5.626	83	5.253	15	5.724	49	5.501	83	5.596
16	5.486	50	5.456	84	5.328	16	5.457	50	5.417	84	5.535
17	5.321	51	5.295	85	5.389	17	5.287	51	5.41	85	5.651
18	5.698	52	5.52	86	5.503	18	5.364	52	5.605	86	5.365
19	5.291	53	5.678	87	5.718	19	5.395	53	5.398	87	5.584
20	5.306	54	5.675	88	5.411	20	5.306	54	5.516	88	5.609
21	5.357	55	5.454	89	5.585	21	5.26	55	5.518	89	5.35
22	5.574	56	5.607	90	5.39	22	5.49	56	5.344	90	5.343
23	5.589	57	5.521	91	5.304	23	5.665	57	5.514	91	5.66
24	5.296	58	5.25	92	5.685	24	5.32	58	5.456	92	5.53
25	5.716	59	5.484	93	5.346	25	5.565	59	5.694	93	5.356
26	5.28	60	5.337	94	5.312	26	5.446	60	5.262	94	5.629
27	5.611	61	5.383	95	5.638	27	5.304	61	5.385	95	5.3
28	5.717	62	5.499	96	5.63	28	5.566	62	5.666	96	5.371
29	5.439	63	5.606	97	5.691	29	5.353	63	5.646	97	5.31
30	5.309	64	5.523	98	5.313	30	5.573	64	5.503	98	5.695
31	5.661	65	5.655	99	5.491	31	5.416	65	5.507	99	5.658
32	5.545	66	5.308	100	5.388	32	5.662	66	5.42	100	5.334
33	5.635	67	5.474			33	5.441	67	5.473		
34	5.649	68	5.286			34	5.519	68	5.641		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5260MHZ-20MHZ BW-T6-TRIAL-17						5260MHZ-20MHZ BW-T6-TRIAL-18					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.676	35	5.572	69	5.319	1	5.396	35	5.505	69	5.592
2	5.342	36	5.549	70	5.469	2	5.481	36	5.685	70	5.701
3	5.34	37	5.569	71	5.282	3	5.637	37	5.427	71	5.689
4	5.554	38	5.38	72	5.631	4	5.681	38	5.397	72	5.547
5	5.527	39	5.692	73	5.485	5	5.399	39	5.688	73	5.469
6	5.542	40	5.551	74	5.419	6	5.428	40	5.281	74	5.439
7	5.381	41	5.281	75	5.305	7	5.34	41	5.542	75	5.507
8	5.562	42	5.441	76	5.575	8	5.598	42	5.644	76	5.696
9	5.411	43	5.681	77	5.612	9	5.468	43	5.675	77	5.569
10	5.664	44	5.427	78	5.486	10	5.31	44	5.292	78	5.46
11	5.588	45	5.388	79	5.261	11	5.61	45	5.424	79	5.372
12	5.321	46	5.348	80	5.413	12	5.705	46	5.72	80	5.691
13	5.599	47	5.33	81	5.561	13	5.461	47	5.294	81	5.457
14	5.474	48	5.512	82	5.648	14	5.615	48	5.376	82	5.616
15	5.278	49	5.71	83	5.456	15	5.33	49	5.687	83	5.353
16	5.69	50	5.263	84	5.553	16	5.509	50	5.278	84	5.541
17	5.479	51	5.494	85	5.425	17	5.721	51	5.404	85	5.289
18	5.515	52	5.533	86	5.719	18	5.264	52	5.698	86	5.669
19	5.408	53	5.327	87	5.616	19	5.354	53	5.256	87	5.632
20	5.666	54	5.316	88	5.716	20	5.502	54	5.613	88	5.521
21	5.277	55	5.353	89	5.368	21	5.64	55	5.341	89	5.596
22	5.708	56	5.339	90	5.688	22	5.572	56	5.714	90	5.692
23	5.362	57	5.488	91	5.268	23	5.533	57	5.288	91	5.588
24	5.284	58	5.559	92	5.25	24	5.625	58	5.315	92	5.626
25	5.31	59	5.366	93	5.294	25	5.707	59	5.683	93	5.347
26	5.347	60	5.587	94	5.679	26	5.272	60	5.57	94	5.369
27	5.392	61	5.712	95	5.687	27	5.308	61	5.573	95	5.254
28	5.654	62	5.454	96	5.715	28	5.54	62	5.351	96	5.268
29	5.706	63	5.584	97	5.357	29	5.282	63	5.589	97	5.253
30	5.389	64	5.291	98	5.404	30	5.426	64	5.358	98	5.462
31	5.262	65	5.303	99	5.363	31	5.379	65	5.337	99	5.604
32	5.415	66	5.499	100	5.289	32	5.467	66	5.662	100	5.451
33	5.514	67	5.622			33	5.582	67	5.442		
34	5.693	68	5.372			34	5.423	68	5.534		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5260MHZ-20MHZ BW-T6-TRIAL-19						5260MHZ-20MHZ BW-T6-TRIAL-20					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.351	35	5.345	69	5.309	1	5.559	35	5.287	69	5.499
2	5.591	36	5.515	70	5.685	2	5.367	36	5.428	70	5.5
3	5.499	37	5.443	71	5.432	3	5.266	37	5.525	71	5.481
4	5.262	38	5.28	72	5.713	4	5.365	38	5.425	72	5.362
5	5.408	39	5.342	73	5.381	5	5.723	39	5.518	73	5.45
6	5.346	40	5.448	74	5.526	6	5.526	40	5.57	74	5.534
7	5.538	41	5.307	75	5.667	7	5.617	41	5.494	75	5.426
8	5.468	42	5.518	76	5.367	8	5.463	42	5.289	76	5.252
9	5.712	43	5.325	77	5.625	9	5.631	43	5.357	77	5.557
10	5.401	44	5.269	78	5.671	10	5.595	44	5.552	78	5.286
11	5.413	45	5.663	79	5.463	11	5.389	45	5.374	79	5.511
12	5.553	46	5.639	80	5.373	12	5.465	46	5.561	80	5.535
13	5.266	47	5.652	81	5.605	13	5.666	47	5.261	81	5.3
14	5.676	48	5.503	82	5.613	14	5.613	48	5.607	82	5.377
15	5.281	49	5.415	83	5.444	15	5.704	49	5.346	83	5.412
16	5.303	50	5.255	84	5.666	16	5.619	50	5.353	84	5.482
17	5.386	51	5.407	85	5.528	17	5.567	51	5.703	85	5.523
18	5.555	52	5.283	86	5.353	18	5.707	52	5.554	86	5.579
19	5.719	53	5.287	87	5.691	19	5.53	53	5.524	87	5.332
20	5.659	54	5.586	88	5.497	20	5.383	54	5.254	88	5.29
21	5.672	55	5.716	89	5.565	21	5.294	55	5.602	89	5.435
22	5.467	56	5.485	90	5.501	22	5.326	56	5.696	90	5.342
23	5.71	57	5.51	91	5.65	23	5.275	57	5.504	91	5.375
24	5.708	58	5.649	92	5.33	24	5.69	58	5.683	92	5.694
25	5.315	59	5.517	93	5.263	25	5.699	59	5.344	93	5.674
26	5.365	60	5.327	94	5.514	26	5.453	60	5.25	94	5.268
27	5.512	61	5.251	95	5.326	27	5.64	61	5.349	95	5.537
28	5.36	62	5.257	96	5.319	28	5.598	62	5.259	96	5.603
29	5.402	63	5.344	97	5.493	29	5.441	63	5.724	97	5.376
30	5.394	64	5.271	98	5.717	30	5.658	64	5.571	98	5.337
31	5.483	65	5.646	99	5.612	31	5.303	65	5.653	99	5.717
32	5.453	66	5.487	100	5.715	32	5.427	66	5.539	100	5.394
33	5.49	67	5.451			33	5.513	67	5.673		
34	5.397	68	5.508			34	5.341	68	5.647		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5260MHZ-20MHZ BW-T6-TRIAL-21						5260MHZ-20MHZ BW-T6-TRIAL-22					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.326	35	5.62	69	5.471	1	5.397	35	5.689	69	5.47
2	5.408	36	5.717	70	5.6	2	5.425	36	5.531	70	5.314
3	5.586	37	5.389	71	5.721	3	5.381	37	5.284	71	5.507
4	5.546	38	5.712	72	5.593	4	5.419	38	5.269	72	5.515
5	5.669	39	5.504	73	5.485	5	5.367	39	5.614	73	5.325
6	5.26	40	5.419	74	5.658	6	5.388	40	5.69	74	5.592
7	5.276	41	5.539	75	5.645	7	5.621	41	5.608	75	5.692
8	5.495	42	5.496	76	5.588	8	5.378	42	5.291	76	5.471
9	5.339	43	5.395	77	5.512	9	5.572	43	5.585	77	5.255
10	5.4	44	5.634	78	5.716	10	5.624	44	5.663	78	5.448
11	5.45	45	5.699	79	5.688	11	5.331	45	5.385	79	5.522
12	5.544	46	5.344	80	5.573	12	5.609	46	5.28	80	5.513
13	5.343	47	5.384	81	5.618	13	5.676	47	5.623	81	5.491
14	5.513	48	5.673	82	5.362	14	5.57	48	5.288	82	5.55
15	5.711	49	5.324	83	5.49	15	5.718	49	5.723	83	5.435
16	5.257	50	5.331	84	5.312	16	5.711	50	5.46	84	5.37
17	5.663	51	5.615	85	5.644	17	5.336	51	5.446	85	5.555
18	5.463	52	5.577	86	5.534	18	5.532	52	5.58	86	5.551
19	5.675	53	5.554	87	5.284	19	5.253	53	5.292	87	5.416
20	5.698	54	5.636	88	5.509	20	5.686	54	5.672	88	5.598
21	5.365	55	5.348	89	5.584	21	5.479	55	5.358	89	5.717
22	5.42	56	5.503	90	5.627	22	5.279	56	5.469	90	5.473
23	5.418	57	5.269	91	5.555	23	5.719	57	5.62	91	5.324
24	5.256	58	5.261	92	5.332	24	5.601	58	5.389	92	5.548
25	5.431	59	5.409	93	5.428	25	5.41	59	5.495	93	5.508
26	5.3	60	5.617	94	5.296	26	5.363	60	5.667	94	5.684
27	5.433	61	5.423	95	5.286	27	5.594	61	5.59	95	5.276
28	5.57	62	5.639	96	5.438	28	5.544	62	5.607	96	5.45
29	5.378	63	5.494	97	5.262	29	5.579	63	5.538	97	5.256
30	5.56	64	5.506	98	5.442	30	5.297	64	5.72	98	5.43
31	5.377	65	5.437	99	5.7	31	5.341	65	5.48	99	5.447
32	5.34	66	5.464	100	5.579	32	5.485	66	5.695	100	5.309
33	5.371	67	5.458			33	5.489	67	5.426		
34	5.705	68	5.316			34	5.494	68	5.409		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5260MHZ-20MHZ BW-T6-TRIAL-23						5260MHZ-20MHZ BW-T6-TRIAL-24					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.569	35	5.718	69	5.605	1	5.515	35	5.548	69	5.323
2	5.574	36	5.702	70	5.447	2	5.311	36	5.615	70	5.421
3	5.678	37	5.582	71	5.545	3	5.577	37	5.263	71	5.636
4	5.547	38	5.68	72	5.683	4	5.561	38	5.682	72	5.425
5	5.489	39	5.422	73	5.33	5	5.534	39	5.655	73	5.718
6	5.587	40	5.555	74	5.553	6	5.572	40	5.608	74	5.611
7	5.612	41	5.557	75	5.347	7	5.37	41	5.581	75	5.509
8	5.721	42	5.707	76	5.622	8	5.36	42	5.443	76	5.459
9	5.706	43	5.359	77	5.65	9	5.362	43	5.628	77	5.482
10	5.319	44	5.602	78	5.351	10	5.546	44	5.494	78	5.662
11	5.576	45	5.289	79	5.281	11	5.307	45	5.695	79	5.569
12	5.631	46	5.581	80	5.313	12	5.44	46	5.258	80	5.444
13	5.32	47	5.421	81	5.298	13	5.339	47	5.441	81	5.622
14	5.584	48	5.278	82	5.719	14	5.557	48	5.42	82	5.363
15	5.643	49	5.566	83	5.28	15	5.559	49	5.693	83	5.616
16	5.251	50	5.616	84	5.384	16	5.422	50	5.673	84	5.545
17	5.481	51	5.307	85	5.539	17	5.674	51	5.625	85	5.329
18	5.453	52	5.561	86	5.4	18	5.34	52	5.332	86	5.426
19	5.262	53	5.448	87	5.536	19	5.408	53	5.463	87	5.314
20	5.627	54	5.441	88	5.457	20	5.293	54	5.361	88	5.312
21	5.317	55	5.413	89	5.392	21	5.707	55	5.379	89	5.252
22	5.321	56	5.259	90	5.667	22	5.259	56	5.424	90	5.483
23	5.433	57	5.503	91	5.633	23	5.687	57	5.371	91	5.595
24	5.375	58	5.614	92	5.261	24	5.571	58	5.609	92	5.698
25	5.666	59	5.341	93	5.716	25	5.485	59	5.665	93	5.678
26	5.459	60	5.353	94	5.703	26	5.404	60	5.564	94	5.672
27	5.34	61	5.558	95	5.637	27	5.253	61	5.517	95	5.518
28	5.288	62	5.508	96	5.427	28	5.457	62	5.618	96	5.351
29	5.323	63	5.525	97	5.265	29	5.357	63	5.58	97	5.349
30	5.302	64	5.632	98	5.419	30	5.653	64	5.41	98	5.468
31	5.69	65	5.299	99	5.672	31	5.527	65	5.356	99	5.542
32	5.496	66	5.526	100	5.619	32	5.287	66	5.445	100	5.711
33	5.711	67	5.517			33	5.723	67	5.358		
34	5.356	68	5.679			34	5.667	68	5.528		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5260MHZ-20MHZ BW-T6-TRIAL-25						5260MHZ-20MHZ BW-T6-TRIAL-26					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.66	35	5.465	69	5.606	1	5.411	35	5.542	69	5.52
2	5.527	36	5.399	70	5.529	2	5.548	36	5.479	70	5.547
3	5.62	37	5.281	71	5.32	3	5.371	37	5.365	71	5.47
4	5.717	38	5.515	72	5.432	4	5.591	38	5.692	72	5.31
5	5.608	39	5.625	73	5.63	5	5.28	39	5.459	73	5.702
6	5.685	40	5.396	74	5.707	6	5.625	40	5.631	74	5.516
7	5.572	41	5.557	75	5.519	7	5.316	41	5.674	75	5.683
8	5.695	42	5.429	76	5.378	8	5.518	42	5.367	76	5.551
9	5.334	43	5.328	77	5.449	9	5.647	43	5.457	77	5.422
10	5.448	44	5.415	78	5.436	10	5.654	44	5.321	78	5.328
11	5.28	45	5.387	79	5.477	11	5.281	45	5.706	79	5.403
12	5.254	46	5.69	80	5.464	12	5.295	46	5.494	80	5.717
13	5.358	47	5.309	81	5.278	13	5.298	47	5.445	81	5.412
14	5.287	48	5.621	82	5.564	14	5.534	48	5.603	82	5.528
15	5.532	49	5.71	83	5.6	15	5.681	49	5.265	83	5.309
16	5.364	50	5.47	84	5.261	16	5.387	50	5.477	84	5.584
17	5.614	51	5.259	85	5.471	17	5.384	51	5.616	85	5.396
18	5.534	52	5.51	86	5.407	18	5.306	52	5.637	86	5.409
19	5.291	53	5.609	87	5.585	19	5.651	53	5.56	87	5.511
20	5.589	54	5.525	88	5.458	20	5.6	54	5.713	88	5.263
21	5.506	55	5.472	89	5.664	21	5.381	55	5.29	89	5.527
22	5.389	56	5.451	90	5.455	22	5.273	56	5.69	90	5.72
23	5.405	57	5.374	91	5.488	23	5.42	57	5.452	91	5.38
24	5.652	58	5.641	92	5.667	24	5.671	58	5.344	92	5.554
25	5.319	59	5.299	93	5.596	25	5.509	59	5.399	93	5.505
26	5.482	60	5.388	94	5.518	26	5.317	60	5.599	94	5.526
27	5.286	61	5.535	95	5.282	27	5.634	61	5.361	95	5.685
28	5.686	62	5.556	96	5.53	28	5.572	62	5.347	96	5.65
29	5.524	63	5.265	97	5.253	29	5.623	63	5.531	97	5.253
30	5.671	64	5.304	98	5.565	30	5.543	64	5.501	98	5.705
31	5.693	65	5.402	99	5.456	31	5.701	65	5.643	99	5.474
32	5.654	66	5.687	100	5.279	32	5.492	66	5.33	100	5.447
33	5.383	67	5.496			33	5.627	67	5.642		
34	5.367	68	5.434			34	5.601	68	5.345		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5260MHZ-20MHZ BW-T6-TRIAL-27						5260MHZ-20MHZ BW-T6-TRIAL-28					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.641	35	5.532	69	5.414	1	5.623	35	5.268	69	5.36
2	5.381	36	5.594	70	5.474	2	5.317	36	5.365	70	5.466
3	5.327	37	5.403	71	5.547	3	5.666	37	5.574	71	5.31
4	5.593	38	5.484	72	5.356	4	5.265	38	5.619	72	5.531
5	5.387	39	5.606	73	5.388	5	5.654	39	5.627	73	5.346
6	5.498	40	5.657	74	5.625	6	5.314	40	5.54	74	5.566
7	5.334	41	5.61	75	5.519	7	5.39	41	5.438	75	5.639
8	5.557	42	5.472	76	5.681	8	5.316	42	5.495	76	5.398
9	5.338	43	5.415	77	5.495	9	5.575	43	5.347	77	5.396
10	5.39	44	5.716	78	5.408	10	5.445	44	5.63	78	5.527
11	5.591	45	5.554	79	5.568	11	5.631	45	5.555	79	5.418
12	5.28	46	5.386	80	5.394	12	5.685	46	5.483	80	5.551
13	5.444	47	5.723	81	5.441	13	5.493	47	5.537	81	5.514
14	5.452	48	5.416	82	5.273	14	5.629	48	5.302	82	5.32
15	5.702	49	5.523	83	5.433	15	5.443	49	5.503	83	5.659
16	5.673	50	5.527	84	5.402	16	5.293	50	5.696	84	5.491
17	5.689	51	5.494	85	5.653	17	5.271	51	5.516	85	5.27
18	5.445	52	5.257	86	5.299	18	5.38	52	5.652	86	5.586
19	5.478	53	5.466	87	5.54	19	5.675	53	5.578	87	5.618
20	5.559	54	5.607	88	5.548	20	5.376	54	5.694	88	5.547
21	5.596	55	5.695	89	5.667	21	5.55	55	5.66	89	5.385
22	5.513	56	5.623	90	5.429	22	5.689	56	5.533	90	5.496
23	5.635	57	5.312	91	5.601	23	5.311	57	5.297	91	5.358
24	5.417	58	5.499	92	5.333	24	5.714	58	5.381	92	5.274
25	5.637	59	5.303	93	5.267	25	5.405	59	5.433	93	5.697
26	5.462	60	5.254	94	5.551	26	5.422	60	5.277	94	5.681
27	5.627	61	5.718	95	5.473	27	5.664	61	5.296	95	5.33
28	5.26	62	5.708	96	5.277	28	5.412	62	5.592	96	5.319
29	5.505	63	5.619	97	5.468	29	5.688	63	5.617	97	5.608
30	5.361	64	5.603	98	5.27	30	5.417	64	5.262	98	5.705
31	5.378	65	5.57	99	5.647	31	5.544	65	5.482	99	5.682
32	5.71	66	5.556	100	5.314	32	5.702	66	5.339	100	5.362
33	5.549	67	5.272			33	5.287	67	5.411		
34	5.369	68	5.463			34	5.269	68	5.465		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5260MHZ-20MHZ BW-T6-TRIAL-29						5260MHZ-20MHZ BW-T6-TRIAL-30					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.599	35	5.687	69	5.555	1	5.474	35	5.604	69	5.373
2	5.619	36	5.563	70	5.299	2	5.439	36	5.458	70	5.462
3	5.424	37	5.421	71	5.334	3	5.446	37	5.43	71	5.433
4	5.499	38	5.469	72	5.523	4	5.296	38	5.605	72	5.27
5	5.629	39	5.696	73	5.694	5	5.393	39	5.456	73	5.693
6	5.562	40	5.518	74	5.386	6	5.512	40	5.268	74	5.659
7	5.404	41	5.662	75	5.495	7	5.511	41	5.356	75	5.369
8	5.631	42	5.635	76	5.568	8	5.717	42	5.676	76	5.579
9	5.602	43	5.575	77	5.315	9	5.51	43	5.592	77	5.403
10	5.664	44	5.678	78	5.571	10	5.549	44	5.501	78	5.357
11	5.528	45	5.462	79	5.581	11	5.682	45	5.712	79	5.34
12	5.317	46	5.511	80	5.305	12	5.709	46	5.609	80	5.32
13	5.634	47	5.365	81	5.268	13	5.61	47	5.346	81	5.406
14	5.597	48	5.477	82	5.325	14	5.396	48	5.542	82	5.628
15	5.394	49	5.372	83	5.332	15	5.332	49	5.344	83	5.538
16	5.349	50	5.316	84	5.593	16	5.365	50	5.669	84	5.331
17	5.255	51	5.35	85	5.312	17	5.323	51	5.636	85	5.44
18	5.295	52	5.489	86	5.447	18	5.401	52	5.706	86	5.491
19	5.68	53	5.429	87	5.702	19	5.55	53	5.554	87	5.569
20	5.49	54	5.539	88	5.339	20	5.48	54	5.656	88	5.724
21	5.608	55	5.453	89	5.459	21	5.644	55	5.519	89	5.437
22	5.556	56	5.258	90	5.337	22	5.524	56	5.488	90	5.558
23	5.578	57	5.566	91	5.515	23	5.576	57	5.6	91	5.281
24	5.306	58	5.343	92	5.345	24	5.631	58	5.381	92	5.471
25	5.51	59	5.623	93	5.641	25	5.465	59	5.35	93	5.589
26	5.29	60	5.4	94	5.558	26	5.301	60	5.699	94	5.358
27	5.579	61	5.308	95	5.457	27	5.597	61	5.349	95	5.547
28	5.338	62	5.479	96	5.289	28	5.67	62	5.483	96	5.284
29	5.659	63	5.401	97	5.388	29	5.612	63	5.395	97	5.298
30	5.434	64	5.624	98	5.41	30	5.703	64	5.46	98	5.526
31	5.444	65	5.632	99	5.63	31	5.449	65	5.548	99	5.485
32	5.508	66	5.67	100	5.346	32	5.504	66	5.273	100	5.355
33	5.384	67	5.657			33	5.695	67	5.425		
34	5.507	68	5.307			34	5.546	68	5.654		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

A.5 Radar Type 6 Parameters for 40 MHz Bandwidth

5270MHZ-40MHZ BW-T6-TRIAL-1						5270MHZ-40MHZ BW-T6-TRIAL-2					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.695	35	5.279	69	5.633	1	5.63	35	5.402	69	5.292
2	5.377	36	5.395	70	5.694	2	5.671	36	5.398	70	5.296
3	5.57	37	5.535	71	5.345	3	5.673	37	5.701	71	5.723
4	5.701	38	5.477	72	5.71	4	5.392	38	5.273	72	5.312
5	5.316	39	5.521	73	5.393	5	5.62	39	5.629	73	5.631
6	5.642	40	5.706	74	5.475	6	5.52	40	5.488	74	5.462
7	5.483	41	5.507	75	5.563	7	5.262	41	5.69	75	5.719
8	5.417	42	5.434	76	5.454	8	5.547	42	5.466	76	5.307
9	5.414	43	5.273	77	5.385	9	5.445	43	5.706	77	5.29
10	5.402	44	5.346	78	5.662	10	5.411	44	5.635	78	5.538
11	5.321	45	5.709	79	5.493	11	5.436	45	5.407	79	5.409
12	5.665	46	5.526	80	5.36	12	5.288	46	5.269	80	5.414
13	5.492	47	5.481	81	5.362	13	5.546	47	5.613	81	5.622
14	5.461	48	5.605	82	5.582	14	5.323	48	5.485	82	5.705
15	5.609	49	5.631	83	5.255	15	5.33	49	5.531	83	5.285
16	5.686	50	5.432	84	5.49	16	5.477	50	5.41	84	5.661
17	5.531	51	5.448	85	5.469	17	5.357	51	5.397	85	5.699
18	5.376	52	5.463	86	5.344	18	5.596	52	5.58	86	5.38
19	5.431	53	5.468	87	5.473	19	5.692	53	5.664	87	5.621
20	5.478	54	5.381	88	5.291	20	5.258	54	5.717	88	5.563
21	5.488	55	5.53	89	5.61	21	5.359	55	5.39	89	5.469
22	5.45	56	5.654	90	5.445	22	5.562	56	5.416	90	5.552
23	5.319	57	5.315	91	5.471	23	5.291	57	5.349	91	5.368
24	5.482	58	5.58	92	5.386	24	5.34	58	5.585	92	5.478
25	5.465	59	5.552	93	5.639	25	5.624	59	5.388	93	5.687
26	5.451	60	5.443	94	5.576	26	5.406	60	5.662	94	5.25
27	5.406	61	5.546	95	5.455	27	5.295	61	5.289	95	5.429
28	5.588	62	5.437	96	5.614	28	5.448	62	5.257	96	5.348
29	5.618	63	5.47	97	5.333	29	5.695	63	5.652	97	5.628
30	5.532	64	5.678	98	5.617	30	5.668	64	5.294	98	5.324
31	5.405	65	5.565	99	5.467	31	5.524	65	5.619	99	5.555
32	5.517	66	5.577	100	5.564	32	5.375	66	5.604	100	5.309
33	5.382	67	5.372			33	5.72	67	5.497		
34	5.64	68	5.562			34	5.53	68	5.567		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5270MHZ-40MHZ BW-T6-TRIAL-3						5270MHZ-40MHZ BW-T6-TRIAL-4					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.474	35	5.624	69	5.373	1	5.273	35	5.474	69	5.719
2	5.401	36	5.498	70	5.534	2	5.329	36	5.461	70	5.648
3	5.435	37	5.282	71	5.614	3	5.451	37	5.669	71	5.346
4	5.397	38	5.664	72	5.472	4	5.58	38	5.331	72	5.286
5	5.447	39	5.39	73	5.677	5	5.615	39	5.518	73	5.524
6	5.352	40	5.714	74	5.427	6	5.412	40	5.36	74	5.33
7	5.374	41	5.684	75	5.35	7	5.471	41	5.571	75	5.673
8	5.336	42	5.425	76	5.719	8	5.612	42	5.364	76	5.417
9	5.668	43	5.562	77	5.647	9	5.459	43	5.544	77	5.547
10	5.681	44	5.602	78	5.4	10	5.336	44	5.436	78	5.566
11	5.724	45	5.442	79	5.48	11	5.304	45	5.421	79	5.37
12	5.307	46	5.722	80	5.399	12	5.45	46	5.691	80	5.265
13	5.674	47	5.443	81	5.51	13	5.357	47	5.354	81	5.528
14	5.466	48	5.281	82	5.328	14	5.374	48	5.277	82	5.337
15	5.697	49	5.516	83	5.706	15	5.432	49	5.617	83	5.35
16	5.702	50	5.577	84	5.356	16	5.655	50	5.328	84	5.258
17	5.375	51	5.339	85	5.59	17	5.401	51	5.532	85	5.538
18	5.275	52	5.378	86	5.506	18	5.527	52	5.521	86	5.554
19	5.617	53	5.596	87	5.254	19	5.321	53	5.332	87	5.426
20	5.685	54	5.514	88	5.665	20	5.54	54	5.665	88	5.537
21	5.412	55	5.496	89	5.695	21	5.676	55	5.679	89	5.668
22	5.354	56	5.308	90	5.479	22	5.347	56	5.696	90	5.308
23	5.391	57	5.563	91	5.359	23	5.298	57	5.606	91	5.411
24	5.314	58	5.539	92	5.45	24	5.418	58	5.7	92	5.481
25	5.598	59	5.715	93	5.386	25	5.49	59	5.408	93	5.252
26	5.67	60	5.649	94	5.625	26	5.437	60	5.575	94	5.578
27	5.323	61	5.532	95	5.321	27	5.56	61	5.659	95	5.368
28	5.365	62	5.438	96	5.517	28	5.604	62	5.48	96	5.369
29	5.478	63	5.515	97	5.268	29	5.581	63	5.371	97	5.541
30	5.293	64	5.426	98	5.662	30	5.296	64	5.562	98	5.386
31	5.593	65	5.409	99	5.396	31	5.585	65	5.693	99	5.631
32	5.43	66	5.692	100	5.547	32	5.555	66	5.644	100	5.674
33	5.679	67	5.587			33	5.658	67	5.429		
34	5.392	68	5.419			34	5.649	68	5.407		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5270MHZ-40MHZ BW-T6-TRIAL-5						5270MHZ-40MHZ BW-T6-TRIAL-6					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.519	35	5.257	69	5.574	1	5.574	35	5.576	69	5.507
2	5.402	36	5.648	70	5.708	2	5.694	36	5.394	70	5.597
3	5.615	37	5.52	71	5.359	3	5.281	37	5.508	71	5.372
4	5.408	38	5.363	72	5.526	4	5.345	38	5.495	72	5.382
5	5.713	39	5.44	73	5.523	5	5.598	39	5.613	73	5.514
6	5.578	40	5.677	74	5.391	6	5.599	40	5.717	74	5.362
7	5.552	41	5.655	75	5.576	7	5.29	41	5.473	75	5.466
8	5.296	42	5.295	76	5.707	8	5.469	42	5.48	76	5.347
9	5.537	43	5.482	77	5.591	9	5.36	43	5.563	77	5.632
10	5.341	44	5.444	78	5.418	10	5.724	44	5.408	78	5.701
11	5.347	45	5.305	79	5.286	11	5.462	45	5.494	79	5.5
12	5.417	46	5.276	80	5.457	12	5.405	46	5.553	80	5.711
13	5.511	47	5.579	81	5.332	13	5.325	47	5.629	81	5.26
14	5.256	48	5.314	82	5.723	14	5.295	48	5.386	82	5.513
15	5.614	49	5.59	83	5.268	15	5.534	49	5.438	83	5.481
16	5.58	50	5.693	84	5.696	16	5.436	50	5.617	84	5.312
17	5.319	51	5.556	85	5.6	17	5.655	51	5.391	85	5.42
18	5.681	52	5.718	86	5.625	18	5.565	52	5.304	86	5.591
19	5.273	53	5.477	87	5.517	19	5.393	53	5.471	87	5.582
20	5.704	54	5.322	88	5.277	20	5.388	54	5.417	88	5.349
21	5.641	55	5.507	89	5.428	21	5.667	55	5.538	89	5.415
22	5.575	56	5.548	90	5.326	22	5.414	56	5.453	90	5.622
23	5.425	57	5.25	91	5.374	23	5.317	57	5.616	91	5.378
24	5.442	58	5.501	92	5.281	24	5.359	58	5.259	92	5.488
25	5.551	59	5.698	93	5.382	25	5.586	59	5.315	93	5.477
26	5.318	60	5.337	94	5.49	26	5.257	60	5.571	94	5.332
27	5.559	61	5.619	95	5.28	27	5.672	61	5.552	95	5.659
28	5.459	62	5.434	96	5.627	28	5.452	62	5.564	96	5.54
29	5.349	63	5.508	97	5.454	29	5.485	63	5.329	97	5.328
30	5.251	64	5.636	98	5.469	30	5.543	64	5.714	98	5.327
31	5.71	65	5.518	99	5.555	31	5.557	65	5.273	99	5.278
32	5.356	66	5.329	100	5.366	32	5.568	66	5.703	100	5.463
33	5.539	67	5.629			33	5.465	67	5.338		
34	5.662	68	5.447			34	5.348	68	5.277		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5270MHZ-40MHZ BW-T6-TRIAL-7						5270MHZ-40MHZ BW-T6-TRIAL-8					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.525	35	5.31	69	5.619	1	5.703	35	5.609	69	5.549
2	5.614	36	5.252	70	5.537	2	5.719	36	5.692	70	5.47
3	5.286	37	5.403	71	5.421	3	5.362	37	5.65	71	5.677
4	5.607	38	5.476	72	5.674	4	5.644	38	5.366	72	5.459
5	5.691	39	5.29	73	5.617	5	5.665	39	5.671	73	5.348
6	5.37	40	5.631	74	5.484	6	5.603	40	5.614	74	5.372
7	5.284	41	5.67	75	5.271	7	5.386	41	5.417	75	5.467
8	5.259	42	5.321	76	5.6	8	5.53	42	5.504	76	5.425
9	5.405	43	5.296	77	5.334	9	5.662	43	5.373	77	5.722
10	5.557	44	5.536	78	5.546	10	5.423	44	5.475	78	5.429
11	5.36	45	5.462	79	5.648	11	5.536	45	5.256	79	5.328
12	5.58	46	5.288	80	5.429	12	5.447	46	5.282	80	5.436
13	5.649	47	5.265	81	5.569	13	5.704	47	5.391	81	5.267
14	5.427	48	5.434	82	5.291	14	5.383	48	5.487	82	5.646
15	5.323	49	5.411	83	5.44	15	5.616	49	5.432	83	5.634
16	5.513	50	5.397	84	5.299	16	5.56	50	5.718	84	5.276
17	5.283	51	5.623	85	5.448	17	5.628	51	5.618	85	5.532
18	5.697	52	5.657	86	5.48	18	5.329	52	5.46	86	5.407
19	5.722	53	5.472	87	5.723	19	5.404	53	5.304	87	5.678
20	5.658	54	5.708	88	5.593	20	5.552	54	5.706	88	5.26
21	5.453	55	5.595	89	5.527	21	5.32	55	5.259	89	5.641
22	5.634	56	5.582	90	5.567	22	5.593	56	5.289	90	5.563
23	5.516	57	5.616	91	5.357	23	5.581	57	5.287	91	5.455
24	5.38	58	5.297	92	5.526	24	5.392	58	5.691	92	5.268
25	5.61	59	5.304	93	5.7	25	5.33	59	5.433	93	5.261
26	5.556	60	5.279	94	5.257	26	5.579	60	5.464	94	5.322
27	5.313	61	5.54	95	5.452	27	5.292	61	5.393	95	5.585
28	5.491	62	5.502	96	5.267	28	5.534	62	5.351	96	5.505
29	5.426	63	5.331	97	5.431	29	5.416	63	5.551	97	5.414
30	5.436	64	5.592	98	5.59	30	5.496	64	5.543	98	5.633
31	5.586	65	5.355	99	5.544	31	5.305	65	5.327	99	5.565
32	5.486	66	5.463	100	5.433	32	5.507	66	5.625	100	5.285
33	5.553	67	5.444			33	5.278	67	5.274		
34	5.293	68	5.3			34	5.542	68	5.559		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5270MHZ-40MHZ BW-T6-TRIAL-9						5270MHZ-40MHZ BW-T6-TRIAL-10					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.587	35	5.251	69	5.387	1	5.454	35	5.567	69	5.356
2	5.57	36	5.465	70	5.564	2	5.342	36	5.7	70	5.647
3	5.477	37	5.724	71	5.338	3	5.51	37	5.471	71	5.358
4	5.462	38	5.718	72	5.377	4	5.601	38	5.538	72	5.506
5	5.408	39	5.295	73	5.354	5	5.652	39	5.565	73	5.602
6	5.255	40	5.451	74	5.616	6	5.265	40	5.554	74	5.582
7	5.409	41	5.406	75	5.279	7	5.389	41	5.411	75	5.597
8	5.294	42	5.62	76	5.353	8	5.552	42	5.299	76	5.558
9	5.493	43	5.531	77	5.561	9	5.422	43	5.347	77	5.324
10	5.575	44	5.348	78	5.448	10	5.572	44	5.562	78	5.583
11	5.542	45	5.479	79	5.403	11	5.673	45	5.546	79	5.314
12	5.491	46	5.603	80	5.693	12	5.349	46	5.676	80	5.452
13	5.474	47	5.574	81	5.646	13	5.556	47	5.724	81	5.266
14	5.274	48	5.545	82	5.637	14	5.445	48	5.417	82	5.679
15	5.262	49	5.302	83	5.588	15	5.263	49	5.339	83	5.54
16	5.313	50	5.252	84	5.672	16	5.642	50	5.667	84	5.576
17	5.721	51	5.404	85	5.284	17	5.502	51	5.466	85	5.664
18	5.4	52	5.581	86	5.265	18	5.295	52	5.643	86	5.653
19	5.487	53	5.454	87	5.301	19	5.711	53	5.31	87	5.468
20	5.308	54	5.43	88	5.519	20	5.434	54	5.431	88	5.654
21	5.551	55	5.39	89	5.695	21	5.531	55	5.579	89	5.636
22	5.426	56	5.696	90	5.571	22	5.587	56	5.25	90	5.577
23	5.668	57	5.513	91	5.269	23	5.617	57	5.436	91	5.707
24	5.35	58	5.268	92	5.455	24	5.305	58	5.331	92	5.462
25	5.363	59	5.537	93	5.431	25	5.615	59	5.439	93	5.685
26	5.601	60	5.397	94	5.259	26	5.491	60	5.29	94	5.6
27	5.518	61	5.713	95	5.285	27	5.427	61	5.383	95	5.418
28	5.48	62	5.303	96	5.511	28	5.371	62	5.4	96	5.525
29	5.32	63	5.364	97	5.416	29	5.268	63	5.394	97	5.631
30	5.613	64	5.544	98	5.341	30	5.503	64	5.539	98	5.563
31	5.375	65	5.663	99	5.688	31	5.492	65	5.456	99	5.421
32	5.271	66	5.524	100	5.34	32	5.308	66	5.521	100	5.447
33	5.329	67	5.656			33	5.571	67	5.41		
34	5.65	68	5.273			34	5.533	68	5.519		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5270MHZ-40MHZ BW-T6-TRIAL-11						5270MHZ-40MHZ BW-T6-TRIAL-12					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.343	35	5.305	69	5.364	1	5.716	35	5.699	69	5.327
2	5.615	36	5.502	70	5.32	2	5.293	36	5.287	70	5.483
3	5.489	37	5.434	71	5.637	3	5.536	37	5.496	71	5.384
4	5.423	38	5.708	72	5.477	4	5.313	38	5.45	72	5.65
5	5.585	39	5.293	73	5.348	5	5.597	39	5.57	73	5.652
6	5.355	40	5.52	74	5.711	6	5.583	40	5.457	74	5.649
7	5.599	41	5.654	75	5.691	7	5.267	41	5.619	75	5.621
8	5.643	42	5.342	76	5.297	8	5.417	42	5.554	76	5.689
9	5.389	43	5.43	77	5.645	9	5.452	43	5.477	77	5.686
10	5.283	44	5.661	78	5.279	10	5.269	44	5.527	78	5.615
11	5.668	45	5.313	79	5.462	11	5.565	45	5.355	79	5.361
12	5.38	46	5.639	80	5.42	12	5.67	46	5.328	80	5.687
13	5.274	47	5.381	81	5.39	13	5.365	47	5.349	81	5.539
14	5.642	48	5.327	82	5.51	14	5.397	48	5.334	82	5.373
15	5.611	49	5.437	83	5.676	15	5.642	49	5.298	83	5.579
16	5.62	50	5.69	84	5.578	16	5.506	50	5.292	84	5.491
17	5.415	51	5.685	85	5.53	17	5.305	51	5.48	85	5.682
18	5.443	52	5.723	86	5.251	18	5.721	52	5.286	86	5.472
19	5.258	53	5.269	87	5.271	19	5.275	53	5.518	87	5.606
20	5.407	54	5.7	88	5.372	20	5.723	54	5.688	88	5.376
21	5.625	55	5.718	89	5.314	21	5.453	55	5.39	89	5.385
22	5.682	56	5.463	90	5.436	22	5.707	56	5.715	90	5.41
23	5.376	57	5.281	91	5.664	23	5.563	57	5.489	91	5.66
24	5.627	58	5.571	92	5.514	24	5.564	58	5.297	92	5.262
25	5.507	59	5.367	93	5.545	25	5.684	59	5.53	93	5.493
26	5.705	60	5.539	94	5.299	26	5.282	60	5.434	94	5.413
27	5.573	61	5.425	95	5.58	27	5.363	61	5.426	95	5.512
28	5.382	62	5.385	96	5.333	28	5.473	62	5.538	96	5.469
29	5.704	63	5.464	97	5.357	29	5.646	63	5.515	97	5.517
30	5.543	64	5.457	98	5.546	30	5.69	64	5.341	98	5.705
31	5.535	65	5.384	99	5.572	31	5.296	65	5.662	99	5.522
32	5.66	66	5.587	100	5.57	32	5.467	66	5.696	100	5.279
33	5.582	67	5.44			33	5.435	67	5.461		
34	5.667	68	5.341			34	5.614	68	5.388		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5270MHZ-40MHZ BW-T6-TRIAL-13						5270MHZ-40MHZ BW-T6-TRIAL-14					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.452	35	5.645	69	5.418	1	5.466	35	5.286	69	5.696
2	5.378	36	5.639	70	5.5	2	5.353	36	5.571	70	5.526
3	5.481	37	5.606	71	5.613	3	5.333	37	5.475	71	5.6
4	5.717	38	5.714	72	5.439	4	5.498	38	5.443	72	5.322
5	5.574	39	5.584	73	5.256	5	5.639	39	5.535	73	5.408
6	5.305	40	5.581	74	5.272	6	5.404	40	5.565	74	5.297
7	5.516	41	5.299	75	5.421	7	5.423	41	5.49	75	5.508
8	5.417	42	5.422	76	5.312	8	5.624	42	5.687	76	5.675
9	5.589	43	5.401	77	5.648	9	5.311	43	5.44	77	5.555
10	5.691	44	5.51	78	5.382	10	5.447	44	5.251	78	5.638
11	5.597	45	5.384	79	5.354	11	5.481	45	5.586	79	5.671
12	5.306	46	5.607	80	5.693	12	5.515	46	5.452	80	5.645
13	5.33	47	5.658	81	5.541	13	5.411	47	5.549	81	5.605
14	5.324	48	5.664	82	5.571	14	5.587	48	5.263	82	5.313
15	5.344	49	5.251	83	5.287	15	5.406	49	5.413	83	5.509
16	5.424	50	5.697	84	5.349	16	5.497	50	5.441	84	5.343
17	5.362	51	5.484	85	5.292	17	5.609	51	5.378	85	5.546
18	5.456	52	5.29	86	5.661	18	5.36	52	5.429	86	5.28
19	5.53	53	5.706	87	5.388	19	5.582	53	5.275	87	5.469
20	5.441	54	5.369	88	5.285	20	5.262	54	5.661	88	5.504
21	5.518	55	5.307	89	5.326	21	5.305	55	5.576	89	5.27
22	5.373	56	5.494	90	5.403	22	5.691	56	5.387	90	5.302
23	5.365	57	5.497	91	5.66	23	5.606	57	5.577	91	5.284
24	5.308	58	5.707	92	5.592	24	5.357	58	5.581	92	5.253
25	5.315	59	5.372	93	5.348	25	5.724	59	5.551	93	5.5
26	5.663	60	5.314	94	5.577	26	5.63	60	5.268	94	5.656
27	5.54	61	5.402	95	5.527	27	5.395	61	5.442	95	5.439
28	5.625	62	5.321	96	5.695	28	5.403	62	5.281	96	5.426
29	5.338	63	5.659	97	5.261	29	5.356	63	5.566	97	5.629
30	5.478	64	5.337	98	5.463	30	5.3	64	5.359	98	5.427
31	5.585	65	5.258	99	5.723	31	5.601	65	5.568	99	5.545
32	5.49	66	5.672	100	5.269	32	5.716	66	5.603	100	5.718
33	5.677	67	5.462			33	5.363	67	5.574		
34	5.488	68	5.397			34	5.667	68	5.65		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5270MHZ-40MHZ BW-T6-TRIAL-15						5270MHZ-40MHZ BW-T6-TRIAL-16					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.374	35	5.377	69	5.591	1	5.679	35	5.256	69	5.431
2	5.344	36	5.723	70	5.353	2	5.351	36	5.565	70	5.572
3	5.62	37	5.489	71	5.442	3	5.492	37	5.544	71	5.321
4	5.683	38	5.713	72	5.281	4	5.554	38	5.56	72	5.266
5	5.499	39	5.655	73	5.672	5	5.693	39	5.658	73	5.422
6	5.409	40	5.674	74	5.412	6	5.54	40	5.537	74	5.475
7	5.698	41	5.415	75	5.509	7	5.601	41	5.252	75	5.354
8	5.616	42	5.586	76	5.263	8	5.659	42	5.447	76	5.476
9	5.538	43	5.319	77	5.567	9	5.522	43	5.323	77	5.596
10	5.341	44	5.692	78	5.3	10	5.292	44	5.587	78	5.505
11	5.529	45	5.462	79	5.716	11	5.342	45	5.409	79	5.393
12	5.418	46	5.556	80	5.349	12	5.58	46	5.28	80	5.303
13	5.388	47	5.684	81	5.373	13	5.458	47	5.449	81	5.278
14	5.459	48	5.458	82	5.385	14	5.407	48	5.586	82	5.642
15	5.501	49	5.575	83	5.608	15	5.713	49	5.294	83	5.261
16	5.32	50	5.467	84	5.347	16	5.377	50	5.336	84	5.499
17	5.443	51	5.679	85	5.464	17	5.695	51	5.547	85	5.681
18	5.261	52	5.254	86	5.277	18	5.382	52	5.481	86	5.72
19	5.438	53	5.403	87	5.266	19	5.405	53	5.555	87	5.68
20	5.54	54	5.712	88	5.703	20	5.315	54	5.42	88	5.271
21	5.569	55	5.329	89	5.296	21	5.429	55	5.346	89	5.536
22	5.267	56	5.449	90	5.681	22	5.556	56	5.702	90	5.441
23	5.297	57	5.565	91	5.265	23	5.673	57	5.516	91	5.602
24	5.427	58	5.702	92	5.691	24	5.637	58	5.345	92	5.453
25	5.371	59	5.518	93	5.469	25	5.337	59	5.514	93	5.502
26	5.724	60	5.494	94	5.304	26	5.451	60	5.491	94	5.45
27	5.611	61	5.452	95	5.43	27	5.707	61	5.417	95	5.334
28	5.382	62	5.555	96	5.411	28	5.651	62	5.376	96	5.6
29	5.4	63	5.379	97	5.67	29	5.285	63	5.394	97	5.648
30	5.644	64	5.513	98	5.315	30	5.41	64	5.296	98	5.504
31	5.634	65	5.661	99	5.525	31	5.717	65	5.498	99	5.459
32	5.34	66	5.597	100	5.682	32	5.699	66	5.529	100	5.419
33	5.317	67	5.579			33	5.434	67	5.639		
34	5.363	68	5.606			34	5.437	68	5.47		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5270MHZ-40MHZ BW-T6-TRIAL-17						5270MHZ-40MHZ BW-T6-TRIAL-18					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.438	35	5.344	69	5.267	1	5.601	35	5.577	69	5.322
2	5.675	36	5.504	70	5.708	2	5.365	36	5.609	70	5.415
3	5.688	37	5.658	71	5.655	3	5.652	37	5.389	71	5.5
4	5.25	38	5.571	72	5.541	4	5.412	38	5.31	72	5.279
5	5.683	39	5.404	73	5.442	5	5.439	39	5.361	73	5.42
6	5.452	40	5.553	74	5.522	6	5.386	40	5.342	74	5.296
7	5.625	41	5.673	75	5.298	7	5.546	41	5.633	75	5.271
8	5.626	42	5.64	76	5.266	8	5.39	42	5.352	76	5.379
9	5.467	43	5.667	77	5.552	9	5.461	43	5.269	77	5.723
10	5.524	44	5.341	78	5.415	10	5.347	44	5.56	78	5.338
11	5.707	45	5.365	79	5.592	11	5.472	45	5.634	79	5.711
12	5.564	46	5.405	80	5.303	12	5.449	46	5.509	80	5.268
13	5.413	47	5.493	81	5.556	13	5.639	47	5.289	81	5.7
14	5.314	48	5.575	82	5.454	14	5.262	48	5.576	82	5.446
15	5.479	49	5.403	83	5.724	15	5.64	49	5.719	83	5.388
16	5.496	50	5.641	84	5.637	16	5.276	50	5.681	84	5.535
17	5.293	51	5.315	85	5.318	17	5.313	51	5.4	85	5.498
18	5.582	52	5.345	86	5.417	18	5.611	52	5.626	86	5.329
19	5.319	53	5.386	87	5.644	19	5.396	53	5.625	87	5.436
20	5.717	54	5.313	88	5.301	20	5.552	54	5.275	88	5.68
21	5.393	55	5.465	89	5.364	21	5.367	55	5.298	89	5.354
22	5.256	56	5.262	90	5.304	22	5.311	56	5.442	90	5.294
23	5.474	57	5.292	91	5.49	23	5.718	57	5.366	91	5.558
24	5.3	58	5.372	92	5.518	24	5.29	58	5.518	92	5.663
25	5.519	59	5.477	93	5.55	25	5.395	59	5.679	93	5.701
26	5.397	60	5.449	94	5.463	26	5.696	60	5.328	94	5.267
27	5.604	61	5.665	95	5.503	27	5.479	61	5.594	95	5.516
28	5.54	62	5.685	96	5.538	28	5.488	62	5.382	96	5.706
29	5.624	63	5.332	97	5.288	29	5.501	63	5.374	97	5.517
30	5.585	64	5.347	98	5.678	30	5.511	64	5.297	98	5.422
31	5.287	65	5.613	99	5.279	31	5.568	65	5.355	99	5.447
32	5.711	66	5.382	100	5.381	32	5.37	66	5.376	100	5.709
33	5.645	67	5.551			33	5.624	67	5.698		
34	5.567	68	5.286			34	5.682	68	5.259		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5270MHZ-40MHZ BW-T6-TRIAL-19						5270MHZ-40MHZ BW-T6-TRIAL-20					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.276	35	5.434	69	5.571	1	5.347	35	5.596	69	5.579
2	5.658	36	5.587	70	5.575	2	5.396	36	5.399	70	5.459
3	5.371	37	5.639	71	5.461	3	5.341	37	5.665	71	5.415
4	5.37	38	5.7	72	5.416	4	5.704	38	5.424	72	5.698
5	5.696	39	5.542	73	5.444	5	5.648	39	5.508	73	5.571
6	5.272	40	5.6	74	5.671	6	5.546	40	5.556	74	5.496
7	5.286	41	5.576	75	5.688	7	5.694	41	5.448	75	5.31
8	5.413	42	5.399	76	5.4	8	5.253	42	5.495	76	5.381
9	5.704	43	5.462	77	5.66	9	5.428	43	5.444	77	5.352
10	5.543	44	5.473	78	5.522	10	5.367	44	5.402	78	5.617
11	5.472	45	5.415	79	5.694	11	5.311	45	5.686	79	5.291
12	5.448	46	5.656	80	5.5	12	5.272	46	5.43	80	5.674
13	5.496	47	5.275	81	5.426	13	5.315	47	5.3	81	5.268
14	5.312	48	5.341	82	5.613	14	5.35	48	5.685	82	5.635
15	5.697	49	5.516	83	5.555	15	5.314	49	5.523	83	5.37
16	5.417	50	5.32	84	5.297	16	5.621	50	5.529	84	5.303
17	5.49	51	5.537	85	5.721	17	5.435	51	5.282	85	5.702
18	5.348	52	5.437	86	5.611	18	5.604	52	5.346	86	5.371
19	5.318	53	5.387	87	5.368	19	5.707	53	5.377	87	5.534
20	5.317	54	5.594	88	5.412	20	5.575	54	5.302	88	5.55
21	5.466	55	5.643	89	5.659	21	5.644	55	5.666	89	5.684
22	5.716	56	5.458	90	5.703	22	5.275	56	5.567	90	5.501
23	5.424	57	5.717	91	5.492	23	5.299	57	5.591	91	5.61
24	5.483	58	5.315	92	5.678	24	5.594	58	5.711	92	5.564
25	5.352	59	5.515	93	5.723	25	5.668	59	5.582	93	5.574
26	5.259	60	5.42	94	5.376	26	5.432	60	5.455	94	5.281
27	5.512	61	5.327	95	5.619	27	5.434	61	5.554	95	5.308
28	5.403	62	5.411	96	5.284	28	5.691	62	5.51	96	5.478
29	5.653	63	5.567	97	5.422	29	5.538	63	5.28	97	5.682
30	5.563	64	5.573	98	5.641	30	5.52	64	5.67	98	5.533
31	5.258	65	5.337	99	5.366	31	5.334	65	5.57	99	5.637
32	5.648	66	5.344	100	5.356	32	5.357	66	5.322	100	5.261
33	5.607	67	5.637			33	5.639	67	5.521		
34	5.627	68	5.624			34	5.667	68	5.573		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5270MHZ-40MHZ BW-T6-TRIAL-21						5270MHZ-40MHZ BW-T6-TRIAL-22					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.543	35	5.702	69	5.514	1	5.316	35	5.252	69	5.558
2	5.706	36	5.642	70	5.301	2	5.667	36	5.565	70	5.633
3	5.658	37	5.278	71	5.724	3	5.55	37	5.308	71	5.289
4	5.452	38	5.631	72	5.324	4	5.525	38	5.497	72	5.648
5	5.677	39	5.406	73	5.29	5	5.272	39	5.382	73	5.638
6	5.286	40	5.306	74	5.454	6	5.674	40	5.258	74	5.513
7	5.523	41	5.305	75	5.507	7	5.526	41	5.389	75	5.591
8	5.323	42	5.694	76	5.7	8	5.282	42	5.688	76	5.411
9	5.584	43	5.719	77	5.39	9	5.368	43	5.338	77	5.312
10	5.391	44	5.578	78	5.499	10	5.677	44	5.335	78	5.403
11	5.571	45	5.335	79	5.336	11	5.473	45	5.579	79	5.456
12	5.36	46	5.397	80	5.709	12	5.457	46	5.271	80	5.661
13	5.608	47	5.459	81	5.309	13	5.285	47	5.51	81	5.58
14	5.667	48	5.384	82	5.602	14	5.4	48	5.381	82	5.428
15	5.435	49	5.408	83	5.45	15	5.416	49	5.259	83	5.36
16	5.599	50	5.569	84	5.69	16	5.616	50	5.722	84	5.703
17	5.467	51	5.433	85	5.634	17	5.337	51	5.278	85	5.655
18	5.284	52	5.296	86	5.25	18	5.621	52	5.514	86	5.659
19	5.546	53	5.267	87	5.355	19	5.692	53	5.327	87	5.283
20	5.552	54	5.31	88	5.708	20	5.516	54	5.27	88	5.551
21	5.647	55	5.3	89	5.598	21	5.712	55	5.717	89	5.358
22	5.298	56	5.414	90	5.663	22	5.584	56	5.538	90	5.522
23	5.563	57	5.277	91	5.421	23	5.46	57	5.618	91	5.365
24	5.359	58	5.515	92	5.343	24	5.535	58	5.281	92	5.255
25	5.427	59	5.586	93	5.481	25	5.662	59	5.676	93	5.435
26	5.614	60	5.376	94	5.464	26	5.627	60	5.64	94	5.42
27	5.413	61	5.339	95	5.533	27	5.475	61	5.594	95	5.582
28	5.66	62	5.539	96	5.27	28	5.645	62	5.689	96	5.354
29	5.261	63	5.521	97	5.49	29	5.62	63	5.479	97	5.521
30	5.657	64	5.502	98	5.37	30	5.613	64	5.305	98	5.293
31	5.43	65	5.61	99	5.697	31	5.56	65	5.666	99	5.357
32	5.371	66	5.661	100	5.54	32	5.395	66	5.491	100	5.325
33	5.65	67	5.451			33	5.363	67	5.3		
34	5.628	68	5.449			34	5.406	68	5.466		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5270MHZ-40MHZ BW-T6-TRIAL-23						5270MHZ-40MHZ BW-T6-TRIAL-24					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.286	35	5.284	69	5.659	1	5.494	35	5.423	69	5.453
2	5.557	36	5.637	70	5.495	2	5.367	36	5.538	70	5.374
3	5.653	37	5.71	71	5.526	3	5.427	37	5.358	71	5.253
4	5.466	38	5.281	72	5.276	4	5.368	38	5.385	72	5.544
5	5.65	39	5.367	73	5.464	5	5.448	39	5.633	73	5.571
6	5.509	40	5.569	74	5.53	6	5.311	40	5.715	74	5.346
7	5.426	41	5.252	75	5.513	7	5.447	41	5.417	75	5.387
8	5.328	42	5.708	76	5.507	8	5.26	42	5.464	76	5.605
9	5.358	43	5.441	77	5.711	9	5.681	43	5.714	77	5.661
10	5.59	44	5.679	78	5.275	10	5.399	44	5.46	78	5.299
11	5.693	45	5.72	79	5.449	11	5.512	45	5.585	79	5.511
12	5.541	46	5.487	80	5.537	12	5.395	46	5.266	80	5.353
13	5.408	47	5.412	81	5.585	13	5.442	47	5.433	81	5.306
14	5.515	48	5.7	82	5.447	14	5.262	48	5.687	82	5.527
15	5.583	49	5.338	83	5.403	15	5.472	49	5.564	83	5.497
16	5.451	50	5.54	84	5.704	16	5.528	50	5.432	84	5.285
17	5.504	51	5.277	85	5.636	17	5.352	51	5.641	85	5.396
18	5.577	52	5.549	86	5.334	18	5.594	52	5.634	86	5.523
19	5.279	53	5.694	87	5.309	19	5.49	53	5.711	87	5.293
20	5.716	54	5.28	88	5.683	20	5.674	54	5.428	88	5.593
21	5.648	55	5.467	89	5.332	21	5.543	55	5.607	89	5.468
22	5.695	56	5.546	90	5.321	22	5.475	56	5.291	90	5.673
23	5.383	57	5.322	91	5.593	23	5.567	57	5.616	91	5.415
24	5.599	58	5.524	92	5.457	24	5.716	58	5.286	92	5.5
25	5.539	59	5.563	93	5.654	25	5.43	59	5.445	93	5.361
26	5.564	60	5.608	94	5.446	26	5.386	60	5.524	94	5.404
27	5.397	61	5.701	95	5.629	27	5.273	61	5.644	95	5.357
28	5.589	62	5.578	96	5.483	28	5.467	62	5.597	96	5.336
29	5.49	63	5.468	97	5.633	29	5.284	63	5.688	97	5.702
30	5.655	64	5.384	98	5.542	30	5.581	64	5.692	98	5.502
31	5.662	65	5.257	99	5.489	31	5.457	65	5.519	99	5.288
32	5.722	66	5.327	100	5.377	32	5.577	66	5.25	100	5.691
33	5.394	67	5.47			33	5.604	67	5.323		
34	5.706	68	5.594			34	5.495	68	5.426		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5270MHZ-40MHZ BW-T6-TRIAL-25						5270MHZ-40MHZ BW-T6-TRIAL-26					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.265	35	5.519	69	5.626	1	5.53	35	5.412	69	5.536
2	5.256	36	5.672	70	5.335	2	5.586	36	5.313	70	5.435
3	5.629	37	5.565	71	5.329	3	5.63	37	5.411	71	5.296
4	5.254	38	5.586	72	5.376	4	5.572	38	5.69	72	5.257
5	5.46	39	5.364	73	5.28	5	5.405	39	5.305	73	5.333
6	5.433	40	5.281	74	5.501	6	5.533	40	5.58	74	5.512
7	5.29	41	5.69	75	5.427	7	5.654	41	5.288	75	5.568
8	5.434	42	5.318	76	5.276	8	5.651	42	5.588	76	5.337
9	5.452	43	5.72	77	5.608	9	5.554	43	5.64	77	5.526
10	5.473	44	5.34	78	5.283	10	5.508	44	5.425	78	5.498
11	5.577	45	5.472	79	5.407	11	5.685	45	5.649	79	5.543
12	5.346	46	5.65	80	5.488	12	5.497	46	5.525	80	5.312
13	5.676	47	5.456	81	5.295	13	5.566	47	5.279	81	5.383
14	5.655	48	5.362	82	5.54	14	5.678	48	5.258	82	5.367
15	5.614	49	5.351	83	5.355	15	5.291	49	5.47	83	5.272
16	5.508	50	5.504	84	5.371	16	5.289	50	5.558	84	5.34
17	5.637	51	5.285	85	5.311	17	5.442	51	5.393	85	5.357
18	5.662	52	5.559	86	5.684	18	5.375	52	5.661	86	5.507
19	5.477	53	5.263	87	5.556	19	5.293	53	5.427	87	5.452
20	5.612	54	5.547	88	5.638	20	5.548	54	5.309	88	5.44
21	5.642	55	5.39	89	5.291	21	5.643	55	5.682	89	5.672
22	5.615	56	5.61	90	5.622	22	5.604	56	5.46	90	5.668
23	5.279	57	5.516	91	5.639	23	5.687	57	5.301	91	5.626
24	5.594	58	5.38	92	5.576	24	5.625	58	5.261	92	5.283
25	5.596	59	5.439	93	5.398	25	5.253	59	5.647	93	5.277
26	5.693	60	5.349	94	5.606	26	5.575	60	5.673	94	5.354
27	5.258	61	5.47	95	5.537	27	5.433	61	5.591	95	5.268
28	5.624	62	5.44	96	5.476	28	5.37	62	5.529	96	5.503
29	5.63	63	5.593	97	5.53	29	5.31	63	5.306	97	5.318
30	5.424	64	5.528	98	5.557	30	5.323	64	5.328	98	5.394
31	5.359	65	5.48	99	5.533	31	5.416	65	5.636	99	5.444
32	5.621	66	5.465	100	5.308	32	5.479	66	5.646	100	5.634
33	5.574	67	5.437			33	5.544	67	5.443		
34	5.663	68	5.554			34	5.655	68	5.359		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5270MHZ-40MHZ BW-T6-TRIAL-27						5270MHZ-40MHZ BW-T6-TRIAL-28					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.576	35	5.626	69	5.646	1	5.282	35	5.392	69	5.318
2	5.371	36	5.5	70	5.516	2	5.596	36	5.504	70	5.33
3	5.67	37	5.4	71	5.341	3	5.443	37	5.307	71	5.598
4	5.583	38	5.324	72	5.534	4	5.263	38	5.621	72	5.487
5	5.444	39	5.312	73	5.508	5	5.534	39	5.293	73	5.323
6	5.615	40	5.301	74	5.289	6	5.49	40	5.353	74	5.436
7	5.671	41	5.581	75	5.327	7	5.57	41	5.599	75	5.36
8	5.545	42	5.538	76	5.295	8	5.613	42	5.654	76	5.566
9	5.468	43	5.572	77	5.27	9	5.63	43	5.699	77	5.712
10	5.521	44	5.348	78	5.425	10	5.512	44	5.554	78	5.588
11	5.267	45	5.472	79	5.276	11	5.662	45	5.514	79	5.493
12	5.485	46	5.302	80	5.462	12	5.479	46	5.491	80	5.439
13	5.692	47	5.663	81	5.483	13	5.696	47	5.434	81	5.342
14	5.694	48	5.294	82	5.424	14	5.604	48	5.617	82	5.44
15	5.386	49	5.589	83	5.519	15	5.678	49	5.431	83	5.637
16	5.6	50	5.405	84	5.488	16	5.574	50	5.451	84	5.531
17	5.571	51	5.601	85	5.338	17	5.668	51	5.328	85	5.633
18	5.474	52	5.69	86	5.331	18	5.686	52	5.322	86	5.587
19	5.569	53	5.456	87	5.556	19	5.632	53	5.385	87	5.711
20	5.676	54	5.428	88	5.704	20	5.331	54	5.492	88	5.289
21	5.455	55	5.49	89	5.404	21	5.309	55	5.456	89	5.484
22	5.603	56	5.45	90	5.347	22	5.326	56	5.298	90	5.452
23	5.332	57	5.614	91	5.691	23	5.308	57	5.555	91	5.669
24	5.365	58	5.274	92	5.429	24	5.361	58	5.371	92	5.292
25	5.595	59	5.594	93	5.61	25	5.29	59	5.606	93	5.397
26	5.372	60	5.362	94	5.666	26	5.713	60	5.643	94	5.454
27	5.527	61	5.672	95	5.669	27	5.378	61	5.54	95	5.365
28	5.64	62	5.292	96	5.609	28	5.354	62	5.583	96	5.448
29	5.715	63	5.495	97	5.643	29	5.388	63	5.722	97	5.457
30	5.72	64	5.375	98	5.708	30	5.639	64	5.253	98	5.375
31	5.423	65	5.674	99	5.501	31	5.716	65	5.409	99	5.708
32	5.463	66	5.367	100	5.525	32	5.631	66	5.494	100	5.299
33	5.258	67	5.62			33	5.548	67	5.528		
34	5.56	68	5.277			34	5.483	68	5.394		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5270MHZ-40MHZ BW-T6-TRIAL-29						5270MHZ-40MHZ BW-T6-TRIAL-30					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.558	35	5.472	69	5.267	1	5.352	35	5.609	69	5.481
2	5.439	36	5.609	70	5.511	2	5.722	36	5.296	70	5.365
3	5.319	37	5.482	71	5.485	3	5.697	37	5.637	71	5.329
4	5.694	38	5.675	72	5.723	4	5.474	38	5.602	72	5.701
5	5.706	39	5.425	73	5.594	5	5.543	39	5.584	73	5.263
6	5.371	40	5.499	74	5.379	6	5.677	40	5.703	74	5.568
7	5.661	41	5.522	75	5.297	7	5.446	41	5.273	75	5.6
8	5.608	42	5.38	76	5.632	8	5.525	42	5.27	76	5.539
9	5.325	43	5.45	77	5.275	9	5.618	43	5.471	77	5.251
10	5.429	44	5.54	78	5.72	10	5.34	44	5.287	78	5.718
11	5.554	45	5.323	79	5.353	11	5.424	45	5.617	79	5.57
12	5.606	46	5.576	80	5.686	12	5.253	46	5.533	80	5.711
13	5.442	47	5.448	81	5.287	13	5.286	47	5.461	81	5.418
14	5.443	48	5.378	82	5.643	14	5.566	48	5.707	82	5.666
15	5.333	49	5.681	83	5.388	15	5.307	49	5.551	83	5.608
16	5.688	50	5.368	84	5.402	16	5.313	50	5.504	84	5.45
17	5.293	51	5.583	85	5.364	17	5.53	51	5.576	85	5.407
18	5.623	52	5.667	86	5.491	18	5.456	52	5.438	86	5.632
19	5.639	53	5.393	87	5.651	19	5.361	53	5.536	87	5.603
20	5.526	54	5.529	88	5.269	20	5.484	54	5.399	88	5.269
21	5.358	55	5.327	89	5.512	21	5.661	55	5.289	89	5.402
22	5.604	56	5.57	90	5.259	22	5.299	56	5.642	90	5.496
23	5.271	57	5.575	91	5.692	23	5.615	57	5.513	91	5.482
24	5.395	58	5.374	92	5.296	24	5.332	58	5.339	92	5.583
25	5.274	59	5.601	93	5.414	25	5.633	59	5.359	93	5.464
26	5.677	60	5.533	94	5.717	26	5.458	60	5.594	94	5.498
27	5.423	61	5.719	95	5.431	27	5.63	61	5.657	95	5.293
28	5.458	62	5.656	96	5.541	28	5.626	62	5.279	96	5.37
29	5.417	63	5.602	97	5.468	29	5.534	63	5.579	97	5.462
30	5.479	64	5.673	98	5.289	30	5.651	64	5.524	98	5.327
31	5.382	65	5.336	99	5.483	31	5.272	65	5.303	99	5.502
32	5.514	66	5.532	100	5.712	32	5.3	66	5.465	100	5.691
33	5.565	67	5.539			33	5.593	67	5.653		
34	5.405	68	5.357			34	5.338	68	5.255		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

A.6 Radar Type 6 Parameters for 80 MHz Bandwidth

5290MHZ-80MHZ BW-T6-TRIAL-1						5290MHZ-80MHZ BW-T6-TRIAL-2					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.255	35	5.656	69	5.334	1	5.54	35	5.273	69	5.281
2	5.516	36	5.275	70	5.662	2	5.718	36	5.656	70	5.668
3	5.346	37	5.285	71	5.366	3	5.368	37	5.261	71	5.454
4	5.495	38	5.593	72	5.498	4	5.271	38	5.409	72	5.553
5	5.483	39	5.545	73	5.422	5	5.7	39	5.323	73	5.533
6	5.326	40	5.368	74	5.477	6	5.486	40	5.715	74	5.412
7	5.617	41	5.475	75	5.449	7	5.416	41	5.394	75	5.619
8	5.315	42	5.697	76	5.263	8	5.652	42	5.259	76	5.6
9	5.446	43	5.268	77	5.519	9	5.698	43	5.69	77	5.623
10	5.671	44	5.421	78	5.724	10	5.694	44	5.586	78	5.699
11	5.398	45	5.487	79	5.453	11	5.493	45	5.662	79	5.551
12	5.388	46	5.374	80	5.567	12	5.517	46	5.463	80	5.332
13	5.417	47	5.681	81	5.641	13	5.304	47	5.33	81	5.277
14	5.492	48	5.314	82	5.356	14	5.37	48	5.35	82	5.303
15	5.538	49	5.696	83	5.33	15	5.467	49	5.527	83	5.528
16	5.301	50	5.321	84	5.619	16	5.687	50	5.638	84	5.605
17	5.433	51	5.603	85	5.408	17	5.312	51	5.355	85	5.378
18	5.524	52	5.72	86	5.49	18	5.697	52	5.63	86	5.478
19	5.676	53	5.502	87	5.606	19	5.484	53	5.369	87	5.488
20	5.281	54	5.655	88	5.607	20	5.413	54	5.548	88	5.72
21	5.52	55	5.536	89	5.348	21	5.682	55	5.636	89	5.348
22	5.264	56	5.722	90	5.615	22	5.359	56	5.538	90	5.693
23	5.252	57	5.304	91	5.573	23	5.66	57	5.441	91	5.405
24	5.588	58	5.718	92	5.47	24	5.393	58	5.558	92	5.296
25	5.36	59	5.26	93	5.295	25	5.543	59	5.512	93	5.476
26	5.395	60	5.472	94	5.375	26	5.328	60	5.334	94	5.251
27	5.464	61	5.37	95	5.393	27	5.345	61	5.525	95	5.374
28	5.51	62	5.391	96	5.594	28	5.306	62	5.479	96	5.286
29	5.312	63	5.48	97	5.372	29	5.535	63	5.46	97	5.477
30	5.612	64	5.32	98	5.309	30	5.576	64	5.591	98	5.426
31	5.404	65	5.648	99	5.352	31	5.614	65	5.403	99	5.39
32	5.354	66	5.284	100	5.571	32	5.683	66	5.401	100	5.581
33	5.551	67	5.652			33	5.366	67	5.291		
34	5.44	68	5.554			34	5.526	68	5.635		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5290MHZ-80MHZ BW-T6-TRIAL-3						5290MHZ-80MHZ BW-T6-TRIAL-4					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.655	35	5.277	69	5.334	1	5.382	35	5.421	69	5.46
2	5.386	36	5.591	70	5.346	2	5.635	36	5.583	70	5.279
3	5.576	37	5.582	71	5.682	3	5.483	37	5.592	71	5.427
4	5.465	38	5.532	72	5.521	4	5.292	38	5.255	72	5.619
5	5.65	39	5.721	73	5.388	5	5.724	39	5.387	73	5.282
6	5.421	40	5.636	74	5.345	6	5.398	40	5.543	74	5.426
7	5.598	41	5.254	75	5.333	7	5.628	41	5.688	75	5.552
8	5.712	42	5.673	76	5.461	8	5.256	42	5.43	76	5.596
9	5.306	43	5.39	77	5.607	9	5.62	43	5.649	77	5.664
10	5.354	44	5.632	78	5.307	10	5.31	44	5.365	78	5.536
11	5.537	45	5.422	79	5.515	11	5.51	45	5.588	79	5.643
12	5.544	46	5.412	80	5.592	12	5.261	46	5.394	80	5.682
13	5.396	47	5.361	81	5.303	13	5.498	47	5.691	81	5.407
14	5.474	48	5.383	82	5.594	14	5.307	48	5.553	82	5.331
15	5.561	49	5.58	83	5.282	15	5.564	49	5.457	83	5.638
16	5.514	50	5.311	84	5.377	16	5.594	50	5.723	84	5.521
17	5.653	51	5.379	85	5.332	17	5.295	51	5.506	85	5.301
18	5.508	52	5.312	86	5.46	18	5.611	52	5.4	86	5.575
19	5.684	53	5.691	87	5.495	19	5.33	53	5.446	87	5.272
20	5.681	54	5.341	88	5.295	20	5.359	54	5.464	88	5.377
21	5.36	55	5.692	89	5.519	21	5.606	55	5.389	89	5.315
22	5.583	56	5.47	90	5.723	22	5.59	56	5.462	90	5.562
23	5.366	57	5.524	91	5.697	23	5.253	57	5.443	91	5.644
24	5.665	58	5.453	92	5.625	24	5.32	58	5.294	92	5.581
25	5.462	59	5.371	93	5.257	25	5.637	59	5.706	93	5.573
26	5.621	60	5.43	94	5.629	26	5.626	60	5.593	94	5.384
27	5.413	61	5.654	95	5.612	27	5.676	61	5.304	95	5.565
28	5.718	62	5.276	96	5.554	28	5.516	62	5.404	96	5.542
29	5.434	63	5.34	97	5.494	29	5.456	63	5.474	97	5.254
30	5.464	64	5.585	98	5.48	30	5.683	64	5.569	98	5.607
31	5.297	65	5.588	99	5.557	31	5.579	65	5.525	99	5.567
32	5.677	66	5.367	100	5.489	32	5.477	66	5.478	100	5.325
33	5.467	67	5.408			33	5.627	67	5.373		
34	5.496	68	5.368			34	5.369	68	5.585		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5290MHZ-80MHZ BW-T6-TRIAL-5						5290MHZ-80MHZ BW-T6-TRIAL-6					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.488	35	5.353	69	5.532	1	5.723	35	5.588	69	5.315
2	5.571	36	5.711	70	5.642	2	5.38	36	5.688	70	5.488
3	5.508	37	5.545	71	5.544	3	5.629	37	5.283	71	5.486
4	5.477	38	5.359	72	5.322	4	5.313	38	5.306	72	5.496
5	5.271	39	5.582	73	5.319	5	5.608	39	5.403	73	5.61
6	5.485	40	5.566	74	5.468	6	5.278	40	5.55	74	5.324
7	5.691	41	5.371	75	5.327	7	5.442	41	5.268	75	5.358
8	5.664	42	5.678	76	5.639	8	5.439	42	5.559	76	5.692
9	5.693	43	5.262	77	5.45	9	5.63	43	5.716	77	5.691
10	5.396	44	5.365	78	5.308	10	5.455	44	5.56	78	5.556
11	5.63	45	5.666	79	5.377	11	5.589	45	5.602	79	5.471
12	5.283	46	5.439	80	5.481	12	5.319	46	5.54	80	5.416
13	5.445	47	5.363	81	5.451	13	5.664	47	5.594	81	5.292
14	5.605	48	5.387	82	5.312	14	5.49	48	5.535	82	5.492
15	5.399	49	5.452	83	5.37	15	5.312	49	5.648	83	5.304
16	5.648	50	5.698	84	5.501	16	5.414	50	5.567	84	5.286
17	5.714	51	5.559	85	5.653	17	5.617	51	5.308	85	5.612
18	5.527	52	5.297	86	5.472	18	5.438	52	5.624	86	5.289
19	5.304	53	5.721	87	5.275	19	5.371	53	5.537	87	5.635
20	5.431	54	5.385	88	5.506	20	5.533	54	5.552	88	5.651
21	5.269	55	5.718	89	5.374	21	5.369	55	5.597	89	5.676
22	5.279	56	5.626	90	5.31	22	5.585	56	5.454	90	5.359
23	5.302	57	5.422	91	5.44	23	5.534	57	5.432	91	5.703
24	5.503	58	5.414	92	5.43	24	5.709	58	5.568	92	5.625
25	5.555	59	5.433	93	5.689	25	5.43	59	5.451	93	5.704
26	5.564	60	5.427	94	5.516	26	5.579	60	5.468	94	5.532
27	5.261	61	5.467	95	5.415	27	5.469	61	5.316	95	5.684
28	5.303	62	5.376	96	5.286	28	5.298	62	5.392	96	5.348
29	5.479	63	5.62	97	5.317	29	5.333	63	5.643	97	5.294
30	5.667	64	5.336	98	5.453	30	5.433	64	5.675	98	5.499
31	5.629	65	5.395	99	5.518	31	5.649	65	5.349	99	5.693
32	5.644	66	5.619	100	5.355	32	5.27	66	5.493	100	5.367
33	5.484	67	5.704			33	5.481	67	5.561		
34	5.618	68	5.519			34	5.281	68	5.338		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5290MHZ-80MHZ BW-T6-TRIAL-7						5290MHZ-80MHZ BW-T6-TRIAL-8					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.373	35	5.263	69	5.267	1	5.55	35	5.418	69	5.564
2	5.623	36	5.337	70	5.354	2	5.288	36	5.511	70	5.54
3	5.639	37	5.32	71	5.583	3	5.496	37	5.688	71	5.59
4	5.56	38	5.508	72	5.669	4	5.571	38	5.534	72	5.407
5	5.499	39	5.29	73	5.323	5	5.454	39	5.354	73	5.491
6	5.389	40	5.66	74	5.26	6	5.591	40	5.642	74	5.307
7	5.27	41	5.317	75	5.673	7	5.338	41	5.708	75	5.598
8	5.436	42	5.613	76	5.551	8	5.255	42	5.459	76	5.518
9	5.564	43	5.617	77	5.426	9	5.701	43	5.689	77	5.45
10	5.674	44	5.362	78	5.455	10	5.258	44	5.437	78	5.319
11	5.491	45	5.577	79	5.45	11	5.271	45	5.257	79	5.655
12	5.574	46	5.661	80	5.637	12	5.373	46	5.353	80	5.607
13	5.719	47	5.671	81	5.552	13	5.405	47	5.401	81	5.568
14	5.606	48	5.645	82	5.268	14	5.581	48	5.548	82	5.357
15	5.622	49	5.318	83	5.311	15	5.378	49	5.309	83	5.327
16	5.503	50	5.382	84	5.553	16	5.334	50	5.322	84	5.446
17	5.619	51	5.486	85	5.394	17	5.259	51	5.654	85	5.262
18	5.509	52	5.273	86	5.292	18	5.645	52	5.652	86	5.305
19	5.442	53	5.464	87	5.343	19	5.658	53	5.627	87	5.599
20	5.476	54	5.524	88	5.597	20	5.49	54	5.575	88	5.583
21	5.279	55	5.473	89	5.535	21	5.643	55	5.63	89	5.565
22	5.282	56	5.307	90	5.262	22	5.707	56	5.323	90	5.486
23	5.34	57	5.259	91	5.634	23	5.389	57	5.339	91	5.452
24	5.705	58	5.611	92	5.431	24	5.587	58	5.371	92	5.712
25	5.514	59	5.722	93	5.701	25	5.469	59	5.573	93	5.43
26	5.295	60	5.648	94	5.411	26	5.687	60	5.419	94	5.617
27	5.717	61	5.391	95	5.63	27	5.477	61	5.566	95	5.526
28	5.629	62	5.626	96	5.322	28	5.497	62	5.425	96	5.524
29	5.386	63	5.454	97	5.679	29	5.572	63	5.499	97	5.4
30	5.305	64	5.348	98	5.358	30	5.328	64	5.644	98	5.494
31	5.438	65	5.596	99	5.269	31	5.385	65	5.423	99	5.298
32	5.41	66	5.512	100	5.598	32	5.347	66	5.408	100	5.273
33	5.344	67	5.498			33	5.661	67	5.506		
34	5.467	68	5.543			34	5.589	68	5.463		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5290MHZ-80MHZ BW-T6-TRIAL-9						5290MHZ-80MHZ BW-T6-TRIAL-10					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.52	35	5.428	69	5.649	1	5.348	35	5.446	69	5.674
2	5.705	36	5.343	70	5.467	2	5.378	36	5.527	70	5.627
3	5.273	37	5.487	71	5.561	3	5.337	37	5.391	71	5.283
4	5.441	38	5.334	72	5.671	4	5.609	38	5.287	72	5.557
5	5.423	39	5.684	73	5.563	5	5.356	39	5.45	73	5.698
6	5.403	40	5.466	74	5.448	6	5.316	40	5.485	74	5.372
7	5.625	41	5.269	75	5.709	7	5.666	41	5.364	75	5.288
8	5.365	42	5.462	76	5.349	8	5.603	42	5.611	76	5.716
9	5.484	43	5.359	77	5.594	9	5.535	43	5.534	77	5.358
10	5.633	44	5.654	78	5.274	10	5.531	44	5.495	78	5.561
11	5.588	45	5.527	79	5.405	11	5.651	45	5.285	79	5.663
12	5.502	46	5.639	80	5.455	12	5.437	46	5.387	80	5.525
13	5.377	47	5.279	81	5.638	13	5.274	47	5.42	81	5.555
14	5.54	48	5.681	82	5.393	14	5.568	48	5.699	82	5.399
15	5.361	49	5.411	83	5.353	15	5.669	49	5.637	83	5.649
16	5.655	50	5.378	84	5.442	16	5.659	50	5.36	84	5.511
17	5.425	51	5.522	85	5.506	17	5.457	51	5.331	85	5.497
18	5.586	52	5.614	86	5.354	18	5.526	52	5.327	86	5.367
19	5.426	53	5.576	87	5.676	19	5.258	53	5.468	87	5.441
20	5.344	54	5.26	88	5.648	20	5.366	54	5.512	88	5.463
21	5.398	55	5.489	89	5.596	21	5.368	55	5.605	89	5.655
22	5.468	56	5.534	90	5.689	22	5.466	56	5.591	90	5.407
23	5.567	57	5.619	91	5.288	23	5.279	57	5.538	91	5.389
24	5.674	58	5.583	92	5.281	24	5.682	58	5.529	92	5.293
25	5.658	59	5.529	93	5.685	25	5.493	59	5.291	93	5.386
26	5.329	60	5.285	94	5.573	26	5.276	60	5.342	94	5.524
27	5.363	61	5.679	95	5.53	27	5.273	61	5.582	95	5.314
28	5.518	62	5.474	96	5.41	28	5.692	62	5.628	96	5.583
29	5.452	63	5.291	97	5.604	29	5.435	63	5.639	97	5.297
30	5.479	64	5.49	98	5.723	30	5.607	64	5.563	98	5.436
31	5.475	65	5.51	99	5.298	31	5.329	65	5.266	99	5.652
32	5.721	66	5.707	100	5.711	32	5.553	66	5.303	100	5.617
33	5.653	67	5.591			33	5.257	67	5.484		
34	5.454	68	5.271			34	5.572	68	5.479		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5290MHZ-80MHZ BW-T6-TRIAL-11						5290MHZ-80MHZ BW-T6-TRIAL-12					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.548	35	5.407	69	5.461	1	5.282	35	5.329	69	5.322
2	5.6	36	5.403	70	5.337	2	5.706	36	5.262	70	5.671
3	5.48	37	5.387	71	5.589	3	5.437	37	5.333	71	5.589
4	5.495	38	5.574	72	5.484	4	5.53	38	5.352	72	5.515
5	5.716	39	5.603	73	5.485	5	5.633	39	5.276	73	5.309
6	5.405	40	5.599	74	5.482	6	5.433	40	5.278	74	5.492
7	5.476	41	5.474	75	5.632	7	5.258	41	5.402	75	5.679
8	5.615	42	5.587	76	5.661	8	5.351	42	5.414	76	5.353
9	5.395	43	5.658	77	5.374	9	5.55	43	5.311	77	5.585
10	5.534	44	5.462	78	5.402	10	5.397	44	5.35	78	5.654
11	5.696	45	5.394	79	5.706	11	5.327	45	5.625	79	5.581
12	5.47	46	5.527	80	5.554	12	5.391	46	5.668	80	5.398
13	5.569	47	5.613	81	5.63	13	5.709	47	5.44	81	5.392
14	5.443	48	5.66	82	5.262	14	5.307	48	5.692	82	5.537
15	5.525	49	5.433	83	5.651	15	5.587	49	5.496	83	5.648
16	5.71	50	5.709	84	5.623	16	5.412	50	5.705	84	5.448
17	5.418	51	5.62	85	5.318	17	5.372	51	5.319	85	5.577
18	5.557	52	5.316	86	5.445	18	5.484	52	5.653	86	5.525
19	5.371	53	5.708	87	5.596	19	5.703	53	5.332	87	5.608
20	5.543	54	5.388	88	5.417	20	5.599	54	5.469	88	5.453
21	5.546	55	5.669	89	5.723	21	5.502	55	5.274	89	5.348
22	5.34	56	5.583	90	5.512	22	5.713	56	5.588	90	5.723
23	5.637	57	5.657	91	5.438	23	5.552	57	5.37	91	5.542
24	5.423	58	5.581	92	5.506	24	5.266	58	5.627	92	5.39
25	5.703	59	5.309	93	5.719	25	5.555	59	5.48	93	5.504
26	5.671	60	5.631	94	5.609	26	5.459	60	5.449	94	5.446
27	5.492	61	5.419	95	5.252	27	5.544	61	5.6	95	5.264
28	5.559	62	5.54	96	5.682	28	5.429	62	5.441	96	5.265
29	5.55	63	5.454	97	5.49	29	5.495	63	5.714	97	5.5
30	5.539	64	5.633	98	5.282	30	5.506	64	5.636	98	5.547
31	5.568	65	5.295	99	5.452	31	5.665	65	5.417	99	5.34
32	5.606	66	5.323	100	5.378	32	5.657	66	5.512	100	5.47
33	5.45	67	5.358			33	5.568	67	5.43		
34	5.699	68	5.65			34	5.357	68	5.425		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5290MHZ-80MHZ BW-T6-TRIAL-13						5290MHZ-80MHZ BW-T6-TRIAL-14					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.648	35	5.364	69	5.348	1	5.316	35	5.582	69	5.325
2	5.569	36	5.451	70	5.328	2	5.531	36	5.465	70	5.492
3	5.529	37	5.368	71	5.416	3	5.659	37	5.513	71	5.632
4	5.432	38	5.276	72	5.426	4	5.509	38	5.714	72	5.716
5	5.689	39	5.325	73	5.53	5	5.359	39	5.479	73	5.627
6	5.49	40	5.66	74	5.256	6	5.343	40	5.373	74	5.652
7	5.418	41	5.706	75	5.55	7	5.575	41	5.699	75	5.432
8	5.277	42	5.43	76	5.333	8	5.55	42	5.486	76	5.615
9	5.576	43	5.503	77	5.457	9	5.426	43	5.614	77	5.402
10	5.466	44	5.484	78	5.488	10	5.713	44	5.551	78	5.675
11	5.607	45	5.421	79	5.492	11	5.395	45	5.635	79	5.447
12	5.682	46	5.4	80	5.429	12	5.49	46	5.654	80	5.491
13	5.677	47	5.274	81	5.63	13	5.317	47	5.379	81	5.297
14	5.698	48	5.313	82	5.391	14	5.352	48	5.348	82	5.441
15	5.472	49	5.613	83	5.542	15	5.284	49	5.276	83	5.641
16	5.705	50	5.486	84	5.531	16	5.554	50	5.266	84	5.263
17	5.504	51	5.344	85	5.491	17	5.4	51	5.605	85	5.324
18	5.423	52	5.374	86	5.634	18	5.598	52	5.431	86	5.398
19	5.379	53	5.556	87	5.405	19	5.443	53	5.345	87	5.315
20	5.458	54	5.323	88	5.561	20	5.339	54	5.437	88	5.33
21	5.271	55	5.481	89	5.494	21	5.594	55	5.604	89	5.43
22	5.662	56	5.389	90	5.507	22	5.566	56	5.406	90	5.562
23	5.573	57	5.437	91	5.384	23	5.517	57	5.644	91	5.709
24	5.392	58	5.622	92	5.296	24	5.388	58	5.61	92	5.369
25	5.252	59	5.431	93	5.506	25	5.529	59	5.342	93	5.666
26	5.485	60	5.546	94	5.361	26	5.427	60	5.367	94	5.663
27	5.258	61	5.633	95	5.547	27	5.311	61	5.291	95	5.268
28	5.311	62	5.395	96	5.467	28	5.271	62	5.701	96	5.546
29	5.617	63	5.419	97	5.587	29	5.689	63	5.46	97	5.65
30	5.475	64	5.642	98	5.62	30	5.269	64	5.631	98	5.349
31	5.487	65	5.598	99	5.385	31	5.499	65	5.274	99	5.372
32	5.639	66	5.446	100	5.408	32	5.278	66	5.69	100	5.421
33	5.307	67	5.295			33	5.553	67	5.294		
34	5.716	68	5.719			34	5.434	68	5.286		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5290MHZ-80MHZ BW-T6-TRIAL-15						5290MHZ-80MHZ BW-T6-TRIAL-16					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.677	35	5.278	69	5.623	1	5.49	35	5.551	69	5.364
2	5.634	36	5.646	70	5.507	2	5.252	36	5.372	70	5.583
3	5.687	37	5.567	71	5.519	3	5.666	37	5.462	71	5.637
4	5.619	38	5.367	72	5.553	4	5.279	38	5.642	72	5.722
5	5.491	39	5.61	73	5.484	5	5.408	39	5.558	73	5.533
6	5.521	40	5.554	74	5.556	6	5.692	40	5.271	74	5.503
7	5.383	41	5.637	75	5.712	7	5.48	41	5.458	75	5.394
8	5.469	42	5.279	76	5.261	8	5.267	42	5.608	76	5.693
9	5.398	43	5.362	77	5.335	9	5.709	43	5.451	77	5.674
10	5.711	44	5.377	78	5.473	10	5.26	44	5.468	78	5.276
11	5.722	45	5.426	79	5.636	11	5.254	45	5.618	79	5.694
12	5.577	46	5.281	80	5.525	12	5.532	46	5.352	80	5.344
13	5.544	47	5.323	81	5.34	13	5.378	47	5.371	81	5.688
14	5.252	48	5.274	82	5.312	14	5.556	48	5.548	82	5.338
15	5.374	49	5.551	83	5.505	15	5.572	49	5.714	83	5.444
16	5.447	50	5.324	84	5.329	16	5.373	50	5.632	84	5.682
17	5.598	51	5.52	85	5.492	17	5.475	51	5.486	85	5.342
18	5.524	52	5.318	86	5.676	18	5.273	52	5.567	86	5.289
19	5.669	53	5.672	87	5.618	19	5.33	53	5.591	87	5.282
20	5.603	54	5.629	88	5.499	20	5.587	54	5.454	88	5.541
21	5.706	55	5.392	89	5.563	21	5.625	55	5.38	89	5.664
22	5.624	56	5.262	90	5.428	22	5.544	56	5.531	90	5.63
23	5.349	57	5.718	91	5.579	23	5.53	57	5.61	91	5.339
24	5.58	58	5.572	92	5.57	24	5.595	58	5.437	92	5.638
25	5.293	59	5.327	93	5.328	25	5.404	59	5.426	93	5.383
26	5.422	60	5.653	94	5.695	26	5.646	60	5.301	94	5.529
27	5.352	61	5.397	95	5.381	27	5.616	61	5.308	95	5.586
28	5.589	62	5.503	96	5.418	28	5.324	62	5.296	96	5.724
29	5.476	63	5.581	97	5.436	29	5.699	63	5.602	97	5.707
30	5.342	64	5.552	98	5.622	30	5.386	64	5.41	98	5.473
31	5.642	65	5.322	99	5.364	31	5.277	65	5.526	99	5.401
32	5.27	66	5.689	100	5.309	32	5.706	66	5.574	100	5.513
33	5.4	67	5.416			33	5.361	67	5.354		
34	5.359	68	5.697			34	5.29	68	5.493		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5290MHZ-80MHZ BW-T6-TRIAL-17						5290MHZ-80MHZ BW-T6-TRIAL-18					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.51	35	5.595	69	5.6	1	5.443	35	5.489	69	5.537
2	5.272	36	5.393	70	5.326	2	5.482	36	5.648	70	5.542
3	5.296	37	5.331	71	5.577	3	5.622	37	5.345	71	5.539
4	5.681	38	5.399	72	5.562	4	5.392	38	5.69	72	5.711
5	5.426	39	5.433	73	5.407	5	5.427	39	5.253	73	5.407
6	5.384	40	5.467	74	5.668	6	5.546	40	5.573	74	5.528
7	5.626	41	5.263	75	5.386	7	5.413	41	5.437	75	5.577
8	5.721	42	5.659	76	5.287	8	5.341	42	5.301	76	5.574
9	5.671	43	5.635	77	5.697	9	5.7	43	5.713	77	5.587
10	5.362	44	5.713	78	5.514	10	5.63	44	5.318	78	5.706
11	5.594	45	5.688	79	5.586	11	5.635	45	5.602	79	5.464
12	5.691	46	5.683	80	5.39	12	5.55	46	5.444	80	5.629
13	5.325	47	5.462	81	5.527	13	5.673	47	5.377	81	5.453
14	5.711	48	5.449	82	5.566	14	5.703	48	5.35	82	5.356
15	5.516	49	5.321	83	5.522	15	5.696	49	5.66	83	5.292
16	5.61	50	5.617	84	5.475	16	5.564	50	5.524	84	5.565
17	5.395	51	5.479	85	5.458	17	5.313	51	5.4	85	5.419
18	5.581	52	5.389	86	5.444	18	5.517	52	5.432	86	5.399
19	5.593	53	5.437	87	5.319	19	5.652	53	5.649	87	5.492
20	5.661	54	5.264	88	5.72	20	5.363	54	5.428	88	5.684
21	5.59	55	5.474	89	5.285	21	5.611	55	5.41	89	5.34
22	5.465	56	5.413	90	5.463	22	5.554	56	5.702	90	5.655
23	5.349	57	5.456	91	5.63	23	5.599	57	5.612	91	5.346
24	5.57	58	5.357	92	5.361	24	5.647	58	5.621	92	5.527
25	5.612	59	5.425	93	5.383	25	5.309	59	5.508	93	5.322
26	5.716	60	5.631	94	5.656	26	5.264	60	5.695	94	5.526
27	5.355	61	5.553	95	5.624	27	5.536	61	5.269	95	5.435
28	5.599	62	5.616	96	5.666	28	5.388	62	5.357	96	5.563
29	5.438	63	5.643	97	5.261	29	5.531	63	5.585	97	5.45
30	5.252	64	5.337	98	5.471	30	5.708	64	5.364	98	5.327
31	5.29	65	5.611	99	5.544	31	5.405	65	5.343	99	5.715
32	5.31	66	5.421	100	5.524	32	5.624	66	5.285	100	5.474
33	5.662	67	5.364			33	5.354	67	5.678		
34	5.536	68	5.482			34	5.557	68	5.396		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5290MHZ-80MHZ BW-T6-TRIAL-19						5290MHZ-80MHZ BW-T6-TRIAL-20					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.559	35	5.486	69	5.307	1	5.637	35	5.689	69	5.541
2	5.466	36	5.582	70	5.419	2	5.454	36	5.4	70	5.456
3	5.5	37	5.449	71	5.36	3	5.327	37	5.343	71	5.547
4	5.669	38	5.51	72	5.439	4	5.334	38	5.533	72	5.303
5	5.395	39	5.393	73	5.41	5	5.601	39	5.335	73	5.538
6	5.613	40	5.407	74	5.562	6	5.391	40	5.527	74	5.692
7	5.543	41	5.338	75	5.588	7	5.513	41	5.707	75	5.653
8	5.42	42	5.481	76	5.437	8	5.483	42	5.669	76	5.724
9	5.317	43	5.719	77	5.695	9	5.644	43	5.594	77	5.384
10	5.341	44	5.479	78	5.55	10	5.58	44	5.661	78	5.405
11	5.383	45	5.618	79	5.612	11	5.64	45	5.43	79	5.452
12	5.266	46	5.544	80	5.615	12	5.266	46	5.503	80	5.317
13	5.523	47	5.632	81	5.681	13	5.399	47	5.65	81	5.387
14	5.376	48	5.684	82	5.278	14	5.424	48	5.324	82	5.336
15	5.623	49	5.315	83	5.624	15	5.612	49	5.415	83	5.257
16	5.327	50	5.422	84	5.358	16	5.351	50	5.411	84	5.624
17	5.546	51	5.662	85	5.689	17	5.331	51	5.281	85	5.651
18	5.714	52	5.502	86	5.59	18	5.413	52	5.323	86	5.619
19	5.396	53	5.69	87	5.323	19	5.578	53	5.593	87	5.426
20	5.558	54	5.699	88	5.324	20	5.555	54	5.449	88	5.498
21	5.579	55	5.674	89	5.284	21	5.693	55	5.435	89	5.476
22	5.561	56	5.503	90	5.716	22	5.657	56	5.369	90	5.599
23	5.447	57	5.435	91	5.596	23	5.275	57	5.55	91	5.397
24	5.535	58	5.34	92	5.463	24	5.532	58	5.722	92	5.59
25	5.282	59	5.306	93	5.32	25	5.438	59	5.565	93	5.721
26	5.569	60	5.343	94	5.416	26	5.273	60	5.556	94	5.705
27	5.713	61	5.302	95	5.294	27	5.723	61	5.511	95	5.488
28	5.631	62	5.62	96	5.666	28	5.345	62	5.3	96	5.339
29	5.66	63	5.255	97	5.608	29	5.409	63	5.665	97	5.401
30	5.619	64	5.467	98	5.591	30	5.666	64	5.641	98	5.429
31	5.403	65	5.25	99	5.344	31	5.298	65	5.38	99	5.636
32	5.47	66	5.555	100	5.506	32	5.625	66	5.315	100	5.486
33	5.519	67	5.28			33	5.635	67	5.373		
34	5.642	68	5.514			34	5.499	68	5.408		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5290MHZ-80MHZ BW-T6-TRIAL-21						5290MHZ-80MHZ BW-T6-TRIAL-22					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.722	35	5.371	69	5.709	1	5.3	35	5.667	69	5.55
2	5.38	36	5.65	70	5.33	2	5.481	36	5.256	70	5.643
3	5.285	37	5.383	71	5.365	3	5.587	37	5.654	71	5.478
4	5.461	38	5.479	72	5.329	4	5.254	38	5.609	72	5.268
5	5.358	39	5.514	73	5.443	5	5.526	39	5.374	73	5.469
6	5.682	40	5.467	74	5.68	6	5.436	40	5.377	74	5.7
7	5.32	41	5.413	75	5.337	7	5.573	41	5.596	75	5.576
8	5.4	42	5.693	76	5.61	8	5.581	42	5.453	76	5.331
9	5.571	43	5.318	77	5.309	9	5.695	43	5.572	77	5.307
10	5.316	44	5.262	78	5.403	10	5.513	44	5.416	78	5.337
11	5.618	45	5.539	79	5.607	11	5.314	45	5.681	79	5.653
12	5.526	46	5.58	80	5.713	12	5.464	46	5.663	80	5.404
13	5.626	47	5.485	81	5.431	13	5.556	47	5.67	81	5.56
14	5.507	48	5.353	82	5.321	14	5.345	48	5.468	82	5.496
15	5.294	49	5.601	83	5.301	15	5.458	49	5.397	83	5.429
16	5.363	50	5.628	84	5.323	16	5.649	50	5.503	84	5.412
17	5.694	51	5.453	85	5.393	17	5.512	51	5.574	85	5.295
18	5.483	52	5.636	86	5.701	18	5.258	52	5.284	86	5.702
19	5.522	53	5.287	87	5.67	19	5.38	53	5.364	87	5.623
20	5.266	54	5.656	88	5.279	20	5.543	54	5.599	88	5.593
21	5.381	55	5.401	89	5.631	21	5.252	55	5.622	89	5.319
22	5.473	56	5.69	90	5.723	22	5.71	56	5.439	90	5.5
23	5.426	57	5.502	91	5.604	23	5.384	57	5.278	91	5.561
24	5.488	58	5.542	92	5.491	24	5.641	58	5.578	92	5.557
25	5.415	59	5.29	93	5.395	25	5.292	59	5.497	93	5.597
26	5.599	60	5.387	94	5.686	26	5.471	60	5.474	94	5.589
27	5.524	61	5.277	95	5.511	27	5.279	61	5.66	95	5.459
28	5.367	62	5.356	96	5.667	28	5.465	62	5.304	96	5.63
29	5.255	63	5.513	97	5.265	29	5.303	63	5.485	97	5.277
30	5.516	64	5.455	98	5.257	30	5.662	64	5.533	98	5.648
31	5.712	65	5.512	99	5.379	31	5.344	65	5.318	99	5.301
32	5.368	66	5.523	100	5.348	32	5.299	66	5.424	100	5.531
33	5.411	67	5.653			33	5.484	67	5.571		
34	5.672	68	5.708			34	5.644	68	5.501		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5290MHZ-80MHZ BW-T6-TRIAL-23						5290MHZ-80MHZ BW-T6-TRIAL-24					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.348	35	5.423	69	5.713	1	5.561	35	5.562	69	5.694
2	5.389	36	5.631	70	5.673	2	5.279	36	5.326	70	5.699
3	5.386	37	5.608	71	5.334	3	5.668	37	5.34	71	5.424
4	5.698	38	5.409	72	5.321	4	5.565	38	5.568	72	5.505
5	5.346	39	5.571	73	5.43	5	5.718	39	5.471	73	5.42
6	5.611	40	5.37	74	5.506	6	5.418	40	5.555	74	5.68
7	5.29	41	5.326	75	5.613	7	5.542	41	5.637	75	5.448
8	5.487	42	5.493	76	5.302	8	5.482	42	5.331	76	5.443
9	5.665	43	5.447	77	5.685	9	5.535	43	5.559	77	5.65
10	5.32	44	5.662	78	5.708	10	5.598	44	5.722	78	5.295
11	5.681	45	5.464	79	5.538	11	5.631	45	5.293	79	5.566
12	5.531	46	5.652	80	5.435	12	5.685	46	5.531	80	5.714
13	5.463	47	5.476	81	5.54	13	5.423	47	5.581	81	5.47
14	5.269	48	5.618	82	5.691	14	5.258	48	5.422	82	5.572
15	5.467	49	5.612	83	5.351	15	5.403	49	5.429	83	5.547
16	5.614	50	5.263	84	5.581	16	5.723	50	5.266	84	5.364
17	5.633	51	5.282	85	5.573	17	5.294	51	5.54	85	5.557
18	5.535	52	5.572	86	5.494	18	5.651	52	5.27	86	5.528
19	5.645	53	5.372	87	5.411	19	5.301	53	5.274	87	5.344
20	5.458	54	5.273	88	5.338	20	5.563	54	5.496	88	5.411
21	5.324	55	5.468	89	5.622	21	5.305	55	5.682	89	5.386
22	5.512	56	5.392	90	5.706	22	5.589	56	5.394	90	5.584
23	5.278	57	5.702	91	5.585	23	5.616	57	5.604	91	5.707
24	5.325	58	5.422	92	5.49	24	5.579	58	5.574	92	5.481
25	5.628	59	5.517	93	5.355	25	5.575	59	5.268	93	5.52
26	5.693	60	5.441	94	5.532	26	5.282	60	5.332	94	5.691
27	5.537	61	5.643	95	5.288	27	5.623	61	5.253	95	5.455
28	5.44	62	5.38	96	5.428	28	5.509	62	5.346	96	5.653
29	5.679	63	5.339	97	5.722	29	5.497	63	5.567	97	5.667
30	5.58	64	5.724	98	5.574	30	5.527	64	5.284	98	5.498
31	5.635	65	5.452	99	5.272	31	5.318	65	5.263	99	5.41
32	5.72	66	5.53	100	5.605	32	5.312	66	5.669	100	5.381
33	5.254	67	5.67			33	5.273	67	5.25		
34	5.559	68	5.332			34	5.264	68	5.453		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5290MHZ-80MHZ BW-T6-TRIAL-25						5290MHZ-80MHZ BW-T6-TRIAL-26					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.527	35	5.655	69	5.254	1	5.619	35	5.657	69	5.535
2	5.656	36	5.365	70	5.374	2	5.576	36	5.469	70	5.609
3	5.603	37	5.608	71	5.388	3	5.305	37	5.502	71	5.41
4	5.681	38	5.395	72	5.583	4	5.517	38	5.421	72	5.371
5	5.584	39	5.65	73	5.469	5	5.488	39	5.353	73	5.34
6	5.371	40	5.305	74	5.628	6	5.603	40	5.579	74	5.665
7	5.316	41	5.484	75	5.62	7	5.428	41	5.667	75	5.72
8	5.528	42	5.55	76	5.558	8	5.298	42	5.42	76	5.337
9	5.71	43	5.401	77	5.386	9	5.57	43	5.659	77	5.43
10	5.391	44	5.593	78	5.275	10	5.444	44	5.549	78	5.708
11	5.597	45	5.587	79	5.448	11	5.545	45	5.546	79	5.621
12	5.579	46	5.644	80	5.668	12	5.376	46	5.343	80	5.702
13	5.705	47	5.511	81	5.63	13	5.575	47	5.532	81	5.618
14	5.496	48	5.635	82	5.501	14	5.267	48	5.47	82	5.685
15	5.428	49	5.612	83	5.431	15	5.29	49	5.521	83	5.709
16	5.251	50	5.376	84	5.678	16	5.28	50	5.612	84	5.567
17	5.526	51	5.457	85	5.654	17	5.406	51	5.486	85	5.5
18	5.336	52	5.638	86	5.361	18	5.54	52	5.45	86	5.654
19	5.535	53	5.675	87	5.696	19	5.338	53	5.66	87	5.36
20	5.574	54	5.458	88	5.632	20	5.684	54	5.539	88	5.693
21	5.422	55	5.545	89	5.543	21	5.478	55	5.679	89	5.302
22	5.59	56	5.262	90	5.389	22	5.553	56	5.286	90	5.278
23	5.418	57	5.504	91	5.356	23	5.497	57	5.297	91	5.347
24	5.707	58	5.409	92	5.421	24	5.723	58	5.366	92	5.543
25	5.592	59	5.289	93	5.384	25	5.405	59	5.6	93	5.573
26	5.567	60	5.529	94	5.283	26	5.412	60	5.491	94	5.312
27	5.513	61	5.464	95	5.609	27	5.367	61	5.279	95	5.65
28	5.555	62	5.634	96	5.522	28	5.589	62	5.481	96	5.422
29	5.29	63	5.47	97	5.256	29	5.681	63	5.368	97	5.552
30	5.348	64	5.679	98	5.392	30	5.637	64	5.548	98	5.671
31	5.69	65	5.427	99	5.627	31	5.458	65	5.571	99	5.292
32	5.472	66	5.286	100	5.512	32	5.62	66	5.613	100	5.466
33	5.252	67	5.473			33	5.699	67	5.493		
34	5.565	68	5.278			34	5.554	68	5.625		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5290MHZ-80MHZ BW-T6-TRIAL-27						5290MHZ-80MHZ BW-T6-TRIAL-28					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.396	35	5.52	69	5.306	1	5.653	35	5.331	69	5.44
2	5.658	36	5.589	70	5.522	2	5.632	36	5.558	70	5.687
3	5.469	37	5.404	71	5.399	3	5.332	37	5.691	71	5.379
4	5.575	38	5.708	72	5.366	4	5.647	38	5.53	72	5.439
5	5.503	39	5.387	73	5.363	5	5.559	39	5.512	73	5.621
6	5.379	40	5.41	74	5.339	6	5.487	40	5.527	74	5.272
7	5.531	41	5.541	75	5.67	7	5.43	41	5.404	75	5.545
8	5.566	42	5.358	76	5.278	8	5.547	42	5.313	76	5.285
9	5.616	43	5.431	77	5.662	9	5.252	43	5.481	77	5.4
10	5.546	44	5.634	78	5.516	10	5.253	44	5.568	78	5.27
11	5.598	45	5.44	79	5.484	11	5.314	45	5.572	79	5.665
12	5.549	46	5.621	80	5.718	12	5.603	46	5.3	80	5.695
13	5.581	47	5.392	81	5.274	13	5.669	47	5.467	81	5.478
14	5.367	48	5.582	82	5.491	14	5.549	48	5.454	82	5.503
15	5.656	49	5.693	83	5.356	15	5.637	49	5.353	83	5.708
16	5.406	50	5.635	84	5.477	16	5.339	50	5.655	84	5.45
17	5.668	51	5.328	85	5.493	17	5.284	51	5.548	85	5.499
18	5.284	52	5.305	86	5.255	18	5.411	52	5.348	86	5.329
19	5.35	53	5.721	87	5.479	19	5.432	53	5.57	87	5.306
20	5.534	54	5.351	88	5.251	20	5.414	54	5.354	88	5.493
21	5.483	55	5.655	89	5.267	21	5.333	55	5.294	89	5.543
22	5.631	56	5.352	90	5.334	22	5.274	56	5.479	90	5.707
23	5.644	57	5.287	91	5.586	23	5.521	57	5.625	91	5.457
24	5.473	58	5.694	92	5.652	24	5.544	58	5.539	92	5.541
25	5.329	59	5.322	93	5.532	25	5.684	59	5.697	93	5.604
26	5.5	60	5.432	94	5.471	26	5.518	60	5.393	94	5.638
27	5.523	61	5.553	95	5.492	27	5.257	61	5.408	95	5.595
28	5.298	62	5.309	96	5.642	28	5.369	62	5.418	96	5.607
29	5.529	63	5.502	97	5.338	29	5.673	63	5.67	97	5.657
30	5.618	64	5.254	98	5.269	30	5.263	64	5.711	98	5.327
31	5.34	65	5.417	99	5.512	31	5.465	65	5.583	99	5.268
32	5.533	66	5.714	100	5.667	32	5.343	66	5.606	100	5.323
33	5.564	67	5.389			33	5.581	67	5.498		
34	5.66	68	5.416			34	5.599	68	5.286		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

5290MHZ-80MHZ BW-T6-TRIAL-29						5290MHZ-80MHZ BW-T6-TRIAL-30					
Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)	Hop #	Freq. (GHz)
1	5.645	35	5.434	69	5.498	1	5.486	35	5.625	69	5.319
2	5.674	36	5.37	70	5.373	2	5.411	36	5.33	70	5.493
3	5.486	37	5.294	71	5.306	3	5.468	37	5.385	71	5.257
4	5.337	38	5.538	72	5.627	4	5.418	38	5.338	72	5.263
5	5.328	39	5.526	73	5.688	5	5.265	39	5.628	73	5.37
6	5.658	40	5.614	74	5.421	6	5.262	40	5.656	74	5.632
7	5.446	41	5.265	75	5.341	7	5.481	41	5.573	75	5.699
8	5.277	42	5.724	76	5.572	8	5.352	42	5.482	76	5.527
9	5.305	43	5.687	77	5.438	9	5.464	43	5.643	77	5.558
10	5.48	44	5.544	78	5.584	10	5.32	44	5.637	78	5.409
11	5.671	45	5.412	79	5.719	11	5.395	45	5.344	79	5.457
12	5.695	46	5.582	80	5.335	12	5.681	46	5.68	80	5.451
13	5.65	47	5.543	81	5.497	13	5.709	47	5.34	81	5.278
14	5.705	48	5.291	82	5.7	14	5.449	48	5.579	82	5.261
15	5.299	49	5.376	83	5.61	15	5.57	49	5.683	83	5.27
16	5.518	50	5.431	84	5.528	16	5.378	50	5.603	84	5.304
17	5.499	51	5.533	85	5.608	17	5.417	51	5.587	85	5.635
18	5.586	52	5.69	86	5.531	18	5.641	52	5.298	86	5.403
19	5.508	53	5.491	87	5.666	19	5.48	53	5.335	87	5.53
20	5.314	54	5.696	88	5.675	20	5.266	54	5.416	88	5.436
21	5.562	55	5.501	89	5.535	21	5.718	55	5.64	89	5.518
22	5.484	56	5.514	90	5.42	22	5.279	56	5.676	90	5.715
23	5.509	57	5.374	91	5.55	23	5.692	57	5.306	91	5.312
24	5.272	58	5.62	92	5.416	24	5.686	58	5.722	92	5.452
25	5.295	59	5.71	93	5.551	25	5.555	59	5.609	93	5.439
26	5.395	60	5.435	94	5.29	26	5.509	60	5.544	94	5.322
27	5.664	61	5.568	95	5.51	27	5.299	61	5.651	95	5.506
28	5.394	62	5.432	96	5.303	28	5.694	62	5.441	96	5.671
29	5.257	63	5.315	97	5.575	29	5.566	63	5.567	97	5.437
30	5.506	64	5.457	98	5.638	30	5.577	64	5.623	98	5.458
31	5.678	65	5.266	99	5.629	31	5.702	65	5.668	99	5.572
32	5.693	66	5.344	100	5.477	32	5.693	66	5.397	100	5.495
33	5.329	67	5.263			33	5.387	67	5.533		
34	5.619	68	5.573			34	5.272	68	5.46		

NOTE: RED text = frequencies within the channel bandwidth (Fl and Fh).

END OF REPORT