



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: Urbanista Brisbane Plus

Test Model: Urbanista Brisbane Plus

Environmental Conditions

Temperature:	23.5 °C
Relative Humidity:	52.2%
ATM Pressure:	100.0 kPa
Test Engineer:	Bill Zhu
Supervised by:	Li huan





A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.984	0	Pass
NVNT	1-DH5	2441	Ant1	0.957	0	Pass
NVNT	1-DH5	2480	Ant1	1.02	0	Pass
NVNT	2-DH5	2402	Ant1	1.312	0	Pass
NVNT	2-DH5	2441	Ant1	1.279	0	Pass
NVNT	2-DH5	2480	Ant1	1.325	0	Pass
NVNT	3-DH5	2402	Ant1	1.292	0	Pass
NVNT	3-DH5	2441	Ant1	1.271	0	Pass
NVNT	3-DH5	2480	Ant1	1.263	0	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1






-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1





-20dB Bandwidth NVNT 3-DH5 2480MHz Ant1





A.2 Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	1-DH5	2402	Ant1	0.917
NVNT	1-DH5	2441	Ant1	0.9
NVNT	1-DH5	2480	Ant1	0.903
NVNT	2-DH5	2402	Ant1	1.185
NVNT	2-DH5	2441	Ant1	1.191
NVNT	2-DH5	2480	Ant1	1.178
NVNT	3-DH5	2402	Ant1	1.193
NVNT	3-DH5	2441	Ant1	1.192
NVNT	3-DH5	2480	Ant1	1.181






Test Graphs

OBW NVNT 1-DH5 2402MHz Ant1




OBW NVNT 1-DH5 2441MHz Ant1






OBW NVNT 1-DH5 2480MHz Ant1




OBW NVNT 2-DH5 2402MHz Ant1






OBW NVNT 2-DH5 2441MHz Ant1




OBW NVNT 2-DH5 2480MHz Ant1






OBW NVNT 3-DH5 2402MHz Ant1




OBW NVNT 3-DH5 2441MHz Ant1





OBW NVNT 3-DH5 2480MHz Ant1





A.3 Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	0.96	0	0.96	21	Pass
NVNT	1-DH5	2441	Ant1	1.57	0	1.57	21	Pass
NVNT	1-DH5	2480	Ant1	1.36	0	1.36	21	Pass
NVNT	2-DH5	2402	Ant1	0.8	0	0.8	21	Pass
NVNT	2-DH5	2441	Ant1	1.29	0	1.29	21	Pass
NVNT	2-DH5	2480	Ant1	1.41	0	1.41	21	Pass
NVNT	3-DH5	2402	Ant1	0.92	0	0.92	21	Pass
NVNT	3-DH5	2441	Ant1	1.5	0	1.5	21	Pass
NVNT	3-DH5	2480	Ant1	1.6	0	1.6	21	Pass






Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1






Power NVNT 3-DH5 2402MHz Ant1




Power NVNT 3-DH5 2441MHz Ant1





Power NVNT 3-DH5 2480MHz Ant1





A.4 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2401.982	2403.004	1.022	0.656	Pass
NVNT	2-DH5	Ant1	2401.998	2403.008	1.01	0.875	Pass
NVNT	3-DH5	Ant1	2402.008	2403.008	1	0.861	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1




CFS NVNT 2-DH5 2402MHz Ant1





CFS NVNT 3-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



A.5 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.881	273.695	95	31600	400	Pass
NVNT	1-DH5	2441	Ant1	2.881	299.624	104	31600	400	Pass
NVNT	1-DH5	2480	Ant1	2.882	285.318	99	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.88	288	100	31600	400	Pass
NVNT	2-DH5	2441	Ant1	2.882	319.902	111	31600	400	Pass
NVNT	2-DH5	2480	Ant1	2.885	274.075	95	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.887	297.361	103	31600	400	Pass
NVNT	3-DH5	2441	Ant1	2.887	297.361	103	31600	400	Pass
NVNT	3-DH5	2480	Ant1	2.887	280.039	97	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Dwell-NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell-NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 1-DH5 2441MHz Ant1 One Burst




Dwell NVNT 1-DH5 2441MHz Ant1 Accumulated






Dwell NVNT 1-DH5 2480MHz Ant1 One Burst




Dwell NVNT 1-DH5 2480MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2441MHz Ant1 One Burst




Dwell NVNT 2-DH5 2441MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2480MHz Ant1 One Burst




Dwell NVNT 2-DH5 2480MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst




Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2441MHz Ant1 One Burst




Dwell NVNT 3-DH5 2441MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2480MHz Ant1 One Burst



Dwell NVNT 3-DH5 2480MHz Ant1 Accumulated





A.6 Number of Hopping Channel


Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass






Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1





Hopping No. NVNT 3-DH5 2402MHz Ant1





A.7 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-57.39	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-58.21	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-54.32	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-55.61	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-51.16	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-58.57	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-55.74	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-56.63	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-54.41	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-52.52	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-56.1	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-56.13	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.8 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-56.56	-20	Pass
NVNT	1-DH5	2441	Ant1	-55.41	-20	Pass
NVNT	1-DH5	2480	Ant1	-56.8	-20	Pass
NVNT	2-DH5	2402	Ant1	-55.77	-20	Pass
NVNT	2-DH5	2441	Ant1	-55.29	-20	Pass
NVNT	2-DH5	2480	Ant1	-55.55	-20	Pass
NVNT	3-DH5	2402	Ant1	-46.3	-20	Pass
NVNT	3-DH5	2441	Ant1	-51.38	-20	Pass
NVNT	3-DH5	2480	Ant1	-55.87	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref



Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-51.46	2	45.8	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-60.82	2	36.44	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2383.344	-48.05	2	49.21	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2385.552	-60.21	2	37.05	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-49.74	2	47.52	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-60.43	2	36.83	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-49.85	2	47.41	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-59.78	2	37.48	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2490.064	-47.51	2	49.75	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.608	-59.71	2	37.55	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-50.43	2	46.83	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-60.02	2	37.24	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-51.01	2	46.25	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-60.7	2	36.56	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2384.88	-47.65	2	49.61	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2365.968	-60.31	2	36.95	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-51.72	2	45.54	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-60.55	2	36.71	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-50.48	2	46.78	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-59.76	2	37.5	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2498.848	-46.93	2	50.33	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.536	-59.73	2	37.53	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-48.68	2	48.58	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-60.13	2	37.13	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-51.74	2	45.52	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-60.63	2	36.63	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2331.024	-48.08	2	49.18	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2375.664	-60.11	2	37.15	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-50.48	2	46.78	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-60.22	2	37.04	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-50.95	2	46.31	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-59.68	2	37.58	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2485.072	-47.15	2	50.11	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.512	-59.68	2	37.58	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-50.1	2	47.16	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-60.23	2	37.03	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

