Appendix A

RF Test Data for BT V5.0 (Classics) (Conducted Measurement)

Product Name: TWS Bluetooth Headset

Trade Mark: Urbanista

Test Model: Urbanista Stockholm

Environmental Conditions

Temperature:	24.5 ° C
Relative Humidity:	52.3%
ATM Pressure:	100.0 kPa
Test Engineer:	Mina.Xu
Supervised by:	Wang Chuang

A.1 Maximum Conducted Peak Output Power

Mode	Channel.	Maximum Peak Output Power [dBm]	Limit [dBm]	Verdict
GFSK	LCH	-1.426	21	PASS
	MCH	-2.469	21	PASS
	HCH	-3.907	21	PASS
π/4DQPSK	LCH	0.844	21	PASS
	MCH	-0.330	21	PASS
	HCH	-1.844	21	PASS
8DPSK	LCH	1.399	21	PASS
	MCH	0.287	21	PASS
	HCH	-1.277	21	PASS

Test Graphs		
GFSK/LCH		
GFSK/MCH		

GFSK/HCH	
π/4DQPSK/LCH	

π/4DQPSK/MCH	
π/4DQPSK/HCH	

8DPSK/LCH	
8DPSK/MCH	

8DPSK/HCH	

Agilent Spectrum Analyzer - Swept SA
RL
RF
50 Ω AC
SENSE:PULSE
ALIGN AUTO
05:41:34 PM Apr 09, 2019
Center Freq 2.480000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 30 dB
Avg Type: Log-Pwr
Avg|Hold: 10/10
TRACE 1 2 3 4 5 6
TYPE M
DET P P P P P
Ref Offset 8.24 dB
10 dB/div
Log
Ref 20.00 dBm
Mkr1 2.479 942 50 GHz
-1.277 dBm
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
-70.0
1
Center 2.480000 GHz
#Res BW 3.0 MHz
#VBW 8.0 MHz
Span 10.00 MHz
Sweep 1.067 ms (8001 pts)
MSG
STATUS
Frequency
Auto Tune
Center Freq
2.480000000 GHz
Start Freq
2.475000000 GHz
Stop Freq
2.485000000 GHz
CF Step
1.000000 MHz
Auto
Man
Freq Offset
0 Hz

A.2 20dB Bandwidth

Mode	Channel.	99% Bandwidth [MHz]	20dB Bandwidth [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.89996	1.026	Not Specified	PASS
	MCH	0.90027	1.024	Not Specified	PASS
	HCH	0.87435	0.9625	Not Specified	PASS
π/4DQPSK	LCH	1.1612	1.283	Not Specified	PASS
	MCH	1.1617	1.281	Not Specified	PASS
	HCH	1.1606	1.281	Not Specified	PASS
8DPSK	LCH	1.1688	1.303	Not Specified	PASS
	MCH	1.1696	1.301	Not Specified	PASS
	HCH	1.1687	1.299	Not Specified	PASS

Test Graphs

GFSK/LCH



GFSK/MCH	
GFSK/HCH	

π/4DQPSK/LCH	
π/4DQPSK/MCH	

π/4DQPSK/HCH	
8DPSK/LCH	

8DPSK/MCH	
8DPSK/HCH	

A.3 Carrier Frequency Separation

Mode	Channel.	Carrier Frequency Separation [MHz]	Limit [MHz]	Verdict
GFSK	LCH	1.084	0.684	PASS
	MCH	1.000	0.684	PASS
	HCH	0.964	0.684	PASS
π/4DQPSK	LCH	1.344	0.855	PASS
	MCH	1.034	0.855	PASS
	HCH	1.010	0.855	PASS
8DPSK	LCH	1.036	0.869	PASS
	MCH	0.958	0.869	PASS
	HCH	0.938	0.869	PASS

Test Graphs

GFSK/LCH



GFSK/MCH	
GFSK/HCH	

π/4DQPSK/LCH	
π/4DQPSK/MCH	

π/4DQPSK/HCH	
8DPSK/LCH	

8DPSK/MCH	
8DPSK/HCH	

A.4 Hopping Channel Number

Mode	Channel.	Number of Hopping Channel [N]	Limit [N]	Verdict
GFSK	Hop	79	>=15	PASS
π/4DQPSK	Hop	79	>=15	PASS
8DPSK	Hop	79	>=15	PASS

Test Graphs	
GFSK/Hop	
π/4DQPSK/Hop	

8DPSK/Hop	

Agilent Spectrum Analyzer - Swept SA
Center Freq 2.441750000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 30 dB
#Avg Type: RMS
Avg|Hold: 10/10
05:59:12 PM Apr 09, 2019
Ref Offset 8.24 dB
10 dB/div
Log
Ref 20.00 dBm
ΔMkr1 77.822 MHz
-3.720 dB
Start 2.40000 GHz
#Res BW 100 kHz
#VBW 300 kHz
Stop 2.48350 GHz
Sweep 8.000 ms (8001 pts)
1 Δ2 f (Δ) 77.822 MHz (Δ) -3.720 dB
2 F f 2.401 847 GHz -2.834 dBm
Frequency
Auto Tune
Center Freq
2.441750000 GHz
Start Freq
2.400000000 GHz
Stop Freq
2.483500000 GHz
CF Step
8.350000 MHz
Auto
Man
Freq Offset
0 Hz

A.5 Dwell Time

Mode	Packet	Channel	Burst Width [ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[s]	Limit [s]	Verdict
GFSK	DH5	LCH	2.88	106.7	0.307	0.4	PASS
	DH5	MCH	2.88	106.7	0.307	0.4	PASS
	DH5	HCH	2.88	106.7	0.307	0.4	PASS
π/4DQPSK	2DH5	LCH	2.89	106.7	0.308	0.4	PASS
	2DH5	MCH	2.89	106.7	0.308	0.4	PASS
	2DH5	HCH	2.89	106.7	0.308	0.4	PASS
8DPSK	3DH5	LCH	2.89	106.7	0.308	0.4	PASS
	3DH5	MCH	2.89	106.7	0.308	0.4	PASS
	3DH5	HCH	2.89	106.7	0.308	0.4	PASS

Test Graphs

GFSK_DH5/LCH



GFSK_DH5/MCH	
GFSK_DH5/HCH	

π/4DQPSK _2DH5/LCH	
π/4DQPSK _2DH5/MCH	

π/4DQPSK _2DH5/HCH	
8DPSK _3DH5/LCH	

8DPSK _3DH5/MCH	
8DPSK _3DH5/HCH	

A.6 RF Conducted Spurious Emissions

Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	-2.244	-44.388	-22.244	PASS
	MCH	-2.665	-44.174	-22.665	PASS
	HCH	-4.21	-44.208	-24.210	PASS
π/4DQPSK	LCH	-0.749	-45.307	-20.749	PASS
	MCH	-2.001	-44.431	-22.001	PASS
	HCH	-3.559	-44.835	-23.559	PASS
8DPSK	LCH	-0.758	-45.127	-20.758	PASS
	MCH	-1.933	-44.900	-21.933	PASS
	HCH	-3.505	-44.651	-23.505	PASS

GFSK_LCH_Graphs			
Pref			
Puw			

GFSK_MCH_Graphs			
Pref			
Puw			

GFSK_HCH_Graphs			
Pref			
Puw			

π/4DQPSK_LCH_Graphs		
Pref		
Puw		

π/4DQPSK_MCH_Graphs			
Pref			
Puw			

π/4DQPSK_HCH_Graphs			
Pref			
Puw			

8DPSK_LCH_Graphs		
Pref		
Puw		

8DPSK_MCH_Graphs			
Pref			
Puw			

8DPSK_HCH_Graphs			
Pref			
Puw			

A.7 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Frequency [MHz]	Carrier Power [dBm]	Frequency Hopping	Max Spurious Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	2402	-1.887	Off	-48.755	-21.89	PASS
			-1.953	On	-49.611	-21.95	PASS
	HCH	2480	-4.220	Off	-50.062	-24.22	PASS
			-3.529	On	-48.584	-23.53	PASS
π/4DQPSK	LCH	2402	-0.747	Off	-50.129	-20.75	PASS
			-1.071	On	-49.043	-21.07	PASS
	HCH	2480	-3.380	Off	-48.825	-23.38	PASS
			-2.410	On	-48.037	-22.41	PASS
8DPSK	LCH	2402	-0.770	Off	-48.949	-20.77	PASS
			-1.253	On	-49.074	-21.25	PASS
	HCH	2480	-3.612	Off	-48.601	-23.61	PASS
			-2.988	On	-49.178	-22.99	PASS

Test Graphs	
GFSK/LCH/No Hop	
GFSK/LCH/Hop	

GFSK/HCH/No Hop	
GFSK/HCH/Hop	

π/4DQPSK/LCH/No Hop	
π/4DQPSK/LCH/Hop	

π/4DQPSK/HCH/No Hop	
π/4DQPSK/HCH/Hop	

8DPSK/LCH/No Hop	
8DPSK/LCH/Hop	

8DPSK/HCH/No Hop	
8DPSK/HCH/Hop	

A.8 Restrict-band band-edge measurements

Test Mode	Hopping	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdict
GFSK	Off	2310.0	-42.61	2.0	0	52.65	PEAK	74	PASS
	Off	2310.0	-53.52	2.0	0	41.74	AV	54	PASS
	Off	2390.0	-43.00	2.0	0	52.26	PEAK	74	PASS
	Off	2390.0	-53.32	2.0	0	41.94	AV	54	PASS
	Off	2483.5	-42.20	2.0	0	53.06	PEAK	74	PASS
	Off	2483.5	-52.95	2.0	0	42.31	AV	54	PASS
	Off	2500.0	-42.61	2.0	0	52.65	PEAK	74	PASS
	Off	2500.0	-52.66	2.0	0	42.60	AV	54	PASS
π/4DQPSK	Off	2310.0	-42.56	2.0	0	52.70	PEAK	74	PASS
	Off	2310.0	-53.45	2.0	0	41.81	AV	54	PASS
	Off	2390.0	-42.92	2.0	0	52.34	PEAK	74	PASS
	Off	2390.0	-53.20	2.0	0	42.06	AV	54	PASS
	Off	2483.5	-43.25	2.0	0	52.01	PEAK	74	PASS
	Off	2483.5	-52.86	2.0	0	42.40	AV	54	PASS
	Off	2500.0	-41.65	2.0	0	53.61	PEAK	74	PASS
	Off	2500.0	-52.90	2.0	0	42.36	AV	54	PASS
8DPSK	Off	2310.0	-43.46	2.0	0	51.79	PEAK	74	PASS
	Off	2310.0	-53.56	2.0	0	41.70	AV	54	PASS
	Off	2390.0	-42.09	2.0	0	53.17	PEAK	74	PASS
	Off	2390.0	-53.10	2.0	0	42.16	AV	54	PASS
	Off	2483.5	-42.75	2.0	0	52.51	PEAK	74	PASS
	Off	2483.5	-52.90	2.0	0	42.36	AV	54	PASS
	Off	2500.0	-43.01	2.0	0	52.25	PEAK	74	PASS
	Off	2500.0	-52.80	2.0	0	42.45	AV	54	PASS

Restrict-band band-edge measurements_Hopping Off_ GFSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_Average (High Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_Average (High Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_Average (High Channel)