


Test Report S/N: 45461482-R2.0

FCC ID: 2AEOCPC203

**ISED ID** 20240-PC203

## **EXHIBIT 20 - PHOTOS - SETUP**

Figure E20.1 – Setup Photo – Conducted Measurements






Test Report S/N: 45461482-R2.0

FCC ID: 2AEOCPC203

Figure E20.2 – Setup Photo – Audio Response Measurements





Test Report S/N: 45461482-R2.0

FCC ID: 2AEOCPC203

Figure E20.3 - Setup Photo - Frequency Stability Measurements






Test Report S/N: 45461482-R2.0

FCC ID: 2AEOCPC203

Figure E20.4 – Setup Photo – Frequency Stability Measurements





Test Report S/N: 45461482-R2.0


FCC ID: 2AEOCPC203

**ISED ID** 20240-PC203

Figure E20.5 – Setup Photo – Radiated Measurements



Figure E20.6 - Setup Photo - Radiated Measurements



As per §95( c):

Measurement conditions and procedures. Subject to additional measurement standards and procedures established pursuant to part 2, subpart J, the following conditions and procedures must be used.

As per §95( c)(1):

The unwanted emissions limits requirements in this section must be met both with and without the connection of permitted attachments, such as external speakers, microphones, power cords and/or antennas.

Figures E20.5 and E20.6 demonstrates compliance to this requirement. The DUT was evaluated with and without the attachments connected.



Test Report S/N: 45461482-R2.0

FCC ID: 2AEOCPC203

Figure E20.7 – Setup Photo – Radiated Measurements - Horizontal





Test Report S/N: 45461482-R2.0

FCC ID: 2AEOCPC203

Figure E20.8 – Setup Photo – Radiated Measurements - Vertical

