


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.52	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.51	-13	Pass	2985
30	1000	0.1	RMS	885.488	-54.88	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.01	-13	Pass	830
1830	1920	1	RMS	1850.25	22.94	60	Pass	601
1920	3000	1	RMS	2668.693	-39.25	-13	Pass	1080
3000	12000	1	RMS	3700.078	-42.37	-13	Pass	9000
12000	20000	1	RMS	19856.982	-28.79	-13	Pass	8000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.86	-13	Pass	2985
30	1000	0.1	RMS	940.294	-54.67	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.09	-13	Pass	830
1830	1920	1	RMS	1851.15	22.95	60	Pass	601
1920	3000	1	RMS	2671.696	-39.27	-13	Pass	1080
3000	12000	1	RMS	3702.078	-41.43	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.72	-13	Pass	8000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.44	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.76	-13	Pass	2985
30	1000	0.1	RMS	900.99	-54.97	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.11	-13	Pass	830
1830	1920	1	RMS	1850.25	22.68	60	Pass	601
1920	3000	1	RMS	2668.693	-39.23	-13	Pass	1080
3000	12000	1	RMS	3700.078	-43.39	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.64	-13	Pass	8000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.46	-13	Pass	2985
30	1000	0.1	RMS	997.6	-54.87	-13	Pass	9700
1000	1830	1	RMS	1817.986	-44.13	-13	Pass	830
1830	1920	1	RMS	1851.15	22.7	60	Pass	601
1920	3000	1	RMS	2662.688	-39.28	-13	Pass	1080
3000	12000	1	RMS	3702.078	-41.64	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.73	-13	Pass	8000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.93	-13	Pass	2985
30	1000	0.1	RMS	910.491	-55.14	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.11	-13	Pass	830
1830	1920	1	RMS	1879.5	22.89	60	Pass	601
1920	3000	1	RMS	2668.693	-39.23	-13	Pass	1080
3000	12000	1	RMS	3759.084	-42.96	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.79	-13	Pass	8000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.04	-13	Pass	2985
30	1000	0.1	RMS	927.793	-54.9	-13	Pass	9700
1000	1830	1	RMS	1815.983	-44.09	-13	Pass	830
1830	1920	1	RMS	1880.4	22.67	60	Pass	601
1920	3000	1	RMS	2674.699	-39.23	-13	Pass	1080
3000	12000	1	RMS	3761.085	-43.05	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.77	-13	Pass	8000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.81	-13	Pass	2985
30	1000	0.1	RMS	923.092	-54.99	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.13	-13	Pass	830
1830	1920	1	RMS	1879.5	22.48	60	Pass	601
1920	3000	1	RMS	2665.69	-39.28	-13	Pass	1080
3000	12000	1	RMS	3759.084	-43.23	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.85	-13	Pass	8000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.43	-13	Pass	2985
30	1000	0.1	RMS	994.599	-55.05	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.13	-13	Pass	830
1830	1920	1	RMS	1880.4	22.71	60	Pass	601
1920	3000	1	RMS	2669.694	-39.23	-13	Pass	1080
3000	12000	1	RMS	3761.085	-43.18	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.71	-13	Pass	8000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.33	-13	Pass	2985
30	1000	0.1	RMS	992.399	-54.99	-13	Pass	9700
1000	1830	1	RMS	1817.986	-44.13	-13	Pass	830
1830	1920	1	RMS	1908.9	22.86	60	Pass	601
1920	3000	1	RMS	2666.691	-39.27	-13	Pass	1080
3000	12000	1	RMS	3818.091	-45.81	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.81	-13	Pass	8000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.72	-13	Pass	2985
30	1000	0.1	RMS	891.889	-55.06	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.07	-13	Pass	830
1830	1920	1	RMS	1909.8	22.85	60	Pass	601
1920	3000	1	RMS	2668.693	-39.13	-13	Pass	1080
3000	12000	1	RMS	3819.091	-46.34	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.87	-13	Pass	8000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.68	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.6	-13	Pass	2985
30	1000	0.1	RMS	920.792	-54.99	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.11	-13	Pass	830
1830	1920	1	RMS	1908.9	22.02	60	Pass	601
1920	3000	1	RMS	2669.694	-39.24	-13	Pass	1080
3000	12000	1	RMS	11896.989	-46.56	-13	Pass	9000
12000	20000	1	RMS	19861.983	-28.75	-13	Pass	8000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.98	-13	Pass	2985
30	1000	0.1	RMS	897.889	-54.96	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.11	-13	Pass	830
1830	1920	1	RMS	1909.8	22.29	60	Pass	601
1920	3000	1	RMS	2665.69	-39.26	-13	Pass	1080
3000	12000	1	RMS	11906.99	-46.61	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.89	-13	Pass	8000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.58	-13	Pass	2985
30	1000	0.1	RMS	953.495	-54.89	-13	Pass	9700
1000	1830	1	RMS	1830	-44.1	-13	Pass	830
1830	1920	1	RMS	1850.25	22.95	60	Pass	601
1920	3000	1	RMS	2668.693	-39.26	-13	Pass	1080
3000	12000	1	RMS	3700.078	-41.8	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.81	-13	Pass	8000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40	-13	Pass	2985
30	1000	0.1	RMS	970.797	-54.85	-13	Pass	9700
1000	1830	1	RMS	1830	-44.09	-13	Pass	830
1830	1920	1	RMS	1852.8	22.99	60	Pass	601
1920	3000	1	RMS	2675.7	-39.28	-13	Pass	1080
3000	12000	1	RMS	3705.078	-42.02	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.78	-13	Pass	8000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.61	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.17	-13	Pass	2985
30	1000	0.1	RMS	889.989	-54.85	-13	Pass	9700
1000	1830	1	RMS	1826.996	-44.09	-13	Pass	830
1830	1920	1	RMS	1850.25	22.49	60	Pass	601
1920	3000	1	RMS	2666.691	-39.31	-13	Pass	1080
3000	12000	1	RMS	3700.078	-42.39	-13	Pass	9000
12000	20000	1	RMS	19840.98	-28.81	-13	Pass	8000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.21	-13	Pass	2985
30	1000	0.1	RMS	920.592	-54.97	-13	Pass	9700
1000	1830	1	RMS	1830	-44.09	-13	Pass	830
1830	1920	1	RMS	1852.8	22.41	60	Pass	601
1920	3000	1	RMS	2666.691	-39.32	-13	Pass	1080
3000	12000	1	RMS	3705.078	-42.64	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.89	-13	Pass	8000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.82	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.28	-13	Pass	2985
30	1000	0.1	RMS	957.696	-54.69	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.15	-13	Pass	830
1830	1920	1	RMS	1878.75	22.91	60	Pass	601
1920	3000	1	RMS	2666.691	-39.32	-13	Pass	1080
3000	12000	1	RMS	3757.084	-44.09	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.77	-13	Pass	8000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.37	-13	Pass	2985
30	1000	0.1	RMS	993.599	-54.9	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.12	-13	Pass	830
1830	1920	1	RMS	1881.3	22.78	60	Pass	601
1920	3000	1	RMS	2669.694	-39.31	-13	Pass	1080
3000	12000	1	RMS	3762.085	-44.12	-13	Pass	9000
12000	20000	1	RMS	19858.982	-28.85	-13	Pass	8000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.14	-13	Pass	2985
30	1000	0.1	RMS	939.794	-55.01	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.17	-13	Pass	830
1830	1920	1	RMS	1878.75	22.48	60	Pass	601
1920	3000	1	RMS	2669.694	-39.3	-13	Pass	1080
3000	12000	1	RMS	3757.084	-44.25	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.91	-13	Pass	8000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39	-13	Pass	2985
30	1000	0.1	RMS	896.389	-54.85	-13	Pass	9700
1000	1830	1	RMS	1828.999	-44.17	-13	Pass	830
1830	1920	1	RMS	1881.3	22.49	60	Pass	601
1920	3000	1	RMS	2670.695	-39.3	-13	Pass	1080
3000	12000	1	RMS	3762.085	-44.66	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.88	-13	Pass	8000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.1	-13	Pass	2985
30	1000	0.1	RMS	908.991	-55.14	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.2	-13	Pass	830
1830	1920	1	RMS	1907.25	22.95	60	Pass	601
1920	3000	1	RMS	2667.692	-39.27	-13	Pass	1080
3000	12000	1	RMS	3814.09	-45.14	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.93	-13	Pass	8000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.64	-13	Pass	2985
30	1000	0.1	RMS	989.899	-54.64	-13	Pass	9700
1000	1830	1	RMS	1825.995	-44.16	-13	Pass	830
1830	1920	1	RMS	1909.8	22.88	60	Pass	601
1920	3000	1	RMS	2671.696	-39.27	-13	Pass	1080
3000	12000	1	RMS	3819.091	-46.26	-13	Pass	9000
12000	20000	1	RMS	19855.982	-28.86	-13	Pass	8000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.92	-13	Pass	2985
30	1000	0.1	RMS	987.599	-54.75	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.14	-13	Pass	830
1830	1920	1	RMS	1907.25	22.41	60	Pass	601
1920	3000	1	RMS	2670.695	-39.22	-13	Pass	1080
3000	12000	1	RMS	3814.09	-45.58	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.83	-13	Pass	8000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.65	-13	Pass	2985
30	1000	0.1	RMS	978.198	-55.06	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.16	-13	Pass	830
1830	1920	1	RMS	1909.8	22.01	60	Pass	601
1920	3000	1	RMS	2672.697	-39.32	-13	Pass	1080
3000	12000	1	RMS	11925.992	-46.66	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.95	-13	Pass	8000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.47	-13	Pass	2985
30	1000	0.1	RMS	985.298	-55.07	-13	Pass	9700
1000	1830	1	RMS	1830	-44.12	-13	Pass	830
1830	1920	1	RMS	1850.4	22.95	60	Pass	601
1920	3000	1	RMS	2666.691	-39.32	-13	Pass	1080
3000	12000	1	RMS	3701.078	-41.96	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.95	-13	Pass	8000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.33	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.88	-13	Pass	2985
30	1000	0.1	RMS	995.9	-55.09	-13	Pass	9700
1000	1830	1	RMS	1830	-44.18	-13	Pass	830
1830	1920	1	RMS	1854.75	22.92	60	Pass	601
1920	3000	1	RMS	2668.693	-39.33	-13	Pass	1080
3000	12000	1	RMS	3709.079	-40.74	-13	Pass	9000
12000	20000	1	RMS	19835.979	-28.88	-13	Pass	8000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.2	-13	Pass	2985
30	1000	0.1	RMS	968.197	-55.1	-13	Pass	9700
1000	1830	1	RMS	1828.999	-44.16	-13	Pass	830
1830	1920	1	RMS	1850.4	21.88	60	Pass	601
1920	3000	1	RMS	2669.694	-39.33	-13	Pass	1080
3000	12000	1	RMS	3701.078	-43.02	-13	Pass	9000
12000	20000	1	RMS	19856.982	-28.93	-13	Pass	8000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.29	-13	Pass	2985
30	1000	0.1	RMS	972.797	-54.99	-13	Pass	9700
1000	1830	1	RMS	1830	-44.14	-13	Pass	830
1830	1920	1	RMS	1854.6	21.79	60	Pass	601
1920	3000	1	RMS	2668.693	-39.27	-13	Pass	1080
3000	12000	1	RMS	3709.079	-41.85	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.82	-13	Pass	8000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.11	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.42	-13	Pass	2985
30	1000	0.1	RMS	899.59	-54.99	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44.2	-13	Pass	830
1830	1920	1	RMS	1877.85	23.12	60	Pass	601
1920	3000	1	RMS	2668.693	-39.33	-13	Pass	1080
3000	12000	1	RMS	3756.084	-43.99	-13	Pass	9000
12000	20000	1	RMS	19840.98	-29.05	-13	Pass	8000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.62	-13	Pass	2985
30	1000	0.1	RMS	960.896	-54.77	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.15	-13	Pass	830
1830	1920	1	RMS	1882.05	22.89	60	Pass	601
1920	3000	1	RMS	2669.694	-39.36	-13	Pass	1080
3000	12000	1	RMS	3764.085	-42.78	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.7	-13	Pass	8000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.26	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.9	-13	Pass	2985
30	1000	0.1	RMS	876.387	-55.15	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.2	-13	Pass	830
1830	1920	1	RMS	1877.85	22.18	60	Pass	601
1920	3000	1	RMS	2670.695	-39.28	-13	Pass	1080
3000	12000	1	RMS	3756.084	-44.52	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.89	-13	Pass	8000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.28	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.36	-13	Pass	2985
30	1000	0.1	RMS	996.6	-55.11	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.15	-13	Pass	830
1830	1920	1	RMS	1882.2	22.41	60	Pass	601
1920	3000	1	RMS	2667.692	-39.27	-13	Pass	1080
3000	12000	1	RMS	3764.085	-43.59	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.94	-13	Pass	8000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.61	-13	Pass	601
0.15	30	0.01	RMS	0.17	-40.09	-13	Pass	2985
30	1000	0.1	RMS	977.598	-55.08	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.16	-13	Pass	830
1830	1920	1	RMS	1905.3	22.79	60	Pass	601
1920	3000	1	RMS	2629.657	-37.67	-13	Pass	1080
3000	12000	1	RMS	3811.09	-44.44	-13	Pass	9000
12000	20000	1	RMS	19854.982	-28.96	-13	Pass	8000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.84	-13	Pass	2985
30	1000	0.1	RMS	942.594	-55.1	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.17	-13	Pass	830
1830	1920	1	RMS	1909.65	22.96	60	Pass	601
1920	3000	1	RMS	2670.695	-39.28	-13	Pass	1080
3000	12000	1	RMS	3819.091	-45.56	-13	Pass	9000
12000	20000	1	RMS	19833.979	-28.99	-13	Pass	8000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.39	-13	Pass	2985
30	1000	0.1	RMS	989.899	-55.04	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.18	-13	Pass	830
1830	1920	1	RMS	1905.3	22.39	60	Pass	601
1920	3000	1	RMS	2663.689	-39.26	-13	Pass	1080
3000	12000	1	RMS	3811.09	-45.49	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.95	-13	Pass	8000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.83	-13	Pass	2985
30	1000	0.1	RMS	926.892	-55.03	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.2	-13	Pass	830
1830	1920	1	RMS	1909.65	22.36	60	Pass	601
1920	3000	1	RMS	2674.699	-39.39	-13	Pass	1080
3000	12000	1	RMS	3819.091	-46.25	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.91	-13	Pass	8000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.85	-13	Pass	2985
30	1000	0.1	RMS	901.69	-54.79	-13	Pass	9700
1000	1830	1	RMS	1828.999	-44.2	-13	Pass	830
1830	1920	1	RMS	1850.55	23.07	60	Pass	601
1920	3000	1	RMS	2670.695	-39.36	-13	Pass	1080
3000	12000	1	RMS	3701.078	-40.57	-13	Pass	9000
12000	20000	1	RMS	19858.982	-28.91	-13	Pass	8000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.31	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.27	-13	Pass	2985
30	1000	0.1	RMS	962.896	-54.89	-13	Pass	9700
1000	1830	1	RMS	1830	-44.2	-13	Pass	830
1830	1920	1	RMS	1859.4	22.98	60	Pass	601
1920	3000	1	RMS	2670.695	-39.3	-13	Pass	1080
3000	12000	1	RMS	3719.08	-40.61	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.95	-13	Pass	8000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-46.98	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.98	-13	Pass	2985
30	1000	0.1	RMS	937.394	-54.79	-13	Pass	9700
1000	1830	1	RMS	1830	-44.17	-13	Pass	830
1830	1920	1	RMS	1850.55	22.48	60	Pass	601
1920	3000	1	RMS	2670.695	-39.26	-13	Pass	1080
3000	12000	1	RMS	3701.078	-41.44	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.86	-13	Pass	8000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.4	-13	Pass	2985
30	1000	0.1	RMS	902.19	-54.92	-13	Pass	9700
1000	1830	1	RMS	1830	-44.19	-13	Pass	830
1830	1920	1	RMS	1859.4	22.37	60	Pass	601
1920	3000	1	RMS	2667.692	-39.34	-13	Pass	1080
3000	12000	1	RMS	3719.08	-40.76	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.86	-13	Pass	8000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.66	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.09	-13	Pass	2985
30	1000	0.1	RMS	928.593	-54.94	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.18	-13	Pass	830
1830	1920	1	RMS	1875.6	23.12	60	Pass	601
1920	3000	1	RMS	2665.69	-39.35	-13	Pass	1080
3000	12000	1	RMS	3751.083	-42.72	-13	Pass	9000
12000	20000	1	RMS	19842.98	-28.94	-13	Pass	8000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.86	-13	Pass	2985
30	1000	0.1	RMS	905.59	-54.84	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.2	-13	Pass	830
1830	1920	1	RMS	1884.45	22.99	60	Pass	601
1920	3000	1	RMS	2671.696	-39.35	-13	Pass	1080
3000	12000	1	RMS	3769.085	-43.17	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.92	-13	Pass	8000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.32	-13	Pass	2985
30	1000	0.1	RMS	920.992	-54.99	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.23	-13	Pass	830
1830	1920	1	RMS	1875.6	23.12	60	Pass	601
1920	3000	1	RMS	2669.694	-39.33	-13	Pass	1080
3000	12000	1	RMS	3751.083	-43.18	-13	Pass	9000
12000	20000	1	RMS	19841.98	-28.9	-13	Pass	8000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.8	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.96	-13	Pass	2985
30	1000	0.1	RMS	935.793	-55.14	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.12	-13	Pass	830
1830	1920	1	RMS	1884.45	23.08	60	Pass	601
1920	3000	1	RMS	2669.694	-39.3	-13	Pass	1080
3000	12000	1	RMS	3769.085	-43.9	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.87	-13	Pass	8000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.94	-13	Pass	2985
30	1000	0.1	RMS	973.997	-55.08	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.21	-13	Pass	830
1830	1920	1	RMS	1900.65	22.75	60	Pass	601
1920	3000	1	RMS	2670.695	-39.38	-13	Pass	1080
3000	12000	1	RMS	3801.089	-43.43	-13	Pass	9000
12000	20000	1	RMS	19840.98	-29	-13	Pass	8000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.08	-13	Pass	2985
30	1000	0.1	RMS	987.299	-54.96	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.2	-13	Pass	830
1830	1920	1	RMS	1909.35	22.81	60	Pass	601
1920	3000	1	RMS	2669.694	-39.35	-13	Pass	1080
3000	12000	1	RMS	3819.091	-45.5	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.99	-13	Pass	8000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.89	-13	Pass	2985
30	1000	0.1	RMS	987.399	-55.1	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.2	-13	Pass	830
1830	1920	1	RMS	1900.65	22.3	60	Pass	601
1920	3000	1	RMS	2669.694	-39.32	-13	Pass	1080
3000	12000	1	RMS	3801.089	-43.98	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.86	-13	Pass	8000




1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.33	-13	Pass	2985
30	1000	0.1	RMS	930.293	-54.82	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.19	-13	Pass	830
1830	1920	1	RMS	1909.35	22.42	60	Pass	601
1920	3000	1	RMS	2669.694	-39.36	-13	Pass	1080
3000	12000	1	RMS	3819.091	-45.7	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.96	-13	Pass	8000




1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.4	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.65	-13	Pass	2985
30	1000	0.1	RMS	960.996	-55.06	-13	Pass	9700
1000	1830	1	RMS	1827.998	-44.06	-13	Pass	830
1830	1920	1	RMS	1850.85	22.98	60	Pass	601
1920	3000	1	RMS	2667.692	-39.34	-13	Pass	1080
3000	12000	1	RMS	3702.078	-41.82	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.95	-13	Pass	8000




1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.46	-13	Pass	2985
30	1000	0.1	RMS	872.687	-55.04	-13	Pass	9700
1000	1830	1	RMS	1830	-44.13	-13	Pass	830
1830	1920	1	RMS	1864.2	22.98	60	Pass	601
1920	3000	1	RMS	2667.692	-39.33	-13	Pass	1080
3000	12000	1	RMS	3728.081	-41.67	-13	Pass	9000
12000	20000	1	RMS	19842.98	-28.96	-13	Pass	8000




1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.15	-13	Pass	2985
30	1000	0.1	RMS	863.386	-55.22	-13	Pass	9700
1000	1830	1	RMS	1830	-44.16	-13	Pass	830
1830	1920	1	RMS	1850.85	22.48	60	Pass	601
1920	3000	1	RMS	2667.692	-39.32	-13	Pass	1080
3000	12000	1	RMS	3702.078	-41.96	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.88	-13	Pass	8000




1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.22	-13	Pass	2985
30	1000	0.1	RMS	915.291	-55.04	-13	Pass	9700
1000	1830	1	RMS	1830	-44.19	-13	Pass	830
1830	1920	1	RMS	1864.2	22.59	60	Pass	601
1920	3000	1	RMS	2672.697	-39.33	-13	Pass	1080
3000	12000	1	RMS	3728.081	-42.62	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.93	-13	Pass	8000




1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.9	-13	Pass	601
0.15	30	0.01	RMS	0.17	-41.03	-13	Pass	2985
30	1000	0.1	RMS	923.892	-55.11	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.21	-13	Pass	830
1830	1920	1	RMS	1873.35	22.91	60	Pass	601
1920	3000	1	RMS	2669.694	-39.38	-13	Pass	1080
3000	12000	1	RMS	3747.083	-44.01	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.86	-13	Pass	8000




1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.39	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.69	-13	Pass	2985
30	1000	0.1	RMS	906.09	-54.95	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.19	-13	Pass	830
1830	1920	1	RMS	1886.7	22.92	60	Pass	601
1920	3000	1	RMS	2670.695	-39.33	-13	Pass	1080
3000	12000	1	RMS	3773.086	-43.9	-13	Pass	9000
12000	20000	1	RMS	19849.981	-29.02	-13	Pass	8000




1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.26	-13	Pass	2985
30	1000	0.1	RMS	922.992	-54.98	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.2	-13	Pass	830
1830	1920	1	RMS	1873.35	23.25	60	Pass	601
1920	3000	1	RMS	2670.695	-39.3	-13	Pass	1080
3000	12000	1	RMS	3747.083	-44.02	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.91	-13	Pass	8000




1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.7	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.62	-13	Pass	2985
30	1000	0.1	RMS	932.593	-55.28	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.19	-13	Pass	830
1830	1920	1	RMS	1886.7	23.13	60	Pass	601
1920	3000	1	RMS	2668.693	-39.28	-13	Pass	1080
3000	12000	1	RMS	3773.086	-43.81	-13	Pass	9000
12000	20000	1	RMS	19846.981	-29.02	-13	Pass	8000




1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.87	-13	Pass	2985
30	1000	0.1	RMS	997.3	-55.12	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.18	-13	Pass	830
1830	1920	1	RMS	1895.85	22.73	60	Pass	601
1920	3000	1	RMS	2614.643	-38.82	-13	Pass	1080
3000	12000	1	RMS	3792.088	-46.29	-13	Pass	9000
12000	20000	1	RMS	19852.982	-29.03	-13	Pass	8000




1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.59	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.3	-13	Pass	2985
30	1000	0.1	RMS	924.792	-55.12	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.18	-13	Pass	830
1830	1920	1	RMS	1909.2	22.77	60	Pass	601
1920	3000	1	RMS	2669.694	-39.32	-13	Pass	1080
3000	12000	1	RMS	3818.091	-45.34	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.93	-13	Pass	8000




1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.46	-13	Pass	2985
30	1000	0.1	RMS	899.79	-54.97	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.23	-13	Pass	830
1830	1920	1	RMS	1895.85	22.35	60	Pass	601
1920	3000	1	RMS	2667.692	-39.31	-13	Pass	1080
3000	12000	1	RMS	3792.088	-46.14	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.92	-13	Pass	8000




1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.66	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.06	-13	Pass	2985
30	1000	0.1	RMS	894.089	-55.05	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.21	-13	Pass	830
1830	1920	1	RMS	1909.2	22.62	60	Pass	601
1920	3000	1	RMS	2669.694	-39.33	-13	Pass	1080
3000	12000	1	RMS	3818.091	-45.57	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.86	-13	Pass	8000




1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.61	-13	Pass	2985
30	1000	0.1	RMS	947.295	-55.15	-13	Pass	9700
1000	1830	1	RMS	1827.998	-44.16	-13	Pass	830
1830	1920	1	RMS	1851.15	23.08	60	Pass	601
1920	3000	1	RMS	2671.696	-39.36	-13	Pass	1080
3000	12000	1	RMS	3702.078	-40.33	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.95	-13	Pass	8000




1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.64	-13	Pass	2985
30	1000	0.1	RMS	905.59	-55.06	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.2	-13	Pass	830
1830	1920	1	RMS	1868.85	23.03	60	Pass	601
1920	3000	1	RMS	2669.694	-39.29	-13	Pass	1080
3000	12000	1	RMS	3738.082	-43.13	-13	Pass	9000
12000	20000	1	RMS	19854.982	-28.94	-13	Pass	8000




1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.95	-13	Pass	2985
30	1000	0.1	RMS	924.492	-55.19	-13	Pass	9700
1000	1830	1	RMS	1830	-44.19	-13	Pass	830
1830	1920	1	RMS	1851.15	22.61	60	Pass	601
1920	3000	1	RMS	2665.69	-39.38	-13	Pass	1080
3000	12000	1	RMS	3702.078	-41.4	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.98	-13	Pass	8000




1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.5	-13	Pass	2985
30	1000	0.1	RMS	895.989	-55.25	-13	Pass	9700
1000	1830	1	RMS	1830	-44.21	-13	Pass	830
1830	1920	1	RMS	1868.85	22.55	60	Pass	601
1920	3000	1	RMS	2669.694	-39.33	-13	Pass	1080
3000	12000	1	RMS	3738.082	-43.22	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.96	-13	Pass	8000




1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.54	-13	Pass	2985
30	1000	0.1	RMS	899.79	-54.95	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.19	-13	Pass	830
1830	1920	1	RMS	1871.1	23.08	60	Pass	601
1920	3000	1	RMS	2672.697	-39.34	-13	Pass	1080
3000	12000	1	RMS	3742.082	-42.98	-13	Pass	9000
12000	20000	1	RMS	19840.98	-28.93	-13	Pass	8000




1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.49	-13	Pass	2985
30	1000	0.1	RMS	993.199	-55.29	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.2	-13	Pass	830
1830	1920	1	RMS	1888.95	23.14	60	Pass	601
1920	3000	1	RMS	2670.695	-39.35	-13	Pass	1080
3000	12000	1	RMS	3778.086	-43.76	-13	Pass	9000
12000	20000	1	RMS	19854.982	-28.98	-13	Pass	8000




1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40	-13	Pass	2985
30	1000	0.1	RMS	930.493	-54.85	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.17	-13	Pass	830
1830	1920	1	RMS	1871.25	22.18	60	Pass	601
1920	3000	1	RMS	2672.697	-39.33	-13	Pass	1080
3000	12000	1	RMS	3742.082	-44.63	-13	Pass	9000
12000	20000	1	RMS	19854.982	-29.01	-13	Pass	8000




1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.22	-13	Pass	2985
30	1000	0.1	RMS	897.889	-54.54	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.22	-13	Pass	830
1830	1920	1	RMS	1888.95	22.35	60	Pass	601
1920	3000	1	RMS	2668.693	-39.3	-13	Pass	1080
3000	12000	1	RMS	3778.086	-44.25	-13	Pass	9000
12000	20000	1	RMS	19854.982	-28.93	-13	Pass	8000




1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.98	-13	Pass	2985
30	1000	0.1	RMS	978.598	-55.08	-13	Pass	9700
1000	1830	1	RMS	1830	-43.37	-13	Pass	830
1830	1920	1	RMS	1891.05	23.1	60	Pass	601
1920	3000	1	RMS	2667.692	-39.32	-13	Pass	1080
3000	12000	1	RMS	3782.087	-43.61	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.95	-13	Pass	8000




1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-47.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.08	-13	Pass	2985
30	1000	0.1	RMS	988.699	-54.78	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.23	-13	Pass	830
1830	1920	1	RMS	1908.9	23.13	60	Pass	601
1920	3000	1	RMS	2662.688	-39.32	-13	Pass	1080
3000	12000	1	RMS	3818.091	-45.13	-13	Pass	9000
12000	20000	1	RMS	19848.981	-29.02	-13	Pass	8000




1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.5	-13	Pass	2985
30	1000	0.1	RMS	948.095	-55.01	-13	Pass	9700
1000	1830	1	RMS	1830	-43.44	-13	Pass	830
1830	1920	1	RMS	1891.05	22.6	60	Pass	601
1920	3000	1	RMS	2664.69	-39.4	-13	Pass	1080
3000	12000	1	RMS	3782.087	-44.11	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.93	-13	Pass	8000



1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.03	-13	Pass	601
0.15	30	0.01	RMS	0.16	-41.38	-13	Pass	2985
30	1000	0.1	RMS	932.793	-54.84	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.21	-13	Pass	830
1830	1920	1	RMS	1908.9	22.64	60	Pass	601
1920	3000	1	RMS	2669.694	-39.3	-13	Pass	1080
3000	12000	1	RMS	3818.091	-45.49	-13	Pass	9000
12000	20000	1	RMS	19855.982	-28.97	-13	Pass	8000



END