



# GH6321-DIV-ANT-V2.0 Specification

## 1. Explanation of part number :

GH6321                      -                      DIV-ANT                      -                      V2.0  
 (1)    (2)    (3)

(1) Model Name : GH6321

(2) Frequency : 699-960Mhz, 1710-2170MHz, 2300-2690MHz

(3) Suffix :V2.0


## 2. Electrical Specification :

### 2-1. Frequency Band:

Frequency Band	MHz
<b>DIV</b>	699-960Mhz, 1710-2170MHz, 2300-2400MHz, 2500-2690MHz

### 2-2. Impedance

50 ohm nominal


UNLESS OTHER SPECIFIED TOLERANCES ON :		 <b>深圳市可信华成通信科技有限公司</b> SHENZHEN CITY KEXIN HUACHENG COMMUNICATION TECHNOLOGY CO.,LTD	
X=±2                      X.X=±0.1                      X.XX=±0.05 ANGLES=±                      HOLEDIA=±			
SCALE :		UNIT : mm	
DRAWN BY : 黄土勇		CHECKED BY : 肖坤雄	
DESIGNED BY : 骆业辉		APPROVED BY : 王伟	
TITLE : <b><u>GH6321-DIV-ANT-V2.0</u></b> Specification		DOCUMENT NO.	
		PAGE REV. <b>A0</b>	
PAGE 1 OF 5			

## 2-3. VSWR ,Efficiency ,Matching and Active Data :

### 2-3.1 VSWR:

Frequency Band	880	960	1710	2170	2500	2690
2-3-1. Typical Value:	$\leq 3$	$\leq 3$	$\leq 4$	$\leq 3.0$	$\leq 2$	$\leq 3$

2-3-2 Measuring Method	<ol style="list-style-type: none"> <li>1. A 50Ω coaxial cable is connected to the pcb antenna. Then this cable is connected to a network analyzer to measure the VSWR.</li> <li>2. Keeping this jig away from metal at least 20 cm.</li> </ol>
------------------------	--



UNLESS OTHER SPECIFIED TOLERANCES ON :  
 X=±2      X.X=±0.1      X.XX=±0.05

ANGLES=±      HOLEDIA=±

SCALE :      UNIT : mm

DRAWN BY : 黄土勇      CHECKED BY : 肖坤雄

DESIGNED BY : 骆业辉      APPROVED BY : 王伟

TITLE : GH6321-DIV-ANT-V2.0 Specification



深圳市可信华成通信科技有限公司  
 SHENZHEN CITY KEXIN HUACHENG COMMUNICATION TECHNOLOGY CO.,LTD

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF KEXIN HUACHENG COMMUNICATION TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION


DOCUMENT NO.	PAGE REV.
	A0

## 2-4. Measure and Chamber


### 2-4-1 Measure method

1. Using a low loss coaxial cable to link a standard handset jig
2. Fixed this handset jig on chamber's rotator plane
3. Linking jig into network analyzer port and using a probing horn antenna to collect data.
4. Using another standard gain horn antenna to calibrated those data

### 2-4-2 Chamber definition



1. An anechoic chamber (8mx4mx3.5m) which satisfied far-field condition was applied to avoid multi-path effect
2. The quiet room region is 40cmx40cmx40cm at the center of rotator
3. The distance between DUT and standard antenna is 4.38 m
4. Probing antenna (9120D horn antenna) and standard gain horn antenna (BBHA9120 LPF 700MHz ~6GHz)

UNLESS OTHER SPECIFIED TOLERANCES ON :		 <b>深圳市可信华成通信科技有限公司</b> SHENZHEN CITY KEXIN HUACHENG COMMUNICATION TECHNOLOGY CO.,LTD	
X=±2	X.X=±0.1    X.XX=±0.05		
ANGLES=±	HOLEDIA=±	THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF KEXIN HUACHENG COMMUNICATION TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION	
SCALE :	UNIT : mm		
DRAWN BY : 黄土勇	CHECKED BY : 肖坤雄		
DESIGNED BY : 骆业辉	APPROVED BY : 王伟		
TITLE : <b>GH6321-DIV-ANT-V2.0</b> Specification		DOCUMENT NO.	PAGE REV. <b>A0</b>

## 2-4-3 Antenna OTA

## 2-4-4 Antenna Efficiency

Frequency (MHz)	RF1			RF2			RF3			RF4		
	Gain (dBi)	Efficiency (dB)	Efficiency (%)	Gain (dBi)	Efficiency (dB)	Efficiency (%)	Gain (dBi)	Efficiency (dB)	Efficiency (%)	Gain (dBi)	Efficiency (dB)	Efficiency (%)
700	-13.82	-18.79	1%	-10.96	-15.13	3%	-2.76	-6.10	25%			
710	-13.51	-18.32	1%	-10.65	-14.55	4%	-2.30	-5.68	27%			
720	-13.07	-17.73	2%	-10.18	-13.87	4%	-1.82	-5.19	30%			
730	-12.47	-16.85	2%	-9.25	-12.85	5%	-1.58	-4.99	32%			
740	-11.68	-16.09	2%	-8.29	-11.95	6%	-1.39	-4.76	33%			
750	-11.03	-15.26	3%	-7.51	-11.02	8%	-1.36	-4.54	35%			
760	-10.71	-14.71	3%	-7.05	-10.38	9%	-1.79	-4.79	33%			
770	-10.47	-14.36	4%	-6.59	-9.91	10%	-2.46	-5.54	28%			
780	-10.26	-14.04	4%	-6.13	-9.42	11%	-2.77	-6.00	25%			
790	-9.97	-13.52	4%	-5.67	-8.81	13%	-3.07	-6.42	23%			
800	-9.59	-13.00	5%	-5.03	-8.17	15%	-3.46	-6.98	20%			
810	-8.89	-12.36	6%	-4.22	-7.31	19%	-3.98	-7.56	18%			
820	-8.06	-11.60	7%	-3.41	-6.52	22%	-4.08	-7.75	17%			
830	-7.38	-10.91	8%	-2.73	-5.87	26%	-4.24	-8.15	15%			
840	-6.37	-10.13	10%	-1.80	-5.20	30%	-4.47	-8.73	13%			
850	-5.41	-9.50	11%	-1.03	-4.73	34%	-4.63	-9.32	12%			
860	-4.23	-8.64	14%	-0.75	-4.47	36%	-4.80	-9.78	11%			
870	-2.89	-7.61	17%	-0.33	-4.41	36%	-5.28	-10.19	10%			
880	-1.72	-6.56	22%	-0.27	-4.58	35%	-6.04	-10.79	8%			
890	-0.64	-5.56	28%	-0.46	-5.01	32%	-6.19	-11.20	8%			
900	-0.01	-4.78	33%	-1.01	-5.72	27%	-6.51	-11.59	7%			
910	0.31	-4.33	33%	-1.79	-6.48	22%	-7.04	-11.99	6%			
920	-0.07	-4.70	34%	-2.64	-7.38	18%	-7.56	-12.44	6%			

UNLESS OTHER SPECIFIED TOLERANCES ON :		 <b>深圳市可信华成通信科技有限公司</b> SHENZHEN CITY KEXIN HUACHENG COMMUNICATION TECHNOLOGY CO.,LTD
X=±2	X.X=±0.1 X.XX=±0.05	
ANGLES=±	HOLEDIA=±	
SCALE :	UNIT : mm	THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF KEXIN HUACHENG COMMUNICATION TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION
DRAWN BY : 黄土勇	CHECKED BY : 肖坤雄	
DESIGNED BY : 骆业辉	APPROVED BY : 王伟	
TITLE : <b>GH6321-DIV-ANT-V2.0</b> Specification		DOCUMENT NO.
		PAGE REV. <b>A0</b>

930	-1.02	-5.53	28%	-3.60	-8.23	15%	-8.11	-12.73	5%			
940	-2.11	-6.54	22%	-4.70	-9.04	12%	-8.78	-12.99	5%			
950	-3.43	-7.80	17%	-5.79	-9.95	10%	-9.27	-13.37	5%			
960	-4.79	-9.06	12%	-6.87	-10.84	8%	-9.70	-13.75	4%			
1710	-15.22	-23.09	0%	-5.10	-9.96	10%	-10.06	-15.15	3%			
1720	-15.01	-23.04	0%	-4.55	-9.68	11%	-10.16	-15.20	3%			
1730	-14.59	-22.66	1%	-3.92	-9.00	13%	-10.19	-14.98	3%			
1740	-14.79	-22.66	1%	-3.72	-8.60	14%	-10.36	-15.09	3%			
1750	-15.27	-22.54	1%	-3.47	-8.29	15%	-10.35	-15.04	3%			
1760	-15.35	-22.09	1%	-3.13	-7.77	17%	-10.29	-14.85	3%			
1770	-15.36	-21.80	1%	-2.78	-7.34	18%	-10.41	-14.92	3%			
1780	-14.97	-21.60	1%	-2.35	-7.09	20%	-10.37	-14.84	3%			
1790	-13.93	-21.30	1%	-2.15	-6.88	21%	-10.46	-14.72	3%			
1800	-12.88	-20.94	1%	-2.07	-6.57	22%	-10.53	-14.75	3%			
1810	-12.79	-20.89	1%	-1.99	-6.37	23%	-10.64	-14.98	3%			
1820	-12.88	-20.65	1%	-1.57	-6.24	24%	-10.59	-15.04	3%			
1830	-12.78	-20.16	1%	-1.61	-6.09	25%	-10.31	-14.95	3%			
1840	-12.66	-19.89	1%	-1.56	-5.87	26%	-9.97	-14.98	3%			
1850	-12.76	-19.81	1%	-1.19	-5.77	27%	-9.86	-15.10	3%			
1860	-12.05	-19.21	1%	-1.03	-5.68	27%	-9.55	-14.76	3%			
1870	-11.60	-18.77	1%	-0.77	-5.49	28%	-9.46	-14.61	3%			
1880	-11.98	-18.86	1%	-0.78	-5.57	28%	-9.57	-14.85	3%			
1890	-12.03	-18.65	1%	-0.79	-5.64	27%	-9.46	-14.73	3%			
1900	-11.02	-18.30	1%	-0.71	-5.69	27%	-9.38	-14.58	3%			
1910	-10.73	-18.35	1%	-0.82	-5.80	26%	-9.52	-14.69	3%			
1920	-10.48	-18.43	1%	-1.11	-5.87	26%	-9.71	-14.78	3%			
1930	-9.82	-18.08	2%	-1.37	-5.97	25%	-9.74	-14.66	3%			
1940	-9.57	-17.94	2%	-1.79	-6.26	24%	-10.08	-14.87	3%			
1950	-9.54	-17.74	2%	-1.67	-6.23	24%	-10.10	-14.84	3%			
1960	-9.53	-17.37	2%	-1.59	-6.23	24%	-9.92	-14.68	3%			
1970	-9.96	-17.16	2%	-1.95	-6.57	22%	-9.94	-14.82	3%			
1980	-10.35	-16.90	2%	-1.93	-6.66	22%	-9.90	-14.84	3%			
1990	-10.75	-16.60	2%	-1.82	-6.76	21%	-9.72	-14.79	3%			
2000	-10.68	-16.33	2%	-2.06	-7.06	20%	-9.66	-14.80	3%			
2010	-9.84	-15.92	3%	-2.31	-7.21	19%	-9.64	-14.75	3%			
2020	-9.35	-15.61	3%	-2.32	-7.32	19%	-9.56	-14.70	3%			
2030	-9.25	-15.49	3%	-2.61	-7.53	18%	-9.60	-14.72	3%			
2040	-8.75	-15.10	3%	-2.76	-7.69	17%	-9.64	-14.67	3%			
2050	-8.91	-15.08	3%	-2.77	-7.95	16%	-9.74	-14.89	3%			
2060	-9.30	-14.95	3%	-2.75	-8.05	16%	-9.65	-14.87	3%			
2070	-8.74	-14.48	4%	-2.70	-8.01	16%	-9.58	-14.65	3%			
2080	-8.42	-14.32	4%	-2.94	-8.26	15%	-9.69	-14.86	3%			

UNLESS OTHER SPECIFIED TOLERANCES ON :

X=±2      X.X=±0.1      X.XX=±0.05

ANGLES=±

HOLEDIA=±

SCALE :

UNIT : mm

DRAWN BY : 黄土勇

CHECKED BY : 肖坤雄

DESIGNED BY : 骆业辉

APPROVED BY : 王伟

TITLE : GH6321-DIV-ANT-V2.0Specification

DOCUMENT NO.

PAGE REV.  
A0



深圳市可信华成通信科技有限公司

SHENZHEN CITY KEXIN HUACHENG COMMUNICATION TECHNOLOGY CO.,LTD

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF KEXIN HUACHENG COMMUNICATION TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

2090	-8.43	-14.24	4%	-3.27	-8.47	14%	-9.76	-15.08	3%			
2100	-7.98	-13.87	4%	-3.50	-8.57	14%	-9.79	-15.10	3%			
2110	-7.72	-13.63	4%	-3.88	-9.05	12%	-10.07	-15.38	3%			
2120	-7.84	-13.68	4%	-4.25	-9.39	12%	-10.42	-15.67	3%			
2130	-7.50	-13.42	5%	-4.34	-9.48	11%	-10.51	-15.65	3%			
2140	-7.28	-13.00	5%	-4.31	-9.51	11%	-10.11	-15.43	3%			
2150	-7.11	-12.87	5%	-4.18	-9.61	11%	-10.06	-15.44	3%			
2160	-6.92	-12.86	5%	-4.18	-9.74	11%	-10.21	-15.56	3%			
2170	-6.65	-12.42	6%	-3.97	-9.65	11%	-9.55	-15.25	3%			
2300	-4.09	-9.74	11%	-4.55	-10.41	9%	-8.85	-13.54	4%			
2310	-3.91	-9.40	11%	-4.86	-10.47	9%	-8.55	-13.32	5%			
2320	-3.75	-9.01	13%	-4.71	-10.34	9%	-7.98	-13.02	5%			
2330	-3.38	-8.82	13%	-4.56	-10.39	9%	-7.52	-12.91	5%			
2340	-3.17	-8.75	13%	-4.79	-10.61	9%	-7.39	-12.91	5%			
2350	-2.78	-8.40	14%	-4.62	-10.49	9%	-6.96	-12.58	6%			
2360	-2.39	-8.33	15%	-4.80	-10.85	8%	-7.01	-12.76	5%			
2370	-2.16	-8.28	15%	-4.97	-11.03	8%	-6.99	-12.82	5%			
2380	-1.97	-7.96	16%	-5.07	-11.31	7%	-6.71	-12.92	5%			
2390	-1.57	-7.59	17%	-4.95	-11.61	7%	-6.12	-13.06	5%			
2400	-1.29	-7.56	18%	-5.28	-12.14	6%	-6.72	-13.57	4%			
2500	-0.09	-6.59	22%	-7.08	-14.60	3%	-8.90	-16.92	2%			
2510	-0.21	-6.55	22%	-7.16	-14.49	4%	-9.44	-16.87	2%			
2520	-0.57	-6.63	22%	-7.49	-14.56	3%	-10.11	-16.96	2%			
2530	-0.79	-6.82	21%	-7.96	-14.87	3%	-11.10	-17.21	2%			
2540	-0.89	-6.93	20%	-8.02	-14.79	3%	-10.19	-16.96	2%			
2550	-1.17	-7.21	19%	-8.20	-14.79	3%	-9.38	-16.66	2%			
2560	-1.64	-7.68	17%	-8.76	-15.19	3%	-9.18	-16.67	2%			
2570	-1.96	-7.93	16%	-8.83	-15.15	3%	-8.70	-16.26	2%			
2580	-2.41	-8.21	15%	-8.92	-15.14	3%	-8.47	-15.80	3%			
2590	-2.69	-8.59	14%	-9.25	-15.37	3%	-8.56	-15.55	3%			
2600	-2.87	-8.94	13%	-9.51	-15.51	3%	-8.62	-15.24	3%			
2610	-2.89	-9.10	12%	-9.55	-15.47	3%	-8.24	-14.77	3%			
2620	-3.11	-9.40	11%	-9.77	-15.67	3%	-8.19	-14.45	4%			
2630	-3.29	-9.51	11%	-9.18	-15.71	3%	-8.30	-14.05	4%			
2640	-3.49	-9.67	11%	-9.20	-15.95	3%	-8.73	-13.85	4%			
2650	-3.73	-9.92	10%	-9.39	-16.20	2%	-8.51	-13.70	4%			
2660	-3.77	-10.03	10%	-9.24	-16.25	2%	-8.08	-13.50	4%			
2670	-3.72	-10.09	10%	-9.59	-16.22	2%	-7.46	-13.36	5%			
2680	-3.88	-10.28	9%	-9.84	-16.18	2%	-7.20	-13.37	5%			
2690	-3.94	-10.36	9%	-9.03	-15.89	3%	-6.40	-13.19	5%			

UNLESS OTHER SPECIFIED TOLERANCES ON :

X=±2      X.X=±0.1      X.XX=±0.05

ANGLES=±

HOLEDIA=±

SCALE :

UNIT : mm

DRAWN BY : 黄土勇

CHECKED BY : 肖坤雄

DESIGNED BY : 骆业辉

APPROVED BY : 王伟

TITLE : GH6321-DIV-ANT-V2.0Specification



**深圳市可信华成通信科技有限公司**  
SHENZHEN CITY KEXIN HUACHENG COMMUNICATION TECHNOLOGY CO.,LTD


THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF KEXIN HUACHENG COMMUNICATION TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

DOCUMENT NO.

PAGE REV.  
A0

### 3. Antenna 3D Radiation Pattern

#### 4. -LTE B28[700MHz]




5.


6.

#### 7. -LTE B28[800MHz]


#### 8. -LTE B8[880MHz]



9.

UNLESS OTHER SPECIFIED TOLERANCES ON :		 <b>深圳市可信华成通信科技有限公司</b> SHENZHEN CITY KEXIN HUACHENG COMMUNICATION TECHNOLOGY CO.,LTD
X=±2      X.X=±0.1      X.XX=±0.05 ANGLES=±      HOLEDIA=±		
SCALE :	UNIT : mm	THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF KEXIN HUACHENG COMMUNICATION TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION
DRAWN BY : 黄土勇	CHECKED BY : 肖坤雄	
DESIGNED BY : 骆业辉	APPROVED BY : 王伟	
TITLE : <u>GH6321-DIV-ANT-V2.0</u> Specification		DOCUMENT NO. <span style="float: right;">PAGE REV.</span> <span style="float: right;">A0</span>







10.

11. -LTE B8[960MHz]

12. -LTE B5[820MHz]



13.




14.


15. -LTE B5[890MHz]

UNLESS OTHER SPECIFIED TOLERANCES ON :		 <b>深圳市可信华成通信科技有限公司</b> SHENZHEN CITY KEXIN HUACHENG COMMUNICATION TECHNOLOGY CO.,LTD				
$X = \pm 2$ $X.X = \pm 0.1$ $X.XX = \pm 0.05$ <b>ANGLES = ±</b> <b>HOLEDIA = ±</b>						
<b>SCALE :</b>	<b>UNIT : mm</b>	THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF KEXIN HUACHENG COMMUNICATION TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION				
<b>DRAWN BY : 黄土勇</b>	<b>CHECKED BY : 肖坤雄</b>					
<b>DESIGNED BY : 骆业辉</b>	<b>APPROVED BY : 王伟</b>					
<b>TITLE : <u>GH6321-DIV-ANT-V2.0</u>Specification</b>		<table border="1"> <tr> <td><b>DOCUMENT NO.</b></td> <td><b>PAGE REV.</b></td> </tr> <tr> <td></td> <td><b>A0</b></td> </tr> </table>	<b>DOCUMENT NO.</b>	<b>PAGE REV.</b>		<b>A0</b>
<b>DOCUMENT NO.</b>	<b>PAGE REV.</b>					
	<b>A0</b>					

16. -LTE B1[1920MHz]




17.



18.

19. -LTE B1[2170MHz]


20. -LTE B3[1710MHz]




21.

22.

23. -LTE B3[1880MHz]

UNLESS OTHER SPECIFIED TOLERANCES ON :		 <b>深圳市可信华成通信科技有限公司</b> SHENZHEN CITY KEXIN HUACHENG COMMUNICATION TECHNOLOGY CO.,LTD
X=±2	X.X=±0.1 X.XX=±0.05	
ANGLES=±	HOLEDIA=±	
SCALE :	UNIT : mm	THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF KEXIN HUACHENG COMMUNICATION TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION
DRAWN BY : 黄土勇	CHECKED BY : 肖坤雄	
DESIGNED BY : 骆业辉	APPROVED BY : 王伟	
TITLE : <u>GH6321-DIV-ANT-V2.0</u> Specification		DOCUMENT NO.
		PAGE REV. <b>A0</b>

24. -LTE B7[2500MHz]




25.

26.

27. -LTE B7[2690MHz]

28. **Antenna Dimensions:**

UNLESS OTHER SPECIFIED TOLERANCES ON :		 <b>深圳市可信华成通信科技有限公司</b> SHENZHEN CITY KEXIN HUACHENG COMMUNICATION TECHNOLOGY CO.,LTD
X=±2      X.X=±0.1      X.XX=±0.05 ANGLES=±      HOLEDIA=±		
SCALE :	UNIT : mm	THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF KEXIN HUACHENG COMMUNICATION TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION
DRAWN BY : 黄土勇	CHECKED BY : 肖坤雄	
DESIGNED BY : 骆业辉	APPROVED BY : 王伟	
TITLE : <u>GH6321-DIV-ANT-V2.0</u> Specification		DOCUMENT NO. <span style="float: right;">PAGE REV.</span> <span style="float: right;"><b>A0</b></span>



29.

UNLESS OTHER SPECIFIED TOLERANCES ON :

X=±2      X.X=±0.1      X.XX=±0.05

ANGLES=±      HOLEDIA=±

SCALE :      UNIT : mm

DRAWN BY : 黄土勇      CHECKED BY : 肖坤雄

DESIGNED BY : 骆业辉      APPROVED BY : 王伟

TITLE : GH6321-DIV-ANT-V2.0 Specification



深圳市可信华成通信科技有限公司

SHENZHEN CITY KEXIN HUACHENG COMMUNICATION TECHNOLOGY CO.,LTD

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF KEXIN HUACHENG COMMUNICATION TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

DOCUMENT NO.

PAGE REV. A0