


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.33	-13	Pass	2985
30	1000	0.1	RMS	958.296	-54.94	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.32	-13	Pass	830
1830	1920	1	RMS	1850.25	23.09	60	Pass	601
1920	3000	1	RMS	2667.692	-39.52	-13	Pass	1080
3000	12000	1	RMS	11913.99	-46.82	-13	Pass	9000
12000	20000	1	RMS	19846.981	-29.02	-13	Pass	8000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.64	-13	Pass	2985
30	1000	0.1	RMS	874.787	-55.08	-13	Pass	9700
1000	1830	1	RMS	1824.994	-44.35	-13	Pass	830
1830	1920	1	RMS	1851.15	23.03	60	Pass	601
1920	3000	1	RMS	2663.689	-39.53	-13	Pass	1080
3000	12000	1	RMS	11913.99	-46.68	-13	Pass	9000
12000	20000	1	RMS	19853.982	-29.04	-13	Pass	8000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.73	-13	Pass	2985
30	1000	0.1	RMS	999.5	-55.26	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.35	-13	Pass	830
1830	1920	1	RMS	1850.25	22.2	60	Pass	601
1920	3000	1	RMS	2667.692	-39.51	-13	Pass	1080
3000	12000	1	RMS	11922.991	-46.76	-13	Pass	9000
12000	20000	1	RMS	19836.98	-28.99	-13	Pass	8000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.55	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.23	-13	Pass	2985
30	1000	0.1	RMS	984.098	-55.24	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.39	-13	Pass	830
1830	1920	1	RMS	1851.15	22.79	60	Pass	601
1920	3000	1	RMS	2666.691	-39.51	-13	Pass	1080
3000	12000	1	RMS	11915.991	-46.8	-13	Pass	9000
12000	20000	1	RMS	19843.98	-28.98	-13	Pass	8000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.07	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.29	-13	Pass	2985
30	1000	0.1	RMS	832.183	-51.43	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.36	-13	Pass	830
1830	1920	1	RMS	1879.5	23.24	60	Pass	601
1920	3000	1	RMS	2669.694	-39.48	-13	Pass	1080
3000	12000	1	RMS	11895.988	-46.76	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.91	-13	Pass	8000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.19	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.4	-13	Pass	2985
30	1000	0.1	RMS	932.193	-55.13	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.38	-13	Pass	830
1830	1920	1	RMS	1880.4	23.27	60	Pass	601
1920	3000	1	RMS	2669.694	-39.51	-13	Pass	1080
3000	12000	1	RMS	11916.991	-46.8	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.92	-13	Pass	8000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.87	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.05	-13	Pass	2985
30	1000	0.1	RMS	922.292	-55.15	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.34	-13	Pass	830
1830	1920	1	RMS	1879.5	22.51	60	Pass	601
1920	3000	1	RMS	2671.696	-39.5	-13	Pass	1080
3000	12000	1	RMS	11907.99	-46.79	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.92	-13	Pass	8000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.83	-13	Pass	2985
30	1000	0.1	RMS	904.99	-55.17	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.38	-13	Pass	830
1830	1920	1	RMS	1880.4	22.36	60	Pass	601
1920	3000	1	RMS	2669.694	-39.5	-13	Pass	1080
3000	12000	1	RMS	11913.99	-46.71	-13	Pass	9000
12000	20000	1	RMS	19853.982	-29.07	-13	Pass	8000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.54	-13	Pass	2985
30	1000	0.1	RMS	946.594	-55.19	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.36	-13	Pass	830
1830	1920	1	RMS	1908.9	23.25	60	Pass	601
1920	3000	1	RMS	2673.698	-39.49	-13	Pass	1080
3000	12000	1	RMS	11901.989	-46.61	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.98	-13	Pass	8000



1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.7	-13	Pass	2985
30	1000	0.1	RMS	897.189	-55.28	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.37	-13	Pass	830
1830	1920	1	RMS	1909.8	23.27	60	Pass	601
1920	3000	1	RMS	2666.691	-39.46	-13	Pass	1080
3000	12000	1	RMS	11918.991	-46.81	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.91	-13	Pass	8000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.18	-13	Pass	2985
30	1000	0.1	RMS	827.482	-54.76	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.37	-13	Pass	830
1830	1920	1	RMS	1908.9	21.9	60	Pass	601
1920	3000	1	RMS	2670.695	-39.5	-13	Pass	1080
3000	12000	1	RMS	11904.989	-46.8	-13	Pass	9000
12000	20000	1	RMS	19849.981	-29.06	-13	Pass	8000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.94	-13	Pass	2985
30	1000	0.1	RMS	926.692	-55.1	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.33	-13	Pass	830
1830	1920	1	RMS	1909.8	22.28	60	Pass	601
1920	3000	1	RMS	2672.697	-39.51	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.74	-13	Pass	9000
12000	20000	1	RMS	19842.98	-28.77	-13	Pass	8000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.26	-13	Pass	2985
30	1000	0.1	RMS	935.693	-54.76	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.34	-13	Pass	830
1830	1920	1	RMS	1850.25	22.95	60	Pass	601
1920	3000	1	RMS	2671.696	-39.51	-13	Pass	1080
3000	12000	1	RMS	11911.99	-46.74	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.99	-13	Pass	8000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.69	-13	Pass	2985
30	1000	0.1	RMS	976.798	-55.29	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.33	-13	Pass	830
1830	1920	1	RMS	1852.8	22.9	60	Pass	601
1920	3000	1	RMS	2669.694	-39.48	-13	Pass	1080
3000	12000	1	RMS	11894.988	-46.86	-13	Pass	9000
12000	20000	1	RMS	19854.982	-29	-13	Pass	8000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.34	-13	Pass	2985
30	1000	0.1	RMS	990.999	-55.16	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.37	-13	Pass	830
1830	1920	1	RMS	1850.25	21.96	60	Pass	601
1920	3000	1	RMS	2672.697	-39.51	-13	Pass	1080
3000	12000	1	RMS	11927.992	-46.79	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.94	-13	Pass	8000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.19	-13	Pass	2985
30	1000	0.1	RMS	902.69	-54.75	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.39	-13	Pass	830
1830	1920	1	RMS	1852.8	21.9	60	Pass	601
1920	3000	1	RMS	2667.692	-39.53	-13	Pass	1080
3000	12000	1	RMS	11895.988	-46.87	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.89	-13	Pass	8000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.65	-13	Pass	2985
30	1000	0.1	RMS	888.088	-54.99	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.36	-13	Pass	830
1830	1920	1	RMS	1878.75	23.21	60	Pass	601
1920	3000	1	RMS	2670.695	-39.49	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.84	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.98	-13	Pass	8000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.14	-13	Pass	2985
30	1000	0.1	RMS	971.997	-55.01	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.38	-13	Pass	830
1830	1920	1	RMS	1881.3	23.28	60	Pass	601
1920	3000	1	RMS	2675.7	-39.58	-13	Pass	1080
3000	12000	1	RMS	11911.99	-46.73	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.89	-13	Pass	8000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.25	-13	Pass	2985
30	1000	0.1	RMS	941.794	-54.89	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.34	-13	Pass	830
1830	1920	1	RMS	1878.75	22.75	60	Pass	601
1920	3000	1	RMS	2668.693	-39.51	-13	Pass	1080
3000	12000	1	RMS	11936.993	-46.71	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.88	-13	Pass	8000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.43	-13	Pass	2985
30	1000	0.1	RMS	941.694	-55.04	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.32	-13	Pass	830
1830	1920	1	RMS	1881.3	22.72	60	Pass	601
1920	3000	1	RMS	2668.693	-39.54	-13	Pass	1080
3000	12000	1	RMS	11906.99	-46.83	-13	Pass	9000
12000	20000	1	RMS	19850.981	-29.02	-13	Pass	8000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.93	-13	Pass	2985
30	1000	0.1	RMS	978.398	-55.11	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.33	-13	Pass	830
1830	1920	1	RMS	1907.25	23.42	60	Pass	601
1920	3000	1	RMS	2670.695	-39.46	-13	Pass	1080
3000	12000	1	RMS	11923.992	-46.78	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.83	-13	Pass	8000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.41	-13	Pass	2985
30	1000	0.1	RMS	947.795	-55.06	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.35	-13	Pass	830
1830	1920	1	RMS	1909.8	23.34	60	Pass	601
1920	3000	1	RMS	2669.694	-39.51	-13	Pass	1080
3000	12000	1	RMS	11917.991	-46.84	-13	Pass	9000
12000	20000	1	RMS	19841.98	-28.95	-13	Pass	8000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.04	-13	Pass	2985
30	1000	0.1	RMS	998.4	-55.12	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.33	-13	Pass	830
1830	1920	1	RMS	1907.25	22.01	60	Pass	601
1920	3000	1	RMS	2668.693	-39.51	-13	Pass	1080
3000	12000	1	RMS	11911.99	-46.81	-13	Pass	9000
12000	20000	1	RMS	19849.981	-29.01	-13	Pass	8000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.77	-13	Pass	2985
30	1000	0.1	RMS	888.288	-55.19	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.4	-13	Pass	830
1830	1920	1	RMS	1909.8	21.88	60	Pass	601
1920	3000	1	RMS	2669.694	-39.45	-13	Pass	1080
3000	12000	1	RMS	11911.99	-46.78	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.96	-13	Pass	8000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.31	-13	Pass	2985
30	1000	0.1	RMS	995.4	-55.22	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44.38	-13	Pass	830
1830	1920	1	RMS	1850.4	22.88	60	Pass	601
1920	3000	1	RMS	2673.698	-39.55	-13	Pass	1080
3000	12000	1	RMS	11920.991	-46.72	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.8	-13	Pass	8000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.4	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.81	-13	Pass	2985
30	1000	0.1	RMS	901.99	-55.22	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.31	-13	Pass	830
1830	1920	1	RMS	1854.6	22.95	60	Pass	601
1920	3000	1	RMS	2670.695	-39.49	-13	Pass	1080
3000	12000	1	RMS	11916.991	-46.83	-13	Pass	9000
12000	20000	1	RMS	19841.98	-28.94	-13	Pass	8000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.34	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.89	-13	Pass	2985
30	1000	0.1	RMS	913.991	-55.24	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.35	-13	Pass	830
1830	1920	1	RMS	1850.4	21.32	60	Pass	601
1920	3000	1	RMS	2669.694	-39.48	-13	Pass	1080
3000	12000	1	RMS	11911.99	-46.78	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.88	-13	Pass	8000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.02	-13	Pass	2985
30	1000	0.1	RMS	945.194	-54.77	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.34	-13	Pass	830
1830	1920	1	RMS	1854.6	21.35	60	Pass	601
1920	3000	1	RMS	2672.697	-39.52	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46.66	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.83	-13	Pass	8000



1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.2	-13	Pass	2985
30	1000	0.1	RMS	905.19	-54.97	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.34	-13	Pass	830
1830	1920	1	RMS	1877.85	23.36	60	Pass	601
1920	3000	1	RMS	2667.692	-39.55	-13	Pass	1080
3000	12000	1	RMS	11919.991	-46.82	-13	Pass	9000
12000	20000	1	RMS	19855.982	-28.97	-13	Pass	8000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.7	-13	Pass	601
0.15	30	0.01	RMS	0.16	-38.94	-13	Pass	2985
30	1000	0.1	RMS	945.994	-54.93	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.36	-13	Pass	830
1830	1920	1	RMS	1882.2	23.3	60	Pass	601
1920	3000	1	RMS	2669.694	-39.52	-13	Pass	1080
3000	12000	1	RMS	11932.993	-46.78	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.78	-13	Pass	8000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.27	-13	Pass	2985
30	1000	0.1	RMS	944.894	-55.27	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.33	-13	Pass	830
1830	1920	1	RMS	1877.85	22.28	60	Pass	601
1920	3000	1	RMS	2673.698	-39.51	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.7	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.93	-13	Pass	8000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.15	-13	Pass	601
0.15	30	0.01	RMS	0.17	-41	-13	Pass	2985
30	1000	0.1	RMS	988.499	-54.91	-13	Pass	9700
1000	1830	1	RMS	1817.986	-44.34	-13	Pass	830
1830	1920	1	RMS	1882.2	22.39	60	Pass	601
1920	3000	1	RMS	2671.696	-39.44	-13	Pass	1080
3000	12000	1	RMS	11911.99	-46.82	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.83	-13	Pass	8000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.11	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.85	-13	Pass	2985
30	1000	0.1	RMS	907.891	-55.01	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.32	-13	Pass	830
1830	1920	1	RMS	1905.3	23.2	60	Pass	601
1920	3000	1	RMS	2669.694	-39.51	-13	Pass	1080
3000	12000	1	RMS	11903.989	-46.82	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.93	-13	Pass	8000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.5	-13	Pass	2985
30	1000	0.1	RMS	998.9	-55.3	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.34	-13	Pass	830
1830	1920	1	RMS	1909.65	23.13	60	Pass	601
1920	3000	1	RMS	2670.695	-39.46	-13	Pass	1080
3000	12000	1	RMS	11931.992	-46.75	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.78	-13	Pass	8000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.03	-13	Pass	2985
30	1000	0.1	RMS	883.788	-55.08	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.34	-13	Pass	830
1830	1920	1	RMS	1905.3	22.63	60	Pass	601
1920	3000	1	RMS	2669.694	-39.46	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46.77	-13	Pass	9000
12000	20000	1	RMS	19865.983	-28.85	-13	Pass	8000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.06	-13	Pass	2985
30	1000	0.1	RMS	891.189	-55.27	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.34	-13	Pass	830
1830	1920	1	RMS	1909.65	22.49	60	Pass	601
1920	3000	1	RMS	2671.696	-39.54	-13	Pass	1080
3000	12000	1	RMS	11926.992	-46.78	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.84	-13	Pass	8000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.86	-13	Pass	2985
30	1000	0.1	RMS	997.8	-55.01	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.32	-13	Pass	830
1830	1920	1	RMS	1850.55	22.99	60	Pass	601
1920	3000	1	RMS	2458.499	-38.61	-13	Pass	1080
3000	12000	1	RMS	11904.989	-46.77	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.94	-13	Pass	8000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.61	-13	Pass	2985
30	1000	0.1	RMS	901.19	-55.16	-13	Pass	9700
1000	1830	1	RMS	1824.994	-44.35	-13	Pass	830
1830	1920	1	RMS	1859.4	23.26	60	Pass	601
1920	3000	1	RMS	2670.695	-39.5	-13	Pass	1080
3000	12000	1	RMS	11915.991	-46.69	-13	Pass	9000
12000	20000	1	RMS	19860.983	-28.95	-13	Pass	8000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.74	-13	Pass	2985
30	1000	0.1	RMS	980.298	-55.08	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.38	-13	Pass	830
1830	1920	1	RMS	1850.55	22.08	60	Pass	601
1920	3000	1	RMS	2670.695	-39.4	-13	Pass	1080
3000	12000	1	RMS	11909.99	-46.87	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.89	-13	Pass	8000



1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.64	-13	Pass	2985
30	1000	0.1	RMS	915.791	-55.13	-13	Pass	9700
1000	1830	1	RMS	1815.983	-44.35	-13	Pass	830
1830	1920	1	RMS	1859.4	22.12	60	Pass	601
1920	3000	1	RMS	2670.695	-39.5	-13	Pass	1080
3000	12000	1	RMS	11909.99	-46.7	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.98	-13	Pass	8000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.47	-13	Pass	601
0.15	30	0.01	RMS	0.17	-39.45	-13	Pass	2985
30	1000	0.1	RMS	845.784	-55.03	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.33	-13	Pass	830
1830	1920	1	RMS	1875.6	23.33	60	Pass	601
1920	3000	1	RMS	2670.695	-39.47	-13	Pass	1080
3000	12000	1	RMS	11915.991	-46.7	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.93	-13	Pass	8000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.93	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.2	-13	Pass	2985
30	1000	0.1	RMS	982.798	-54.83	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.32	-13	Pass	830
1830	1920	1	RMS	1884.45	23.42	60	Pass	601
1920	3000	1	RMS	2668.693	-39.41	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.79	-13	Pass	9000
12000	20000	1	RMS	19845.981	-29.04	-13	Pass	8000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.57	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.26	-13	Pass	2985
30	1000	0.1	RMS	965.296	-55.16	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.34	-13	Pass	830
1830	1920	1	RMS	1875.6	22.26	60	Pass	601
1920	3000	1	RMS	2668.693	-39.5	-13	Pass	1080
3000	12000	1	RMS	11921.991	-46.89	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.98	-13	Pass	8000



1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.37	-13	Pass	2985
30	1000	0.1	RMS	908.491	-54.88	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.35	-13	Pass	830
1830	1920	1	RMS	1884.45	22.4	60	Pass	601
1920	3000	1	RMS	2669.694	-39.46	-13	Pass	1080
3000	12000	1	RMS	11915.991	-46.71	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.75	-13	Pass	8000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.51	-13	Pass	2985
30	1000	0.1	RMS	988.699	-55.2	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.38	-13	Pass	830
1830	1920	1	RMS	1900.65	23.24	60	Pass	601
1920	3000	1	RMS	2672.697	-39.5	-13	Pass	1080
3000	12000	1	RMS	11926.992	-46.84	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.9	-13	Pass	8000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.38	-13	Pass	601
0.15	30	0.01	RMS	0.17	-41.78	-13	Pass	2985
30	1000	0.1	RMS	927.893	-54.99	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.26	-13	Pass	830
1830	1920	1	RMS	1909.35	23.3	60	Pass	601
1920	3000	1	RMS	2672.697	-39.5	-13	Pass	1080
3000	12000	1	RMS	5187.243	-46.62	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.99	-13	Pass	8000



1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.9	-13	Pass	2985
30	1000	0.1	RMS	912.291	-55.08	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.33	-13	Pass	830
1830	1920	1	RMS	1900.65	22.23	60	Pass	601
1920	3000	1	RMS	2672.697	-39.49	-13	Pass	1080
3000	12000	1	RMS	11904.989	-46.76	-13	Pass	9000
12000	20000	1	RMS	19854.982	-28.88	-13	Pass	8000




1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.81	-13	Pass	2985
30	1000	0.1	RMS	877.787	-54.99	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.31	-13	Pass	830
1830	1920	1	RMS	1909.35	22.18	60	Pass	601
1920	3000	1	RMS	2674.699	-39.49	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.66	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.92	-13	Pass	8000



1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.27	-13	Pass	2985
30	1000	0.1	RMS	878.888	-55.23	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.32	-13	Pass	830
1830	1920	1	RMS	1850.85	22.97	60	Pass	601
1920	3000	1	RMS	2669.694	-39.47	-13	Pass	1080
3000	12000	1	RMS	11907.99	-46.73	-13	Pass	9000
12000	20000	1	RMS	19858.982	-29.01	-13	Pass	8000




1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.39	-13	Pass	2985
30	1000	0.1	RMS	931.393	-54.96	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.28	-13	Pass	830
1830	1920	1	RMS	1864.2	23.26	60	Pass	601
1920	3000	1	RMS	2673.698	-39.5	-13	Pass	1080
3000	12000	1	RMS	11929.992	-46.7	-13	Pass	9000
12000	20000	1	RMS	19859.982	-28.81	-13	Pass	8000




1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.07	-13	Pass	601
0.15	30	0.01	RMS	0.17	-40.06	-13	Pass	2985
30	1000	0.1	RMS	903.79	-55.2	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.32	-13	Pass	830
1830	1920	1	RMS	1850.85	22.05	60	Pass	601
1920	3000	1	RMS	2666.691	-39.47	-13	Pass	1080
3000	12000	1	RMS	11897.989	-46.6	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.82	-13	Pass	8000




1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.47	-13	Pass	2985
30	1000	0.1	RMS	894.289	-55.01	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.33	-13	Pass	830
1830	1920	1	RMS	1864.2	22.28	60	Pass	601
1920	3000	1	RMS	2671.696	-39.43	-13	Pass	1080
3000	12000	1	RMS	11916.991	-46.61	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.87	-13	Pass	8000




1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.62	-13	Pass	2985
30	1000	0.1	RMS	972.397	-54.98	-13	Pass	9700
1000	1830	1	RMS	1815.983	-44.33	-13	Pass	830
1830	1920	1	RMS	1873.35	23.31	60	Pass	601
1920	3000	1	RMS	2672.697	-39.43	-13	Pass	1080
3000	12000	1	RMS	11899.989	-46.79	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.9	-13	Pass	8000




1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.52	-13	Pass	2985
30	1000	0.1	RMS	933.993	-54.76	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.31	-13	Pass	830
1830	1920	1	RMS	1886.7	23.44	60	Pass	601
1920	3000	1	RMS	2665.69	-39.44	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46.81	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.82	-13	Pass	8000




1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.28	-13	Pass	2985
30	1000	0.1	RMS	957.396	-54.97	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.33	-13	Pass	830
1830	1920	1	RMS	1873.35	22.35	60	Pass	601
1920	3000	1	RMS	2671.696	-39.43	-13	Pass	1080
3000	12000	1	RMS	11925.992	-46.85	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.7	-13	Pass	8000




1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.19	-13	Pass	601
0.15	30	0.01	RMS	0.18	-39.99	-13	Pass	2985
30	1000	0.1	RMS	996.4	-55.08	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.36	-13	Pass	830
1830	1920	1	RMS	1886.7	22.37	60	Pass	601
1920	3000	1	RMS	2670.695	-39.44	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46.68	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.96	-13	Pass	8000




1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.62	-13	Pass	2985
30	1000	0.1	RMS	921.492	-55.13	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.3	-13	Pass	830
1830	1920	1	RMS	1895.85	23.44	60	Pass	601
1920	3000	1	RMS	2669.694	-39.48	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46.77	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.96	-13	Pass	8000




1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.91	-13	Pass	2985
30	1000	0.1	RMS	871.287	-55.04	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.29	-13	Pass	830
1830	1920	1	RMS	1909.2	23.3	60	Pass	601
1920	3000	1	RMS	2664.69	-39.52	-13	Pass	1080
3000	12000	1	RMS	11901.989	-46.77	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.7	-13	Pass	8000



1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.56	-13	Pass	2985
30	1000	0.1	RMS	905.19	-54.79	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.32	-13	Pass	830
1830	1920	1	RMS	1895.85	22.53	60	Pass	601
1920	3000	1	RMS	2668.693	-39.43	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46.91	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.97	-13	Pass	8000




1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.06	-13	Pass	2985
30	1000	0.1	RMS	995.3	-55.06	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.28	-13	Pass	830
1830	1920	1	RMS	1909.2	22.59	60	Pass	601
1920	3000	1	RMS	2670.695	-39.45	-13	Pass	1080
3000	12000	1	RMS	11914.991	-46.72	-13	Pass	9000
12000	20000	1	RMS	19842.98	-28.8	-13	Pass	8000




1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.62	-13	Pass	2985
30	1000	0.1	RMS	876.987	-55.28	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.29	-13	Pass	830
1830	1920	1	RMS	1851.15	23.07	60	Pass	601
1920	3000	1	RMS	2664.69	-39.54	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46.78	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.85	-13	Pass	8000




1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.64	-13	Pass	2985
30	1000	0.1	RMS	991.999	-55.05	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.3	-13	Pass	830
1830	1920	1	RMS	1868.85	23.41	60	Pass	601
1920	3000	1	RMS	2671.696	-39.46	-13	Pass	1080
3000	12000	1	RMS	11922.991	-46.78	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.94	-13	Pass	8000




1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.82	-13	Pass	2985
30	1000	0.1	RMS	910.291	-54.96	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.28	-13	Pass	830
1830	1920	1	RMS	1851.15	22.16	60	Pass	601
1920	3000	1	RMS	2669.694	-39.45	-13	Pass	1080
3000	12000	1	RMS	11901.989	-46.82	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.98	-13	Pass	8000




1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.63	-13	Pass	2985
30	1000	0.1	RMS	881.088	-54.96	-13	Pass	9700
1000	1830	1	RMS	1815.983	-44.31	-13	Pass	830
1830	1920	1	RMS	1868.85	22.36	60	Pass	601
1920	3000	1	RMS	2669.694	-39.49	-13	Pass	1080
3000	12000	1	RMS	11906.99	-46.71	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.94	-13	Pass	8000




1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.23	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.81	-13	Pass	2985
30	1000	0.1	RMS	895.089	-54.97	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.34	-13	Pass	830
1830	1920	1	RMS	1871.1	23.39	60	Pass	601
1920	3000	1	RMS	2672.697	-39.49	-13	Pass	1080
3000	12000	1	RMS	11896.989	-46.84	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.77	-13	Pass	8000




1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.78	-13	Pass	2985
30	1000	0.1	RMS	951.595	-55.24	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.29	-13	Pass	830
1830	1920	1	RMS	1888.95	23.36	60	Pass	601
1920	3000	1	RMS	2668.693	-39.51	-13	Pass	1080
3000	12000	1	RMS	11911.99	-46.71	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.95	-13	Pass	8000




1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.34	-13	Pass	2985
30	1000	0.1	RMS	975.998	-55.1	-13	Pass	9700
1000	1830	1	RMS	1803.969	-44.33	-13	Pass	830
1830	1920	1	RMS	1871.1	22.13	60	Pass	601
1920	3000	1	RMS	2670.695	-39.51	-13	Pass	1080
3000	12000	1	RMS	11911.99	-46.64	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.82	-13	Pass	8000




1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.72	-13	Pass	2985
30	1000	0.1	RMS	976.398	-55.05	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.31	-13	Pass	830
1830	1920	1	RMS	1888.95	22.22	60	Pass	601
1920	3000	1	RMS	2674.699	-39.51	-13	Pass	1080
3000	12000	1	RMS	11913.99	-46.69	-13	Pass	9000
12000	20000	1	RMS	19857.982	-28.94	-13	Pass	8000



1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.28	-13	Pass	2985
30	1000	0.1	RMS	938.194	-55.19	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44.28	-13	Pass	830
1830	1920	1	RMS	1891.05	23.46	60	Pass	601
1920	3000	1	RMS	2460.5	-39.04	-13	Pass	1080
3000	12000	1	RMS	11922.991	-46.78	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.92	-13	Pass	8000




1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.02	-13	Pass	2985
30	1000	0.1	RMS	998	-55.04	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.3	-13	Pass	830
1830	1920	1	RMS	1908.9	23.54	60	Pass	601
1920	3000	1	RMS	2668.693	-39.47	-13	Pass	1080
3000	12000	1	RMS	11919.991	-46.75	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.9	-13	Pass	8000




1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.89	-13	Pass	2985
30	1000	0.1	RMS	887.488	-55.06	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.28	-13	Pass	830
1830	1920	1	RMS	1891.05	22.6	60	Pass	601
1920	3000	1	RMS	2670.695	-39.51	-13	Pass	1080
3000	12000	1	RMS	11902.989	-46.79	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.85	-13	Pass	8000



1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.92	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.76	-13	Pass	2985
30	1000	0.1	RMS	998.3	-54.82	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.29	-13	Pass	830
1830	1920	1	RMS	1908.9	22.53	60	Pass	601
1920	3000	1	RMS	2665.69	-39.47	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46.75	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.91	-13	Pass	8000



END