


AN2400AH MANUAL



Product description:

AN2400A for car alarm system, remote control system, only compatible with iDataStart vehicle control system. AN2400A turns on receiving function after power on and stays for transmitter commands. Once transmitter received AN2400A deliver command to iDataStart vehicle control system to activate corresponding function and return confirmation signal back to transmitter.

1. Antenna Model : AN2400AH
 2. Technology: Lora 2-WAY
 3. Max Range : 2 miles
 4. LED : status indication
 5. Button: setup key
 6. Connect to iDataStart (To plug Weblink or RF-Decoder/Antenna)
- pin1- Rx (Data from antenna, 0-5 Volts)
pin2- Tx (Data from iDataStart, 0-5 Volts)
pin3- GND (Ground from iDataStart)
pin4- 12V (Power from iDataStart, 12V)

Installation guide:

AN2400 come with 3M tape, stick AN2400AH on the edge of windshield inside of vehicle, like picture shown below:



IC Statement

This device complies with Industry Canada's licence-exempt RSSs. Operation is subject to the following two conditions:

- (1) This device may not cause interference; and
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

IC Radiation Exposure Statement

This equipment complies with IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distances 25cm between the radiator include antenna & your body.

Cet appareil est conforme aux CNR exemptes de licence d'Industrie Canada .

Son fonctionnement est soumis aux deux conditions suivantes :

- (1) Ce dispositif ne peut causer d'interférences ; et
- (2) Ce dispositif doit accepter toute interférence , y compris les interférences qui peuvent causer un mauvais fonctionnement de l'appareil.

IC Déclaration sur la radio exposition

Cet équipement est conforme avec l'exposition aux radiations IC définies pour un environnement non contrôlé . Cet équipement doit être installé et utilisé avec une distance minimale de 25cm de entre le radiateur inclure l'antenne et votre corps.

FCC Statement:

1. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference.
- and(2) This device must accept any interference received, including interference that may cause undesired operation.

2. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with the FCC RF radiation exposure limits set forth for an uncontrolled environment.

This equipment should be installed and operated with a minimum distance of 25cm between the radiator and any part of your body.