



Mode	18-40G	
	Emission above 18GHz	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak		
Avg		




30M-1G																																																																																																																																																												
Emission below 1GHz																																																																																																																																																												
U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																																																																												
ANT 2																																																																																																																																																												
Pol.	Horizontal																																																																																																																																																											
Pol.	Vertical																																																																																																																																																											
Peak QP	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Factor (dB/m)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>22.03</td><td>-17.97</td><td>40.00</td><td>29.53</td><td>24.80</td><td>0.50</td><td>32.80</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>184.23</td><td>16.95</td><td>-26.55</td><td>43.50</td><td>33.33</td><td>14.60</td><td>1.98</td><td>32.96</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>313.24</td><td>18.30</td><td>-27.70</td><td>46.00</td><td>29.43</td><td>19.26</td><td>2.59</td><td>32.98</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>463.59</td><td>23.93</td><td>-22.07</td><td>46.00</td><td>30.87</td><td>23.16</td><td>3.14</td><td>33.24</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>830.25</td><td>30.10</td><td>-15.90</td><td>46.00</td><td>30.61</td><td>28.10</td><td>4.19</td><td>32.80</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>984.48</td><td>31.93</td><td>-22.07</td><td>54.00</td><td>28.33</td><td>30.55</td><td>4.56</td><td>31.51</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Factor (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	30.00	22.03	-17.97	40.00	29.53	24.80	0.50	32.80	---	Peak	2	184.23	16.95	-26.55	43.50	33.33	14.60	1.98	32.96	---	Peak	3	313.24	18.30	-27.70	46.00	29.43	19.26	2.59	32.98	---	Peak	4	463.59	23.93	-22.07	46.00	30.87	23.16	3.14	33.24	---	Peak	5	830.25	30.10	-15.90	46.00	30.61	28.10	4.19	32.80	---	Peak	6	984.48	31.93	-22.07	54.00	28.33	30.55	4.56	31.51	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Factor (dB/m)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>45.52</td><td>28.05</td><td>-11.95</td><td>40.00</td><td>44.04</td><td>16.20</td><td>0.71</td><td>32.90</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>104.69</td><td>21.41</td><td>-22.09</td><td>43.50</td><td>36.36</td><td>16.50</td><td>1.49</td><td>32.94</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>250.19</td><td>19.86</td><td>-26.14</td><td>46.00</td><td>32.17</td><td>18.40</td><td>2.30</td><td>33.01</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>565.44</td><td>24.09</td><td>-21.91</td><td>46.00</td><td>27.85</td><td>26.10</td><td>3.46</td><td>33.32</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>765.26</td><td>29.62</td><td>-16.38</td><td>46.00</td><td>30.58</td><td>28.10</td><td>4.03</td><td>33.09</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>972.84</td><td>31.81</td><td>-22.19</td><td>54.00</td><td>27.95</td><td>30.94</td><td>4.54</td><td>31.62</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Factor (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	45.52	28.05	-11.95	40.00	44.04	16.20	0.71	32.90	---	Peak	2	104.69	21.41	-22.09	43.50	36.36	16.50	1.49	32.94	---	Peak	3	250.19	19.86	-26.14	46.00	32.17	18.40	2.30	33.01	---	Peak	4	565.44	24.09	-21.91	46.00	27.85	26.10	3.46	33.32	---	Peak	5	765.26	29.62	-16.38	46.00	30.58	28.10	4.03	33.09	---	Peak	6	972.84	31.81	-22.19	54.00	27.95	30.94	4.54	31.62	---	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Factor (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																	
1	30.00	22.03	-17.97	40.00	29.53	24.80	0.50	32.80	---	Peak																																																																																																																																																		
2	184.23	16.95	-26.55	43.50	33.33	14.60	1.98	32.96	---	Peak																																																																																																																																																		
3	313.24	18.30	-27.70	46.00	29.43	19.26	2.59	32.98	---	Peak																																																																																																																																																		
4	463.59	23.93	-22.07	46.00	30.87	23.16	3.14	33.24	---	Peak																																																																																																																																																		
5	830.25	30.10	-15.90	46.00	30.61	28.10	4.19	32.80	---	Peak																																																																																																																																																		
6	984.48	31.93	-22.07	54.00	28.33	30.55	4.56	31.51	---	Peak																																																																																																																																																		
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Factor (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																		
1	45.52	28.05	-11.95	40.00	44.04	16.20	0.71	32.90	---	Peak																																																																																																																																																		
2	104.69	21.41	-22.09	43.50	36.36	16.50	1.49	32.94	---	Peak																																																																																																																																																		
3	250.19	19.86	-26.14	46.00	32.17	18.40	2.30	33.01	---	Peak																																																																																																																																																		
4	565.44	24.09	-21.91	46.00	27.85	26.10	3.46	33.32	---	Peak																																																																																																																																																		
5	765.26	29.62	-16.38	46.00	30.58	28.10	4.03	33.09	---	Peak																																																																																																																																																		
6	972.84	31.81	-22.19	54.00	27.95	30.94	4.54	31.62	---	Peak																																																																																																																																																		



Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1/2	802.11a	97.48	1.392	0.718	0.75 kHz
	802.11n HT20	97.45	1.298	0.770	0.82 kHz
	802.11ac VHT20	97.33	1.312	0.762	0.82 kHz
	802.11ax HE20	96.57	1.014	0.986	1.0 kHz
	802.11ax HE20-RU26	93.83	0.578	1.730	1.8 kHz
	802.11ax HE20-RU52	90.36	0.328	3.049	3.3 kHz
	802.11ax HE20-RU106	84.48	0.196	5.102	5.6 kHz

802.11a






802.11n HT20




802.11ac VHT20






802.11ax HE20




802.11ax HE20-RU26





802.11ax HE20-RU52



802.11ax HE20-RU106

