


SISO 802.11 ac80 (VHT80):


U-NII-1 FCC (5150-5250 MHz)

- Single Channel 42 (5210 MHz):




U-NII-1 RSS (5150-5250 MHz)

- Single Channel 42 (5210 MHz):




U-NII-2A (5250-5350 MHz)

- Single Channel 58 (5290 MHz):




U-NII-2C (5470-5725 MHz)

- Low Channel 106 (5530 MHz):




- High Channel 122 (5610 MHz):




STRADDLE CHANNEL

- Straddle Channel 138 (5690 MHz):



U-NII-3 (5725-5850 MHz)


- Single Channel 155 (5775 MHz):



SISO 802.11 ax80 (HE80):


U-NII-1 FCC (5150-5250 MHz)

- Single Channel 42 (5210 MHz):




U-NII-1 RSS (5150-5250 MHz)

- Single Channel 42 (5210 MHz):




U-NII-2A (5250-5350 MHz)

- Single Channel 58 (5290 MHz):




U-NII-2C (5470-5725 MHz)

- Low Channel 106 (5530 MHz):




- High Channel 122 (5610 MHz):




STRADDLE CHANNEL

- Straddle Channel 138 (5690 MHz):



U-NII-3 (5725-5850 MHz)

- Single Channel 155 (5775 MHz):



MIMO worst-case:

MIMO 802.11 a20:

U-NII-1 FCC (5150-5250 MHz):

Channels	Low Channel 36 (5180 MHz)	Middle Channel 40 (5200 MHz)	Channel 44 (5220 MHz)	High Channel 48 (5240 MHz)
26 dB Emission Bandwidth (MHz)	18.900000	21.450000	21.450000	21.150000
Measurement uncertainty (kHz)	<±23.02			

U-NII-1 RSS (5150-5250 MHz):

Channels	Low Channel 36 (5180 MHz)	Middle Channel 40 (5200 MHz)	Channel 44 (5220 MHz)	High Channel 48 (5240 MHz)
26 dB Emission Bandwidth (MHz)	19.650000	19.800000	19.900000	20.000000
Measurement uncertainty (kHz)	<±23.02			

U-NII-2A (5250-5350 MHz):

Channels	Low Channel 52 (5260 MHz)	Middle Channel 56 (5280 MHz)	Channel 60 (5300 MHz)	High Channel 64 (5320 MHz)
26 dB Emission Bandwidth (MHz)	19.000000	18.700000	18.900000	19.050000
Measurement uncertainty (kHz)	<±23.02			

U-NII-2C (5470-5725 MHz):

Channels	Low Channel 100 (5500 MHz)	Channel 104 (5520 MHz)	Middle Channel 116 (5580 MHz)	High Channel 140 (5700 MHz)
26 dB Emission Bandwidth (MHz)	19.100000	20.100000	20.200000	20.200000
Measurement uncertainty (kHz)	<±23.02			

Straddle Channel (5720 MHz):

Channel	Straddle Channel 144 (5720 MHz)
26 dB Emission Bandwidth (MHz)	18.800000
Measurement uncertainty (kHz)	<±23.02

U-NII-3 (5725-5850 MHz):

Channels	Low Channel 149 (5745 MHz)	Channel 153 (5765 MHz)	Middle Channel 157 (5785 MHz)	Channel 161 (5805 MHz)	High Channel 165 (5825 MHz)
26 dB Emission Bandwidth (MHz)	18.850000	18.800000	18.900000	18.850000	18.850000
Measurement uncertainty (kHz)	<±23.02				

MIMO 802.11 n20 (HT20):

U-NII-1 FCC (5150-5250 MHz):

Channels	Low Channel 36 (5180 MHz)	Middle Channel 40 (5200 MHz)	Channel 44 (5220 MHz)	High Channel 48 (5240 MHz)
26 dB Emission Bandwidth (MHz)	20.550000	21.400000	21.650000	21.400000
Measurement uncertainty (kHz)	<±23.02			

U-NII-1 RSS (5150-5250 MHz):

Channels	Low Channel 36 (5180 MHz)	Middle Channel 40 (5200 MHz)	Channel 44 (5220 MHz)	High Channel 48 (5240 MHz)
26 dB Emission Bandwidth (MHz)	20.600000	20.900000	20.600000	20.500000
Measurement uncertainty (kHz)	<±23.02			

U-NII-2A (5250-5350 MHz):

Channels	Low Channel 52 (5260 MHz)	Middle Channel 56 (5280 MHz)	Channel 60 (5300 MHz)	High Channel 64 (5320 MHz)
26 dB Emission Bandwidth (MHz)	20.500000	20.200000	20.500000	20.200000
Measurement uncertainty (kHz)	<±23.02			

U-NII-2C (5470-5725 MHz):

Channels	Low Channel 100 (5500 MHz)	Channel 104 (5520 MHz)	Middle Channel 116 (5580 MHz)	High Channel 140 (5700 MHz)
26 dB Emission Bandwidth (MHz)	20.700000	21.000000	21.100000	20.700000
Measurement uncertainty (kHz)	<±23.02			

Straddle Channel (5720 MHz):

Channel	Straddle Channel 144 (5720 MHz)
26 dB Emission Bandwidth (MHz)	20.150000
Measurement uncertainty (kHz)	<±23.02

U-NII-3 (5725-5850 MHz):

Channels	Low Channel 149 (5745 MHz)	Channel 153 (5765 MHz)	Middle Channel 157 (5785 MHz)	Channel 161 (5805 MHz)	High Channel 165 (5825 MHz)
26 dB Emission Bandwidth (MHz)	20.150000	20.150000	20.200000	20.850000	20.200000
Measurement uncertainty (kHz)	<±23.02				

MIMO 802.11 ac20 (VHT20):

U-NII-1 FCC (5150-5250 MHz):

Channels	Low Channel 36 (5180 MHz)	Middle Channel 40 (5200 MHz)	Channel 44 (5220 MHz)	High Channel 48 (5240 MHz)
26 dB Emission Bandwidth (MHz)	20.450000	21.750000	22.300000	21.700000
Measurement uncertainty (kHz)	<±23.02			

U-NII-1 RSS (5150-5250 MHz):

Channels	Low Channel 36 (5180 MHz)	Middle Channel 40 (5200 MHz)	Channel 44 (5220 MHz)	High Channel 48 (5240 MHz)
26 dB Emission Bandwidth (MHz)	20.550000	20.550000	20.500000	20.750000
Measurement uncertainty (kHz)	<±23.02			

U-NII-2A (5250-5350 MHz):

Channels	Low Channel 52 (5260 MHz)	Middle Channel 56 (5280 MHz)	Channel 60 (5300 MHz)	High Channel 64 (5320 MHz)
26 dB Emission Bandwidth (MHz)	20.350000	20.800000	20.300000	20.550000
Measurement uncertainty (kHz)	<±23.02			

U-NII-2C (5470-5725 MHz):

Channels	Low Channel 100 (5500 MHz)	Channel 104 (5520 MHz)	Middle Channel 116 (5580 MHz)	High Channel 140 (5700 MHz)
26 dB Emission Bandwidth (MHz)	20.150000	20.350000	20.300000	20.200000
Measurement uncertainty (kHz)	<±23.02			

Straddle Channel (5720 MHz):

Channel	Straddle Channel 144 (5720 MHz)
26 dB Emission Bandwidth (MHz)	20.050000
Measurement uncertainty (kHz)	<±23.02

U-NII-3 (5725-5850 MHz):

Channels	Low Channel 149 (5745 MHz)	Channel 153 (5765 MHz)	Middle Channel 157 (5785 MHz)	Channel 161 (5805 MHz)	High Channel 165 (5825 MHz)
26 dB Emission Bandwidth (MHz)	20.100000	20.450000	20.100000	20.100000	20.050000
Measurement uncertainty (kHz)	<±23.02				

MIMO 802.11 ax20 (HE20):

U-NII-1 FCC (5150-5250 MHz):

Channels	Low Channel 36 (5180 MHz)	Middle Channel 40 (5200 MHz)	Channel 44 (5220 MHz)	High Channel 48 (5240 MHz)
26 dB Emission Bandwidth (MHz)	21.200000	22.150000	23.700000	22.950000
Measurement uncertainty (kHz)	<±23.02			

U-NII-1 RSS (5150-5250 MHz):

Channels	Low Channel 36 (5180 MHz)	Middle Channel 40 (5200 MHz)	Channel 44 (5220 MHz)	High Channel 48 (5240 MHz)
26 dB Emission Bandwidth (MHz)	20.850000	21.000000	21.050000	21.100000
Measurement uncertainty (kHz)	<±23.02			

U-NII-2A (5250-5350 MHz):

Channels	Low Channel 52 (5260 MHz)	Middle Channel 56 (5280 MHz)	Channel 60 (5300 MHz)	High Channel 64 (5320 MHz)
26 dB Emission Bandwidth (MHz)	20.850000	20.900000	20.850000	21.050000
Measurement uncertainty (kHz)	<±23.02			

U-NII-2C (5470-5725 MHz):

Channels	Low Channel 100 (5500 MHz)	Channel 104 (5520 MHz)	Middle Channel 116 (5580 MHz)	High Channel 140 (5700 MHz)
26 dB Emission Bandwidth (MHz)	21.900000	22.100000	21.900000	21.600000
Measurement uncertainty (kHz)	<±23.02			

Straddle Channel (5720 MHz):

Channel	Straddle Channel 144 (5720 MHz)
26 dB Emission Bandwidth (MHz)	21.000000
Measurement uncertainty (kHz)	<±23.02

U-NII-3 (5725-5850 MHz):

Channels	Low Channel 149 (5745 MHz)	Channel 153 (5765 MHz)	Middle Channel 157 (5785 MHz)	Channel 161 (5805 MHz)	High Channel 165 (5825 MHz)
26 dB Emission Bandwidth (MHz)	20.950000	20.800000	20.600000	20.700000	21.000000
Measurement uncertainty (kHz)	<±23.02				

MIMO 802.11 n40 (HT40):

U-NII-1 FCC (5150-5250 MHz):

Channels	Low Channel 38 (5190 MHz)	High Channel 46 (5230 MHz)
26 dB Emission Bandwidth (MHz)	41.275798	41.876172
Measurement uncertainty (kHz)	<±23.02	

U-NII-1 RSS (5150-5250 MHz):

Channels	Low Channel 38 (5190 MHz)	High Channel 46 (5230 MHz)
26 dB Emission Bandwidth (MHz)	41.275798	41.125704
Measurement uncertainty (kHz)	<±23.02	

U-NII-2A (5250-5350 MHz):

Channels	Low Channel 54 (5270 MHz)	High Channel 62 (5310 MHz)
26 dB Emission Bandwidth (MHz)	39.924954	39.924954
Measurement uncertainty (kHz)	<±23.02	

U-NII-2C (5470-5725 MHz):

Channels	Low Channel 102 (5510 MHz)	Middle Channel 110 (5550 MHz)	Channel 118 (5590 MHz) (**)	High Channel 134 (5670 MHz)
26 dB Emission Bandwidth (MHz)	39.924954	40.075047	39.924954	40.075047
Measurement uncertainty (kHz)	<±23.02			

(**): Channel not allowed in Canada.

Straddle Channel (5710 MHz):

Channel	Straddle Channel 142 (5710 MHz)
26 dB Emission Bandwidth (MHz)	41.275798
Measurement uncertainty (kHz)	<±23.02

U-NII-3 (5725-5850 MHz):

Channels	Low Channel 151 (5755 MHz)	High Channel 159 (5795 MHz)
26 dB Emission Bandwidth (MHz)	41.275798	41.125704
Measurement uncertainty (kHz)	<±23.02	

MIMO 802.11 ac40 (VHT40):

U-NII-1 FCC (5150-5250 MHz):

Channels	Low Channel 38 (5190 MHz)	High Channel 46 (5230 MHz)
26 dB Emission Bandwidth (MHz)	41.275798	41.575985
Measurement uncertainty (kHz)	<±23.02	

U-NII-1 RSS (5150-5250 MHz):

Channels	Low Channel 38 (5190 MHz)	High Channel 46 (5230 MHz)
26 dB Emission Bandwidth (MHz)	41.275798	41.275798
Measurement uncertainty (kHz)	<±23.02	

U-NII-2A (5250-5350 MHz):

Channels	Low Channel 54 (5270 MHz)	High Channel 62 (5310 MHz)
26 dB Emission Bandwidth (MHz)	39.924954	40.225141
Measurement uncertainty (kHz)	<±23.02	

U-NII-2C (5470-5725 MHz):

Channels	Low Channel 102 (5510 MHz)	Middle Channel 110 (5550 MHz)	Channel 118 (5590 MHz) (**)	High Channel 134 (5670 MHz)
26 dB Emission Bandwidth (MHz)	40.075047	40.075047	40.075047	39.924954
Measurement uncertainty (kHz)	<±23.02			

(**): Channel not allowed in Canada.

Straddle Channel (5710 MHz):

Channel	Straddle Channel 142 (5710 MHz)
26 dB Emission Bandwidth (MHz)	41.125704
Measurement uncertainty (kHz)	<±23.02

U-NII-3 (5725-5850 MHz):

Channels	Low Channel 151 (5755 MHz)	High Channel 159 (5795 MHz)
26 dB Emission Bandwidth (MHz)	41.425891	41.125704
Measurement uncertainty (kHz)	<±23.02	

MIMO 802.11 ax40 (HE40):

U-NII-1 FCC (5150-5250 MHz):

Channels	Low Channel 38 (5190 MHz)	High Channel 46 (5230 MHz)
26 dB Emission Bandwidth (MHz)	41.425892	41.125704
Measurement uncertainty (kHz)	<±23.02	

U-NII-1 RSS (5150-5250 MHz):

Channels	Low Channel 38 (5190 MHz)	High Channel 46 (5230 MHz)
26 dB Emission Bandwidth (MHz)	41.275798	41.425892
Measurement uncertainty (kHz)	<±23.02	

U-NII-2A (5250-5350 MHz):

Channels	Low Channel 54 (5270 MHz)	High Channel 62 (5310 MHz)
26 dB Emission Bandwidth (MHz)	40.375234	40.825516
Measurement uncertainty (kHz)	<±23.02	

U-NII-2C (5470-5725 MHz):

Channels	Low Channel 102 (5510 MHz)	Middle Channel 110 (5550 MHz)	Channel 118 (5590 MHz) (**)	High Channel 134 (5670 MHz)
26 dB Emission Bandwidth (MHz)	40.525328	40.675422	40.825516	40.675422
Measurement uncertainty (kHz)	<±23.02			

(**): Channel not allowed in Canada.

Straddle Channel (5710 MHz):

Channel	Straddle Channel 142 (5710 MHz)
26 dB Emission Bandwidth (MHz)	41.125704
Measurement uncertainty (kHz)	<±23.02

U-NII-3 (5725-5850 MHz):

Channels	Low Channel 151 (5755 MHz)	High Channel 159 (5795 MHz)
26 dB Emission Bandwidth (MHz)	41.575985	41.125704
Measurement uncertainty (kHz)	<±23.02	

MIMO 802.11 ac80 (VHT80):

U-NII-1 FCC (5150-5250 MHz):

Channel	Single Channel 42 (5210 MHz)
26 dB Emission Bandwidth (MHz)	83.000000
Measurement uncertainty (kHz)	<±23.02

U-NII-1 RSS (5150-5250 MHz):

Channel	Single Channel 42 (5210 MHz)
26 dB Emission Bandwidth (MHz)	83.000000
Measurement uncertainty (kHz)	<±23.02

U-NII-2A (5250-5350 MHz):

Channel	Single Channel 58 (5290 MHz)
26 dB Emission Bandwidth (MHz)	82.500000
Measurement uncertainty (kHz)	<±23.02

U-NII-2C (5470-5725 MHz):

Channels	Low Channel 106 (5530 MHz)	High Channel 122 (5610 MHz) (**)
26 dB Emission Bandwidth (MHz)	83.000000	83.000000
Measurement uncertainty (kHz)	<±23.02	

(**): Channel not allowed in Canada.

Straddle Channel (5690 MHz):

Channel	Straddle Channel 138 (5690 MHz)
26 dB Emission Bandwidth (MHz)	83.500000
Measurement uncertainty (kHz)	<±23.02

U-NII-3 (5725-5850 MHz):

Channel	Single Channel 155 (5775 MHz)
26 dB Emission Bandwidth (MHz)	84.000000
Measurement uncertainty (kHz)	<±23.02

MIMO 802.11 ax80 (HE80):

U-NII-1 FCC (5150-5250 MHz):

Channel	Single Channel 42 (5210 MHz)
26 dB Emission Bandwidth (MHz)	84.000000
Measurement uncertainty (kHz)	<±23.02

U-NII-1 RSS (5150-5250 MHz):

Channel	Single Channel 42 (5210 MHz)
26 dB Emission Bandwidth (MHz)	83.000000
Measurement uncertainty (kHz)	<±23.02

U-NII-2A (5250-5350 MHz):

Channel	Single Channel 58 (5290 MHz)
26 dB Emission Bandwidth (MHz)	83.000000
Measurement uncertainty (kHz)	<±23.02

U-NII-2C (5470-5725 MHz):

Channels	Low Channel 106 (5530 MHz)	High Channel 122 (5610 MHz) (**)
26 dB Emission Bandwidth (MHz)	83.000000	83.000000
Measurement uncertainty (kHz)	<±23.02	

(**): Channel not allowed in Canada.

Straddle Channel (5690 MHz):

Channel	Straddle Channel 138 (5690 MHz)
26 dB Emission Bandwidth (MHz)	84.000000
Measurement uncertainty (kHz)	<±23.02

U-NII-3 (5725-5850 MHz):


Channel	Single Channel 155 (5775 MHz)
26 dB Emission Bandwidth (MHz)	83.500000
Measurement uncertainty (kHz)	<±23.02

MIMO worst-case:


MIMO 802.11 a20:

U-NII-1 FCC (5150-5250 MHz)


- Low Channel 36 (5180 MHz):




- Middle Channel 40 (5200 MHz):



- Channel 44 (5220 MHz):




- High Channel 48 (5240 MHz):




U-NII-1 RSS (5150-5250 MHz)


- Low Channel 36 (5180 MHz):




- Middle Channel 40 (5200 MHz):



- Channel 44 (5220 MHz):




- High Channel 48 (5240 MHz):




U-NII-2A (5250-5350 MHz)


- Low Channel 52 (5260 MHz):




- Middle Channel 56 (5280 MHz):



- Channel 60 (5300 MHz):




- High Channel 64 (5320 MHz):




U-NII-2C (5250-5350 MHz)


- Low Channel 100 (5500 MHz):




- Channel 104 (5520 MHz):



- Middle Channel 116 (5580 MHz):




- High Channel 140 (5700 MHz):




STRADDLE CHANNEL

- Straddle Channel 144 (5720 MHz):




U-NII-3 (5725-5850 MHz)


- Low Channel 149 (5745 MHz):




- Channel 153 (5765 MHz):




- Middle Channel 157 (5785 MHz):



- Channel 161 (5805 MHz):




- High Channel 165 (5825 MHz):




MIMO 802.11 n20 (HT20):

U-NII-1 FCC (5150-5250 MHz)


- Low Channel 36 (5180 MHz):




- Middle Channel 40 (5200 MHz):



- Channel 44 (5220 MHz):




- High Channel 48 (5240 MHz):




U-NII-1 RSS (5150-5250 MHz)


- Low Channel 36 (5180 MHz):




- Middle Channel 40 (5200 MHz):



- Channel 44 (5220 MHz):




- High Channel 48 (5240 MHz):




U-NII-2A (5250-5350 MHz)


- Low Channel 52 (5260 MHz):




- Middle Channel 56 (5280 MHz):



- Channel 60 (5300 MHz):




- High Channel 64 (5320 MHz):




U-NII-2C (5250-5350 MHz)


- Low Channel 100 (5500 MHz):




- Channel 104 (5520 MHz):



- Middle Channel 116 (5580 MHz):




- High Channel 140 (5700 MHz):




STRADDLE CHANNEL

- Straddle Channel 144 (5720 MHz):




U-NII-3 (5725-5850 MHz)


- Low Channel 149 (5745 MHz):




- Channel 153 (5765 MHz):




- Middle Channel 157 (5785 MHz):



- Channel 161 (5805 MHz):




- High Channel 165 (5825 MHz):




MIMO 802.11 ac20 (VHT20):

U-NII-1 FCC (5150-5250 MHz)


- Low Channel 36 (5180 MHz):




- Middle Channel 40 (5200 MHz):



- Channel 44 (5220 MHz):




- High Channel 48 (5240 MHz):




U-NII-1 RSS (5150-5250 MHz)


- Low Channel 36 (5180 MHz):




- Middle Channel 40 (5200 MHz):



- Channel 44 (5220 MHz):




- High Channel 48 (5240 MHz):




U-NII-2A (5250-5350 MHz)


- Low Channel 52 (5260 MHz):




- Middle Channel 56 (5280 MHz):



- Channel 60 (5300 MHz):




- High Channel 64 (5320 MHz):




U-NII-2C (5250-5350 MHz)


- Low Channel 100 (5500 MHz):




- Channel 104 (5520 MHz):



- Middle Channel 116 (5580 MHz):




- High Channel 140 (5700 MHz):




STRADDLE CHANNEL

- Straddle Channel 144 (5720 MHz):




U-NII-3 (5725-5850 MHz)


- Low Channel 149 (5745 MHz):




- Channel 153 (5765 MHz):




- Middle Channel 157 (5785 MHz):



- Channel 161 (5805 MHz):




- High Channel 165 (5825 MHz):




MIMO 802.11 ax20 (HE20):

U-NII-1 FCC (5150-5250 MHz)


- Low Channel 36 (5180 MHz):




- Middle Channel 40 (5200 MHz):



- Channel 44 (5220 MHz):




- High Channel 48 (5240 MHz):




U-NII-1 RSS (5150-5250 MHz)


- Low Channel 36 (5180 MHz):




- Middle Channel 40 (5200 MHz):



- Channel 44 (5220 MHz):




- High Channel 48 (5240 MHz):




U-NII-2A (5250-5350 MHz)


- Low Channel 52 (5260 MHz):




- Middle Channel 56 (5280 MHz):



- Channel 60 (5300 MHz):




- High Channel 64 (5320 MHz):




U-NII-2C (5250-5350 MHz)


- Low Channel 100 (5500 MHz):




- Channel 104 (5520 MHz):



- Middle Channel 116 (5580 MHz):




- High Channel 140 (5700 MHz):




STRADDLE CHANNEL

- Straddle Channel 144 (5720 MHz):




U-NII-3 (5725-5850 MHz)


- Low Channel 149 (5745 MHz):




- Channel 153 (5765 MHz):




- Middle Channel 157 (5785 MHz):



- Channel 161 (5805 MHz):




- High Channel 165 (5825 MHz):




MIMO 802.11 n40 (HT40):

U-NII-1 FCC (5150-5250 MHz)

- Low Channel 38 (5190 MHz):




- High Channel 46 (5230 MHz):




U-NII-1 RSS (5150-5250 MHz)

- Low Channel 38 (5190 MHz):




- High Channel 46 (5230 MHz):




U-NII-2A (5250-5350 MHz)

- Low Channel 54 (5270 MHz):




- High Channel 62 (5310 MHz):




U-NII-2C (5470-5725 MHz)


- Low Channel 102 (5510 MHz):




- Middle Channel 110 (5550 MHz):



- Channel 118 (5590 MHz):




- High Channel 134 (5670 MHz):




STRADDLE CHANNEL

- Straddle Channel 142 (5710 MHz):




U-NII-3 (5725-5850 MHz)

- Low Channel 151 (5755 MHz):




- High Channel 159 (5795 MHz):




MIMO 802.11 ac40 (VHT40):

U-NII-1 FCC (5150-5250 MHz)

- Low Channel 38 (5190 MHz):




- High Channel 46 (5230 MHz):




U-NII-1 RSS (5150-5250 MHz)

- Low Channel 38 (5190 MHz):




- High Channel 46 (5230 MHz):




U-NII-2A (5250-5350 MHz)

- Low Channel 54 (5270 MHz):




- High Channel 62 (5310 MHz):




U-NII-2C (5470-5725 MHz)


- Low Channel 102 (5510 MHz):




- Middle Channel 110 (5550 MHz):



- Channel 118 (5590 MHz):




- High Channel 134 (5670 MHz):




STRADDLE CHANNEL

- Straddle Channel 142 (5710 MHz):




U-NII-3 (5725-5850 MHz)

- Low Channel 151 (5755 MHz):




- High Channel 159 (5795 MHz):




MIMO 802.11 ax40 (HE40):

U-NII-1 FCC (5150-5250 MHz)

- Low Channel 38 (5190 MHz):




- High Channel 46 (5230 MHz):




U-NII-1 RSS (5150-5250 MHz)

- Low Channel 38 (5190 MHz):




- High Channel 46 (5230 MHz):




U-NII-2A (5250-5350 MHz)

- Low Channel 54 (5270 MHz):




- High Channel 62 (5310 MHz):




U-NII-2C (5470-5725 MHz)


- Low Channel 102 (5510 MHz):




- Middle Channel 110 (5550 MHz):



- Channel 118 (5590 MHz):




- High Channel 134 (5670 MHz):




STRADDLE CHANNEL

- Straddle Channel 142 (5710 MHz):




U-NII-3 (5725-5850 MHz)

- Low Channel 151 (5755 MHz):




- High Channel 159 (5795 MHz):



MIMO 802.11 ac80 (VHT80):


U-NII-1 FCC (5150-5250 MHz)

- Single Channel 42 (5210 MHz):




U-NII-1 RSS (5150-5250 MHz)

- Single Channel 42 (5210 MHz):




U-NII-2A (5250-5350 MHz)

- Single Channel 58 (5290 MHz):




U-NII-2C (5470-5725 MHz)

- Low Channel 106 (5530 MHz):




- High Channel 122 (5610 MHz):




STRADDLE CHANNEL

- Straddle Channel 138 (5690 MHz):



U-NII-3 (5725-5850 MHz)


- Single Channel 155 (5775 MHz):



MIMO 802.11 ax80 (HE80):


U-NII-1 FCC (5150-5250 MHz)

- Single Channel 42 (5210 MHz):




U-NII-1 RSS (5150-5250 MHz)

- Single Channel 42 (5210 MHz):




U-NII-2A (5250-5350 MHz)

- Single Channel 58 (5290 MHz):




U-NII-2C (5470-5725 MHz)

- Low Channel 106 (5530 MHz):




- High Channel 122 (5610 MHz):



STRADDLE CHANNEL

- Straddle Channel 138 (5690 MHz):



U-NII-3 (5725-5850 MHz)

- Single Channel 155 (5775 MHz):

