


## 1. Duty Cycle


### 1.1 Ant1

#### 1.1.1 Test Result

Ant1							
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
1M	SISO	2402	2.096	3.125	67.07	1.73	16.75
		2440	2.094	3.125	67.01	1.74	16.78
		2480	2.095	3.124	67.06	1.74	16.75

## 1.1.2 Test Graph





## 2. Bandwidth


### 2.1 OBW


#### 2.1.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)	Verdict
				Result	
1M	SISO	2402	1	1.020	Pass
		2440	1	1.022	Pass
		2480	1	1.022	Pass



## 2.1.2 Test Graph






## 2.2 6dB BW


### 2.2.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
1M	SISO	2402	1	0.650	$\geq 0.5$	Pass
		2440	1	0.648	$\geq 0.5$	Pass
		2480	1	0.648	$\geq 0.5$	Pass

## 2.2.2 Test Graph








## 3. Maximum Conducted Output Power

### 3.1 Power


#### 3.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum Peak Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
1M	SISO	2402	3.75	<=30	Pass
		2440	3.84	<=30	Pass
		2480	4.19	<=30	Pass

## 3.1.2 Test Graph



1M\_HCH\_2480MHz\_Ant1\_NTNV






## 4. Maximum Power Spectral Density


### 4.1 PSD

#### 4.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/3kHz)		Verdict
			ANT1	Limit	
1M	SISO	2402	-11.67	<=8	Pass
		2440	-11.26	<=8	Pass
		2480	-11.13	<=8	Pass

## 4.1.2 Test Graph





## 5. Unwanted Emissions In Non-restricted Frequency Bands

### 5.1 Ref


#### 5.1.1 Test Result


Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
1M	SISO	2402	1	3.33
		2440	1	3.43
		2480	1	3.84

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.



## 5.1.2 Test Graph







## 5.2 CSE

### 5.2.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
1M	SISO	2402	1	3.84	-16.16	Pass
		2440	1	3.84	-16.16	Pass
		2480	1	3.84	-16.16	Pass


Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

## 5.2.2 Test Graph







### 1M\_MCH\_2440MHz\_Ant1\_NTNV



### 1M\_HCH\_2480MHz\_Ant1\_NTNV





-----End-----