

OTA TEST REPORT

Applicant Espressif Systems

Product ESP-ANT A

Model ESP-ANT A

Report No. YXA1711-1424OTA01R1

Issue Date November 30, 2017

TA Technology (Shanghai) Co., Ltd. tested the above equipment in accordance with the requirements in **ANSI/IEEE Std 149-2008.** The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.

Performed by: Jiangpeng Lan

Jiang peng Lan

Approved by: Kai Xu

TA Technology (Shanghai) Co., Ltd.

No.145, Jintang Rd, Tangzhen Industry Park, Pudong Shanghai, China TEL: +86-021-50791141/2/3 FAX: +86-021-50791141/2/3-8000



TABLE OF CONTENTS

1.	Gener	al Information	3
	1.1.	Notes of the Test Report	3
	1.2.	Test facility	3
	1.3.	Testing laboratory	4
	1.4.	Laboratory Environment	4
2.	Gener	al Description of Equipment under Test	5
	2.1.	Applicant Information	5
	2.2.	Manufacturer Information	
	2.3.	Information of EUT	5
	2.4.	Test Date	
	2.5.	Applied Standards	6
3.	Test C	onditions	
	3.1.	Test Configuration	7
	3.2.	Test Measurement	7
4.	Test R	esults	8
	4.1.	Gain and Efficiency	8
	4.2.	Voltage Standing Wave Ratio (VSWR)	9
	4.3.	Antenna S11	9
5.	Test E	quipment List	10
APPE	NDIX A:	2-D Pattern Plots	11
APPE	NDIX B:	The EUT Appearance and Test Configuration	12
	B 1 Fl	IT Appearance	12



OTA Test Report No: YXA1711-1424OTA01R1

1. General Information

1.1. Notes of the Test Report

This report shall not be reproduced in full or partial, without the written approval of TA technology (shanghai) co., Ltd. The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein . Measurement Uncertainties were not taken into account and are published for informational purposes only. This report is written to support regulatory compliance of the applicable standards stated above. This report must not be used by the client to claim product certification, approval, or endorsement by any government agencies.

1.2. Test facility

CNAS (accreditation number:L2264)

TA Technology (Shanghai) Co., Ltd. has obtained the accreditation of China National Accreditation Service for Conformity Assessment (CNAS).

FCC (Designation number: CN1179, Test Firm Registration Number: 446626)

TA Technology (Shanghai) Co., Ltd. has been listed on the US Federal Communications Commission list of test facilities recognized to perform electromagnetic emissions measurements.

IC (recognition number is 8510A)

TA Technology (Shanghai) Co., Ltd. has been listed by industry Canada to perform electromagnetic emission measurement.

A2LA (Certificate Number: 3857.01)

TA Technology (Shanghai) Co., Ltd. has been listed by American Association for Laboratory Accreditation to perform electromagnetic emission measurement.

TA Test Report No: YXA1711-1424OTA01R1

1.3. Testing laboratory

Company: TA Technology (Shanghai) Co., Ltd.

Address: No.145, Jintang Rd, Tangzhen Industry Park, Pudong

City: Shanghai

Post code: 201201

Country: P. R. China

Contact: Xu Kai

Telephone: +86-021-50791141/2/3

Fax: +86-021-50791141/2/3-8000

Website: http://www.ta-shanghai.com

E-mail: xukai@ta-shanghai.com

1.4. Laboratory Environment

Temperature	Min. =19℃,Max. = 25℃		
Relative humidity	Min. =40%, Max. =72%		
Shield effect	0.7-6GHz	> 100dB	
Ground resistance	<0.5Ω		



Test Report No: YXA1711-1424OTA01R1

2. General Description of Equipment under Test

2.1. Applicant Information

Company: Espressif Systems

Address: #204, Block 2, 690 Bibo Road, Zhang Jiang High-Tech Park,

Shanghai, P. R. China

2.2. Manufacturer Information

Company: Espressif Systems

Address: #204, Block 2, 690 Bibo Road, Zhang Jiang High-Tech Park,

Shanghai, P. R. China

2.3. Information of EUT

General information

7	eneral illiorillation						
	EUT Description						
	Product Name:	ESP-ANT A					
١	Model	ESP-ANT A					
	HW Version:						
	SW Version:						
	Antenna Type:	Fixed Antenna					
	Antenna Manufacturer:	Espressif Systems					
	Test Frequency:	2400MHz ~ 2500MHz					

Test lab. of the antenna gain and radiation pattern measurement: TA Technology (Shanghai) Co., Ltd.

2.4. Test Date

The test is performed on August 30, 2017 and November 22, 2017.

TA Test Report No: YXA1711-1424OTA01R1

2.5. Applied Standards

According to the specifications of the manufacturer, it must comply with the requirements of the following standards:

Test Method: ANSI/IEEE Std 149-2008





3. Test Conditions

3.1. Test Configuration

Great-Circle-Cut method is used to measure the antenna 3D GAIN of EUT in OTA qualified anechoic chamber. Equipment Under Test (EUT) geometry centre vertical projection at the centre of platform, the distance from EUT to measurement antenna is 5m.




Figure 1 Test coordinate system

Note: Theta is from 0~180 degree. Phi is from 0~360. Rotate the EUT and record the Data, the step of rotation is 30 degree.



4. Test Results

4.1. Gain and Efficiency


Model	Test Item	Test State	Frequency (MHz)	Efficiency (dB)	Gain (dB)	Note
		Sain Free Space	2400	67.24	3.08	Vertical 30°
_			2402	68.24	3.18	
	Δ I (≟aın I		2410	70.74	3.27	
			2420	77.67	3.66	
			2430	78.20	3.71	
ESP-ANT A			2440	78.11	3.68	
ESP-ANT A			2450	77.14	3.64	
_			2460	74.79	3.52	
			2470	75.60	3.60	
			2480	74.55	3.52	
			2490	73.05	3.56	
			2500	71.38	3.48	

4.2. Voltage Standing Wave Ratio (VSWR)



Frequency (MHz)	2412	2437	2462	2480	
VSWR	1.23	1.12	1.17	1.26	

4.3. Antenna S11



Frequency (MHz)	2412	2437 2462		2480	
S11(dB)	-20.74	-26.43	-23.25	-19.71	




5. Test Equipment List

Type of Equipment	Model Number	SN	Manufacture	Calibration Date	Expiration Time
Network Analyzer	E5071B	MY48360957	Agilent	2017-05-20	2018-05-19
Quad-Ridge Horn Antenna 700 MHz-6 GHz	3164-04	00062743	ETS	2017-05-20	2018-05-19
MAPS Controller	7006	00059957	ETS	2016-12-16	2017-12-15
Switch Control System	7001	MY42001152	ETS	2016-12-16	2017-12-15






APPENDIX A: 2-D Pattern Plots






APPENDIX B: The EUT Appearance and Test Configuration

B.1 EUT Appearance



ESP-ANT A



Picture 1 Constituents of EUT

******END*****