TEST REPORT

KOSTEC Co., Ltd.

28(175-20, Annyeong-dong) 406-gil sejaro, Hwaseong-si, Gyeonggi-do, Korea Tel:031-222-4251, Fax:031-222-4252

Report No.: KST-FCR-180013(1)



1. Applicant

· Name :

SAM JIN CO., LTD.

· Address :

(Anyang-dong) 81, Anyangcheonseo-ro, Manan-gu Anyang-si, Gyeonggi-do, Korea

2. Test Item

Product Name:

Button

Model Name:

IM6001-BTP01

· Brand:

None

· FCC ID:

2AF4S-IM6001-BTP01

IC: 20753-IM6001BTP01

3. Manufactory/Factory

· Name :

QINGDAO SAMJIN ELECTRONIC CO.,LTD.

· Address :

QINGDAO SAMJIN ELECTRONIC CO., LTD SOUTH TONGHE, PINGDU CITY.

QINGDAO.CHINA

4. Date of Test:

2018, 03, 21, ~ 2018, 03, 23,

FCC CFR 47, Part 15. Subpart C-15.247

5. Test Method Used:

558074 D01 DTS Meas, Guidance v04

RSS-GEN Issue 4 RSS-247 Issue 2

6. Test Result:

Compliance

7. Note:

None

Supplementary Information

The device bearing the brand name and FCC ID specified above has been shown to comply with the applicable technical standards as indicated in the measurement report and was tested in accordance with measurement procedures specified in ANSI C 63.10-2013.

We attest to the accuracy of data and all measurements reported herein were performed by KOSTEC Co., Ltd. and were made under Chief Engineer's supervision. We assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.

The results shown in this test report refer only to the sample(s) tested unless otherwise stated

Affirmation

Tested by

Name: Choo, Kwang-Yeol (Signature)

Technical Manager

Name: Park, Gyeong-Hyeon

2018. 04. 12.

KOSTEC Co., Ltd.



Table of Contents

1. GENERAL INFORMATION	3
1.1 Test Facility	3
1.2 Location	
1.3 Revision History of test report	4
2. EQUIPMENT DESCRIPTION	5
3. SYSTEM CONFIGURATION FOR TEST	6
3.1 Characteristics of equipment	6
3.2 Used peripherals list	6
3.3 Product Modification	6
3.4 Operating Mode	6
3.5 Test Setup of EUT	6
3.6 Duty Cycle Of Test signal	6
3.7 Parameters of Test Software Setting	7
3.8 Table for Carrier Frequencies	
3.9 Used Test Equipment List	8
4. SUMMARY TEST RESULTS	10
5. MEASUREMENT RESULTS	11
5.1 Max. Conducted output power	11
5.2 Power spectral density	14
5.3 6 dB spectrum Bandwidth	16
5.4 Band-edge Compliance of RF Conducted emissions	18
5.5 Spurious RF Radiated emissions	
5.6 Antenna requirement	
5.7 AC Power Conducted emissions	28



1. GENERAL INFORMATION

1.1 Test Facility

Test laboratory and address

KOSTEC Co., Ltd.


128(175-20,Annyeong-dong)406-gil sejaro, Hwaseong-si Gyeonggi-do, Korea

Registration information

KOLAS No.: 232

FCC Designation No. : KR0041 IC Registration Site No. : 8305A-1

1.2 Location



KST-FCR-RFS-Rev.0.3 Page: 3 / 29



1.3 Revision History of test report

Rev.	Revisions	Effect page	Reviewed	Date
-	Initial issue	All	Gyeong Hyeon, Park	2018. 03. 29.
1	Modified typo manufacturer's name	1	Gyeong Hyeon, Park	2018. 04. 12.

KST-FCR-RFS-Rev.0.3 Page: 4 / 29



2. EQUIPMENT DESCRIPTION

The product specification described herein was declared by manufacturer. And refer to user's manual for the details.

Equipment Name	Button
Model No	IM6001-BTP01
Usage	Button Sensor
Serial Number	Proto type
Modulation type	O-QPSK
Emission Type	G1D
Maximum output power	10.39 dBm
Operated Frequency	2 405 MHz ~ 2 470 MHz
Channel Number	14
Operation temperature	-10 °C ~ 55 °C
Power Source	DC 3.0 V CR2032 Lithium Battery
Antenna Description	Internal wire antenna, gain : 0.82 dBi
Remark	 The device was operating at its maximum output power for all measurements. The radiation measurements are performed in X, Y, Z axis positioning. Only the worst case (X) is shown in the report. The above DUT's information was declared by manufacturer. Please refer to the specifications or user manual for more detailed description.
FCC ID	2AF4S-IM6001-BTP01
IC	20753- IM6001BTP01

KST-FCR-RFS-Rev.0.3 Page: 5 / 29

3. SYSTEM CONFIGURATION FOR TEST

3.1 Characteristics of equipment

This equipment is Button Sensor with zigbee function. The detailed explanation is refer as user manual.

3.2 Used peripherals list

Description	Model No.	Serial No.	Manufacture	Remark
Notebook	BCM-1063	2Z7S1Z1	Dell Inc	
Adapter	DA65NM111-00	None	Dell Inc	For notebook

3.3 Product Modification


N/A

3.4 Operating Mode

Constantly transmitting with a modulated carrier at maximum power on the low, middle and high channels.

3.5 Test Setup of EUT

The measurements were taken in continuous transmit mode using the test mode which controlled by Tera Term. After command sent to EUT, notebook and USB to serial Jig were removed. The test command and the test Jig and cables were provided by the applicant.



3.6 Duty Cycle Of Test signal

Duty cycle is < 98%, duty factor shall be considered. Duty cycle = Tx on/(Tx on+ Tx off), Duty factor = 10*log(1/duty cycle)

Freq	Tx on	Tx on+Tx off	Duty cycle	Duty Cycle Factor
2 440 MHz	10 ms	10 ms	1 (100 %)	N/A



KST-FCR-RFS-Rev.0.3 Page: 6 / 29



3.7 Parameters of Test Software Setting


During testing, Channel & Power Controlling Software provided by the customer was used to control the operating channel as well as the output power level. The RF output power selection is for the setting of RF output power expected by the customer and is going to be fixed on the firmware of the final end product.

■ TX Power setting value during test

Band	TX Power setting value			
Бапи	Rate	Low CH	Middle CH	High CH
2.4 GHz band	250 kbps	128	128	128

■ Test Program

Tera Term - v4.96



3.8 Table for Carrier Frequencies

	•		
Channel	Frequency (MHz)	Channel	Frequency (MHz)
11	2 405	19	2 445
12	2 410	20	2 450
13	2 415	21	2 455
14	2 420	22	2 460
15	2 425	23	2 465
16	2 430	24	2 470
17	2 435		
18	2 440		

KST-FCR-RFS-Rev.0.3 Page: 7 / 29



3.9 Used Test Equipment List

1 T. 8. H. Chamber EY-101 90E14260 TABAL ESPEC. 2018,09.06 1 year	No.	Instrument	Model	S/N	Manufacturer	Due to cal date	Cal interval	used
3 T.R. H. Chember	1	T & H Chamber	EY-101	90E14260	TABAI ESPEC	2018.09.06	1 year	
Spectrum Analyzer	2	T & H Chamber	RCT-V-THC-403-1(H)	20030210	R.C.T	2018.09.06	1 year	
5 Spectrum Analyzer 8583EC 3046A00527 Agllent Technology 2019.02.01 1 year □ 6 Signal Analyzer FSV13 101247 Rohde & Schwarz 2019.02.01 1 year □ 7 Spectrum Analyzer N9010A MY56070441 Agllent Technologies 2018.05.15 1 year ☑ 9 EMI Test Receiver ESCI 100232 Rohde & Schwarz 2019.01.29 1 year □ 10 EMI Test Receiver ESI 837514004 Rohde & Schwarz 2018.09.05 1 year □ 11 Vector Signal Analyzer 89441A 3416A02620 Agllent Technology 2019.02.01 1 year □ 13 EPM Series Power meter E4418B G839512547 Agllent Technology 2019.01.31 1 year □ 15 Microwave Frequency Counter 5352B 2908A00480 Agllent Technology 2019.01.30 1 year □ 16 Audio Analyzer 8901A 3041A0576 H.P 2019.01.30 1 year	3	T & H Chamber	SH-641	92006831	ESPEC CORP	2019.02.14	1 year	
6 Signal Analyzer	4	Spectrum Analyzer	8593E	3710A02859	Agilent Technology	2019.02.01	1 year	
7 Spectrum Analyzer	5	Spectrum Analyzer	8563EC	3046A00527	Agilent Technology	2019.02.01	1 year	
8 Signal Analyzer N9010A MY56070441 Agilent Technologies 2018.05.15 1 year ☑ 9 EMIT Test Receiver ESC07 100823 Rohde& Schwarz 2019.01.29 1 year ☐ 10 EMI Test Receiver ESI 837514004 Rohde& Schwarz 2018.09.05 1 year ☐ 11 Vector Signal Analyzer 89441A 3416A02620 Agilent Technology 2019.02.01 1 year ☐ 12 Network Analyzer 8753ES US39172348 AGILENT 2018.09.04 1 year ☐ 13 EPM Series Power meter E4418B GB39512547 Agilent Technology 2019.01.31 1 year ☐ 14 R F Power Sensor E9300A MY41496631 Agilent Technology 2019.01.30 1 year ☐ 16 Audio Telephone Analyzer B903B 3514A16919 Agilent Technology 2019.01.30 1 year ☐ 17 Audio Telephone Analyzer 8901A 304140578 H.P 2019.01.31 1 year	6	Signal Analyzer	FSV13	101247	Rohde & Schwarz	2019.02.01	1 year	
MI Test Receiver	7	Spectrum Analyzer	FSV30	20-353063	Rohde& Schwarz	2019.02.01	1 year	
10	8	Signal Analyzer	N9010A	MY56070441	Agilent Technologies	2018.05.15	1 year	\boxtimes
11 Vector Signal Analyzer	9	EMI Test Receiver	ESCI7	100823	Rohde& Schwarz	2019.01.29	1 year	
12 Network Analyzer 8753ES US39172348 AGILENT 2018.09.04 1 year	10	EMI Test Receiver	ESI	837514/004	Rohde& Schwarz	2018.09.05	1 year	
13 EPM Series Power meter	11	Vector Signal Analyzer	89441A	3416A02620	Agilent Technology	2019.02.01	1 year	
14	12	Network Analyzer	8753ES	US39172348	AGILENT	2018.09.04	1 year	
14	13	•	E4418B	GB39512547	Agilent Technology	2019.01.31		
15	14	RF Power Sensor	E9300A	MY41496631		2019.01.31	1 year	
16	15	Microwave Frequency Counter	5352B	2908A00480	Agilent Technology	2019.01.30		
17 Audio Telephone Analyzer DD-5601CID 520010281 CREDIX 2019.01.30 1 year □	16	Audio Analyzer	8903B	3514A16919	<u> </u>		-	
18 Modulation Analyzer 8901A 3041A0576 H.P. 2019.01.31 1 year □ 19 Digital storage Oscilloscope TDS3052 B015962 Tektronix 2018.09.04 1 year □ 20 ESG-D Series Signal Generator E4436B US39260458 Agilent Technology 2019.01.31 1 year □ 21 Vector Signal Generator SMBV100A 275557 Rohde & Schwarz 2019.01.31 1 year □ 22 Signal Generator SMB100A 179628 Rohde & Schwarz 2019.02.01 1 year □ 23 Tracking Source 85645A 070521-A1 Agilent Technology 2019.02.01 1 year □ 24 SLIDAC None 0207-4 Myoung sung Ele. 2019.02.02 1 year □ 25 DC Power supply DRP-5030 9028029 Digital Electronic Co.,Ltd 2019.01.29 1 year □ 26 DC Power supply 6038A 3440A12674 Agilent Technology 2019.01.29 1 year □ 27 DC Power supply E3610A KR24104505 Agilent Technology 2019.01.29 1 year □ 28 DC Power supply UP-3005T 68 Unicon Co.,Ltd 2019.01.29 1 year □ 29 DC Power Supply SM 3400-D 114701000117 DELTAELEKTRONIKA 2019.01.29 1 year □ 30 DC Power Supply 6632B MY43004005 Agilent Technology 2019.01.31 1 year □ 31 DC Power Supply 6632B MY43004005 Agilent Technology 2019.01.31 1 year □ 32 Termination 1432-3 QR946 AEROFLEXWEINSCHEL 2018.07.20 1 year □ 33 Termination 1432-3 QR946 AEROFLEXWEINSCHEL 2018.07.20 1 year □ 34 Attenuator 24-30-34 BX5630 Aeroflex / Weinschel 2018.01.81 1 year □ 35 Attenuator 10 dB 1 Rohde & Schwarz 2018.05.18 1 year □ 36 Step Attenuator 10 dB 1 Rohde & Schwarz 2018.05.18 1 year □ 37 Attenuator 10 dB 4 Rohde & Schwarz 2018.05.18 1 year □ 38 Attenuator 10 dB 4 Rohde & Schwarz 2018.05.18 1 year □ 39 Attenuator 10 dB 4 Rohde & Schwarz 2018.05.18 1 year □ 40 Attenuator 10 dB 4 Rohde & Schwarz 2018.05.18 1 year □ 41 Attenuator 48-20-11	17		DD-5601CID	520010281			-	
Digital storage Oscilloscope TDS3052 B015962 Tektronix 2018.09.04 1 year □	-	·				1		
20	19	· · · · · · · · · · · · · · · · · · ·	TDS3052	B015962	Tektronix		•	
Vector Signal Generator SMBV100A 257557 Rohde & Schwarz 2019.01.31 1 year □	-	0				2019.01.31		
22 Signal Generator SMB100A 179628 Rohde & Schwarz 2018.05.18 1 year □ 23 Tracking Source 85645A 070521-A1 Agilent Technology 2019.01.29 1 year □ 24 SLIDAC None 0207-4 Myoung sung Ele. 2019.01.29 1 year □ 25 DC Power supply DR-5030 9028029 Digital Electronic Co.Ltd 2019.01.29 1 year □ 26 DC Power supply 6038A 3440A12674 Agilent Technology 2019.01.29 1 year □ 27 DC Power supply E3610A KR24104505 Agilent Technology 2019.01.29 1 year □ 28 DC Power supply SM 3400-D 114701000117 DELTAELEKTRCNIKA 2019.01.31 1 year □ 30 DC Power Supply 6632B MY43004005 Agilent Technology 2019.01.31 1 year □ 31 DC Power Supply 6632B MY43004137 Agilent Technology 2019.01.31 1 year <td< td=""><td>-</td><td>,</td><td></td><td></td><td>, , , , , , , , , , , , , , , , , , ,</td><td>1</td><td></td><td>=</td></td<>	-	,			, , , , , , , , , , , , , , , , , , ,	1		=
23 Tracking Source	——	·						
SLIDAC	-						_	
25 DC Power supply DRP-5030 9028029 Digital Electronic Co.,Ltd 2019.01.29 1 year □ 26 DC Power supply 6038A 3440A12674 Agilent Technology 2019.01.29 1 year □ 27 DC Power supply E3610A KR24104505 Agilent Technology 2019.01.29 1 year □ 28 DC Power supply UP-3005T 68 Unicon Co.,Ltd 2019.01.29 1 year □ 29 DC Power Supply SM 3400-D 114701000117 DELTAELEKTRONIKA 2019.01.31 1 year □ 30 DC Power Supply 6632B MY43004005 Agilent Technology 2019.01.31 1 year □ 31 DC Power Supply 6632B MY43004137 Agilent Technology 2019.01.31 1 year □ 32 Termination 1433-3 LM718 WEINSCHEL 2018.07.20 1 year □ 34 Attenuator 24-30-34 BX5630 Aeroflex / WEINSCHEL 2018.07.20 1 year □	——				0, 0,		•	=
26 DC Power supply 6038A 3440A12674 Agilent Technology 2019.01.29 1 year □ 27 DC Power supply E3610A KR24104505 Agilent Technology 2019.01.29 1 year □ 28 DC Power supply UP-3005T 68 Unicon Co.,Ltd 2019.01.29 1 year □ 29 DC Power Supply SM 3400-D 114701000117 DELTAELEKTRONIKA 2019.01.29 1 year □ 30 DC Power Supply 6632B MY43004005 Agilent Technology 2019.01.31 1 year □ 31 DC Power Supply 6632B MY43004137 Agilent Technology 2019.01.31 1 year □ 32 Termination 1433-3 LM718 WEINSCHEL 2018.07.20 1 year □ 33 Termination 1432-3 QR946 AEROFLEX/WEINSCHEL 2018.07.20 1 year □ 34 Attenuator 8498A 3318A09485 HP 2019.01.31 1 year □ 35	-			1	, , ,			
27 DC Power supply E3610A KR24104505 Agilent Technology 2019.01.29 1 year □ 28 DC Power supply UP-3005T 68 Unicon Co.,Ltd 2019.01.29 1 year □ 29 DC Power Supply SM 3400-D 114701000117 DELTAELEKTRONIKA 2019.01.29 1 year □ 30 DC Power supply 6632B MY43004005 Agilent Technology 2019.01.31 1 year □ 31 DC Power Supply 6632B MY43004137 Agilent Technology 2019.01.31 1 year □ 32 Termination 1432-3 LM718 WEINSCHEL 2018.07.20 1 year □ 34 Attenuator 24-30-34 BX5630 Aeroflex/Weinschel 2018.07.20 1 year □ 35 Attenuator 8498A 3318A09485 HP 2019.01.31 1 year □ 37 Attenuator 8494B 3308A32809 HP 2019.01.31 1 year □ 38 A	-							
28 DC Power supply UP-3005T 68 Unicon Co.,Ltd 2019.01.29 1 year □ 29 DC Power Supply SM 3400-D 114701000117 DELTAELEKTRONIKA 2019.01.29 1 year □ 30 DC Power Supply 6632B MY43004005 Agilent Technology 2019.01.31 1 year □ 31 DC Power Supply 6632B MY43004137 Agilent Technology 2019.01.31 1 year □ 32 Termination 1433-3 LM718 WEINSCHEL 2018.07.20 1 year □ 33 Termination 1432-3 QR946 AEROFLEX/WEINSCHEL 2018.07.20 1 year □ 34 Attenuator 24-30-34 BX5630 Aeroflex / Weinschel 2018.07.20 1 year □ 35 Attenuator 8498A 3318A09485 HP 2019.01.31 1 year □ 36 Step Attenuator 8494B 3308A32809 HP 2019.01.31 1 year □ 37 Att	——				0, 0,			
29 DC Power Supply SM 3400-D 114701000117 DELTAELEKTRONIKA 2019.01.29 1 year □ 30 DC Power supply 6632B MY43004005 Agilent Technology 2019.01.31 1 year □ 31 DC Power Supply 6632B MY43004137 Agilent Technology 2019.01.31 1 year □ 32 Termination 1433-3 LM718 WEINSCHEL 2018.07.20 1 year □ 33 Termination 1432-3 QR946 AEROFLEXWEINSCHEL 2018.07.20 1 year □ 34 Attenuator 24-30-34 BX5630 Aeroflex / Weinschel 2018.12.15 1 year □ 35 Attenuator 8498A 3318A09485 HP 2019.01.31 1 year □ 36 Step Attenuator 8494B 3308A32809 HP 2019.01.31 1 year □ 37 Attenuator 10 dB 1 Rohde & Schwarz 2018.05.18 1 year □ 38 Attenuator </td <td>-</td> <td>,</td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td>	-	,	1					
DC Power supply 6632B MY43004005 Agilent Technology 2019.01.31 1 year □		,			· · · · · · · · · · · · · · · · · · ·	1		
31 DC Power Supply 6632B MY43004137 Agilent Technology 2019.01.31 1 year ☑ 32 Termination 1433-3 LM718 WEINSCHEL 2018.07.20 1 year ☐ 33 Termination 1432-3 QR946 AEROFLEX/WEINSCHEL 2018.07.20 1 year ☐ 34 Attenuator 24-30-34 BX5630 Aeroflex / Weinschel 2018.12.15 1 year ☐ 35 Attenuator 8498A 3318A09485 HP 2019.01.31 1 year ☐ 36 Step Attenuator 8494B 3308A32809 HP 2019.01.31 1 year ☐ 37 Attenuator 18B50W-20F 64671 INMET 2019.01.31 1 year ☐ 38 Attenuator 10 dB 1 Rohde & Schwarz 2018.05.18 1 year ☐ 39 Attenuator 10 dB 2 Rohde & Schwarz 2018.05.18 1 year ☐ 40 Attenuator 10 dB <td< td=""><td></td><td>,</td><td></td><td></td><td></td><td></td><td></td><td></td></td<>		,						
32 Termination 1433-3 LM718 WEINSCHEL 2018.07.20 1 year □ 33 Termination 1432-3 QR946 AEROFLEX/WEINSCHEL 2018.07.20 1 year □ 34 Attenuator 24-30-34 BX5630 Aeroflex / Weinschel 2018.12.15 1 year □ 35 Attenuator 8498A 3318A09485 HP 2019.01.31 1 year □ 36 Step Attenuator 8494B 3308A32809 HP 2019.01.31 1 year □ 37 Attenuator 18B50W-20F 64671 INMET 2019.01.31 1 year □ 38 Attenuator 10 dB 1 Rohde & Schwarz 2018.05.18 1 year □ 39 Attenuator 10 dB 2 Rohde & Schwarz 2018.05.18 1 year □ 40 Attenuator 10 dB 3 Rohde & Schwarz 2018.05.18 1 year □ 41 Attenuator 54A-10 74564	-	.,,			, , , , , , , , , , , , , , , , , , ,	1	_	
33 Termination 1432-3 QR946 AEROFLEXWEINSCHEL 2018.07.20 1 year □ 34 Attenuator 24-30-34 BX5630 Aeroflex / Weinschel 2018.12.15 1 year □ 35 Attenuator 8498A 3318A09485 HP 2019.01.31 1 year □ 36 Step Attenuator 8494B 3308A32809 HP 2019.01.31 1 year □ 37 Attenuator 18B50W-20F 64671 INMET 2019.01.31 1 year □ 38 Attenuator 10 dB 1 Rohde & Schwarz 2018.05.18 1 year □ 39 Attenuator 10 dB 2 Rohde & Schwarz 2018.05.18 1 year □ 40 Attenuator 10 dB 3 Rohde & Schwarz 2018.05.18 1 year □ 41 Attenuator 10 dB 4 Rohde & Schwarz 2018.05.18 1 year □ 42 Attenuator 56-10 66920	——	,						
34 Attenuator 24-30-34 BX5630 Aeroflex / Weinschel 2018.12.15 1 year □ 35 Attenuator 8498A 3318A09485 HP 2019.01.31 1 year □ 36 Step Attenuator 8494B 3308A32809 HP 2019.01.31 1 year □ 37 Attenuator 18B50W-20F 64671 INMET 2019.01.31 1 year □ 38 Attenuator 10 dB 1 Rohde & Schwarz 2018.05.18 1 year □ 39 Attenuator 10 dB 2 Rohde & Schwarz 2018.05.18 1 year □ 40 Attenuator 10 dB 3 Rohde & Schwarz 2018.05.18 1 year □ 41 Attenuator 10 dB 4 Rohde & Schwarz 2018.05.18 1 year □ 42 Attenuator 54A-10 74564 WEINSCHEL 2018.05.18 1 year □ 43 Attenuator 56-10 66920 WEI	-							
35 Attenuator 8498A 3318A09485 HP 2019.01.31 1 year □ 36 Step Attenuator 8494B 3308A32809 HP 2019.01.31 1 year □ 37 Attenuator 18B50W-20F 64671 INMET 2019.01.31 1 year □ 38 Attenuator 10 dB 1 Rohde & Schwarz 2018.05.18 1 year □ 39 Attenuator 10 dB 2 Rohde & Schwarz 2018.05.18 1 year □ 40 Attenuator 10 dB 3 Rohde & Schwarz 2018.05.18 1 year □ 41 Attenuator 10 dB 4 Rohde & Schwarz 2018.05.18 1 year □ 42 Attenuator 54A-10 74564 WEINSCHEL 2018.08.29 1 year □ 43 Attenuator 56-10 66920 WEINSCHEL 2018.05.18 1 year □ 45 Attenuator 48-20-11 BV2658 Aeroflex/Weins	-					1	-	
36 Step Attenuator 8494B 3308A32809 HP 2019.01.31 1 year □ 37 Attenuator 18B50W-20F 64671 INMET 2019.01.31 1 year □ 38 Attenuator 10 dB 1 Rohde & Schwarz 2018.05.18 1 year □ 39 Attenuator 10 dB 2 Rohde & Schwarz 2018.05.18 1 year □ 40 Attenuator 10 dB 3 Rohde & Schwarz 2018.05.18 1 year □ 41 Attenuator 10 dB 4 Rohde & Schwarz 2018.05.18 1 year □ 42 Attenuator 54A-10 74564 WEINSCHEL 2018.08.29 1 year □ 43 Attenuator 56-10 66920 WEINSCHEL 2018.05.18 1 year □ 44 Attenuator 48-20-11 BV2658 Aeroflex/Weinschel 2018.08.04 1 year □ 45 Attenuator 48-30-33-LIM BL5350						+		
37 Attenuator 18B50W-20F 64671 INMET 2019.01.31 1 year □ 38 Attenuator 10 dB 1 Rohde & Schwarz 2018.05.18 1 year □ 39 Attenuator 10 dB 2 Rohde & Schwarz 2018.05.18 1 year □ 40 Attenuator 10 dB 3 Rohde & Schwarz 2018.05.18 1 year □ 41 Attenuator 10 dB 4 Rohde & Schwarz 2018.05.18 1 year □ 42 Attenuator 54A-10 74564 WEINSCHEL 2018.08.29 1 year □ 43 Attenuator 56-10 66920 WEINSCHEL 2018.05.18 1 year □ 44 Attenuator 48-20-11 BV2658 Aeroflex/Weinschel 2018.08.16 1 year □ 45 Attenuator 48-30-33-LIM BL5350 Weinschel Corp. 2018.08.04 1 year □ 46 Power divider 11636B 51212	-							Ħ
38 Attenuator 10 dB 1 Rohde & Schwarz 2018.05.18 1 year □ 39 Attenuator 10 dB 2 Rohde & Schwarz 2018.05.18 1 year □ 40 Attenuator 10 dB 3 Rohde & Schwarz 2018.05.18 1 year □ 41 Attenuator 10 dB 4 Rohde & Schwarz 2018.05.18 1 year □ 42 Attenuator 54A-10 74564 WEINSCHEL 2018.08.29 1 year □ 43 Attenuator 56-10 66920 WEINSCHEL 2018.05.18 1 year □ 44 Attenuator 48-20-11 BV2658 Aeroflex/Weinschel 2018.08.16 1 year □ 45 Attenuator 48-30-33-LIM BL5350 Weinschel Corp. 2018.08.04 1 year □ 46 Power divider 11636B 51212 HP 2019.02.01 1 year □ 47 3Way Power divider KPDSU3W 00070365<	-							
39 Attenuator 10 dB 2 Rohde & Schwarz 2018.05.18 1 year □ 40 Attenuator 10 dB 3 Rohde & Schwarz 2018.05.18 1 year □ 41 Attenuator 10 dB 4 Rohde & Schwarz 2018.05.18 1 year □ 42 Attenuator 54A-10 74564 WEINSCHEL 2018.08.29 1 year □ 43 Attenuator 56-10 66920 WEINSCHEL 2018.05.18 1 year □ 44 Attenuator 48-20-11 BV2658 Aeroflex/Weinschel 2018.08.16 1 year □ 45 Attenuator 48-30-33-LIM BL5350 Weinschel Corp. 2018.08.04 1 year □ 46 Power divider 11636B 51212 HP 2019.02.01 1 year □ 47 3Way Power divider KPDSU3W 00070365 KMW 2018.09.04 1 year □ 48 4Way Power divider 70052651 173	-			1			_	
40 Attenuator 10 dB 3 Rohde & Schwarz 2018.05.18 1 year □ 41 Attenuator 10 dB 4 Rohde & Schwarz 2018.05.18 1 year □ 42 Attenuator 54A-10 74564 WEINSCHEL 2018.08.29 1 year □ 43 Attenuator 56-10 66920 WEINSCHEL 2018.05.18 1 year □ 44 Attenuator 48-20-11 BV2658 Aeroflex/Weinschel 2018.08.16 1 year □ 45 Attenuator 48-30-33-LIM BL5350 Weinschel Corp. 2018.08.04 1 year □ 46 Power divider 11636B 51212 HP 2019.02.01 1 year □ 47 3Way Power divider KPDSU3W 00070365 KMW 2018.09.04 1 year □ 48 4Way Power divider 70052651 173834 KRYTAR 2019.02.01 1 year □							-	
41 Attenuator 10 dB 4 Rohde & Schwarz 2018.05.18 1 year □ 42 Attenuator 54A-10 74564 WEINSCHEL 2018.08.29 1 year □ 43 Attenuator 56-10 66920 WEINSCHEL 2018.05.18 1 year □ 44 Attenuator 48-20-11 BV2658 Aeroflex/Weinschel 2018.08.16 1 year □ 45 Attenuator 48-30-33-LIM BL5350 Weinschel Corp. 2018.08.04 1 year □ 46 Power divider 11636B 51212 HP 2019.02.01 1 year □ 47 3Way Power divider KPDSU3W 00070365 KMW 2018.09.04 1 year □ 48 4Way Power divider 70052651 173834 KRYTAR 2019.02.01 1 year □							•	
42 Attenuator 54A-10 74564 WEINSCHEL 2018.08.29 1 year ☑ 43 Attenuator 56-10 66920 WEINSCHEL 2018.05.18 1 year ☑ 44 Attenuator 48-20-11 BV2658 Aeroflex/Weinschel 2018.08.16 1 year ☑ 45 Attenuator 48-30-33-LIM BL5350 Weinschel Corp. 2018.08.04 1 year ☑ 46 Power divider 11636B 51212 HP 2019.02.01 1 year ☑ 47 3Way Power divider KPDSU3W 00070365 KMW 2018.09.04 1 year ☑ 48 4Way Power divider 70052651 173834 KRYTAR 2019.02.01 1 year ☑	-						-	
43 Attenuator 56-10 66920 WEINSCHEL 2018.05.18 1 year ☑ 44 Attenuator 48-20-11 BV2658 Aeroflex/Weinschel 2018.08.16 1 year ☑ 45 Attenuator 48-30-33-LIM BL5350 Weinschel Corp. 2018.08.04 1 year ☑ 46 Power divider 11636B 51212 HP 2019.02.01 1 year ☑ 47 3Way Power divider KPDSU3W 00070365 KMW 2018.09.04 1 year ☑ 48 4Way Power divider 70052651 173834 KRYTAR 2019.02.01 1 year ☑	-					1	•	
44 Attenuator 48-20-11 BV2658 Aeroflex/Weinschel 2018.08.16 1 year □ 45 Attenuator 48-30-33-LIM BL5350 Weinschel Corp. 2018.08.04 1 year □ 46 Power divider 11636B 51212 HP 2019.02.01 1 year □ 47 3Way Power divider KPDSU3W 00070365 KMW 2018.09.04 1 year □ 48 4Way Power divider 70052651 173834 KRYTAR 2019.02.01 1 year □							· ·	
45 Attenuator 48-30-33-LIM BL5350 Weinschel Corp. 2018.08.04 1 year □ 46 Power divider 11636B 51212 HP 2019.02.01 1 year □ 47 3Way Power divider KPDSU3W 00070365 KMW 2018.09.04 1 year □ 48 4Way Power divider 70052651 173834 KRYTAR 2019.02.01 1 year □							-	
46 Power divider 11636B 51212 HP 2019.02.01 1 year	-						•	
47 3Way Power divider KPDSU3W 00070365 KMW 2018.09.04 1 year □ 48 4Way Power divider 70052651 173834 KRYTAR 2019.02.01 1 year □			+		•		· ·	
48 4Way Power divider 70052651 173834 KRYTAR 2019.02.01 1 year							-	
	——						•	
	49	3Way Power divider	1580	SQ361	WEINSCHEL	2018.05.18	1 year	

KST-FCR-RFS-Rev.0.3 Page: 8 / 29



No.	Instrument	Model	S/N	Manufacturer	Due to cal date	Cal interval	used
50	OSP	OSP120	101577	Rohde & Schwarz	2018.05.19	1 year	
51	White noise audio filter	ST31EQ	101902	SoundTech	2018.09.04	1 year	
52	Dual directional coupler	778D	17693	HEWLETT PACKARD	2019.01.31	1 year	
53	Dual directional coupler	772D	2839A00924	HEWLETT PACKARD	2019.01.31	1 year	
54	Band rejection filter	3TNF-0006	26	DOVER Tech	2019.02.01	1 year	
55	Band rejection filter	3TNF-0007	311	DOVER Tech	2019.02.01	1 year	
56	Band rejection filter	WTR-BRF2442-84NN	09020001	WAVE TECH Co.,LTD	2019.01.31	1 year	
57	Band rejection filter	WRCJV12-5695-5725-5825- 5855-50SS	1	Wainwright Instruments GmbH	2018.05.18	1 year	
58	Band rejection filter	WRCJV12-5120-5150-5350- 5380-40SS	4	Wainwright Instruments GmbH	2018.05.18	1 year	
59	Band rejection filter	WRCGV10-2360-2400-2500- 2540-50SS	2	Wainwright Instruments GmbH	2018.05.18	1 year	\boxtimes
60	Highpass Filter	WHJS1100-10EF	1	WAINWRIGHT	2019.01.31	1 year	
61	Highpass Filter	WHJS3000-10EF	1	WAINWRIGHT	2019.01.31	1 year	
62	Highpass Filter	WHNX6-5530-7000-26500- 40CC	2	Wainwright Instruments GmbH	2018.05.19	1 year	
63	Highpass Filter	WHNX6-2370-3000-26500- 40CC	4	Wainwright Instruments GmbH	2018.05.19	1 year	
64	WideBand Radio Communication Tester	CMW500	102276	Rohde & Schwarz	2019.02.01	1 year	
65	Radio Communication Tester	CMU 200	112026	Rohde & Schwarz	2019.01.31	1 year	
66	Bluetooth Tester	TC-3000B	3000B6A0166	TESCOM CO., LTD.	2019.01.31	1 year	
67	Loop Antenna	6502	9203-0493	EMCO	2019.05.29	2 year	\boxtimes
68	BiconiLog Antenna	3142B	1745	EMCO	2018.07.11	2 year	\boxtimes
69	Biconical Antenna	VUBA9117	9117-342	Schwarz beck	2020.03.12	2 year	
70	Trilog-Broadband Antenna	VULB 9168	9168-606	SCHWARZBECK	2018.09.09	2 year	
71	Horn Antenna	3115	2996	EMCO	2020.02.14	2 year	
72	Horn Antenna	3115	9605-4834	EMCO	2020.03.12	2 year	
73	Horn Antenna	BBHA9170	743	SCHWARZBECK	2019.04.25	2 year	\boxtimes
74	Antenna Master(3)	AT13	None	AUDIX	N/A	N/A	
75	Turn Table(3)	None	None	AUDIX	N/A	N/A	
76	PREAMPLIFIER(3)	8449B	3008A02577	Agilent	2019.02.02	1 year	\boxtimes
77	Antenna Master(10)	MA4000-EP	None	innco systems GmbH	N/A	N/A	\boxtimes
78	Turn Table(10)	None	None	innco systems GmbH	N/A	N/A	\boxtimes
79	AMPLIFIER(10)	TK-PA6S	120009	TESTEK	2019.01.29	1 year	\boxtimes
80	AMPLIFIER	TK-PA18	150003	TESTEK	2018.05.19	1 year	
81	AMPLIFIER	TK-PA1840H	160010-L	TESTEK	2018.07.15	1 year	\boxtimes
82	AMPLIFIER	8447D	2944A07881	H.P	2019.01.29	1 year	
83	Antenna Mast	MA2000-EP	None	innco systems GmbH	N/A	N/A	
84	Turn Device	DE3700-RH	None	innco systems GmbH	N/A	N/A	П

KST-FCR-RFS-Rev.0.3

This report shall not be reproduced except in full without the written approval of KOSTEC Co., Ltd, Page: 9 / 29



4. SUMMARY TEST RESULTS

Description of Test	FCC Rule	IC Rule	Reference Clause	Used	Test Result
Max. Conducted output power	15.247(b)	RSS-247, 5.4(d)	Clause 5.1	\boxtimes	Compliance
Power spectral density	15.247(e)	RSS-247, 5.2(b)	Clause 5.2	\boxtimes	Compliance
6 dB spectrum Bandwidth	15.247(a)(2)	RSS-247, 5.2(a)	Clause 5.3	\boxtimes	Compliance
Band edge of RF conducted emissions	15.247(d)	RSS-247, 5.5	Clause 5.4	\boxtimes	Compliance
Spurious RF radiated emissions	15.247(d), 15.209(a)	RSS-247, 5.5	Clause 5.5	\boxtimes	Compliance
Antenna requirement	15.203, 15.247(b)	-	Clause 5.6	\boxtimes	Compliance
AC Power Conducted emissions	15.207	RSS-GEN, 8.8	Clause 5.7		N/A : EUT only uses CR2032 Lithium Battery.

Compliance/pass: The EUT complies with the essential requirements in the standard.

Not Compliance : The EUT does not comply with the essential requirements in the standard.

N/A: The test was not applicable in the standard.

Procedure Reference

FCC CFR 47, Part 15. Subpart C-15.247 558074 D01 DTS Meas. Guidance v04 RSS-GEN Issue 4 RSS-247 Issue 2 ANSI C 63.10-2013

KST-FCR-RFS-Rev.0.3 Page: 10 / 29

5. MEASUREMENT RESULTS

5.1 Max. Conducted output power

5.1.1 Standard Applicable [FCC §15.247(b)(3) and RSS-247 5.4 (d)]

FCC

For systems using digital modulation in the $902 \sim 928$ MHz, $2400 \sim 2483.5$ MHz, and $5725 \sim 5850$ MHz bands: 1 Watt. As an alternative to a peak power measurement, compliance with the one Watt limit can be based on a measurement of the maximum conducted output power.

IC

For DTS employing digital modulation techniques operating in the bands 902 – 928 MHz and 2400 – 2483.5 MHz, the maximum peak conducted output power shall not exceed 1 W. Except as provided in Section 5.4(5), the e.i.r.p. shall not exceed 4 W. Fixed point-to-point systems in the bands 2400-2483.5 MHz and 5725-5850 MHz are permitted to have an e.i.r.p. higher than 4 W provided that the higher e.i.r.p. is achieved by employing higher gain directional antennas and not higher transmitter output powers. Point-to-multipoint systems, omnidirectional applications and multiple co-located transmitters transmitting the same information are prohibited from exceeding an e.i.r.p. of 4 W.

5.1.2 Test Environment conditions

• Ambient temperature: (21 ~ 22) °C • Relative Humidity: (49 ~ 50) % R.H.

5.1.3 Measurement Procedure

The transmitter output was connected to the spectrum analyzer with an attenuator. The maximum peak output power was measured and recorded with the spectrum analyzer. EUT was programmed to be in continuously transmitting mode.


All conducted power tests were performed using a test receiver in accordance with FCC KDB 558074 v04 Section 9.1.1 Measurement Procedure RBW ≥ DTS bandwidth and 9.2.2.4.

The spectrum analyzer is set to the as follows:

Peak Power

- Set RBW≥DTS bandwidth
- Set the VBW ≥ 3 x RBW.
- Set the span 3 x RBW.
- Sweep time = auto couple.
- Detector = peak.
- Trace mode = max hold.
- · Allow trace to fully stabilize.
- Use the peak marker function to determine the maximum amplitude level.

5.1.4 Test setup



KST-FCR-RFS-Rev.0.3 Page: 11 / 29



5.1.5 Measurement Result

Channel	Frequency [MHz]	Conducted Power [dBm]	Limit [dBm]	Test Results
11	2 405	10.39	30	Compliance
18	2 440	10.24	30	Compliance
24	2 470	9.98	30	Compliance


KST-FCR-RFS-Rev.0.3

This report shall not be reproduced except in full without the written approval of KOSTEC Co., Ltd, Page: 12 / 29



5.1.6 Test Plot

CH Low



CH Middle



CH High



KST-FCR-RFS-Rev.0.3 Page: 13 / 29

5.2 Power spectral density

5.2.1 Standard Applicable [FCC §15.247(e) and RSS-247 5.2(b)]

FCC

For digitally modulated systems, the power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8 dBm in any 3 kHz band during any time interval of continuous transmit

IC

The transmitter power spectral density conducted from the transmitter to the antenna shall not be greater than 8 dBm in any 3 kHz band during any time interval of continuous transmission. This power spectral density shall be determined in accordance with the provisions of Section 5.4(4), (i.e. the power spectral density shall be determined using the same method as is used to determine the conducted output power).

5.2.2 Test Environment conditions

• Ambient temperature : (21 ~ 22) °C • Relative Humidity : (49 ~ 50) % R.H.

5.2.3 Measurement Procedure


The power spectral density conducted from the intentional radiator was measured with a spectrum analyzer connected to the antenna terminal, while EUT had the highest, middle and the lowest available channels. After the trace being stable, Use the marker-to-peak function to set the marker to the peak of the emission. The indicated level is the peak power spectral density.

All conducted power tests were performed using a test receiver in accordance with FCC KDB 558074 v04 Section 10.1

The spectrum analyzer is set to the as follows:

- Set analyzer center frequency to DTS channel center frequency.
- Set the span to 1.5 times the DTS bandwidth.
- Set the RBW to: $3 \text{ kHz} \leq \text{RBW} \leq 100 \text{ kHz}$.
- Set the VBW $\geq 3 \times RBW$.
- Detector = peak.
- Sweep time = auto couple.
- Trace mode = max hold.
- · Allow trace to fully stabilize.
- Use the peak marker function to determine the maximum amplitude level within the RBW.
- If measured value exceeds limit, reduce RBW (no less than 3 kHz) and repeat.

5.2.4 Test setup



5.2.5 Measurement Result


Channel	Frequency [MHz]	Result Value [dBm/3kHz]	Limit [dBm/3kHz]	Test Results
11	2 405	-4.59	8	Compliance
18	2 440	-4.84	8	Compliance
24	2 470	-5.12	8	Compliance

KST-FCR-RFS-Rev.0.3 Page: 14 / 29



5.2.6 Test Plot

CH Low



CH Middle



CH High



KST-FCR-RFS-Rev.0.3 Page: 15 / 29

5.3 6 dB spectrum Bandwidth

5.3.1 Standard Applicable [FCC §15.247(a)(2) and RSS-247 5.2(a)]

FCC and IC

Systems using digital modulation techniques may operate in the 902 \sim 928 MHz, 2400 \sim 2483.5 MHz, and 5725 \sim 5850 MHz bands. The minimum 6 dB bandwidth shall be at least 500 kHz.

5.3.2 Test Environment conditions

• Ambient temperature : (21 \sim 22) °C • Relative Humidity : (49 \sim 50) % R.H.

5.3.3 Measurement Procedure

- 1. The transmitter output (antenna port) was connected to the spectrum analyzer in peak hold mode.
- 2. The resolution bandwidth of 100 kHz and the video bandwidth of 100 kHz were used.
- 3. Measured the spectrum width with power higher than 6 dB below carrier.

The spectrum analyzer is set to the as follows:

- Set RBW = 100 kHz.
- Set the video bandwidth (VBW) $\geq 3 \times RBW$.
- Detector = Peak.
- Trace mode = max hold.
- Sweep = auto couple.
- · Allow the trace to stabilize.
- Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.

5.3.4 Test setup



5.3.5 Measurement Result


Channel	Frequency [MHz]	6 dB Bandwidth [MHz]	99 % Bandwidth [MHz]	Limit [MHz]	Test Results
11	2 405	1.68	2.26	>0.5	Compliance
18	2 440	1.68	2.26	>0.5	Compliance
24	2 470	1.68	2.26	>0.5	Compliance

KST-FCR-RFS-Rev.0.3 Page: 16 / 29




5.3.6 Test Plot (6 dB & 99 % bandwidth)


CH Low



CH Middle



CH High



KST-FCR-RFS-Rev.0.3 Page: 17 / 29



5.4 Band-edge Compliance of RF Conducted emissions

5.4.1 Standard Applicable [FCC §15.247(d) and RSS-247 5.5]

FCC and IC

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on RF conducted.

5.4.2 Test Environment conditions

• Ambient temperature : (21 ~ 22) °C • Relative Humidity : (49 ~ 50) % R.H.

5.4.3 Measurement Procedure

- (1) Pre-calibration for the spectrum analyzer has to be done first through a reference CW signal from signal generator.
- (2) Reference frequency generated from the signal generator is supply to spectrum analyzer input port via RF cable and attenuator, and then, it's applied to offset value on spectrum analyzer.
- (3) Remove the antenna from the EUT and then, connected to spectrum analyzer via a dc Block, suitable low loss RF cable and attenuator.
- (4) Place the EUT on the table and set on the emission at the band-edge,
- (5) After the trace being stable, Use the marker-to-peak function to move the marker to the peak of the in-band emission.
- (6) The marker-delta value now displayed must comply with the limit specified in above standard.
- (7) please refer to the detailed procedure method KDB 558074 v04.

The spectrum analyzer is set to the as follows:

- Span : Wide enough to capture the peak level of the emission operating on the channel closet to the Band-edge, as well as any modulation products which fall outside of the authorized band of operation
- RBW : 100 kHz (≥ 1 % of the span)
- VBW : ≥ RBWSweep : auto
- · Detector function : peak
- · Trace: Max hold

5.4.4 Test setup

Please refer 5.3.4


5.4.5 Measurement Result


Sottin	ng Channel		Test Results	
Settii	ig Chaillei	Measured value [dB]	Limit [dB]	Result
CH 11	~ 2 400 MHz -52.13		< 20 than DCD lavel	Compliance
CH 24	2 483.5 MHz ~	-54.62	≤ 20 than PSD level	Compliance

KST-FCR-RFS-Rev.0.3 Page: 18 / 29



5.4.6 Test Plot (Band-edge)





KST-FCR-RFS-Rev.0.3 Page: 19 / 29

5.5 Spurious RF Radiated emissions

5.5.1 Standard Applicable [FCC §15.247(d) and RSS-247 5.5]

FCC

All other emissions outside these bands shall not exceed the general radiated emission limits specified in §15.209(a). And according to §15.33(a)(1), for an intentional radiator operates below 10 GHz, the frequency Range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40 GHz, Whichever is lower. In addition, radiated emissions which fall in the restricted bands, as defined in Sec.15.205(a), must also comply with the radiated emission limits specified in Sec. 15.209(a)

IC

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated device is operating, the RF power that is produced shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided that the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of root-mean-square averaging over a time interval, as permitted under Section 5.4(4), the attenuation required shall be 30 dB instead of 20 dB. Attenuation below the general field strength limits specified in RSS-Gen is not required.

§15.209 and RSS-Gen limits for radiated emissions measurements (distance at 3 m)

Frequency Band [MHz]	DISTANCE [Meters]	Limit [⊭V/m]	Limit [dB ≠V/m]	Detector
0.009 ~ 0.490	300	2400/F(kHz)	67.6-20log(F)	Peak
0.490 ~ 1.705	30	24000/F(kHz)	87.6-20log(F)	Peak
1.705 ~ 30.0	30	30	29.54	Peak
30 - 88	3	100 **	40.00	Quasi peak
88 - 216	3	150 **	43.52	Quasi peak
216 - 960	3	200 **	46.02	Quasi peak
Above 960	3	500	54.00	Average
Above 1000	3	74.0 dB	μ//m (Peak), 54.0 dB μ//m	(Average)

^{**} fundamental emissions from intentional radiators operation under this Section shall not be located in the frequency bands 54-72 MHz, 76-88 MHz, 174-216 MHz, or 470-806 MHz. However, operation within these Frequency bands is permitted under other

§15.205. Restrict Band of Operation for FCC

[MHz]	[MHz]	[MHz]	[GHz]
0.090 - 0.110	16.42 - 16.423	399.9 - 410	4.5 - 5.15
0.495 - 0.505**	16.694 75 - 16.695 25	608 - 614	5.35 - 5.46
2.173 5 - 2.190 5	16.804 25 - 16.804 75	960 – 1 240	7.25 - 7.75
4.125 - 4.128	25.5 - 25.67	1 300 – 1 427	8.025 - 8.
4.177 25 - 4.177 75	37.5 -38.25	1 435 – 1 626.5	9.0 - 9.2
4.207 25 - 4.207 75	73 - 74.6	1 645.5 – 1 646.5	9.3 - 9.5
6.215 - 6.218	74.8 - 75.2	1 660 – 1 710	10.6 - 12.7
6.267 75 - 6.268 25	108 - 121.94	1 718.8 -1 722.2	13.25 - 13.4
6.311 75 - 6.312 25	123 - 138	2 200 – 2 300	14.47 - 14.5
8.291 - 8.294	149.9 - 150.05	2 310 – 2 390	15.35 - 16.2
8.362 - 8.366	156.524 75 - 156.525 25	2 483.5 – 2 500	17.7 - 21.4
8.376 25 - 8.38 6 75	156.7 - 156.9	2 690 – 2 900	22.01 - 23.12
8.414 25 - 8.414 75	162.012 5 - 167.17	3 260 – 3 267	23.6 - 24.0
12.29 - 12.293	167.72 - 173.2	3 332 – 3 339	31.2 - 31.8
12.519 75 - 12.520 25	240 - 285	3 345.8 – 3 358	36.43 - 36.5
12.576 75 - 12.577 25	322 - 335.4	3 600 – 4 400	Above 38.6
13.36 - 13.41			

^{**} Until February 1, 1999, this restricted band shall be 0.490-0.510

KST-FCR-RFS-Rev.0.3 Page: 20 / 29

sections of this Part Section 15.231 and 15.241



§15.205. Restrict Band of Operation for IC

[MHz]	[MHz]	[MHz]	[GHz]
0.090 - 0.110	12.519 75 - 12.520 25	399.9 - 410	5.35 - 5.46
2.173 5 - 2.190 5	12.576 75 - 12.577 25	608 - 614	7.25 - 7.75
3.020 - 3.026	13.36 - 13.41	960 - 1 427	8.025 - 8.
4.125 - 4.128	16.42 - 16.423	1 435 - 1 626.5	9.0 - 9.2
4.177 25 - 4.177 75	16.694 75 - 16.695 25	1 645.5 - 1 646.5	9.3 - 9.5
4.207 25 - 4.207 75	16.804 25 - 16.804 75	1 660 - 1 710	10.6 - 12.7
5.677 - 5.683	25.5 - 25.67	1 718.8 -1 722.2	13.25 - 13.4
6.215 - 6.218	37.5 -38.25	2 200 - 2 300	14.47 - 14.5
6.26775–6.26825	73 - 74.6	2 310 - 2 390	15.35 - 16.2
6.31175–6.31225	74.8 - 75.2	2 655 - 2 900	17.7 - 21.4
8.291 - 8.294	108 - 138	3 260 - 3 267	22.01 - 23.12
8.362 - 8.366	156.524 75 - 156.525 25	3 332 - 3 339	23.6 - 24.0
8.376 25 - 8.38 6 75	156.7 - 156.9	3 345.8 - 3 358	31.2 - 31.8
8.414 25 - 8.414 75	240 - 285	3 500 - 4 400	36.43 - 36.5
12.29 - 12.293	322 - 335.4	4 500 - 5 150	Above 38.6

5.5.2 Test Environment conditions

• Ambient temperature : (21 ~ 22) °C • Relative Humidity : (49 ~ 50) % R.H.

5.5.3 Measurement Procedure

The measurements procedure of the Spurious RF Radiated emissions is as following describe method.

- 1. The EUT was placed on the top of a rotating table (0.8 meters for below 1 GHz and 1.5 meters for above 1 GHz) above the ground at a 3 meter camber. The table was rotated 360 degree to determine the position of the highest radiation.
- 2. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna master.
- 3. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both Horizontal and vertical polarizations of the antenna are set to make the measurement.
- 4. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotating table was turned from 0 360 degrees to find the maximum reading.
- 5. The measuring receiver was set to peak detector and specified bandwidth with max hold function.
- 6. Low, Middle and high channels were measured, and radiation measurements are performed in X, Y, Z axis positioning. And found the worst axis position and only the test worst case mode is recorded in the report.
- The measurement results are obtained as described below:
 Result(dBμV/m) = Reading(dBμV) + Antenna factor(dB/m)+ CL(dB) + other applicable factor (dB)
- The resolution bandwidth of test receiver/spectrum analyzer is 1 MHz and the video bandwidth is 3 MHz for RMS Average (Duty cycle < 98 %) for Average detection (AV) at frequency above 1 GHz, then the measurement results was added to a correction factor (10 log(1/duty cycle)).
- The resolution bandwidth of test receiver/spectrum analyzer is 1 MHz and the video bandwidth is 10 Hz (Duty cycle ≥ 98 %) for Average detection (AV) at frequency above 1 GHz.
- According to §15.33 (a)(1), Frequency range of radiated measurement is performed the tenth harmonic.

5.5.4 Measurement Uncertainty

Radiated Emission measurement: Below 1 GHz: 3.66 dB (CL: Approx 95 %, k=2)


Above 1 GHz: 4.04 dB (CL: Approx 95 %, k=2)

KST-FCR-RFS-Rev.0.3 Page: 21 / 29




5.5.5 Test Configuration


Radiated emission setup, below 30 MHz



Radiated emission setup, below 1 000 MHz



Radiated emission setup, above 1 GHz



KST-FCR-RFS-Rev.0.3 Page: 22 / 29



5.5.6 Measurement Result

Above 1 GHz

CH 11 (2 405 MHz)

Freq.	Reading (dB μ V/m) Table		Table	Antenna		CL AMP		Meas Result (dBµV/m)		Limit (dBµV/m)		Mgn. (^{dB})		Result	
(GHz)	PK	AV	(Deg)	Height (m)	Pol. (H/V)	Fctr. (dB/m)	(dB)	(dB)	PK	AV	PK	AV	PK	AV	resuit
2.390*	59.15	49.87	180	1.0	Н	28.35	6.85	-41.99	52.36	43.08	74	54	21.64	10.92	Compliance
2.390*	60.41	51.97	180	1.0	V	28.35	6.85	-41.99	53.62	45.18	74	54	20.38	8.82	Compliance
4.810	45.09	36.73	180	1.0	Н	32.92	10.57	-38.06	50.52	42.16	74	54	23.48	11.84	Compliance
4.810	47.13	38.51	180	1.0	V	32.92	10.57	-38.06	52.56	43.94	74	54	21.44	10.06	Compliance

^{*} Restrict band emissions.

CH18 (2 440 MHz)

Freq.	Reading (dBµV/m)		Table	Antenna		CL	(Limit (dBµV/m)		Mgn. (dB)		Result	
(GHz)	PK	AV	(Deg)	Height (m)	Pol. (H/V)	Fctr. (dB /m)	(dB)	(dB)	PK	AV	PK	AV	PK	AV	
4.880	44.82	35.98	180	1.0	Н	33.06	11.06	-37.80	51.14	42.30	74	54	22.86	11.70	Compliance
4.880	45.90	37.59	180	1.0	V	33.06	11.06	-37.80	52.22	43.91	74	54	21.78	10.09	Compliance

CH24 (2 470 MHz)

Freq.	(abp v/iii)		(dB _{\(\mu\)} V/m) Table Antenna CL		AMP	Meas Result (dB <i>µ</i> V/m)		Limit (dB <i>µ</i> V/m)		Mgn. (^{dB})		Result			
(GHz)	PK	AV	(Deg)	Height (m)	Pol. (H/V)	Fctr. (dB /m)	(dB)	(dB)	PK	AV	PK	AV	PK	AV	
2.493*	61.39	50.70	180	1.0	Н	28.59	6.93	-42.28	54.63	43.94	74	54	19.37	10.06	Compliance
2.493*	63.76	52.56	180	1.0	V	28.59	6.93	-42.28	57.00	45.80	74	54	17.00	8.20	Compliance
4.940	44.27	35.69	180	1.0	Н	33.14	10.88	-37.58	50.72	42.14	74	54	23.28	11.86	Compliance
4.940	45.49	36.91	180	1.0	V	33.14	10.88	-37.58	51.94	43.36	74	54	22.06	10.64	Compliance


^{*} Restrict band emissions.

- Above 1 GHz is measured average and peak detector mode on Spectrum analyzer in accordance with FCC Rule15.35
 Limit: 54 dBµV/m(Average), 74 dBµV/m(Peak), Attenuated more than 20 dB below the permissible value.
- It is not recorded on the report that the reading of emissions are attenuated more than 20 dB below the permissible limits or the field strength is too small to measured.
- For the below 30 MHz and above 4.940 GHz, measured any other signal is not detected on test receiver
 The transmitter radiated spectrum was investigated from 9 kHz to 26.5 GHz.

Page: 23 / 29



Test Plot



^{*} Worst case only.

KST-FCR-RFS-Rev.0.3 Page: 24 / 29

^{*} Fundamental signal was rejected by band rejection filter.

Below 1 GHz

	Freq. (MHz)	Reading	Table	Antenna			CL	AMP	Meas Result	Limit	Mgn	
		(dBµV/m)	(Deg)	Height (m)	Pol. (H/V)	Fctr. (dB/m)	(dB)	(dB)	Result (dB <i>µ</i> V/m)	(dBµV/m)		Result
				Th	nere was	no spurious	emission					Compliance


Freq.(MHz): Measurement frequency, Reading(dBµV/m): Indicated value for test receiver, Table (Deg): Directional degree of Turn

Antenna (Height, Pol, Fctr): Antenna Height, Polarization and Factor, Cbl(dB): Cable loss, Pre AMP(dB): Preamplifier gain(dB)

Meas Result ($dB\mu V/m$) : Reading($dB\mu V/m$)+ Antenna factor (dB/m)+ CL(dB) - Pre AMP(dB)

Limit(dB μ V/m): Limit value specified with FCC Rule, Mgn(dB): FCC Limit (dB μ V/m) – Meas Result(dB μ V/m)

Test Plot



KST-FCR-RFS-Rev.0.3 Page: 25 / 29




Test Plot (Conducted spurious emissions)

CH Low



CH Middle



CH High



Note: It is not recorded on the report that the reading of emissions are attenuated more than 20 dB below the permissible limits

KST-FCR-RFS-Rev.0.3 Page: 26 / 29



5.6 Antenna requirement

5.6.1 Standard applicable [FCC §15.203]


For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by responsible party shall be used with the device.

The use of a permanently attached antenna or of an antenna that user a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section.

The manufacturer may design the unit so that broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

5.6.2 Antenna details

Frequency Band	Antenna Type	Gain [dBi]	Results
2.4 GHz	Internal wire antenna	0.82	Compliance



KST-FCR-RFS-Rev.0.3 Page: 27 / 29



5.7 AC Power Conducted emissions

5.7.1 Standard Applicable [FCC §15.207(a) and RSS-Gen 8.8]

For intentional radiator that is designed to be connected to the public utility(AC)power line, the radio frequency. Voltage that is conducted back onto the AC power line on any frequencies hopping mode within the band 150 kHz to 30 MHz shall not exceed the limits in the following table, as measured using a 50 μ H/50 ohms line Impedance stabilization network(LISN). Compliance with the provisions of this paragraph shall be based on the measurement of the radio frequency voltage between each power line and ground at the power terminal. The lower limit applies at the boundary between the frequency ranges.

§15.207 limits for AC line conducted emissions;

Fraguency of Emission(NL)	Conducted	d Limit (dBμV)		
Frequency of Emission(₩z)	Quasi-peak	Average		
0.15 ~ 0.5	66 to 56 *	56 to 46 *		
0.5 ~ 5	56	46		
5 ~ 30	60	50		

^{*} Decreases with the logarithm of the frequency

5.7.2 Test Environment conditions

• Ambient temperature : - • Relative Humidity : -

5.7.3 Measurement Procedure

EUT was placed on a non- metallic table height of 0.8 m above the reference ground plane. Cables connected to EUT were fixed to cause maximum emission. Test was made with the antenna positioned in both the horizontal and vertical planes of polarization. The measurement antenna was varied in height above the conducting ground plane to obtain the Maximum signal strength.

5.7.4 Used equipment

Equipment	Model No.	Serial No.	Manufacturer	Next cal date	Cal interval	Used
Test receiver	ESCS30	100111	Rohde & Schwarz	2019. 01. 29	1 year	
LISN	ESH2-Z5	100044	R&S	2019. 01. 29	1 year	
LISIN	ESH3-Z5	100147	R&S	2019. 01. 29	1 year	

^{*}Test Program: "ESXS-K1 V2.2" Measurement uncertainty

Conducted Emission measurement: 4.48 dB (CL: Approx 95 %, k=2)

KST-FCR-RFS-Rev.0.3 Page: 28 / 29



5.7.5 Measurement Result

N/A

Frog	Factor		POL	QP			CISPR AV		
Freq.	[dB]			Limit	Reading	Result	Limit	Reading	Result
[MHz]	LISN	CABLE +P/L	FOL	[dBµV]	[dB μ V]	[dBµV]	[dBµV]	[dBµV]	[dBµV]

- * LISN: LISN insertion Loss, Cable: Cable Loss, P/L:pulse limiter factor
- * L: Line. Live, N: Line. Neutral
- Reading: test receiver reading value (with cable loss & pulse limiter factor)
- * Result = LISN + Reading

KST-FCR-RFS-Rev.0.3 Page: 29 / 29