





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5530	81.80	77.20	No limit
5610	81.80	77.20	No limit


### 5530 MHz



### 5610 MHz




Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5775	76.00	77.20	500	Pass




Test Mode	IEEE 802.11ax (HEW160)_ANT 1
-----------	------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5250	164.00	156.80	No limit



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5570	162.80	156.80	No limit




Test Mode	Beamforming mode
-----------	------------------


Test Mode	IEEE 802.11ac (VHT20)_ANT 1
-----------	-----------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5180	21.85	18.20	No limit
5200	22.05	18.20	No limit
5240	21.99	18.20	No limit

### 5180 MHz




Date: 4.JUL.2020 14:59:49




Date: 4.JUL.2020 14:59:17

### 5200 MHz




Date: 4.JUL.2020 15:15:01




Date: 4.JUL.2020 15:14:30

## 5240 MHz





Date: 4.JUL.2020 15:24:25




Date: 4.JUL.2020 15:23:54


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5260	21.95	18.20	No limit
5300	22.09	18.30	No limit
5320	21.99	18.20	No limit



## 5320 MHz





Date: 4.JUL.2020 16:37:43




Date: 4.JUL.2020 16:37:12

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5500	21.95	18.30	No limit
5580	22.20	18.40	No limit
5700	22.10	18.20	No limit






## 5700 MHz





Date: 4.JUL.2020 17:13:24





Date: 4.JUL.2020 17:12:54

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5745	17.59	18.30	500	Pass
5785	17.55	18.30	500	Pass
5825	17.75	18.20	500	Pass


### 5745 MHz




### 5785 MHz



## 5825 MHz



Date: 4.JUL.2020 17:43:00




Date: 4.JUL.2020 17:42:20



Test Mode	IEEE 802.11ac (VHT40)_ANT 1
-----------	-----------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5190	39.61	36.80	No limit
5230	39.50	36.80	No limit

### 5190 MHz




### 5230 MHz




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5270	39.80	37.20	No limit
5310	40.00	37.40	No limit

### 5270 MHz




Date: 6.JUL.2020 11:02:46




Date: 6.JUL.2020 11:02:01

### 5310 MHz




Date: 6.JUL.2020 11:37:24




Date: 6.JUL.2020 11:36:34

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5510	40.50	37.20	No limit
5550	39.81	37.00	No limit
5670	39.81	37.20	No limit

### 5510 MHz




Date: 6.JUL.2020 11:56:27




Date: 6.JUL.2020 11:55:35

### 5550 MHz




Date: 6.JUL.2020 12:28:00




Date: 6.JUL.2020 12:27:12

## 5670 MHz





Date: 6.JUL.2020 12:57:06





Date: 6.JUL.2020 12:56:20

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5755	30.99	37.00	500	Pass
5795	36.50	37.00	500	Pass

### 5755 MHz




### 5795 MHz






Test Mode	IEEE 802.11ac (VHT80)_ANT 1
-----------	-----------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5210	80.39	76.40	No limit




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5290	81.00	76.40	No limit






Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5775	73.00	76.00	500	Pass




Test Mode	IEEE 802.11ac (VHT160)_ANT 1
-----------	------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5250	161.20	156.80	No limit





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5570	160.40	155.20	No limit




Test Mode	IEEE 802.11ax (HEW20)_ANT 1
-----------	-----------------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5180	21.79	19.20	No limit
5200	21.70	19.10	No limit
5240	21.65	19.20	No limit



## 5240 MHz





Date: 6.JUL.2020 18:38:18




Date: 6.JUL.2020 18:37:47

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5260	21.80	19.30	No limit
5300	21.79	19.30	No limit
5320	21.90	19.20	No limit






## 5320 MHz




Date: 6.JUL.2020 19:49:43




Date: 6.JUL.2020 19:49:12

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5500	21.85	19.20	No limit
5580	21.80	19.10	No limit
5700	21.80	19.30	No limit

### 5500 MHz




Date: 6.JUL.2020 20:05:39




Date: 6.JUL.2020 20:05:07

### 5580 MHz




Date: 6.JUL.2020 20:17:02




Date: 6.JUL.2020 20:16:31

## 5700 MHz





Date: 6.JUL.2020 20:48:59





Date: 6.JUL.2020 20:48:27

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5745	19.01	19.20	500	Pass
5785	18.91	19.30	500	Pass
5825	18.95	19.30	500	Pass


### 5745 MHz




### 5785 MHz



## 5825 MHz



Date: 6.JUL.2020 21:16:00





Date: 6.JUL.2020 21:15:26



Test Mode	IEEE 802.11ax (HEW40)_ANT 1
-----------	-----------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5190	39.90	38.00	No limit
5230	39.60	37.00	No limit

### 5190 MHz




### 5230 MHz




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5270	39.59	37.00	No limit
5310	40.60	37.20	No limit

### 5270 MHz




Date: 6.JUL.2020 16:17:41




Date: 6.JUL.2020 16:16:52

### 5310 MHz



Date: 6.JUL.2020 16:45:01





Date: 6.JUL.2020 16:44:12







## 5670 MHz





Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5755	36.00	37.00	500	Pass
5795	36.50	37.00	500	Pass

### 5755 MHz




### 5795 MHz




Test Mode	IEEE 802.11ax (HEW80)_ANT 1
-----------	-----------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5210	82.60	77.60	No limit





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5290	82.60	77.60	No limit





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5530	81.60	78.00	No limit
5610	81.00	76.80	No limit


### 5530 MHz



### 5610 MHz




Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5775	74.19	77.20	500	Pass




Test Mode	IEEE 802.11ax (HEW160)_ANT 1
-----------	------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5250	165.60	155.20	No limit



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5570	161.60	156.80	No limit



## **APPENDIX E CONDUCTED OUTPUT POWER**



Test Mode	Non-Beamforming mode
-----------	----------------------

Test Mode	IEEE 802.11a_ANT 1
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	19.92	0.0982	30.00	1.0000	Pass
5200	23.91	0.2460	30.00	1.0000	Pass
5240	22.36	0.1722	30.00	1.0000	Pass
5260	13.71	0.0235	24.00	0.2500	Pass
5300	14.13	0.0259	24.00	0.2500	Pass
5320	17.78	0.0600	24.00	0.2500	Pass
5500	14.63	0.0290	24.00	0.2500	Pass
5580	13.68	0.0233	24.00	0.2500	Pass
5700	15.03	0.0318	24.00	0.2500	Pass
5745	24.21	0.2636	30.00	1.0000	Pass
5785	23.94	0.2477	30.00	1.0000	Pass
5825	24.01	0.2518	30.00	1.0000	Pass

Test Mode	IEEE 802.11a_ANT 2
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	20.39	0.1094	30.00	1.0000	Pass
5200	24.26	0.2667	30.00	1.0000	Pass
5240	22.24	0.1675	30.00	1.0000	Pass
5260	13.93	0.0247	24.00	0.2500	Pass
5300	14.48	0.0281	24.00	0.2500	Pass
5320	18.15	0.0653	24.00	0.2500	Pass
5500	14.31	0.0270	24.00	0.2500	Pass
5580	13.51	0.0224	24.00	0.2500	Pass
5700	14.21	0.0264	24.00	0.2500	Pass
5745	23.63	0.2307	30.00	1.0000	Pass
5785	23.76	0.2377	30.00	1.0000	Pass
5825	24.12	0.2582	30.00	1.0000	Pass

Test Mode	IEEE 802.11a_ANT 3
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	18.59	0.0723	30.00	1.0000	Pass
5200	22.84	0.1923	30.00	1.0000	Pass
5240	21.41	0.1384	30.00	1.0000	Pass
5260	12.53	0.0179	24.00	0.2500	Pass
5300	13.42	0.0220	24.00	0.2500	Pass
5320	16.64	0.0461	24.00	0.2500	Pass
5500	13.68	0.0233	24.00	0.2500	Pass
5580	12.66	0.0185	24.00	0.2500	Pass
5700	13.81	0.0240	24.00	0.2500	Pass
5745	23.18	0.2080	30.00	1.0000	Pass
5785	22.91	0.1954	30.00	1.0000	Pass
5825	23.15	0.2065	30.00	1.0000	Pass

Test Mode	IEEE 802.11a_ANT 4
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	20.22	0.1052	30.00	1.0000	Pass
5200	24.08	0.2559	30.00	1.0000	Pass
5240	22.15	0.1641	30.00	1.0000	Pass
5260	14.30	0.0269	24.00	0.2500	Pass
5300	14.85	0.0305	24.00	0.2500	Pass
5320	18.42	0.0695	24.00	0.2500	Pass
5500	14.26	0.0267	24.00	0.2500	Pass
5580	13.55	0.0226	24.00	0.2500	Pass
5700	15.02	0.0318	24.00	0.2500	Pass
5745	24.23	0.2649	30.00	1.0000	Pass
5785	24.16	0.2606	30.00	1.0000	Pass
5825	24.20	0.2630	30.00	1.0000	Pass

Test Mode	IEEE 802.11a_Total
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	25.86	0.3850	30.00	1.0000	Pass
5200	29.83	0.9609	30.00	1.0000	Pass
5240	28.08	0.6421	30.00	1.0000	Pass
5260	19.69	0.0930	24.00	0.2500	Pass
5300	20.27	0.1065	24.00	0.2500	Pass
5320	23.82	0.2409	24.00	0.2500	Pass
5500	20.25	0.1060	24.00	0.2500	Pass
5580	19.39	0.0869	24.00	0.2500	Pass
5700	20.57	0.1140	24.00	0.2500	Pass
5745	29.85	0.9671	30.00	1.0000	Pass
5785	29.74	0.9415	30.00	1.0000	Pass
5825	29.91	0.9796	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT20)_ANT 1
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	18.57	0.0719	30.00	1.0000	Pass
5200	18.22	0.0664	30.00	1.0000	Pass
5240	18.86	0.0769	30.00	1.0000	Pass
5260	12.49	0.0177	24.00	0.2500	Pass
5300	12.22	0.0167	24.00	0.2500	Pass
5320	12.15	0.0164	24.00	0.2500	Pass
5500	12.41	0.0174	24.00	0.2500	Pass
5580	12.29	0.0169	24.00	0.2500	Pass
5700	13.31	0.0214	24.00	0.2500	Pass
5745	24.15	0.2600	30.00	1.0000	Pass
5785	24.21	0.2636	30.00	1.0000	Pass
5825	24.16	0.2606	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT20)_ANT 2
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	17.24	0.0530	30.00	1.0000	Pass
5200	18.84	0.0766	30.00	1.0000	Pass
5240	19.02	0.0798	30.00	1.0000	Pass
5260	12.99	0.0199	24.00	0.2500	Pass
5300	12.62	0.0183	24.00	0.2500	Pass
5320	12.74	0.0188	24.00	0.2500	Pass
5500	12.38	0.0173	24.00	0.2500	Pass
5580	11.95	0.0157	24.00	0.2500	Pass
5700	12.42	0.0175	24.00	0.2500	Pass
5745	23.51	0.2244	30.00	1.0000	Pass
5785	23.81	0.2404	30.00	1.0000	Pass
5825	23.84	0.2421	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT20)_ANT 3
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	18.56	0.0718	30.00	1.0000	Pass
5200	17.42	0.0552	30.00	1.0000	Pass
5240	17.66	0.0583	30.00	1.0000	Pass
5260	12.03	0.0160	24.00	0.2500	Pass
5300	11.61	0.0145	24.00	0.2500	Pass
5320	11.07	0.0128	24.00	0.2500	Pass
5500	11.73	0.0149	24.00	0.2500	Pass
5580	10.82	0.0121	24.00	0.2500	Pass
5700	11.57	0.0144	24.00	0.2500	Pass
5745	23.05	0.2018	30.00	1.0000	Pass
5785	22.89	0.1945	30.00	1.0000	Pass
5825	22.88	0.1941	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT20)_ANT 4
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	18.07	0.0641	30.00	1.0000	Pass
5200	18.64	0.0731	30.00	1.0000	Pass
5240	19.15	0.0822	30.00	1.0000	Pass
5260	13.31	0.0214	24.00	0.2500	Pass
5300	13.33	0.0215	24.00	0.2500	Pass
5320	13.17	0.0207	24.00	0.2500	Pass
5500	11.91	0.0155	24.00	0.2500	Pass
5580	12.05	0.0160	24.00	0.2500	Pass
5700	12.85	0.0193	24.00	0.2500	Pass
5745	24.11	0.2576	30.00	1.0000	Pass
5785	23.99	0.2506	30.00	1.0000	Pass
5825	24.11	0.2576	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT20)_Total
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	24.16	0.2608	30.00	1.0000	Pass
5200	24.33	0.2713	30.00	1.0000	Pass
5240	24.73	0.2973	30.00	1.0000	Pass
5260	18.75	0.0750	24.00	0.2500	Pass
5300	18.51	0.0710	24.00	0.2500	Pass
5320	18.37	0.0687	24.00	0.2500	Pass
5500	18.14	0.0651	24.00	0.2500	Pass
5580	17.83	0.0607	24.00	0.2500	Pass
5700	18.60	0.0725	24.00	0.2500	Pass
5745	29.75	0.9439	30.00	1.0000	Pass
5785	29.77	0.9492	30.00	1.0000	Pass
5825	29.80	0.9544	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT40)_ANT 1
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5190	13.00	0.0200	30.00	1.0000	Pass
5230	21.66	0.1466	30.00	1.0000	Pass
5270	15.62	0.0365	24.00	0.2500	Pass
5310	11.51	0.0142	24.00	0.2500	Pass
5510	14.51	0.0282	24.00	0.2500	Pass
5550	14.41	0.0276	24.00	0.2500	Pass
5670	15.21	0.0332	24.00	0.2500	Pass
5755	21.82	0.1521	30.00	1.0000	Pass
5795	21.55	0.1429	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT40)_ANT 2
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5190	13.20	0.0209	30.00	1.0000	Pass
5230	21.44	0.1393	30.00	1.0000	Pass
5270	15.40	0.0347	24.00	0.2500	Pass
5310	11.78	0.0151	24.00	0.2500	Pass
5510	14.44	0.0278	24.00	0.2500	Pass
5550	14.57	0.0286	24.00	0.2500	Pass
5670	14.41	0.0276	24.00	0.2500	Pass
5755	21.11	0.1291	30.00	1.0000	Pass
5795	21.31	0.1352	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT40)_ANT 3
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5190	12.58	0.0181	30.00	1.0000	Pass
5230	20.02	0.1005	30.00	1.0000	Pass
5270	14.92	0.0310	24.00	0.2500	Pass
5310	10.44	0.0111	24.00	0.2500	Pass
5510	13.31	0.0214	24.00	0.2500	Pass
5550	13.36	0.0217	24.00	0.2500	Pass
5670	14.11	0.0258	24.00	0.2500	Pass
5755	20.51	0.1125	30.00	1.0000	Pass
5795	20.11	0.1026	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT40)_ANT 4
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5190	13.05	0.0202	30.00	1.0000	Pass
5230	21.59	0.1442	30.00	1.0000	Pass
5270	15.66	0.0368	24.00	0.2500	Pass
5310	11.99	0.0158	24.00	0.2500	Pass
5510	14.21	0.0264	24.00	0.2500	Pass
5550	14.28	0.0268	24.00	0.2500	Pass
5670	14.79	0.0301	24.00	0.2500	Pass
5755	21.66	0.1466	30.00	1.0000	Pass
5795	21.59	0.1442	30.00	1.0000	Pass

Test Mode	IEEE 802.11n (HT40)_Total
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5190	18.98	0.0791	30.00	1.0000	Pass
5230	27.25	0.5305	30.00	1.0000	Pass
5270	21.43	0.1390	24.00	0.2500	Pass
5310	17.49	0.0561	24.00	0.2500	Pass
5510	20.16	0.1038	24.00	0.2500	Pass
5550	20.20	0.1047	24.00	0.2500	Pass
5670	20.67	0.1167	24.00	0.2500	Pass
5755	27.33	0.5402	30.00	1.0000	Pass
5795	27.20	0.5249	30.00	1.0000	Pass



Test Mode	IEEE 802.11ac (VHT20)_ANT 1
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	18.53	0.0713	30.00	1.0000	Pass
5200	18.40	0.0692	30.00	1.0000	Pass
5240	18.83	0.0764	30.00	1.0000	Pass
5260	12.51	0.0178	24.00	0.2500	Pass
5300	12.62	0.0183	24.00	0.2500	Pass
5320	12.52	0.0179	24.00	0.2500	Pass
5500	12.26	0.0168	24.00	0.2500	Pass
5580	12.13	0.0163	24.00	0.2500	Pass
5700	13.15	0.0207	24.00	0.2500	Pass
5745	24.20	0.2630	30.00	1.0000	Pass
5785	24.17	0.2612	30.00	1.0000	Pass
5825	24.23	0.2649	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT20)_ANT 2
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	17.93	0.0621	30.00	1.0000	Pass
5200	18.47	0.0703	30.00	1.0000	Pass
5240	19.05	0.0804	30.00	1.0000	Pass
5260	13.01	0.0200	24.00	0.2500	Pass
5300	12.71	0.0187	24.00	0.2500	Pass
5320	12.62	0.0183	24.00	0.2500	Pass
5500	12.10	0.0162	24.00	0.2500	Pass
5580	11.96	0.0157	24.00	0.2500	Pass
5700	12.47	0.0177	24.00	0.2500	Pass
5745	23.54	0.2259	30.00	1.0000	Pass
5785	23.64	0.2312	30.00	1.0000	Pass
5825	23.99	0.2506	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT20)_ANT 3
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	18.72	0.0745	30.00	1.0000	Pass
5200	18.09	0.0644	30.00	1.0000	Pass
5240	17.96	0.0625	30.00	1.0000	Pass
5260	11.97	0.0157	24.00	0.2500	Pass
5300	11.53	0.0142	24.00	0.2500	Pass
5320	11.81	0.0152	24.00	0.2500	Pass
5500	11.48	0.0141	24.00	0.2500	Pass
5580	11.21	0.0132	24.00	0.2500	Pass
5700	11.85	0.0153	24.00	0.2500	Pass
5745	23.25	0.2113	30.00	1.0000	Pass
5785	23.51	0.2244	30.00	1.0000	Pass
5825	23.32	0.2148	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT20)_ANT 4
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	18.61	0.0726	30.00	1.0000	Pass
5200	18.71	0.0743	30.00	1.0000	Pass
5240	19.13	0.0818	30.00	1.0000	Pass
5260	13.54	0.0226	24.00	0.2500	Pass
5300	13.45	0.0221	24.00	0.2500	Pass
5320	13.19	0.0208	24.00	0.2500	Pass
5500	12.07	0.0161	24.00	0.2500	Pass
5580	12.13	0.0163	24.00	0.2500	Pass
5700	13.09	0.0204	24.00	0.2500	Pass
5745	24.10	0.2570	30.00	1.0000	Pass
5785	24.08	0.2559	30.00	1.0000	Pass
5825	24.19	0.2624	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT20)_Total
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	24.48	0.2805	30.00	1.0000	Pass
5200	24.44	0.2782	30.00	1.0000	Pass
5240	24.79	0.3011	30.00	1.0000	Pass
5260	18.82	0.0762	24.00	0.2500	Pass
5300	18.65	0.0733	24.00	0.2500	Pass
5320	18.58	0.0722	24.00	0.2500	Pass
5500	18.01	0.0632	24.00	0.2500	Pass
5580	17.89	0.0616	24.00	0.2500	Pass
5700	18.69	0.0740	24.00	0.2500	Pass
5745	29.81	0.9574	30.00	1.0000	Pass
5785	29.88	0.9727	30.00	1.0000	Pass
5825	29.97	0.9927	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT40)_ANT 1
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5190	13.03	0.0201	30.00	1.0000	Pass
5230	21.64	0.1459	30.00	1.0000	Pass
5270	15.44	0.0350	24.00	0.2500	Pass
5310	11.82	0.0152	24.00	0.2500	Pass
5510	14.57	0.0286	24.00	0.2500	Pass
5550	14.25	0.0266	24.00	0.2500	Pass
5670	15.24	0.0334	24.00	0.2500	Pass
5755	21.75	0.1496	30.00	1.0000	Pass
5795	21.88	0.1542	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT40)_ANT 2
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5190	13.12	0.0205	30.00	1.0000	Pass
5230	21.21	0.1321	30.00	1.0000	Pass
5270	15.44	0.0350	24.00	0.2500	Pass
5310	11.43	0.0139	24.00	0.2500	Pass
5510	14.46	0.0279	24.00	0.2500	Pass
5550	14.80	0.0302	24.00	0.2500	Pass
5670	14.48	0.0281	24.00	0.2500	Pass
5755	21.21	0.1321	30.00	1.0000	Pass
5795	21.34	0.1361	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT40)_ANT 3
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5190	12.74	0.0188	30.00	1.0000	Pass
5230	20.57	0.1140	30.00	1.0000	Pass
5270	15.06	0.0321	24.00	0.2500	Pass
5310	10.66	0.0116	24.00	0.2500	Pass
5510	13.66	0.0232	24.00	0.2500	Pass
5550	13.43	0.0220	24.00	0.2500	Pass
5670	14.15	0.0260	24.00	0.2500	Pass
5755	20.52	0.1127	30.00	1.0000	Pass
5795	20.45	0.1109	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT40)_ANT 4
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5190	13.15	0.0207	30.00	1.0000	Pass
5230	21.60	0.1445	30.00	1.0000	Pass
5270	15.77	0.0378	24.00	0.2500	Pass
5310	11.94	0.0156	24.00	0.2500	Pass
5510	14.27	0.0267	24.00	0.2500	Pass
5550	14.16	0.0261	24.00	0.2500	Pass
5670	14.95	0.0313	24.00	0.2500	Pass
5755	21.68	0.1472	30.00	1.0000	Pass
5795	21.66	0.1466	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT40)_Total
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5190	19.03	0.0800	30.00	1.0000	Pass
5230	27.30	0.5366	30.00	1.0000	Pass
5270	21.46	0.1398	24.00	0.2500	Pass
5310	17.51	0.0564	24.00	0.2500	Pass
5510	20.27	0.1065	24.00	0.2500	Pass
5550	20.21	0.1049	24.00	0.2500	Pass
5670	20.75	0.1187	24.00	0.2500	Pass
5755	27.34	0.5417	30.00	1.0000	Pass
5795	27.39	0.5478	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT80)_ANT 1
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5210	12.66	0.0185	30.00	1.0000	Pass
5290	10.51	0.0112	24.00	0.2500	Pass
5530	11.51	0.0142	24.00	0.2500	Pass
5610	18.52	0.0711	24.00	0.2500	Pass
5775	17.01	0.0502	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT80)_ANT 2
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5210	12.54	0.0179	30.00	1.0000	Pass
5290	10.65	0.0116	24.00	0.2500	Pass
5530	11.64	0.0146	24.00	0.2500	Pass
5610	17.59	0.0574	24.00	0.2500	Pass
5775	16.34	0.0431	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT80)_ANT 3
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5210	12.04	0.0160	30.00	1.0000	Pass
5290	9.78	0.0095	24.00	0.2500	Pass
5530	10.21	0.0105	24.00	0.2500	Pass
5610	17.26	0.0532	24.00	0.2500	Pass
5775	15.74	0.0375	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT80)_ANT 4
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5210	12.91	0.0195	30.00	1.0000	Pass
5290	10.92	0.0124	24.00	0.2500	Pass
5530	11.38	0.0137	24.00	0.2500	Pass
5610	18.11	0.0647	24.00	0.2500	Pass
5775	16.82	0.0481	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT80)_Total
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5210	18.57	0.0719	30.00	1.0000	Pass
5290	16.51	0.0447	24.00	0.2500	Pass
5530	17.24	0.0530	24.00	0.2500	Pass
5610	23.92	0.2465	24.00	0.2500	Pass
5775	22.53	0.1789	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT160)_ANT 1
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5250	12.35	0.0172	24.00	0.2500	Pass
5570	12.19	0.0166	24.00	0.2500	Pass

Test Mode	IEEE 802.11ac (VHT80)_ANT 2
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5250	12.10	0.0162	24.00	0.2500	Pass
5570	12.08	0.0161	24.00	0.2500	Pass

Test Mode	IEEE 802.11ac (VHT80)_ANT 3
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5250	11.48	0.0141	24.00	0.2500	Pass
5570	11.08	0.0128	24.00	0.2500	Pass

Test Mode	IEEE 802.11ac (VHT80)_ANT 4
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5250	12.69	0.0186	24.00	0.2500	Pass
5570	12.59	0.0182	24.00	0.2500	Pass

Test Mode	IEEE 802.11ac (VHT80)_Total
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5250	18.20	0.0660	24.00	0.2500	Pass
5570	18.04	0.0637	24.00	0.2500	Pass



Test Mode	IEEE 802.11ax (HEW20)_ANT 1
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	18.90	0.0776	30.00	1.0000	Pass
5200	19.44	0.0879	30.00	1.0000	Pass
5240	19.77	0.0948	30.00	1.0000	Pass
5260	12.88	0.0194	24.00	0.2500	Pass
5300	13.56	0.0227	24.00	0.2500	Pass
5320	13.24	0.0211	24.00	0.2500	Pass
5500	14.02	0.0252	24.00	0.2500	Pass
5580	13.94	0.0248	24.00	0.2500	Pass
5700	14.78	0.0301	24.00	0.2500	Pass
5745	22.65	0.1841	30.00	1.0000	Pass
5785	22.56	0.1803	30.00	1.0000	Pass
5825	22.40	0.1738	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HEW20)_ANT 2
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	19.40	0.0871	30.00	1.0000	Pass
5200	19.57	0.0906	30.00	1.0000	Pass
5240	20.09	0.1021	30.00	1.0000	Pass
5260	13.20	0.0209	24.00	0.2500	Pass
5300	13.47	0.0222	24.00	0.2500	Pass
5320	13.63	0.0231	24.00	0.2500	Pass
5500	13.68	0.0233	24.00	0.2500	Pass
5580	13.83	0.0242	24.00	0.2500	Pass
5700	14.04	0.0254	24.00	0.2500	Pass
5745	22.15	0.1641	30.00	1.0000	Pass
5785	22.36	0.1722	30.00	1.0000	Pass
5825	22.13	0.1633	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HEW20)_ANT 3
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	18.63	0.0729	30.00	1.0000	Pass
5200	18.94	0.0783	30.00	1.0000	Pass
5240	19.11	0.0815	30.00	1.0000	Pass
5260	12.07	0.0161	24.00	0.2500	Pass
5300	12.51	0.0178	24.00	0.2500	Pass
5320	12.01	0.0159	24.00	0.2500	Pass
5500	12.61	0.0182	24.00	0.2500	Pass
5580	12.70	0.0186	24.00	0.2500	Pass
5700	13.45	0.0221	24.00	0.2500	Pass
5745	21.07	0.1279	30.00	1.0000	Pass
5785	20.75	0.1189	30.00	1.0000	Pass
5825	21.04	0.1271	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HEW20)_ANT 4
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	19.34	0.0859	30.00	1.0000	Pass
5200	19.75	0.0944	30.00	1.0000	Pass
5240	20.38	0.1091	30.00	1.0000	Pass
5260	13.84	0.0242	24.00	0.2500	Pass
5300	14.44	0.0278	24.00	0.2500	Pass
5320	14.01	0.0252	24.00	0.2500	Pass
5500	13.92	0.0247	24.00	0.2500	Pass
5580	13.80	0.0240	24.00	0.2500	Pass
5700	14.72	0.0296	24.00	0.2500	Pass
5745	22.51	0.1782	30.00	1.0000	Pass
5785	22.54	0.1795	30.00	1.0000	Pass
5825	22.49	0.1774	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HEW20)_Total
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	25.10	0.3236	30.00	1.0000	Pass
5200	25.46	0.3512	30.00	1.0000	Pass
5240	25.88	0.3876	30.00	1.0000	Pass
5260	19.06	0.0806	24.00	0.2500	Pass
5300	19.57	0.0906	24.00	0.2500	Pass
5320	19.31	0.0852	24.00	0.2500	Pass
5500	19.61	0.0915	24.00	0.2500	Pass
5580	19.62	0.0915	24.00	0.2500	Pass
5700	20.30	0.1072	24.00	0.2500	Pass
5745	28.16	0.6543	30.00	1.0000	Pass
5785	28.13	0.6508	30.00	1.0000	Pass
5825	28.07	0.6416	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HEW40)_ANT 1
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5190	16.46	0.0443	30.00	1.0000	Pass
5230	21.70	0.1479	30.00	1.0000	Pass
5270	16.16	0.0413	24.00	0.2500	Pass
5310	14.45	0.0279	24.00	0.2500	Pass
5510	15.65	0.0367	24.00	0.2500	Pass
5550	14.92	0.0310	24.00	0.2500	Pass
5670	16.35	0.0432	24.00	0.2500	Pass
5755	22.07	0.1611	30.00	1.0000	Pass
5795	21.92	0.1556	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HEW40)_ANT 2
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5190	16.16	0.0413	30.00	1.0000	Pass
5230	20.79	0.1199	30.00	1.0000	Pass
5270	16.00	0.0398	24.00	0.2500	Pass
5310	11.79	0.0151	24.00	0.2500	Pass
5510	15.21	0.0332	24.00	0.2500	Pass
5550	15.11	0.0324	24.00	0.2500	Pass
5670	15.14	0.0327	24.00	0.2500	Pass
5755	21.37	0.1371	30.00	1.0000	Pass
5795	21.59	0.1442	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HEW40)_ANT 3
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5190	15.33	0.0341	30.00	1.0000	Pass
5230	19.91	0.0979	30.00	1.0000	Pass
5270	14.93	0.0311	24.00	0.2500	Pass
5310	11.32	0.0136	24.00	0.2500	Pass
5510	14.26	0.0267	24.00	0.2500	Pass
5550	14.14	0.0259	24.00	0.2500	Pass
5670	14.63	0.0290	24.00	0.2500	Pass
5755	20.13	0.1030	30.00	1.0000	Pass
5795	20.87	0.1222	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HEW40)_ANT 4
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5190	16.49	0.0446	30.00	1.0000	Pass
5230	21.64	0.1459	30.00	1.0000	Pass
5270	16.18	0.0415	24.00	0.2500	Pass
5310	12.63	0.0183	24.00	0.2500	Pass
5510	15.06	0.0321	24.00	0.2500	Pass
5550	14.75	0.0299	24.00	0.2500	Pass
5670	15.84	0.0384	24.00	0.2500	Pass
5755	22.01	0.1589	30.00	1.0000	Pass
5795	21.77	0.1503	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HEW40)_Total
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5190	22.16	0.1642	30.00	1.0000	Pass
5230	27.09	0.5117	30.00	1.0000	Pass
5270	21.87	0.1537	24.00	0.2500	Pass
5310	18.74	0.0748	24.00	0.2500	Pass
5510	21.09	0.1286	24.00	0.2500	Pass
5550	20.77	0.1193	24.00	0.2500	Pass
5670	21.56	0.1432	24.00	0.2500	Pass
5755	27.48	0.5600	30.00	1.0000	Pass
5795	27.58	0.5723	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HEW80)_ANT 1
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5210	13.05	0.0202	30.00	1.0000	Pass
5290	12.07	0.0161	24.00	0.2500	Pass
5530	15.01	0.0317	24.00	0.2500	Pass
5610	14.08	0.0256	24.00	0.2500	Pass
5775	19.90	0.0977	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HEW80)_ANT 2
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5210	12.81	0.0191	30.00	1.0000	Pass
5290	11.54	0.0143	24.00	0.2500	Pass
5530	15.04	0.0319	24.00	0.2500	Pass
5610	13.16	0.0207	24.00	0.2500	Pass
5775	18.88	0.0773	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HEW80)_ANT 3
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5210	11.91	0.0155	30.00	1.0000	Pass
5290	10.72	0.0118	24.00	0.2500	Pass
5530	14.16	0.0261	24.00	0.2500	Pass
5610	12.65	0.0184	24.00	0.2500	Pass
5775	18.40	0.0692	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HEW80)_ANT 4
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5210	12.99	0.0199	30.00	1.0000	Pass
5290	11.92	0.0156	24.00	0.2500	Pass
5530	14.94	0.0312	24.00	0.2500	Pass
5610	13.61	0.0230	24.00	0.2500	Pass
5775	19.62	0.0916	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HEW80)_Total
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5210	18.73	0.0747	30.00	1.0000	Pass
5290	17.61	0.0577	24.00	0.2500	Pass
5530	20.82	0.1209	24.00	0.2500	Pass
5610	19.43	0.0877	24.00	0.2500	Pass
5775	25.26	0.3358	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HEW160)_ANT 1
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5250	12.28	0.0169	24.00	0.2500	Pass
5570	12.53	0.0179	24.00	0.2500	Pass

Test Mode	IEEE 802.11ax (HEW80)_ANT 2
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5250	12.27	0.0169	24.00	0.2500	Pass
5570	13.68	0.0233	24.00	0.2500	Pass

Test Mode	IEEE 802.11ax (HEW80)_ANT 3
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5250	11.36	0.0137	24.00	0.2500	Pass
5570	12.38	0.0173	24.00	0.2500	Pass

Test Mode	IEEE 802.11ax (HEW80)_ANT 4
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5250	13.04	0.0201	24.00	0.2500	Pass
5570	14.06	0.0255	24.00	0.2500	Pass

Test Mode	IEEE 802.11ax (HEW80)_Total
Tested Date	2020/6/29

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5250	18.30	0.0676	24.00	0.2500	Pass
5570	19.24	0.0840	24.00	0.2500	Pass



Test Mode	Beamforming mode
-----------	------------------

Test Mode	IEEE 802.11ac (VHT20)_ANT 1
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	16.91	0.0491	25.98	0.3963	Pass
5200	17.10	0.0513	25.98	0.3963	Pass
5240	17.39	0.0548	25.98	0.3963	Pass
5260	11.52	0.0142	19.98	0.0995	Pass
5300	11.15	0.0130	19.98	0.0995	Pass
5320	11.13	0.0130	19.98	0.0995	Pass
5500	11.45	0.0140	19.98	0.0995	Pass
5580	11.31	0.0135	19.98	0.0995	Pass
5700	11.62	0.0145	19.98	0.0995	Pass
5745	20.05	0.1012	25.98	0.3963	Pass
5785	20.17	0.1040	25.98	0.3963	Pass
5825	19.78	0.0951	25.98	0.3963	Pass

Test Mode	IEEE 802.11ac (VHT20)_ANT 2
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	16.96	0.0497	25.98	0.3963	Pass
5200	17.31	0.0538	25.98	0.3963	Pass
5240	17.38	0.0547	25.98	0.3963	Pass
5260	11.96	0.0157	19.98	0.0995	Pass
5300	11.58	0.0144	19.98	0.0995	Pass
5320	11.97	0.0157	19.98	0.0995	Pass
5500	11.49	0.0141	19.98	0.0995	Pass
5580	11.28	0.0134	19.98	0.0995	Pass
5700	10.72	0.0118	19.98	0.0995	Pass
5745	19.88	0.0973	25.98	0.3963	Pass
5785	19.41	0.0873	25.98	0.3963	Pass
5825	19.51	0.0893	25.98	0.3963	Pass

Test Mode	IEEE 802.11ac (VHT20)_ANT 3
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	16.25	0.0422	25.98	0.3963	Pass
5200	16.43	0.0440	25.98	0.3963	Pass
5240	16.63	0.0460	25.98	0.3963	Pass
5260	10.69	0.0117	19.98	0.0995	Pass
5300	10.53	0.0113	19.98	0.0995	Pass
5320	10.47	0.0111	19.98	0.0995	Pass
5500	10.59	0.0115	19.98	0.0995	Pass
5580	10.15	0.0104	19.98	0.0995	Pass
5700	10.75	0.0119	19.98	0.0995	Pass
5745	18.63	0.0729	25.98	0.3963	Pass
5785	19.12	0.0817	25.98	0.3963	Pass
5825	18.94	0.0783	25.98	0.3963	Pass

Test Mode	IEEE 802.11ac (VHT20)_ANT 4
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	17.14	0.0518	25.98	0.3963	Pass
5200	17.48	0.0560	25.98	0.3963	Pass
5240	17.71	0.0590	25.98	0.3963	Pass
5260	12.23	0.0167	19.98	0.0995	Pass
5300	12.32	0.0171	19.98	0.0995	Pass
5320	12.27	0.0169	19.98	0.0995	Pass
5500	11.49	0.0141	19.98	0.0995	Pass
5580	11.40	0.0138	19.98	0.0995	Pass
5700	11.95	0.0157	19.98	0.0995	Pass
5745	20.51	0.1125	25.98	0.3963	Pass
5785	20.31	0.1074	25.98	0.3963	Pass
5825	20.26	0.1062	25.98	0.3963	Pass

Test Mode	IEEE 802.11ac (VHT20)_Total
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	22.85	0.1927	25.98	0.3963	Pass
5200	23.12	0.2050	25.98	0.3963	Pass
5240	23.32	0.2146	25.98	0.3963	Pass
5260	17.66	0.0583	19.98	0.0995	Pass
5300	17.46	0.0558	19.98	0.0995	Pass
5320	17.54	0.0567	19.98	0.0995	Pass
5500	17.29	0.0536	19.98	0.0995	Pass
5580	17.08	0.0511	19.98	0.0995	Pass
5700	17.31	0.0539	19.98	0.0995	Pass
5745	25.84	0.3838	25.98	0.3963	Pass
5785	25.80	0.3803	25.98	0.3963	Pass
5825	25.67	0.3689	25.98	0.3963	Pass

Test Mode	IEEE 802.11ac (VHT40)_ANT 1
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5190	14.27	0.0267	25.98	0.3963	Pass
5230	16.83	0.0482	25.98	0.3963	Pass
5270	11.72	0.0149	19.98	0.0995	Pass
5310	11.48	0.0141	19.98	0.0995	Pass
5510	10.51	0.0112	19.98	0.0995	Pass
5550	10.34	0.0108	19.98	0.0995	Pass
5670	10.89	0.0123	19.98	0.0995	Pass
5755	19.91	0.0979	25.98	0.3963	Pass
5795	20.47	0.1114	25.98	0.3963	Pass

Test Mode	IEEE 802.11ac (VHT40)_ANT 2
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5190	13.68	0.0233	25.98	0.3963	Pass
5230	16.73	0.0471	25.98	0.3963	Pass
5270	11.87	0.0154	19.98	0.0995	Pass
5310	12.21	0.0166	19.98	0.0995	Pass
5510	10.58	0.0114	19.98	0.0995	Pass
5550	10.25	0.0106	19.98	0.0995	Pass
5670	10.22	0.0105	19.98	0.0995	Pass
5755	19.63	0.0918	25.98	0.3963	Pass
5795	19.78	0.0951	25.98	0.3963	Pass

Test Mode	IEEE 802.11ac (VHT40)_ANT 3
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5190	12.59	0.0182	25.98	0.3963	Pass
5230	15.97	0.0395	25.98	0.3963	Pass
5270	10.95	0.0124	19.98	0.0995	Pass
5310	10.83	0.0121	19.98	0.0995	Pass
5510	10.27	0.0106	19.98	0.0995	Pass
5550	9.44	0.0088	19.98	0.0995	Pass
5670	10.09	0.0102	19.98	0.0995	Pass
5755	18.60	0.0724	25.98	0.3963	Pass
5795	19.13	0.0818	25.98	0.3963	Pass

Test Mode	IEEE 802.11ac (VHT40)_ANT 4
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5190	13.78	0.0239	25.98	0.3963	Pass
5230	17.06	0.0508	25.98	0.3963	Pass
5270	12.24	0.0167	19.98	0.0995	Pass
5310	12.20	0.0166	19.98	0.0995	Pass
5510	10.66	0.0116	19.98	0.0995	Pass
5550	10.39	0.0109	19.98	0.0995	Pass
5670	10.88	0.0122	19.98	0.0995	Pass
5755	20.12	0.1028	25.98	0.3963	Pass
5795	19.96	0.0991	25.98	0.3963	Pass

Test Mode	IEEE 802.11ac (VHT40)_Total
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5190	19.64	0.0921	25.98	0.3963	Pass
5230	22.69	0.1856	25.98	0.3963	Pass
5270	17.74	0.0594	19.98	0.0995	Pass
5310	17.74	0.0594	19.98	0.0995	Pass
5510	16.53	0.0450	19.98	0.0995	Pass
5550	16.14	0.0411	19.98	0.0995	Pass
5670	16.56	0.0452	19.98	0.0995	Pass
5755	25.62	0.3650	25.98	0.3963	Pass
5795	25.88	0.3874	25.98	0.3963	Pass

Test Mode	IEEE 802.11ac (VHT80)_ANT 1
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5210	14.04	0.0254	25.98	0.3963	Pass
5290	9.68	0.0093	19.98	0.0995	Pass
5530	11.31	0.0135	19.98	0.0995	Pass
5610	10.72	0.0118	19.98	0.0995	Pass
5775	17.01	0.0502	25.98	0.3963	Pass

Test Mode	IEEE 802.11ac (VHT80)_ANT 2
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5210	12.92	0.0196	25.98	0.3963	Pass
5290	10.04	0.0101	19.98	0.0995	Pass
5530	11.51	0.0142	19.98	0.0995	Pass
5610	10.08	0.0102	19.98	0.0995	Pass
5775	15.83	0.0383	25.98	0.3963	Pass

Test Mode	IEEE 802.11ac (VHT80)_ANT 3
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5210	12.51	0.0178	25.98	0.3963	Pass
5290	9.21	0.0083	19.98	0.0995	Pass
5530	10.32	0.0108	19.98	0.0995	Pass
5610	9.72	0.0094	19.98	0.0995	Pass
5775	15.55	0.0359	25.98	0.3963	Pass

Test Mode	IEEE 802.11ac (VHT80)_ANT 4
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5210	13.69	0.0234	25.98	0.3963	Pass
5290	10.24	0.0106	19.98	0.0995	Pass
5530	10.76	0.0119	19.98	0.0995	Pass
5610	10.36	0.0109	19.98	0.0995	Pass
5775	16.51	0.0448	25.98	0.3963	Pass

Test Mode	IEEE 802.11ac (VHT80)_Total
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5210	19.35	0.0862	25.98	0.3963	Pass
5290	15.83	0.0383	19.98	0.0995	Pass
5530	17.02	0.0504	19.98	0.0995	Pass
5610	16.26	0.0422	19.98	0.0995	Pass
5775	22.28	0.1692	25.98	0.3963	Pass

Test Mode	IEEE 802.11ac (VHT160)_ANT 1
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5250	10.41	0.0110	19.98	0.0995	Pass
5570	13.85	0.0243	19.98	0.0995	Pass

Test Mode	IEEE 802.11ac (VHT80)_ANT 2
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5250	10.72	0.0118	19.98	0.0995	Pass
5570	13.51	0.0224	19.98	0.0995	Pass

Test Mode	IEEE 802.11ac (VHT80)_ANT 3
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5250	9.57	0.0091	19.98	0.0995	Pass
5570	12.02	0.0159	19.98	0.0995	Pass

Test Mode	IEEE 802.11ac (VHT80)_ANT 4
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5250	10.83	0.0121	19.98	0.0995	Pass
5570	13.67	0.0233	19.98	0.0995	Pass

Test Mode	IEEE 802.11ac (VHT80)_Total
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5250	16.43	0.0440	19.98	0.0995	Pass
5570	19.34	0.0859	19.98	0.0995	Pass



Test Mode	IEEE 802.11ax (HEW20)_ANT 1
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	17.79	0.0601	25.98	0.3963	Pass
5200	17.56	0.0570	25.98	0.3963	Pass
5240	17.94	0.0622	25.98	0.3963	Pass
5260	12.36	0.0172	19.98	0.0995	Pass
5300	12.16	0.0164	19.98	0.0995	Pass
5320	12.17	0.0165	19.98	0.0995	Pass
5500	12.37	0.0173	19.98	0.0995	Pass
5580	12.29	0.0169	19.98	0.0995	Pass
5700	13.47	0.0222	19.98	0.0995	Pass
5745	20.17	0.1040	25.98	0.3963	Pass
5785	20.02	0.1005	25.98	0.3963	Pass
5825	20.21	0.1050	25.98	0.3963	Pass

Test Mode	IEEE 802.11ax (HEW20)_ANT 2
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	17.63	0.0579	25.98	0.3963	Pass
5200	17.71	0.0590	25.98	0.3963	Pass
5240	18.44	0.0698	25.98	0.3963	Pass
5260	12.38	0.0173	19.98	0.0995	Pass
5300	12.56	0.0180	19.98	0.0995	Pass
5320	12.51	0.0178	19.98	0.0995	Pass
5500	12.27	0.0169	19.98	0.0995	Pass
5580	12.12	0.0163	19.98	0.0995	Pass
5700	12.58	0.0181	19.98	0.0995	Pass
5745	19.66	0.0925	25.98	0.3963	Pass
5785	19.61	0.0914	25.98	0.3963	Pass
5825	19.73	0.0940	25.98	0.3963	Pass

Test Mode	IEEE 802.11ax (HEW20)_ANT 3
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	17.19	0.0524	25.98	0.3963	Pass
5200	17.05	0.0507	25.98	0.3963	Pass
5240	17.45	0.0556	25.98	0.3963	Pass
5260	11.49	0.0141	19.98	0.0995	Pass
5300	11.67	0.0147	19.98	0.0995	Pass
5320	11.56	0.0143	19.98	0.0995	Pass
5500	11.91	0.0155	19.98	0.0995	Pass
5580	11.29	0.0135	19.98	0.0995	Pass
5700	12.26	0.0168	19.98	0.0995	Pass
5745	19.23	0.0838	25.98	0.3963	Pass
5785	19.04	0.0802	25.98	0.3963	Pass
5825	19.07	0.0807	25.98	0.3963	Pass

Test Mode	IEEE 802.11ax (HEW20)_ANT 4
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	18.05	0.0638	25.98	0.3963	Pass
5200	18.15	0.0653	25.98	0.3963	Pass
5240	18.48	0.0705	25.98	0.3963	Pass
5260	12.85	0.0193	19.98	0.0995	Pass
5300	12.99	0.0199	19.98	0.0995	Pass
5320	12.81	0.0191	19.98	0.0995	Pass
5500	12.13	0.0163	19.98	0.0995	Pass
5580	11.98	0.0158	19.98	0.0995	Pass
5700	13.44	0.0221	19.98	0.0995	Pass
5745	20.46	0.1112	25.98	0.3963	Pass
5785	20.02	0.1005	25.98	0.3963	Pass
5825	20.23	0.1054	25.98	0.3963	Pass

Test Mode	IEEE 802.11ax (HEW20)_Total
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5180	23.70	0.2342	25.98	0.3963	Pass
5200	23.66	0.2320	25.98	0.3963	Pass
5240	24.12	0.2581	25.98	0.3963	Pass
5260	18.32	0.0679	19.98	0.0995	Pass
5300	18.39	0.0691	19.98	0.0995	Pass
5320	18.31	0.0677	19.98	0.0995	Pass
5500	18.19	0.0660	19.98	0.0995	Pass
5580	17.96	0.0625	19.98	0.0995	Pass
5700	18.99	0.0793	19.98	0.0995	Pass
5745	25.93	0.3914	25.98	0.3963	Pass
5785	25.71	0.3725	25.98	0.3963	Pass
5825	25.86	0.3851	25.98	0.3963	Pass

Test Mode	IEEE 802.11ax (HEW40)_ANT 1
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5190	11.67	0.0147	25.98	0.3963	Pass
5230	18.50	0.0708	25.98	0.3963	Pass
5270	13.14	0.0206	19.98	0.0995	Pass
5310	12.94	0.0197	19.98	0.0995	Pass
5510	12.55	0.0180	19.98	0.0995	Pass
5550	12.63	0.0183	19.98	0.0995	Pass
5670	12.81	0.0191	19.98	0.0995	Pass
5755	17.57	0.0571	25.98	0.3963	Pass
5795	24.57	0.2864	25.98	0.3963	Pass

Test Mode	IEEE 802.11ax (HEW40)_ANT 2
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5190	11.61	0.0145	25.98	0.3963	Pass
5230	18.97	0.0789	25.98	0.3963	Pass
5270	13.05	0.0202	19.98	0.0995	Pass
5310	13.51	0.0224	19.98	0.0995	Pass
5510	12.26	0.0168	19.98	0.0995	Pass
5550	12.40	0.0174	19.98	0.0995	Pass
5670	11.70	0.0148	19.98	0.0995	Pass
5755	19.55	0.0902	25.98	0.3963	Pass
5795	19.17	0.0826	25.98	0.3963	Pass

Test Mode	IEEE 802.11ax (HEW40)_ANT 3
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5190	11.05	0.0127	25.98	0.3963	Pass
5230	17.78	0.0600	25.98	0.3963	Pass
5270	12.58	0.0181	19.98	0.0995	Pass
5310	12.49	0.0177	19.98	0.0995	Pass
5510	11.40	0.0138	19.98	0.0995	Pass
5550	11.35	0.0136	19.98	0.0995	Pass
5670	11.76	0.0150	19.98	0.0995	Pass
5755	18.89	0.0774	25.98	0.3963	Pass
5795	19.06	0.0805	25.98	0.3963	Pass

Test Mode	IEEE 802.11ax (HEW40)_ANT 4
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5190	11.81	0.0152	25.98	0.3963	Pass
5230	18.85	0.0767	25.98	0.3963	Pass
5270	12.99	0.0199	19.98	0.0995	Pass
5310	13.01	0.0200	19.98	0.0995	Pass
5510	11.81	0.0152	19.98	0.0995	Pass
5550	12.28	0.0169	19.98	0.0995	Pass
5670	13.05	0.0202	19.98	0.0995	Pass
5755	20.24	0.1057	25.98	0.3963	Pass
5795	19.97	0.0993	25.98	0.3963	Pass

Test Mode	IEEE 802.11ax (HEW40)_Total
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5190	17.57	0.0571	25.98	0.3963	Pass
5230	24.57	0.2864	25.98	0.3963	Pass
5270	18.97	0.0788	19.98	0.0995	Pass
5310	19.02	0.0799	19.98	0.0995	Pass
5510	18.05	0.0638	19.98	0.0995	Pass
5550	18.21	0.0663	19.98	0.0995	Pass
5670	18.39	0.0691	19.98	0.0995	Pass
5755	25.81	0.3809	25.98	0.3963	Pass
5795	25.65	0.3676	25.98	0.3963	Pass

Test Mode	IEEE 802.11ax (HEW80)_ANT 1
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5210	11.12	0.0129	25.98	0.3963	Pass
5290	10.83	0.0121	19.98	0.0995	Pass
5530	11.28	0.0134	19.98	0.0995	Pass
5610	12.48	0.0177	19.98	0.0995	Pass
5775	19.87	0.0971	25.98	0.3963	Pass

Test Mode	IEEE 802.11ax (HEW80)_ANT 2
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5210	10.83	0.0121	25.98	0.3963	Pass
5290	11.17	0.0131	19.98	0.0995	Pass
5530	11.02	0.0126	19.98	0.0995	Pass
5610	11.83	0.0152	19.98	0.0995	Pass
5775	18.95	0.0785	25.98	0.3963	Pass

Test Mode	IEEE 802.11ax (HEW80)_ANT 3
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5210	10.80	0.0120	25.98	0.3963	Pass
5290	9.83	0.0096	19.98	0.0995	Pass
5530	11.53	0.0142	19.98	0.0995	Pass
5610	11.16	0.0131	19.98	0.0995	Pass
5775	18.77	0.0753	25.98	0.3963	Pass

Test Mode	IEEE 802.11ax (HEW80)_ANT 4
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5210	11.76	0.0150	25.98	0.3963	Pass
5290	11.17	0.0131	19.98	0.0995	Pass
5530	11.25	0.0133	19.98	0.0995	Pass
5610	12.13	0.0163	19.98	0.0995	Pass
5775	19.97	0.0993	25.98	0.3963	Pass

Test Mode	IEEE 802.11ax (HEW80)_Total
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5210	17.17	0.0521	25.98	0.3963	Pass
5290	16.80	0.0479	19.98	0.0995	Pass
5530	17.29	0.0536	19.98	0.0995	Pass
5610	17.95	0.0623	19.98	0.0995	Pass
5775	25.44	0.3502	25.98	0.3963	Pass

Test Mode	IEEE 802.11ax (HEW160)_ANT 1
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5250	11.22	0.0132	19.98	0.0995	Pass
5570	11.05	0.0127	19.98	0.0995	Pass

Test Mode	IEEE 802.11ax (HEW80)_ANT 2
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5250	11.65	0.0146	19.98	0.0995	Pass
5570	10.73	0.0118	19.98	0.0995	Pass

Test Mode	IEEE 802.11ax (HEW80)_ANT 3
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5250	10.49	0.0112	19.98	0.0995	Pass
5570	9.56	0.0090	19.98	0.0995	Pass

Test Mode	IEEE 802.11ax (HEW80)_ANT 4
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5250	11.71	0.0148	19.98	0.0995	Pass
5570	11.36	0.0137	19.98	0.0995	Pass

Test Mode	IEEE 802.11ax (HEW80)_Total
Tested Date	2020/7/3

Test Frequency (MHz)	Maximum Conducted Power (dBm)	Maximum Conducted Power (W)	Maximum Limit (dBm)	Maximum Limit (W)	Result
5250	17.31	0.0539	19.98	0.0995	Pass
5570	16.75	0.0473	19.98	0.0995	Pass



## APPENDIX F POWER SPECTRAL DENSITY

Test Mode	Non-Beamforming mode
-----------	----------------------

Test Mode	IEEE 802.11a_ANT 1
-----------	--------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	4.10	2.92	7.02	12.98	Pass
5200	-2.99	2.92	-0.07	12.98	Pass
5240	4.44	2.92	7.36	12.98	Pass

