









Test Mode IEEE 802.11ax (HEW20)_ANT 2





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	6.37	0.53	6.90	12.98	Pass
5200	6.39	0.53	6.92	12.98	Pass
5240	6.29	0.53	6.82	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	0.10	0.53	0.63	6.98	Pass
5300	0.18	0.53	0.71	6.98	Pass
5320	0.32	0.53	0.85	6.98	Pass







Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	0.62	0.53	1.15	6.98	Pass
5580	0.48	0.53	1.01	6.98	Pass
5700	0.03	0.53	0.56	6.98	Pass







Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	6.15	3.14	0.53	3.67	25.98	Pass
5785	6.21	3.20	0.53	3.73	25.98	Pass
5825	6.48	3.47	0.53	4.00	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$







Test Mode	IEEE 802.11ax (HEW20)_ANT 3
-----------	-----------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	5.71	0.53	6.24	12.98	Pass
5200	5.84	0.53	6.37	12.98	Pass
5240	5.57	0.53	6.10	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	-0.51	0.53	0.02	6.98	Pass
5300	-0.10	0.53	0.43	6.98	Pass
5320	-0.78	0.53	-0.25	6.98	Pass







Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	-0.30	0.53	0.23	6.98	Pass
5580	-0.46	0.53	0.07	6.98	Pass
5700	-0.67	0.53	-0.14	6.98	Pass







Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	5.17	2.16	0.53	2.69	25.98	Pass
5785	4.68	1.67	0.53	2.20	25.98	Pass
5825	5.41	2.40	0.53	2.93	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$







Test Mode	IEEE 802.11ax (HEW20)_ANT 4
-----------	-----------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	6.31	0.53	6.84	12.98	Pass
5200	6.41	0.53	6.94	12.98	Pass
5240	6.86	0.53	7.39	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	1.09	0.53	1.62	6.98	Pass
5300	1.18	0.53	1.71	6.98	Pass
5320	0.89	0.53	1.42	6.98	Pass







Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	0.50	0.53	1.03	6.98	Pass
5580	0.78	0.53	1.31	6.98	Pass
5700	0.77	0.53	1.30	6.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	6.44	3.43	0.53	3.96	25.98	Pass
5785	6.74	3.73	0.53	4.26	25.98	Pass
5825	6.55	3.54	0.53	4.07	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$



Test Mode	IEEE 802.11ax (HEW20)_Total
-----------	-----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	12.77	12.98	Pass
5200	12.80	12.98	Pass
5240	12.84	12.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	6.74	6.98	Pass
5300	6.91	6.98	Pass
5320	6.74	6.98	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	6.89	6.98	Pass
5580	6.84	6.98	Pass
5700	6.76	6.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	9.61	25.98	Pass
5785	9.68	25.98	Pass
5825	9.73	25.98	Pass

Test Mode	IEEE 802.11ax (HEW40)_ANT 1
-----------	-----------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	1.37	1.00	2.37	12.98	Pass
5230	5.58	1.00	6.58	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	0.11	1.00	1.11	6.98	Pass
5310	-3.49	1.00	-2.49	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	0.19	1.00	1.19	6.98	Pass
5550	-0.14	1.00	0.86	6.98	Pass
5670	0.19	1.00	1.19	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	3.20	0.19	1.00	1.19	25.98	Pass
5795	3.26	0.25	1.00	1.25	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW40)_ANT 2
-----------	-----------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	1.09	1.00	2.09	12.98	Pass
5230	4.76	1.00	5.76	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	-0.08	1.00	0.92	6.98	Pass
5310	-3.39	1.00	-2.39	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	0.08	1.00	1.08	6.98	Pass
5550	0.21	1.00	1.21	6.98	Pass
5670	-0.93	1.00	0.07	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	2.71	-0.30	1.00	0.70	25.98	Pass
5795	2.69	-0.32	1.00	0.68	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW40)_ANT 3
-----------	-----------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	0.04	1.00	1.04	12.98	Pass
5230	3.99	1.00	4.99	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	-1.14	1.00	-0.14	6.98	Pass
5310	-4.47	1.00	-3.47	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	-0.95	1.00	0.05	6.98	Pass
5550	-1.15	1.00	-0.15	6.98	Pass
5670	-1.14	1.00	-0.14	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	1.22	-1.79	1.00	-0.79	25.98	Pass
5795	1.94	-1.07	1.00	-0.07	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW40)_ANT 4
-----------	-----------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	1.13	1.00	2.13	12.98	Pass
5230	5.49	1.00	6.49	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	0.01	1.00	1.01	6.98	Pass
5310	-4.50	1.00	-3.50	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	-0.10	1.00	0.90	6.98	Pass
5550	-0.60	1.00	0.40	6.98	Pass
5670	-0.01	1.00	0.99	6.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	3.24	0.23	1.00	1.23	25.98	Pass
5795	3.06	0.05	1.00	1.05	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$



Test Mode	IEEE 802.11ax (HEW40)_Total
-----------	-----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	7.96	12.98	Pass
5230	12.02	12.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	6.77	6.98	Pass
5310	3.09	6.98	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	6.85	6.98	Pass
5550	6.63	6.98	Pass
5670	6.59	6.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	6.68	25.98	Pass
5795	6.78	25.98	Pass

Test Mode	IEEE 802.11ax (HEW80)_ANT 1
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-5.77	0.70	-5.07	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-7.37	0.70	-6.67	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-3.06	0.70	-2.36	6.98	Pass
5610	-4.45	0.70	-3.75	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-1.68	-4.69	0.70	-3.99	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW80)_ANT 2
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-6.21	0.70	-5.51	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-7.31	0.70	-6.61	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-3.03	0.70	-2.33	6.98	Pass
5610	-5.30	0.70	-4.60	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-2.73	-5.74	0.70	-5.04	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW80)_ANT 3
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-6.61	0.70	-5.91	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-8.19	0.70	-7.49	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-4.16	0.70	-3.46	6.98	Pass
5610	-5.81	0.70	-5.11	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-3.61	-6.62	0.70	-5.92	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW80)_ANT 4
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-5.80	0.70	-5.10	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-7.07	0.70	-6.37	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-3.12	0.70	-2.42	6.98	Pass
5610	-4.96	0.70	-4.26	6.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-2.13	-5.14	0.70	-4.44	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$



Test Mode	IEEE 802.11ax (HEW80)_Total
-----------	-----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	0.63	12.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-0.75	6.98	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	3.40	6.98	Pass
5610	1.62	6.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	1.23	25.98	Pass

Test Mode	IEEE 802.11ax (HEW160)_ANT 1
-----------	------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-9.33	0.31	-9.02	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-6.70	0.31	-6.39	6.98	Pass




Test Mode	IEEE 802.11ax (HEW160)_ANT 2
-----------	------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-9.66	0.31	-9.35	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-5.97	0.31	-5.66	6.98	Pass




Test Mode	IEEE 802.11ax (HEW160)_ANT 3
-----------	------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-10.22	0.31	-9.91	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-7.58	0.31	-7.27	6.98	Pass




Test Mode	IEEE 802.11ax (HEW160)_ANT 4
-----------	------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-8.72	0.31	-8.41	6.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-6.08	0.31	-5.77	6.98	Pass



Test Mode	IEEE 802.11ax (HEW160)_Total
-----------	------------------------------





Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-3.12	6.98	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-0.21	6.98	Pass





Test Mode	Beamforming mode
-----------	------------------

Test Mode	IEEE 802.11ac (VHT20)_ANT 1
-----------	-----------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	6.15	1.06	7.21	12.98	Pass
5200	6.18	1.06	7.24	12.98	Pass
5240	5.76	1.06	6.82	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	-0.63	1.06	0.43	6.98	Pass
5300	-0.35	1.06	0.71	6.98	Pass
5320	-0.97	1.06	0.09	6.98	Pass







Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	-0.14	1.06	0.92	6.98	Pass
5580	-0.34	1.06	0.72	6.98	Pass
5700	-0.22	1.06	0.84	6.98	Pass







Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	5.35	2.34	1.06	3.40	25.98	Pass
5785	5.82	2.81	1.06	3.87	25.98	Pass
5825	5.14	2.13	1.06	3.19	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$







Test Mode	IEEE 802.11ac (VHT20)_ANT 2
-----------	-----------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	5.84	1.06	6.90	12.98	Pass
5200	5.92	1.06	6.98	12.98	Pass
5240	5.74	1.06	6.80	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	-0.19	1.06	0.87	6.98	Pass
5300	-0.02	1.06	1.04	6.98	Pass
5320	0.04	1.06	1.10	6.98	Pass







Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	0.18	1.06	1.24	6.98	Pass
5580	0.24	1.06	1.30	6.98	Pass
5700	-0.40	1.06	0.66	6.98	Pass







Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	5.54	2.53	1.06	3.59	25.98	Pass
5785	5.33	2.32	1.06	3.38	25.98	Pass
5825	5.40	2.39	1.06	3.45	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$







Test Mode	IEEE 802.11ac (VHT20)_ANT 3
-----------	-----------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	4.89	1.06	5.95	12.98	Pass
5200	4.99	1.06	6.05	12.98	Pass
5240	4.85	1.06	5.91	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	-1.22	1.06	-0.16	6.98	Pass
5300	-1.50	1.06	-0.44	6.98	Pass
5320	-0.94	1.06	0.12	6.98	Pass







Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	-0.71	1.06	0.35	6.98	Pass
5580	-1.13	1.06	-0.07	6.98	Pass
5700	-0.76	1.06	0.30	6.98	Pass







Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	4.64	1.63	1.06	2.69	25.98	Pass
5785	5.01	2.00	1.06	3.06	25.98	Pass
5825	4.43	1.42	1.06	2.48	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$







Test Mode	IEEE 802.11ac (VHT20)_ANT 4
-----------	-----------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	5.92	1.06	6.98	12.98	Pass
5200	6.06	1.06	7.12	12.98	Pass
5240	6.22	1.06	7.28	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	0.50	1.06	1.56	6.98	Pass
5300	0.45	1.06	1.51	6.98	Pass
5320	0.36	1.06	1.42	6.98	Pass







Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	-0.07	1.06	0.99	6.98	Pass
5580	0.41	1.06	1.47	6.98	Pass
5700	0.59	1.06	1.65	6.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	6.06	3.05	1.06	4.11	25.98	Pass
5785	6.03	3.02	1.06	4.08	25.98	Pass
5825	5.85	2.84	1.06	3.90	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$



Test Mode	IEEE 802.11ac (VHT20)_Total
-----------	-----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	12.80	12.98	Pass
5200	12.89	12.98	Pass
5240	12.75	12.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	6.74	6.98	Pass
5300	6.78	6.98	Pass
5320	6.74	6.98	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	6.91	6.98	Pass
5580	6.91	6.98	Pass
5700	6.91	6.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	9.50	25.98	Pass
5785	9.63	25.98	Pass
5825	9.30	25.98	Pass

Test Mode	IEEE 802.11ac (VHT40)_ANT 1
-----------	-----------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	4.68	2.26	6.94	12.98	Pass
5230	4.68	2.26	6.94	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	-1.90	2.26	0.36	6.98	Pass
5310	-1.48	2.26	0.78	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	-1.38	2.26	0.88	6.98	Pass
5550	-1.02	2.26	1.24	6.98	Pass
5670	-1.54	2.26	0.72	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	4.28	1.27	2.26	3.53	25.98	Pass
5795	5.26	2.25	2.26	4.51	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT40)_ANT 2
-----------	-----------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	4.80	2.26	7.06	12.98	Pass
5230	4.78	2.26	7.04	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	-0.99	2.26	1.27	6.98	Pass
5310	-0.83	2.26	1.43	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	-0.86	2.26	1.40	6.98	Pass
5550	-1.12	2.26	1.14	6.98	Pass
5670	-1.85	2.26	0.41	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	4.36	1.35	2.26	3.61	25.98	Pass
5795	5.17	2.16	2.26	4.42	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT40)_ANT 3
-----------	-----------------------------



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	3.72	2.26	5.98	12.98	Pass
5230	3.88	2.26	6.14	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	-1.79	2.26	0.47	6.98	Pass
5310	-1.89	2.26	0.37	6.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	-2.13	2.26	0.13	6.98	Pass
5550	-2.29	2.26	-0.03	6.98	Pass
5670	-2.19	2.26	0.07	6.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	2.49	-0.52	2.26	1.74	25.98	Pass
5795	4.54	1.53	2.26	3.79	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$

