



Test Mode	IEEE 802.11ac (VHT40)_ANT 4
-----------	-----------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	4.50	2.26	6.76	12.98	Pass
5230	4.79	2.26	7.05	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	-1.24	2.26	1.02	6.98	Pass
5310	-1.14	2.26	1.12	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	-1.03	2.26	1.23	6.98	Pass
5550	-0.97	2.26	1.29	6.98	Pass
5670	-0.82	2.26	1.44	6.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	5.18	2.17	2.26	4.43	25.98	Pass
5795	5.17	2.16	2.26	4.42	25.98	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$



Test Mode	IEEE 802.11ac (VHT40)_Total
-----------	-----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	12.73	12.98	Pass
5230	12.83	12.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	6.82	6.98	Pass
5310	6.97	6.98	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	6.96	6.98	Pass
5550	6.97	6.98	Pass
5670	6.71	6.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	9.46	25.98	Pass
5795	10.32	25.98	Pass

Test Mode	IEEE 802.11ac (VHT80)_ANT 1
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	2.72	1.90	4.62	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-2.42	1.90	-0.52	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-0.73	1.90	1.17	6.98	Pass
5610	-0.46	1.90	1.44	6.98	Pass






Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	2.11	-0.90	1.90	1.00	25.98	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT80)_ANT 2
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	1.34	1.90	3.24	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-2.42	1.90	-0.52	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-0.31	1.90	1.59	6.98	Pass
5610	-1.02	1.90	0.88	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	1.68	-1.33	1.90	0.57	25.98	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT80)_ANT 3
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	0.35	1.90	2.25	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-2.72	1.90	-0.82	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-1.98	1.90	-0.08	6.98	Pass
5610	-1.62	1.90	0.28	6.98	Pass






Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	0.52	-2.49	1.90	-0.59	25.98	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT80)_ANT 4
-----------	-----------------------------



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	1.56	1.90	3.46	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-3.00	1.90	-1.10	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-1.11	1.90	0.79	6.98	Pass
5610	-0.97	1.90	0.93	6.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	2.46	-0.55	1.90	1.35	25.98	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$



Test Mode	IEEE 802.11ac (VHT80)_Total
-----------	-----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	9.50	12.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	5.29	6.98	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	6.93	6.98	Pass
5610	6.93	6.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	6.67	25.98	Pass

Test Mode	IEEE 802.11ac (VHT160)_ANT 1
-----------	------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-2.35	0.97	-1.38	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	1.70	0.97	2.67	6.98	Pass






Test Mode	IEEE 802.11ac (VHT160)_ANT 2
-----------	------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-5.21	0.97	-4.24	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	2.47	0.97	3.44	6.98	Pass




Test Mode	IEEE 802.11ac (VHT160)_ANT 3
-----------	------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-4.57	0.97	-3.60	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	0.66	0.97	1.63	6.98	Pass




Test Mode	IEEE 802.11ac (VHT160)_ANT 4
-----------	------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-4.25	0.97	-3.28	6.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	2.69	0.97	3.66	6.98	Pass







Test Mode	IEEE 802.11ac (VHT160)_Total
-----------	------------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	3.03	6.98	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	8.94	6.98	Pass





Test Mode | IEEE 802.11ax (HEW20)\_ANT 1

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	6.65	0.53	7.18	12.98	Pass
5200	6.26	0.53	6.79	12.98	Pass
5240	6.35	0.53	6.88	12.98	Pass









Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	0.03	0.53	0.56	6.98	Pass
5300	0.15	0.53	0.68	6.98	Pass
5320	0.11	0.53	0.64	6.98	Pass







Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	0.70	0.53	1.23	6.98	Pass
5580	0.35	0.53	0.88	6.98	Pass
5700	0.62	0.53	1.15	6.98	Pass







Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	4.67	1.66	0.53	2.19	25.98	Pass
5785	4.65	1.64	0.53	2.17	25.98	Pass
5825	4.99	1.98	0.53	2.51	25.98	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$







Test Mode | IEEE 802.11ax (HEW20)\_ANT 2





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	6.39	0.53	6.92	12.98	Pass
5200	6.38	0.53	6.91	12.98	Pass
5240	6.26	0.53	6.79	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	0.60	0.53	1.13	6.98	Pass
5300	0.65	0.53	1.18	6.98	Pass
5320	0.65	0.53	1.18	6.98	Pass







Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	0.61	0.53	1.14	6.98	Pass
5580	0.43	0.53	0.96	6.98	Pass
5700	-0.09	0.53	0.44	6.98	Pass







Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	4.25	1.24	0.53	1.77	25.98	Pass
5785	4.23	1.22	0.53	1.75	25.98	Pass
5825	4.96	1.95	0.53	2.48	25.98	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$







Test Mode	IEEE 802.11ax (HEW20)_ANT 3
-----------	-----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	5.56	0.53	6.09	12.98	Pass
5200	5.73	0.53	6.26	12.98	Pass
5240	5.42	0.53	5.95	12.98	Pass









Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	-0.38	0.53	0.15	6.98	Pass
5300	-0.21	0.53	0.32	6.98	Pass
5320	-0.39	0.53	0.14	6.98	Pass







Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	-0.22	0.53	0.31	6.98	Pass
5580	-0.55	0.53	-0.02	6.98	Pass
5700	0.23	0.53	0.76	6.98	Pass







Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	3.59	0.58	0.53	1.11	25.98	Pass
5785	3.90	0.89	0.53	1.42	25.98	Pass
5825	4.04	1.03	0.53	1.56	25.98	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$







Test Mode	IEEE 802.11ax (HEW20)_ANT 4
-----------	-----------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	6.30	0.53	6.83	12.98	Pass
5200	6.12	0.53	6.65	12.98	Pass
5240	6.25	0.53	6.78	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	0.93	0.53	1.46	6.98	Pass
5300	1.00	0.53	1.53	6.98	Pass
5320	0.84	0.53	1.37	6.98	Pass







Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	0.39	0.53	0.92	6.98	Pass
5580	0.37	0.53	0.90	6.98	Pass
5700	0.44	0.53	0.97	6.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	4.85	1.84	0.53	2.37	25.98	Pass
5785	5.02	2.01	0.53	2.54	25.98	Pass
5825	5.14	2.13	0.53	2.66	25.98	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$



Test Mode	IEEE 802.11ax (HEW20)_Total
-----------	-----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	12.79	12.98	Pass
5200	12.68	12.98	Pass
5240	12.63	12.98	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	6.87	6.98	Pass
5300	6.97	6.98	Pass
5320	6.88	6.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	6.93	6.98	Pass
5580	6.72	6.98	Pass
5700	6.86	6.98	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	7.90	25.98	Pass
5785	8.01	25.98	Pass
5825	8.34	25.98	Pass





Test Mode	IEEE 802.11ax (HEW40)_ANT 1
-----------	-----------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	1.88	1.00	2.88	12.98	Pass
5230	6.12	1.00	7.12	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	0.20	1.00	1.20	6.98	Pass
5310	-0.40	1.00	0.60	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	0.37	1.00	1.37	6.98	Pass
5550	0.24	1.00	1.24	6.98	Pass
5670	0.11	1.00	1.11	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	5.05	2.04	1.00	3.04	25.98	Pass
5795	5.05	2.04	1.00	3.04	25.98	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW40)_ANT 2
-----------	-----------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	2.08	1.00	3.08	12.98	Pass
5230	5.89	1.00	6.89	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	-0.31	1.00	0.69	6.98	Pass
5310	0.23	1.00	1.23	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	-0.29	1.00	0.71	6.98	Pass
5550	0.25	1.00	1.25	6.98	Pass
5670	-0.88	1.00	0.12	6.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	4.51	1.50	1.00	2.50	25.98	Pass
5795	4.65	1.64	1.00	2.64	25.98	Pass


NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$









Test Mode	IEEE 802.11ax (HEW40)_ANT 3
-----------	-----------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	1.00	1.00	2.00	12.98	Pass
5230	4.94	1.00	5.94	12.98	Pass






Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	-0.38	1.00	0.62	6.98	Pass
5550	-1.59	1.00	-0.59	6.98	Pass
5670	-1.38	1.00	-0.38	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	4.61	1.60	1.00	2.60	25.98	Pass
5795	3.86	0.85	1.00	1.85	25.98	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW40)_ANT 4
-----------	-----------------------------





Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	1.69	1.00	2.69	12.98	Pass
5230	6.07	1.00	7.07	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	0.07	1.00	1.07	6.98	Pass
5310	-0.13	1.00	0.87	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	-0.14	1.00	0.86	6.98	Pass
5550	0.35	1.00	1.35	6.98	Pass
5670	0.49	1.00	1.49	6.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	5.36	2.35	1.00	3.35	25.98	Pass
5795	5.25	2.24	1.00	3.24	25.98	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$





Test Mode	IEEE 802.11ax (HEW40)_Total
-----------	-----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	8.70	12.98	Pass
5230	12.80	12.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	6.75	6.98	Pass
5310	6.67	6.98	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	6.92	6.98	Pass
5550	6.90	6.98	Pass
5670	6.67	6.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	8.91	25.98	Pass
5795	8.75	25.98	Pass

Test Mode	IEEE 802.11ax (HEW80)_ANT 1
-----------	-----------------------------



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-0.09	0.70	0.61	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-1.26	0.70	-0.56	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-0.18	0.70	0.52	6.98	Pass
5610	0.56	0.70	1.26	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	4.18	1.17	0.70	1.87	25.98	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW80)_ANT 2
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-0.58	0.70	0.12	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-0.81	0.70	-0.11	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	0.11	0.70	0.81	6.98	Pass
5610	-0.36	0.70	0.34	6.98	Pass






Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	3.76	0.75	0.70	1.45	25.98	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW80)_ANT 3
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-1.69	0.70	-0.99	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-1.95	0.70	-1.25	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-0.61	0.70	0.09	6.98	Pass
5610	-0.75	0.70	-0.05	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	3.44	0.43	0.70	1.13	25.98	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ax (HEW80)_ANT 4
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-0.87	0.70	-0.17	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-0.62	0.70	0.08	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-0.12	0.70	0.58	6.98	Pass
5610	0.38	0.70	1.08	6.98	Pass





Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	4.24	1.23	0.70	1.93	25.98	Pass

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$



Test Mode	IEEE 802.11ax (HEW80)_Total
-----------	-----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	5.95	12.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	5.59	6.98	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	6.52	6.98	Pass
5610	6.71	6.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	7.62	25.98	Pass

Test Mode	IEEE 802.11ax (HEW160)_ANT 1
-----------	------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-0.31	0.31	0.00	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-1.43	0.31	-1.12	6.98	Pass




Test Mode	IEEE 802.11ax (HEW160)_ANT 2
-----------	------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-0.84	0.31	-0.53	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-0.79	0.31	-0.48	6.98	Pass




Test Mode	IEEE 802.11ax (HEW160)_ANT 3
-----------	------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-1.37	0.31	-1.06	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-2.22	0.31	-1.91	6.98	Pass






Test Mode	IEEE 802.11ax (HEW160)_ANT 4
-----------	------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	0.30	0.31	0.61	6.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-0.26	0.31	0.05	6.98	Pass



Test Mode	IEEE 802.11ax (HEW160)_Total
-----------	------------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	5.82	6.98	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	5.22	6.98	Pass

**End of Test Report**