


### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 8.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24854G	49.27	83.54	-34.27	46.02	1	Horizontal	339	1.57	-	37.70	15.20	49.65
AV	19.25G	35.48	63.54	-28.06	32.23	1	Horizontal	339	1.57	-	37.70	15.20	49.65

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 8.5  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.824G	60.90	88.20	-27.30	52.64	3	Vertical	251	2.74	-	34.59	6.60	32.93
RMS	5.8942G	50.31	68.20	-17.89	41.76	3	Vertical	251	2.74	-	34.89	6.60	32.94
PK	6.435G	100.66	Inf	-Inf	91.15	3	Vertical	251	2.74	-	35.46	7.00	32.95
RMS	6.4376G	91.25	Inf	-Inf	81.75	3	Vertical	251	2.74	-	35.45	7.00	32.95

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 8.5  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	60.92	88.20	-27.28	52.32	3	Horizontal	56	1.80	-	34.94	6.60	32.94
RMS	5.8994G	50.33	68.20	-17.87	41.77	3	Horizontal	56	1.80	-	34.90	6.60	32.94
PK	6.4376G	110.14	Inf	-Inf	100.64	3	Horizontal	56	1.80	-	35.45	7.00	32.95
RMS	6.4376G	98.22	Inf	-Inf	88.72	3	Horizontal	56	1.80	-	35.45	7.00	32.95

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 8.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86764G	58.33	88.20	-29.87	41.46	3	Vertical	180	2.87	-	39.27	9.39	31.79
RMS	12.8706G	44.84	68.20	-23.36	27.97	3	Vertical	180	2.87	-	39.27	9.39	31.79

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 8.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87456G	58.37	88.20	-29.83	41.49	3	Horizontal	68	2.94	-	39.27	9.39	31.78
RMS	12.87346G	44.77	68.20	-23.43	27.89	3	Horizontal	68	2.94	-	39.27	9.39	31.78

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6435MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 8.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30894G	48.88	83.54	-34.66	45.57	1	Vertical	28	1.57	-	37.75	15.22	49.66
AV	19.30536G	35.48	63.54	-28.06	32.18	1	Vertical	28	1.57	-	37.74	15.22	49.66

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 8.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3024G	49.33	83.54	-34.21	46.03	1	Horizontal	198	1.58	-	37.74	15.22	49.66
AV	19.30428G	35.44	63.54	-28.10	32.14	1	Horizontal	198	1.58	-	37.74	15.22	49.66

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 9.5  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8394G	60.77	88.20	-27.43	52.38	3	Vertical	285	3.00	-	34.72	6.60	32.93
RMS	5.925G	50.33	68.20	-17.87	41.67	3	Vertical	285	3.00	-	35.00	6.60	32.94
PK	6.4778G	103.76	Inf	-Inf	94.20	3	Vertical	285	3.00	-	35.51	7.00	32.95
RMS	6.4778G	91.99	Inf	-Inf	82.43	3	Vertical	285	3.00	-	35.51	7.00	32.95
PK	7.1302G	63.27	88.20	-24.93	52.44	3	Vertical	285	3.00	-	36.74	7.23	33.14
RMS	7.1442G	53.10	68.20	-15.10	42.16	3	Vertical	285	3.00	-	36.85	7.23	33.14



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 9.5  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9094G	60.50	88.20	-27.70	51.90	3	Horizontal	31	2.61	-	34.94	6.60	32.94
RMS	5.8898G	50.29	68.20	-17.91	41.75	3	Horizontal	31	2.61	-	34.88	6.60	32.94
PK	6.475G	111.74	Inf	-Inf	102.19	3	Horizontal	31	2.61	-	35.50	7.00	32.95
RMS	6.475G	100.53	Inf	-Inf	90.98	3	Horizontal	31	2.61	-	35.50	7.00	32.95
PK	7.1274G	63.30	88.20	-24.90	52.48	3	Horizontal	31	2.61	-	36.72	7.24	33.14
RMS	7.1442G	53.11	68.20	-15.09	42.17	3	Horizontal	31	2.61	-	36.85	7.23	33.14

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 9.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95132G	59.00	88.20	-29.20	41.80	3	Vertical	7	2.63	-	39.45	9.43	31.68
RMS	12.94848G	45.03	68.20	-23.17	27.84	3	Vertical	7	2.63	-	39.45	9.43	31.69

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 9.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95478G	59.65	88.20	-28.55	42.44	3	Horizontal	257	1.36	-	39.46	9.43	31.68
RMS	12.95056G	45.07	68.20	-23.13	27.87	3	Horizontal	257	1.36	-	39.45	9.43	31.68

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 9.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42458G	50.47	83.54	-33.07	47.04	1	Vertical	310	1.50	-	37.84	15.27	49.68
AV	19.42828G	36.81	63.54	-26.73	33.39	1	Vertical	310	1.50	-	37.84	15.27	49.69

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 9.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4224G	50.01	83.54	-33.53	46.58	1	Horizontal	253	1.50	-	37.84	15.27	49.68
AV	19.42938G	36.80	63.54	-26.74	33.38	1	Horizontal	253	1.50	-	37.84	15.27	49.69

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 10  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.843G	60.81	88.20	-27.39	52.40	3	Vertical	6	2.78	-	34.74	6.60	32.93
RMS	5.9242G	50.30	68.20	-17.90	41.64	3	Vertical	6	2.78	-	35.00	6.60	32.94
PK	6.5122G	100.87	Inf	-Inf	91.18	3	Vertical	6	2.78	-	35.65	7.00	32.96
RMS	6.5122G	91.09	Inf	-Inf	81.40	3	Vertical	6	2.78	-	35.65	7.00	32.96
PK	7.2122G	62.71	88.20	-25.49	51.51	3	Vertical	6	2.78	-	37.10	7.21	33.11
RMS	7.1254G	53.17	68.20	-15.03	42.37	3	Vertical	6	2.78	-	36.70	7.24	33.14

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 10  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8514G	61.32	88.20	-26.88	52.86	3	Horizontal	24	2.68	-	34.80	6.60	32.94
RMS	5.8794G	50.29	68.20	-17.91	41.77	3	Horizontal	24	2.68	-	34.86	6.60	32.94
PK	6.515G	110.37	Inf	-Inf	100.67	3	Horizontal	24	2.68	-	35.66	7.00	32.96
RMS	6.515G	99.52	Inf	-Inf	89.82	3	Horizontal	24	2.68	-	35.66	7.00	32.96
PK	7.2094G	63.84	88.20	-24.36	52.64	3	Horizontal	24	2.68	-	37.10	7.21	33.11
RMS	7.1254G	53.16	68.20	-15.04	42.36	3	Horizontal	24	2.68	-	36.70	7.24	33.14

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 10  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0347G	58.82	88.20	-29.38	41.30	3	Vertical	119	1.00	-	39.63	9.47	31.58
RMS	13.03258G	45.11	68.20	-23.09	27.60	3	Vertical	119	1.00	-	39.63	9.46	31.58



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 10  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03184G	59.38	88.20	-28.82	41.87	3	Horizontal	159	1.51	-	39.63	9.46	31.58
RMS	13.03274G	44.98	68.20	-23.22	27.47	3	Horizontal	159	1.51	-	39.63	9.46	31.58

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 10  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54392G	51.11	83.54	-32.43	47.61	1	Vertical	253	1.57	-	37.88	15.32	49.70
AV	19.54146G	37.68	63.54	-25.86	34.18	1	Vertical	253	1.57	-	37.88	15.32	49.70

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6515MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 10  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54796G	51.03	83.54	-32.51	47.53	1	Horizontal	68	1.54	-	37.88	15.32	49.70
AV	19.5434G	37.58	63.54	-25.96	34.08	1	Horizontal	68	1.54	-	37.88	15.32	49.70

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6535MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 9  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8994G	60.87	88.20	-27.33	52.31	3	Vertical	285	2.88	-	34.90	6.60	32.94
RMS	5.8994G	50.31	68.20	-17.89	41.75	3	Vertical	285	2.88	-	34.90	6.60	32.94
PK	6.5378G	99.66	Inf	-Inf	89.88	3	Vertical	285	2.88	-	35.75	7.00	32.97
RMS	6.5378G	91.01	Inf	-Inf	81.23	3	Vertical	285	2.88	-	35.75	7.00	32.97
PK	7.137G	62.87	88.20	-25.33	51.98	3	Vertical	285	2.88	-	36.80	7.23	33.14
RMS	7.1426G	53.13	68.20	-15.07	42.20	3	Vertical	285	2.88	-	36.84	7.23	33.14

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 9  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8966G	61.03	88.20	-27.17	52.48	3	Horizontal	23	2.64	-	34.89	6.60	32.94
RMS	5.891G	50.29	68.20	-17.91	41.75	3	Horizontal	23	2.64	-	34.88	6.60	32.94
PK	6.535G	108.58	Inf	-Inf	98.81	3	Horizontal	23	2.64	-	35.74	7.00	32.97
RMS	6.535G	99.68	Inf	-Inf	89.91	3	Horizontal	23	2.64	-	35.74	7.00	32.97
PK	7.1566G	63.11	88.20	-25.09	52.09	3	Horizontal	23	2.64	-	36.93	7.22	33.13
RMS	7.137G	53.12	68.20	-15.08	42.23	3	Horizontal	23	2.64	-	36.80	7.23	33.14

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 9  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07276G	58.74	88.20	-29.46	41.12	3	Vertical	160	1.57	-	39.67	9.48	31.53
RMS	13.07188G	44.97	68.20	-23.23	27.35	3	Vertical	160	1.57	-	39.67	9.48	31.53

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6535MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 9  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07304G	58.53	88.20	-29.67	40.91	3	Horizontal	106	2.22	-	39.67	9.48	31.53
RMS	13.0739G	44.85	68.20	-23.35	27.23	3	Horizontal	106	2.22	-	39.67	9.48	31.53

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 9  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60952G	51.33	83.54	-32.21	47.83	1	Vertical	72	1.51	-	37.86	15.34	49.70
AV	19.6012G	37.60	63.54	-25.94	34.10	1	Vertical	72	1.51	-	37.86	15.34	49.70



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 9  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60414G	51.34	83.54	-32.20	47.84	1	Horizontal	189	1.50	-	37.86	15.34	49.70
AV	19.60448G	37.56	63.54	-25.98	34.06	1	Horizontal	189	1.50	-	37.86	15.34	49.70

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6695MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11.5  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	102.27	Inf	-Inf	92.40	3	Vertical	129	2.78	-	35.91	7.00	33.04
RMS	6.6972G	93.07	Inf	-Inf	83.20	3	Vertical	129	2.78	-	35.91	7.00	33.04
PK	7.1834G	63.98	88.20	-24.22	52.86	3	Vertical	129	2.78	-	37.03	7.21	33.12
RMS	7.1394G	53.14	68.20	-15.06	42.23	3	Vertical	129	2.78	-	36.82	7.23	33.14

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6695MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11.5  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.695G	111.28	Inf	-Inf	101.41	3	Horizontal	21	2.67	-	35.91	7.00	33.04
RMS	6.6928G	101.09	Inf	-Inf	91.22	3	Horizontal	21	2.67	-	35.91	7.00	33.04
PK	7.1416G	63.75	88.20	-24.45	52.83	3	Horizontal	21	2.67	-	36.83	7.23	33.14
RMS	7.1394G	53.16	68.20	-15.04	42.25	3	Horizontal	21	2.67	-	36.82	7.23	33.14

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38586G	60.17	74.00	-13.83	41.51	3	Vertical	139	1.30	-	40.17	9.62	31.13
AV	13.3863G	46.12	54.00	-7.88	27.46	3	Vertical	139	1.30	-	40.17	9.62	31.13

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6695MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38812G	59.32	74.00	-14.68	40.65	3	Horizontal	282	2.89	-	40.18	9.62	31.13
AV	13.39078G	46.15	54.00	-7.85	27.47	3	Horizontal	282	2.89	-	40.18	9.63	31.13

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08446G	51.89	83.54	-31.65	48.61	1	Vertical	230	1.52	-	37.47	15.54	49.73
AV	20.08214G	38.71	63.54	-24.83	35.43	1	Vertical	230	1.52	-	37.47	15.54	49.73

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6695MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0801G	51.96	83.54	-31.58	48.69	1	Horizontal	278	1.50	-	37.46	15.54	49.73
AV	20.08672G	38.84	63.54	-24.70	35.56	1	Horizontal	278	1.50	-	37.47	15.54	49.73

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6855MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8522G	104.15	Inf	-Inf	93.61	3	Vertical	360	2.87	-	36.58	7.08	33.12
RMS	6.8522G	93.72	Inf	-Inf	83.18	3	Vertical	360	2.87	-	36.58	7.08	33.12
PK	7.1266G	63.72	88.20	-24.48	52.91	3	Vertical	360	2.87	-	36.71	7.24	33.14
RMS	7.1252G	53.20	68.20	-15.00	42.40	3	Vertical	360	2.87	-	36.70	7.24	33.14



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.855G	113.22	Inf	-Inf	102.70	3	Horizontal	12	2.66	-	36.56	7.08	33.12
RMS	6.8536G	102.24	Inf	-Inf	91.71	3	Horizontal	12	2.66	-	36.57	7.08	33.12
PK	7.1518G	64.32	88.20	-23.88	53.33	3	Horizontal	12	2.66	-	36.91	7.22	33.14
RMS	7.1266G	53.22	68.20	-14.98	42.41	3	Horizontal	12	2.66	-	36.71	7.24	33.14

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70914G	63.21	88.20	-24.99	44.04	3	Vertical	33	2.80	-	40.53	9.77	31.13
RMS	13.71294G	49.63	68.20	-18.57	30.45	3	Vertical	33	2.80	-	40.54	9.77	31.13

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6855MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71178G	63.07	88.20	-25.13	43.89	3	Horizontal	117	1.11	-	40.54	9.77	31.13
RMS	13.71216G	49.63	68.20	-18.57	30.45	3	Horizontal	117	1.11	-	40.54	9.77	31.13

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56022G	53.51	83.54	-30.03	49.87	1	Vertical	358	1.57	-	37.77	15.75	49.88
AV	20.56676G	39.70	63.54	-23.84	36.03	1	Vertical	358	1.57	-	37.78	15.76	49.87

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX


### 6855MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 12  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56024G	53.24	83.54	-30.30	49.60	1	Horizontal	197	1.55	-	37.77	15.75	49.88
AV	20.5638G	39.68	63.54	-23.86	36.02	1	Horizontal	197	1.55	-	37.78	15.75	49.87


**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 11.5  
 01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8726G	101.56	Inf	-Inf	91.16	3	Vertical	0	2.64	-	36.42	7.11	33.13
RMS	6.8726G	91.95	Inf	-Inf	81.55	3	Vertical	0	2.64	-	36.42	7.11	33.13
PK	7.1654G	63.67	88.20	-24.53	52.62	3	Vertical	0	2.64	-	36.96	7.22	33.13
RMS	7.1498G	53.26	68.20	-14.94	42.27	3	Vertical	0	2.64	-	36.90	7.23	33.14

**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_2TX  
 Setting 11.5  
 01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.875G	110.98	Inf	-Inf	100.60	3	Horizontal	28	2.55	-	36.40	7.11	33.13
RMS	6.8738G	101.75	Inf	-Inf	91.36	3	Horizontal	28	2.55	-	36.41	7.11	33.13
PK	7.139G	63.39	88.20	-24.81	52.49	3	Horizontal	28	2.55	-	36.81	7.23	33.14
RMS	7.127G	53.19	68.20	-15.01	42.37	3	Horizontal	28	2.55	-	36.72	7.24	33.14

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74824G	64.07	88.20	-24.13	44.80	3	Vertical	83	1.61	-	40.64	9.79	31.16
RMS	13.75166G	50.28	68.20	-17.92	31.00	3	Vertical	83	1.61	-	40.65	9.79	31.16



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75266G	63.82	88.20	-24.38	44.53	3	Horizontal	114	1.31	-	40.66	9.79	31.16
RMS	13.74962G	50.28	68.20	-17.92	31.00	3	Horizontal	114	1.31	-	40.65	9.79	31.16

802.11ax HEW20\_Nss1,(MCS0)\_2TX


6875MHz Straddle 6.525-6.875GHz\_TnomVnom



EUT\_Z\_2TX  
Setting 11.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62572G	53.08	83.54	-30.46	49.30	1	Vertical	25	1.58	-	37.85	15.78	49.85
AV	20.62696G	39.82	63.54	-23.72	36.04	1	Vertical	25	1.58	-	37.85	15.78	49.85

**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_2TX  
 Setting 11.5  
 01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62096G	53.48	83.54	-30.06	49.70	1	Horizontal	195	1.52	-	37.85	15.78	49.85
AV	20.6213G	39.62	63.54	-23.92	35.84	1	Horizontal	195	1.52	-	37.85	15.78	49.85

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6895MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11.5  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8926G	102.39	Inf	-Inf	92.13	3	Vertical	360	2.97	-	36.26	7.14	33.14
RMS	6.8914G	92.15	Inf	-Inf	81.88	3	Vertical	360	2.97	-	36.27	7.14	33.14
PK	7.165G	64.28	88.20	-23.92	53.23	3	Vertical	360	2.97	-	36.96	7.22	33.13
RMS	7.1482G	53.29	68.20	-14.91	42.31	3	Vertical	360	2.97	-	36.89	7.23	33.14

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6895MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11.5  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8962G	111.94	Inf	-Inf	101.71	3	Horizontal	25	2.55	-	36.23	7.14	33.14
RMS	6.8938G	101.71	Inf	-Inf	91.46	3	Horizontal	25	2.55	-	36.25	7.14	33.14
PK	7.1686G	63.74	88.20	-24.46	52.68	3	Horizontal	25	2.55	-	36.97	7.22	33.13
RMS	7.1278G	53.29	68.20	-14.91	42.47	3	Horizontal	25	2.55	-	36.72	7.24	33.14

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6895MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79046G	64.35	88.20	-23.85	44.96	3	Vertical	344	2.63	-	40.77	9.81	31.19
RMS	13.79322G	50.61	68.20	-17.59	31.21	3	Vertical	344	2.63	-	40.78	9.81	31.19

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6895MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79088G	64.67	88.20	-23.53	45.28	3	Horizontal	54	1.49	-	40.77	9.81	31.19
RMS	13.79058G	50.62	68.20	-17.58	31.23	3	Horizontal	54	1.49	-	40.77	9.81	31.19

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6895MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68158G	52.96	83.54	-30.58	49.06	1	Vertical	68	1.50	-	37.92	15.81	49.83
AV	20.68068G	39.49	63.54	-24.05	35.59	1	Vertical	68	1.50	-	37.92	15.81	49.83



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6895MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68556G	53.25	83.54	-30.29	49.35	1	Horizontal	2	1.56	-	37.92	15.81	49.83
AV	20.68014G	39.50	63.54	-24.04	35.60	1	Horizontal	2	1.56	-	37.92	15.81	49.83

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6995MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13.5  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9974G	105.78	Inf	-Inf	95.36	3	Vertical	300	3.00	-	36.31	7.30	33.19
RMS	6.9982G	95.63	Inf	-Inf	85.21	3	Vertical	300	3.00	-	36.31	7.30	33.19
PK	7.179G	63.81	88.20	-24.39	52.71	3	Vertical	300	3.00	-	37.02	7.21	33.13
RMS	7.1262G	53.43	68.20	-14.77	42.62	3	Vertical	300	3.00	-	36.71	7.24	33.14

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6995MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13.5  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9958G	113.62	Inf	-Inf	103.20	3	Horizontal	13	2.59	-	36.32	7.29	33.19
RMS	6.9942G	104.06	Inf	-Inf	93.64	3	Horizontal	13	2.59	-	36.32	7.29	33.19
PK	7.1694G	64.95	88.20	-23.25	53.88	3	Horizontal	13	2.59	-	36.98	7.22	33.13
RMS	7.1382G	53.36	68.20	-14.84	42.46	3	Horizontal	13	2.59	-	36.81	7.23	33.14

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6995MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9873G	64.23	88.20	-23.97	44.76	3	Vertical	308	2.83	-	40.90	9.89	31.32
RMS	13.99378G	50.34	68.20	-17.86	30.87	3	Vertical	308	2.83	-	40.90	9.90	31.33

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6995MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9924G	65.07	88.20	-23.13	45.59	3	Horizontal	294	2.77	-	40.90	9.90	31.32
RMS	13.98514G	50.42	68.20	-17.78	30.95	3	Horizontal	294	2.77	-	40.90	9.89	31.32

802.11ax HEW20\_Nss1,(MCS0)\_2TX

6995MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98682G	52.69	83.54	-30.85	48.84	1	Vertical	336	1.54	-	37.62	15.94	49.71
AV	20.98772G	38.18	63.54	-25.36	34.32	1	Vertical	336	1.54	-	37.62	15.94	49.70

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6995MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98762G	51.83	83.54	-31.71	47.97	1	Horizontal	279	1.50	-	37.62	15.94	49.70
AV	20.98956G	38.10	63.54	-25.44	34.23	1	Horizontal	279	1.50	-	37.62	15.95	49.70

802.11ax HEW20\_Nss1,(MCS0)\_2TX

7095MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11.5  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0942G	106.27	Inf	-Inf	95.67	3	Vertical	152	1.80	-	36.51	7.25	33.16
RMS	7.0942G	94.88	Inf	-Inf	84.28	3	Vertical	152	1.80	-	36.51	7.25	33.16
PK	7.1282G	64.24	88.20	-23.96	53.41	3	Vertical	152	1.80	-	36.73	7.24	33.14
RMS	7.1494G	53.46	68.20	-14.74	42.47	3	Vertical	152	1.80	-	36.90	7.23	33.14



802.11ax HEW20\_Nss1,(MCS0)\_2TX

7095MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11.5  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0946G	115.08	Inf	-Inf	104.48	3	Horizontal	36	2.47	-	36.51	7.25	33.16
RMS	7.0942G	104.44	Inf	-Inf	93.84	3	Horizontal	36	2.47	-	36.51	7.25	33.16
PK	7.1474G	64.55	88.20	-23.65	53.58	3	Horizontal	36	2.47	-	36.88	7.23	33.14
RMS	7.1494G	53.48	68.20	-14.72	42.49	3	Horizontal	36	2.47	-	36.90	7.23	33.14

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 7095MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18688G	63.01	88.20	-25.19	43.75	3	Vertical	247	2.51	-	40.81	9.96	31.51
RMS	14.18782G	49.47	68.20	-18.73	30.21	3	Vertical	247	2.51	-	40.81	9.96	31.51

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 7095MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19052G	63.37	88.20	-24.83	44.12	3	Horizontal	327	2.31	-	40.81	9.96	31.52
RMS	14.18626G	49.41	68.20	-18.79	30.15	3	Horizontal	327	2.31	-	40.81	9.96	31.51

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 7095MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28838G	53.68	83.54	-29.86	49.59	1	Vertical	257	1.51	-	37.65	16.08	49.64
AV	21.28336G	40.14	63.54	-23.40	36.06	1	Vertical	257	1.51	-	37.64	16.08	49.64

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 7095MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28624G	53.65	83.54	-29.89	49.57	1	Horizontal	241	1.58	-	37.64	16.08	49.64
AV	21.2818G	40.18	63.54	-23.36	36.10	1	Horizontal	241	1.58	-	37.64	16.08	49.64

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 7115MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 8  
01-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.11113G	91.13	Inf	-Inf	80.45	3	Vertical	309	2.19	-	36.59	7.24	33.15
RMS	7.11618G	82.13	Inf	-Inf	71.41	3	Vertical	309	2.19	-	36.63	7.24	33.15
PK	7.1255G	69.47	88.20	-18.73	58.67	3	Vertical	309	2.19	-	36.70	7.24	33.14
RMS	7.1255G	60.08	68.20	-8.12	49.28	3	Vertical	309	2.19	-	36.70	7.24	33.14

802.11ax HEW20\_Nss1,(MCS0)\_2TX

7115MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 8  
01-K-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.11575G	99.75	Inf	-Inf	89.03	3	Horizontal	318	1.00	-	36.63	7.24	33.15
RMS	7.11523G	91.30	Inf	-Inf	80.59	3	Horizontal	318	1.00	-	36.62	7.24	33.15
PK	7.1255G	78.08	88.20	-10.12	67.28	3	Horizontal	318	1.00	-	36.70	7.24	33.14
RMS	7.1255G	67.84	68.20	-0.36	57.04	3	Horizontal	318	1.00	-	36.70	7.24	33.14

802.11ax HEW20\_Nss1,(MCS0)\_2TX

7115MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 8  
01-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23216G	63.57	88.20	-24.63	44.42	3	Vertical	311	2.05	-	40.74	9.97	31.56
RMS	14.22562G	49.21	68.20	-18.99	30.04	3	Vertical	311	2.05	-	40.75	9.97	31.55



### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 7115MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 8  
01-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22704G	63.02	88.20	-25.18	43.85	3	Horizontal	95	2.76	-	40.75	9.97	31.55
RMS	14.2256G	49.22	68.20	-18.98	30.05	3	Horizontal	95	2.76	-	40.75	9.97	31.55

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 7115MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 8  
01-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34082G	53.51	83.54	-30.03	49.33	1	Vertical	21	1.54	-	37.71	16.10	49.63
AV	21.34332G	39.97	63.54	-23.57	35.79	1	Vertical	21	1.54	-	37.71	16.10	49.63

### 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 7115MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 8  
01-K-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3414G	53.44	83.54	-30.10	49.26	1	Vertical	313	1.50	-	37.71	16.10	49.63
AV	21.34198G	40.00	63.54	-23.54	35.82	1	Vertical	313	1.50	-	37.71	16.10	49.63

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6125MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 10  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.897G	61.23	88.20	-26.97	52.68	3	Vertical	353	3.00	-	34.89	6.60	32.94
RMS	5.919G	50.42	68.20	-17.78	41.78	3	Vertical	353	3.00	-	34.98	6.60	32.94
PK	6.121G	100.61	Inf	-Inf	91.48	3	Vertical	353	3.00	-	35.30	6.78	32.95
RMS	6.122G	90.80	Inf	-Inf	81.67	3	Vertical	353	3.00	-	35.30	6.78	32.95

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6125MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 10  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.897G	61.13	88.20	-27.07	52.58	3	Horizontal	26	2.71	-	34.89	6.60	32.94
RMS	5.917G	50.40	68.20	-17.80	41.77	3	Horizontal	26	2.71	-	34.97	6.60	32.94
PK	6.124G	108.59	Inf	-Inf	99.45	3	Horizontal	26	2.71	-	35.30	6.79	32.95
RMS	6.124G	99.51	Inf	-Inf	90.37	3	Horizontal	26	2.71	-	35.30	6.79	32.95

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6125MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 10  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.24802G	56.81	74.00	-17.19	41.87	3	Vertical	318	1.64	-	38.40	9.11	32.57
AV	12.2528G	43.03	54.00	-10.97	28.08	3	Vertical	318	1.64	-	38.41	9.11	32.57

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 6125MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 10  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.25016G	57.50	74.00	-16.50	42.56	3	Horizontal	22	1.37	-	38.40	9.11	32.57
AV	12.25158G	42.96	54.00	-11.04	28.02	3	Horizontal	22	1.37	-	38.40	9.11	32.57

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6125MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 10  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.37702G	49.39	83.54	-34.15	47.04	1	Vertical	249	1.52	-	37.65	14.85	50.15
AV	18.37318G	35.80	63.54	-27.74	33.45	1	Vertical	249	1.52	-	37.65	14.85	50.15



### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6125MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 10  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.37752G	49.36	83.54	-34.18	47.01	1	Horizontal	220	1.56	-	37.65	14.85	50.15
AV	18.3733G	35.84	63.54	-27.70	33.49	1	Horizontal	220	1.56	-	37.65	14.85	50.15

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6285MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14.5  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8978G	60.75	88.20	-27.45	52.19	3	Vertical	282	2.98	-	34.90	6.60	32.94
RMS	5.9138G	50.40	68.20	-17.80	41.78	3	Vertical	282	2.98	-	34.96	6.60	32.94
PK	6.2898G	105.21	Inf	-Inf	95.96	3	Vertical	282	2.98	-	35.26	6.94	32.95
RMS	6.2882G	96.11	Inf	-Inf	86.87	3	Vertical	282	2.98	-	35.25	6.94	32.95

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6285MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14.5  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9138G	60.95	88.20	-27.25	52.33	3	Horizontal	40	2.68	-	34.96	6.60	32.94
RMS	5.8914G	50.40	68.20	-17.80	41.86	3	Horizontal	40	2.68	-	34.88	6.60	32.94
PK	6.285G	113.28	Inf	-Inf	104.05	3	Horizontal	40	2.68	-	35.24	6.94	32.95
RMS	6.2834G	103.54	Inf	-Inf	94.32	3	Horizontal	40	2.68	-	35.23	6.94	32.95

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6285MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.5656G	56.90	74.00	-17.10	41.20	3	Vertical	231	1.77	-	38.63	9.25	32.18
AV	12.5736G	43.52	54.00	-10.48	27.78	3	Vertical	231	1.77	-	38.65	9.26	32.17

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6285MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.57014G	57.64	74.00	-16.36	41.91	3	Horizontal	1	1.05	-	38.64	9.26	32.17
AV	12.56726G	43.54	54.00	-10.46	27.82	3	Horizontal	1	1.05	-	38.63	9.26	32.17

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6285MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.8589G	48.25	83.54	-35.29	45.12	1	Vertical	262	1.54	-	37.83	15.04	49.74
AV	18.85596G	34.79	63.54	-28.75	31.66	1	Vertical	262	1.54	-	37.83	15.04	49.74

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6285MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.85958G	48.94	83.54	-34.60	45.81	1	Horizontal	79	1.53	-	37.83	15.04	49.74
AV	18.85808G	34.84	63.54	-28.70	31.71	1	Horizontal	79	1.53	-	37.83	15.04	49.74

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6405MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8746G	61.25	88.20	-26.95	52.74	3	Vertical	284	3.00	-	34.85	6.60	32.94
RMS	5.9178G	50.42	68.20	-17.78	41.79	3	Vertical	284	3.00	-	34.97	6.60	32.94
PK	6.4074G	104.98	Inf	-Inf	95.36	3	Vertical	284	3.00	-	35.57	7.00	32.95
RMS	6.4074G	94.33	Inf	-Inf	84.71	3	Vertical	284	3.00	-	35.57	7.00	32.95



802.11ax HEW40\_Nss1,(MCS0)\_2TX

6405MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.889G	60.40	88.20	-27.80	51.86	3	Horizontal	33	2.64	-	34.88	6.60	32.94
RMS	5.8986G	50.40	68.20	-17.80	41.84	3	Horizontal	33	2.64	-	34.90	6.60	32.94
PK	6.4026G	110.35	Inf	-Inf	100.71	3	Horizontal	33	2.64	-	35.59	7.00	32.95
RMS	6.4026G	100.76	Inf	-Inf	91.12	3	Horizontal	33	2.64	-	35.59	7.00	32.95

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 6405MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81098G	58.44	88.20	-29.76	41.73	3	Vertical	53	1.74	-	39.21	9.36	31.86
RMS	12.80568G	44.46	68.20	-23.74	27.76	3	Vertical	53	1.74	-	39.21	9.36	31.87

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6405MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8148G	58.82	88.20	-29.38	42.10	3	Horizontal	178	1.48	-	39.21	9.37	31.86
RMS	12.80556G	44.49	68.20	-23.71	27.79	3	Horizontal	178	1.48	-	39.21	9.36	31.87

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 6405MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21126G	49.08	83.54	-34.46	45.79	1	Vertical	268	1.50	-	37.75	15.18	49.64
AV	19.21292G	35.56	63.54	-27.98	32.27	1	Vertical	268	1.50	-	37.74	15.19	49.64

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6405MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21456G	49.00	83.54	-34.54	45.71	1	Horizontal	326	1.56	-	37.74	15.19	49.64
AV	19.2102G	35.53	63.54	-28.01	32.24	1	Horizontal	326	1.56	-	37.75	15.18	49.64

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6445MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9224G	60.32	88.20	-27.88	51.67	3	Vertical	285	2.84	-	34.99	6.60	32.94
RMS	5.8912G	50.36	68.20	-17.84	41.82	3	Vertical	285	2.84	-	34.88	6.60	32.94
PK	6.4476G	102.30	Inf	-Inf	92.84	3	Vertical	285	2.84	-	35.41	7.00	32.95
RMS	6.4476G	92.70	Inf	-Inf	83.24	3	Vertical	285	2.84	-	35.41	7.00	32.95

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6445MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9198G	61.39	88.20	-26.81	52.75	3	Horizontal	40	2.60	-	34.98	6.60	32.94
RMS	5.9094G	50.39	68.20	-17.81	41.79	3	Horizontal	40	2.60	-	34.94	6.60	32.94
PK	6.4424G	110.80	Inf	-Inf	101.32	3	Horizontal	40	2.60	-	35.43	7.00	32.95
RMS	6.445G	100.71	Inf	-Inf	91.24	3	Horizontal	40	2.60	-	35.42	7.00	32.95

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6445MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89276G	58.48	88.20	-29.72	41.55	3	Vertical	173	2.39	-	39.29	9.40	31.76
RMS	12.89002G	44.79	68.20	-23.41	27.86	3	Vertical	173	2.39	-	39.29	9.40	31.76



### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6445MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89166G	58.66	88.20	-29.54	41.73	3	Horizontal	225	1.85	-	39.29	9.40	31.76
RMS	12.8871G	44.82	68.20	-23.38	27.89	3	Horizontal	225	1.85	-	39.29	9.40	31.76

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6445MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33582G	49.10	83.54	-34.44	45.77	1	Vertical	203	1.51	-	37.77	15.23	49.67
AV	19.3385G	35.57	63.54	-27.97	32.23	1	Vertical	203	1.51	-	37.77	15.24	49.67

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6445MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33674G	50.01	83.54	-33.53	46.68	1	Horizontal	15	1.56	-	37.77	15.23	49.67
AV	19.33688G	35.58	63.54	-27.96	32.25	1	Horizontal	15	1.56	-	37.77	15.23	49.67

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6485MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11.5  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8634G	60.58	88.20	-27.62	52.09	3	Vertical	7	2.80	-	34.83	6.60	32.94
RMS	5.8942G	50.40	68.20	-17.80	41.85	3	Vertical	7	2.80	-	34.89	6.60	32.94
PK	6.4822G	100.36	Inf	-Inf	90.78	3	Vertical	7	2.80	-	35.53	7.00	32.95
RMS	6.4822G	91.78	Inf	-Inf	82.20	3	Vertical	7	2.80	-	35.53	7.00	32.95
PK	7.1738G	63.68	88.20	-24.52	52.60	3	Vertical	7	2.80	-	37.00	7.21	33.13
RMS	7.1486G	53.20	68.20	-15.00	42.22	3	Vertical	7	2.80	-	36.89	7.23	33.14

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6485MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11.5  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	61.27	88.20	-26.93	52.68	3	Horizontal	19	2.70	-	34.93	6.60	32.94
RMS	5.925G	50.45	68.20	-17.75	41.79	3	Horizontal	19	2.70	-	35.00	6.60	32.94
PK	6.485G	108.33	Inf	-Inf	98.74	3	Horizontal	19	2.70	-	35.54	7.00	32.95
RMS	6.485G	99.09	Inf	-Inf	89.50	3	Horizontal	19	2.70	-	35.54	7.00	32.95
PK	7.1374G	65.22	88.20	-22.98	54.33	3	Horizontal	19	2.70	-	36.80	7.23	33.14
RMS	7.1458G	53.27	68.20	-14.93	42.31	3	Horizontal	19	2.70	-	36.87	7.23	33.14

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6485MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97384G	58.44	88.20	-29.76	41.13	3	Vertical	240	2.08	-	39.52	9.44	31.65
RMS	12.97412G	45.19	68.20	-23.01	27.88	3	Vertical	240	2.08	-	39.52	9.44	31.65

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6485MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97252G	58.91	88.20	-29.29	41.61	3	Horizontal	49	1.03	-	39.52	9.44	31.66
RMS	12.97392G	45.08	68.20	-23.12	27.77	3	Horizontal	49	1.03	-	39.52	9.44	31.65

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6485MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45956G	51.06	83.54	-32.48	47.60	1	Vertical	106	1.50	-	37.87	15.28	49.69
AV	19.45008G	37.25	63.54	-26.29	33.80	1	Vertical	106	1.50	-	37.86	15.28	49.69



### 802.11ax HEW40\_Nss1,(MCS0)\_2TX


### 6485MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 11.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4542G	50.58	83.54	-32.96	47.13	1	Horizontal	333	1.55	-	37.86	15.28	49.69
AV	19.45526G	37.19	63.54	-26.35	33.74	1	Horizontal	333	1.55	-	37.86	15.28	49.69


**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 11  
 01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8922G	60.85	88.20	-27.35	52.31	3	Vertical	285	2.88	-	34.88	6.60	32.94
RMS	5.925G	50.40	68.20	-17.80	41.74	3	Vertical	285	2.88	-	35.00	6.60	32.94
PK	6.5278G	100.58	Inf	-Inf	90.83	3	Vertical	285	2.88	-	35.71	7.00	32.96
RMS	6.5278G	91.43	Inf	-Inf	81.68	3	Vertical	285	2.88	-	35.71	7.00	32.96
PK	7.2082G	63.13	88.20	-25.07	51.94	3	Vertical	285	2.88	-	37.10	7.21	33.12
RMS	7.1438G	53.22	68.20	-14.98	42.28	3	Vertical	285	2.88	-	36.85	7.23	33.14

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT\_Z\_2TX  
 Setting 11  
 01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.85G	60.69	88.20	-27.51	52.22	3	Horizontal	22	2.68	-	34.80	6.60	32.93
RMS	5.9146G	50.39	68.20	-17.81	41.77	3	Horizontal	22	2.68	-	34.96	6.60	32.94
PK	6.525G	106.90	Inf	-Inf	97.16	3	Horizontal	22	2.68	-	35.70	7.00	32.96
RMS	6.525G	98.33	Inf	-Inf	88.59	3	Horizontal	22	2.68	-	35.70	7.00	32.96
PK	7.2138G	63.54	88.20	-24.66	52.34	3	Horizontal	22	2.68	-	37.10	7.21	33.11
RMS	7.1438G	53.22	68.20	-14.98	42.28	3	Horizontal	22	2.68	-	36.85	7.23	33.14

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6525MHz Straddle 6.425-6.525GHz\_TnomVnom








05/05/2022

EUT\_Z\_2TX  
Setting 11  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04528G	58.64	88.20	-29.56	41.08	3	Vertical	12	2.50	-	39.65	9.47	31.56
RMS	13.04666G	44.97	68.20	-23.23	27.41	3	Vertical	12	2.50	-	39.65	9.47	31.56

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**




Lim.PK   
 PK   
 Lim.AV   
 AV 

05/05/2022

EUT\_Z\_2TX  
 Setting 11  
 01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04642G	59.15	88.20	-29.05	41.59	3	Horizontal	138	1.02	-	39.65	9.47	31.56
RMS	13.05196G	45.00	68.20	-23.20	27.43	3	Horizontal	138	1.02	-	39.65	9.47	31.55


**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 11  
 01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57722G	51.22	83.54	-32.32	47.72	1	Vertical	345	1.56	-	37.87	15.33	49.70
AV	19.57234G	37.72	63.54	-25.82	34.22	1	Vertical	345	1.56	-	37.87	15.33	49.70

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT\_Z\_2TX  
 Setting 11  
 01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57544G	51.42	83.54	-32.12	47.92	1	Horizontal	249	1.53	-	37.87	15.33	49.70
AV	19.5751G	37.70	63.54	-25.84	34.20	1	Horizontal	249	1.53	-	37.87	15.33	49.70

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6525MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 11  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04822G	58.77	88.20	-29.43	41.21	3	Vertical	158	1.00	-	39.65	9.47	31.56
RMS	13.05186G	44.90	68.20	-23.30	27.33	3	Vertical	158	1.00	-	39.65	9.47	31.55



802.11ax HEW40\_Nss1,(MCS0)\_2TX


6525MHz Straddle 6.525-6.875GHz\_TnomVnom



EUT\_Z\_2TX  
Setting 11  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04534G	58.90	88.20	-29.30	41.34	3	Horizontal	154	2.47	-	39.65	9.47	31.56
RMS	13.04686G	44.93	68.20	-23.27	27.37	3	Horizontal	154	2.47	-	39.65	9.47	31.56


**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6525MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 11  
 01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57582G	51.43	83.54	-32.11	47.93	1	Vertical	293	1.57	-	37.87	15.33	49.70
AV	19.57576G	37.65	63.54	-25.89	34.15	1	Vertical	293	1.57	-	37.87	15.33	49.70

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6525MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_2TX  
 Setting 11  
 01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5724G	51.53	83.54	-32.01	48.03	1	Horizontal	111	1.57	-	37.87	15.33	49.70
AV	19.57858G	37.67	63.54	-25.87	34.17	1	Horizontal	111	1.57	-	37.87	15.33	49.70

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6565MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 10.5  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5602G	99.70	Inf	-Inf	89.86	3	Vertical	6	2.86	-	35.82	7.00	32.98
RMS	6.5626G	91.01	Inf	-Inf	81.16	3	Vertical	6	2.86	-	35.83	7.00	32.98
PK	7.1314G	62.72	88.20	-25.48	51.88	3	Vertical	6	2.86	-	36.75	7.23	33.14
RMS	7.1434G	53.25	68.20	-14.95	42.31	3	Vertical	6	2.86	-	36.85	7.23	33.14

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6565MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 10.5  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.565G	108.39	Inf	-Inf	98.54	3	Horizontal	27	2.63	-	35.83	7.00	32.98
RMS	6.565G	98.83	Inf	-Inf	88.98	3	Horizontal	27	2.63	-	35.83	7.00	32.98
PK	7.1338G	63.86	88.20	-24.34	53.00	3	Horizontal	27	2.63	-	36.77	7.23	33.14
RMS	7.1434G	53.29	68.20	-14.91	42.35	3	Horizontal	27	2.63	-	36.85	7.23	33.14

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6565MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 10.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12834G	58.81	88.20	-29.39	41.00	3	Vertical	265	1.46	-	39.76	9.51	31.46
RMS	13.12886G	44.96	68.20	-23.24	27.15	3	Vertical	265	1.46	-	39.76	9.51	31.46

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6565MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 10.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13392G	58.69	88.20	-29.51	40.86	3	Horizontal	230	1.31	-	39.77	9.51	31.45
RMS	13.12506G	44.88	68.20	-23.32	27.08	3	Horizontal	230	1.31	-	39.75	9.51	31.46

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6565MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 10.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69304G	51.05	83.54	-32.49	47.55	1	Vertical	112	1.50	-	37.82	15.38	49.70
AV	19.69422G	37.31	63.54	-26.23	33.81	1	Vertical	112	1.50	-	37.82	15.38	49.70



### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6565MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 10.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6926G	50.80	83.54	-32.74	47.30	1	Horizontal	123	1.54	-	37.82	15.38	49.70
AV	19.69848G	37.18	63.54	-26.36	33.68	1	Horizontal	123	1.54	-	37.82	15.38	49.70

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13.5  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.687G	103.62	Inf	-Inf	93.73	3	Vertical	282	3.00	-	35.93	7.00	33.04
RMS	6.687G	94.88	Inf	-Inf	84.99	3	Vertical	282	3.00	-	35.93	7.00	33.04
PK	7.181G	64.28	88.20	-23.92	53.17	3	Vertical	282	3.00	-	37.02	7.21	33.12
RMS	7.139G	53.25	68.20	-14.95	42.35	3	Vertical	282	3.00	-	36.81	7.23	33.14

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13.5  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.683G	110.37	Inf	-Inf	100.48	3	Horizontal	26	2.68	-	35.93	7.00	33.04
RMS	6.683G	101.23	Inf	-Inf	91.34	3	Horizontal	26	2.68	-	35.93	7.00	33.04
PK	7.169G	63.55	88.20	-24.65	52.48	3	Horizontal	26	2.68	-	36.98	7.22	33.13
RMS	7.143G	53.22	68.20	-14.98	42.29	3	Horizontal	26	2.68	-	36.84	7.23	33.14

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37162G	59.75	74.00	-14.25	41.14	3	Vertical	86	1.28	-	40.14	9.62	31.15
AV	13.3697G	46.31	54.00	-7.69	27.70	3	Vertical	86	1.28	-	40.14	9.62	31.15

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6685MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36674G	59.68	74.00	-14.32	41.09	3	Horizontal	1	2.85	-	40.13	9.62	31.16
AV	13.3694G	46.20	54.00	-7.80	27.59	3	Horizontal	1	2.85	-	40.14	9.62	31.15

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6685MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05612G	52.95	83.54	-30.59	49.70	1	Vertical	341	1.53	-	37.44	15.53	49.72
AV	20.05578G	38.69	63.54	-24.85	35.44	1	Vertical	341	1.53	-	37.44	15.53	49.72

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6685MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05022G	52.84	83.54	-30.70	49.60	1	Horizontal	256	1.57	-	37.44	15.52	49.72
AV	20.05044G	38.61	63.54	-24.93	35.37	1	Horizontal	256	1.57	-	37.44	15.52	49.72

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6845MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8434G	101.76	Inf	-Inf	91.25	3	Vertical	0	2.53	-	36.55	7.07	33.11
RMS	6.8434G	92.73	Inf	-Inf	82.22	3	Vertical	0	2.53	-	36.55	7.07	33.11
PK	7.1698G	63.56	88.20	-24.64	52.49	3	Vertical	0	2.53	-	36.98	7.22	33.13
RMS	7.1442G	53.30	68.20	-14.90	42.36	3	Vertical	0	2.53	-	36.85	7.23	33.14



### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6845MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8434G	111.32	Inf	-Inf	100.81	3	Horizontal	18	2.61	-	36.55	7.07	33.11
RMS	6.8434G	102.12	Inf	-Inf	91.61	3	Horizontal	18	2.61	-	36.55	7.07	33.11
PK	7.1762G	64.09	88.20	-24.11	53.01	3	Horizontal	18	2.61	-	37.00	7.21	33.13
RMS	7.1442G	53.30	68.20	-14.90	42.36	3	Horizontal	18	2.61	-	36.85	7.23	33.14

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6845MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68628G	63.07	88.20	-25.13	43.96	3	Vertical	119	2.46	-	40.47	9.76	31.12
RMS	13.69254G	49.26	68.20	-18.94	30.13	3	Vertical	119	2.46	-	40.49	9.76	31.12

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6845MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69084G	62.87	88.20	-25.33	43.75	3	Horizontal	305	1.51	-	40.48	9.76	31.12
RMS	13.6931G	49.29	68.20	-18.91	30.16	3	Horizontal	305	1.51	-	40.49	9.76	31.12

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6845MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53794G	52.97	83.54	-30.57	49.36	1	Vertical	238	1.54	-	37.75	15.74	49.88
AV	20.53996G	39.41	63.54	-24.13	35.80	1	Vertical	238	1.54	-	37.75	15.74	49.88

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX


### 6845MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 13  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53792G	52.95	83.54	-30.59	49.34	1	Horizontal	225	1.51	-	37.75	15.74	49.88
AV	20.53804G	39.47	63.54	-24.07	35.86	1	Horizontal	225	1.51	-	37.75	15.74	49.88

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_2TX  
 Setting 15.5  
 01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8794G	103.53	Inf	-Inf	93.18	3	Vertical	300	2.85	-	36.36	7.12	33.13
RMS	6.8892G	94.12	Inf	-Inf	83.84	3	Vertical	300	2.85	-	36.29	7.13	33.14
PK	7.1398G	64.31	88.20	-23.89	53.40	3	Vertical	300	2.85	-	36.82	7.23	33.14
RMS	7.1426G	53.29	68.20	-14.91	42.36	3	Vertical	300	2.85	-	36.84	7.23	33.14

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 15.5  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.885G	112.58	Inf	-Inf	102.26	3	Horizontal	19	2.60	-	36.32	7.13	33.13
RMS	6.8836G	102.71	Inf	-Inf	92.38	3	Horizontal	19	2.60	-	36.33	7.13	33.13
PK	7.1608G	63.91	88.20	-24.29	52.88	3	Horizontal	19	2.60	-	36.94	7.22	33.13
RMS	7.1426G	53.30	68.20	-14.90	42.37	3	Horizontal	19	2.60	-	36.84	7.23	33.14

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 15.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76758G	64.48	88.20	-23.72	45.15	3	Vertical	141	1.29	-	40.70	9.80	31.17
RMS	13.76746G	50.59	68.20	-17.61	31.26	3	Vertical	141	1.29	-	40.70	9.80	31.17



**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_2TX  
 Setting 15.5  
 01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7694G	63.86	88.20	-24.34	44.52	3	Horizontal	323	2.07	-	40.71	9.80	31.17
RMS	13.76766G	50.51	68.20	-17.69	31.18	3	Horizontal	323	2.07	-	40.70	9.80	31.17

802.11ax HEW40\_Nss1,(MCS0)\_2TX


6885MHz Straddle 6.525-6.875GHz\_TnomVnom



EUT\_Z\_2TX  
Setting 15.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65086G	53.42	83.54	-30.12	49.59	1	Vertical	154	1.50	-	37.88	15.79	49.84
AV	20.65362G	39.65	63.54	-23.89	35.82	1	Vertical	154	1.50	-	37.88	15.79	49.84

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_2TX  
 Setting 15.5  
 01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6535G	53.53	83.54	-30.01	49.70	1	Horizontal	146	1.58	-	37.88	15.79	49.84
AV	20.6516G	39.74	63.54	-23.80	35.91	1	Horizontal	146	1.58	-	37.88	15.79	49.84

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6925MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9298G	104.28	Inf	-Inf	93.87	3	Vertical	295	2.94	-	36.38	7.19	33.16
RMS	6.9298G	95.41	Inf	-Inf	85.00	3	Vertical	295	2.94	-	36.38	7.19	33.16
PK	7.225G	63.86	88.20	-24.34	52.64	3	Vertical	295	2.94	-	37.10	7.23	33.11
RMS	7.1386G	53.35	68.20	-14.85	42.45	3	Vertical	295	2.94	-	36.81	7.23	33.14

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6925MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9238G	111.99	Inf	-Inf	101.61	3	Horizontal	17	2.63	-	36.34	7.19	33.15
RMS	6.9238G	103.74	Inf	-Inf	93.36	3	Horizontal	17	2.63	-	36.34	7.19	33.15
PK	7.177G	63.97	88.20	-24.23	52.88	3	Horizontal	17	2.63	-	37.01	7.21	33.13
RMS	7.1254G	53.34	68.20	-14.86	42.54	3	Horizontal	17	2.63	-	36.70	7.24	33.14

802.11ax HEW40\_Nss1,(MCS0)\_2TX

6925MHz\_TnomVnom




05/05/2022

EUT\_Z\_2TX  
Setting 16  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84636G	64.13	88.20	-24.07	44.68	3	Vertical	117	1.76	-	40.85	9.83	31.23
RMS	13.85288G	51.45	68.20	-16.75	32.00	3	Vertical	117	1.76	-	40.85	9.83	31.23

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6925MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85298G	64.59	88.20	-23.61	45.14	3	Horizontal	276	1.56	-	40.85	9.83	31.23
RMS	13.84976G	51.15	68.20	-17.05	31.70	3	Horizontal	276	1.56	-	40.85	9.83	31.23

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6925MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77414G	52.21	83.54	-31.33	48.19	1	Vertical	157	1.56	-	37.96	15.85	49.79
AV	20.77394G	39.45	63.54	-24.09	35.43	1	Vertical	157	1.56	-	37.96	15.85	49.79



### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

#### 6925MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77426G	52.38	83.54	-31.16	48.36	1	Horizontal	284	1.55	-	37.96	15.85	49.79
AV	20.7774G	39.46	63.54	-24.08	35.44	1	Horizontal	284	1.55	-	37.96	15.85	49.79

802.11ax HEW40\_Nss1,(MCS0)\_2TX

7005MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 15  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0098G	106.08	Inf	-Inf	95.61	3	Vertical	297	3.00	-	36.36	7.30	33.19
RMS	7.009G	96.00	Inf	-Inf	85.54	3	Vertical	297	3.00	-	36.35	7.30	33.19
PK	7.149G	64.40	88.20	-23.80	53.42	3	Vertical	297	3.00	-	36.89	7.23	33.14
RMS	7.1754G	53.44	68.20	-14.76	42.36	3	Vertical	297	3.00	-	37.00	7.21	33.13

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7005MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 15  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0042G	113.93	Inf	-Inf	103.49	3	Horizontal	26	2.61	-	36.33	7.30	33.19
RMS	7.0042G	103.74	Inf	-Inf	93.30	3	Horizontal	26	2.61	-	36.33	7.30	33.19
PK	7.1874G	64.04	88.20	-24.16	52.90	3	Horizontal	26	2.61	-	37.05	7.21	33.12
RMS	7.1522G	53.41	68.20	-14.79	42.42	3	Horizontal	26	2.61	-	36.91	7.22	33.14

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7005MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 15  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0111G	63.85	88.20	-24.35	44.39	3	Vertical	38	1.41	-	40.90	9.90	31.34
RMS	14.00754G	50.09	68.20	-18.11	30.63	3	Vertical	38	1.41	-	40.90	9.90	31.34

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7005MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 15  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0088G	63.80	88.20	-24.40	44.34	3	Horizontal	301	2.31	-	40.90	9.90	31.34
RMS	14.00724G	50.07	68.20	-18.13	30.61	3	Horizontal	301	2.31	-	40.90	9.90	31.34

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7005MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 15  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01422G	51.92	83.54	-31.62	48.06	1	Vertical	268	1.55	-	37.60	15.96	49.70
AV	21.01846G	38.55	63.54	-24.99	34.69	1	Vertical	268	1.55	-	37.60	15.96	49.70

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7005MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 15  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01412G	52.30	83.54	-31.24	48.44	1	Horizontal	204	1.53	-	37.60	15.96	49.70
AV	21.0186G	38.46	63.54	-25.08	34.60	1	Horizontal	204	1.53	-	37.60	15.96	49.70

802.11ax HEW40\_Nss1,(MCS0)\_2TX

7085MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13.5  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0834G	104.15	Inf	-Inf	93.52	3	Vertical	155	2.15	-	36.53	7.26	33.16
RMS	7.0838G	94.51	Inf	-Inf	83.88	3	Vertical	155	2.15	-	36.53	7.26	33.16
PK	7.145G	64.38	88.20	-23.82	53.43	3	Vertical	155	2.15	-	36.86	7.23	33.14
RMS	7.1262G	53.55	68.20	-14.65	42.74	3	Vertical	155	2.15	-	36.71	7.24	33.14



802.11ax HEW40\_Nss1,(MCS0)\_2TX

7085MHz\_TnomVnom




EUT Z\_2TX  
Setting 13.5  
01-A-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0842G	114.01	Inf	-Inf	103.38	3	Horizontal	31	2.52	-	36.53	7.26	33.16
RMS	7.0842G	103.15	Inf	-Inf	92.52	3	Horizontal	31	2.52	-	36.53	7.26	33.16
PK	7.1802G	64.60	88.20	-23.60	53.50	3	Horizontal	31	2.52	-	37.02	7.21	33.13
RMS	7.125G	54.06	68.20	-14.14	43.26	3	Horizontal	31	2.52	-	36.70	7.24	33.14

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7085MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16872G	63.23	88.20	-24.97	43.95	3	Vertical	194	2.38	-	40.83	9.95	31.50
RMS	14.16908G	49.51	68.20	-18.69	30.23	3	Vertical	194	2.38	-	40.83	9.95	31.50

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7085MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16522G	63.35	88.20	-24.85	44.06	3	Horizontal	350	2.73	-	40.83	9.95	31.49
RMS	14.16658G	49.55	68.20	-18.65	30.26	3	Horizontal	350	2.73	-	40.83	9.95	31.49

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7085MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.256G	53.74	83.54	-29.80	49.71	1	Vertical	144	1.54	-	37.61	16.07	49.65
AV	21.25132G	40.26	63.54	-23.28	36.25	1	Vertical	144	1.54	-	37.60	16.06	49.65

### 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7085MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13.5  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25402G	53.41	83.54	-30.13	49.40	1	Horizontal	188	1.53	-	37.60	16.06	49.65
AV	21.25532G	40.29	63.54	-23.25	36.27	1	Horizontal	188	1.53	-	37.61	16.06	49.65

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6145MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12.5  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8762G	61.67	88.20	-26.53	53.16	3	Vertical	190	2.28	-	34.85	6.60	32.94
RMS	5.8546G	50.44	68.20	-17.76	41.97	3	Vertical	190	2.28	-	34.81	6.60	32.94
PK	6.1498G	100.01	Inf	-Inf	90.84	3	Vertical	190	2.28	-	35.30	6.82	32.95
RMS	6.1414G	89.74	Inf	-Inf	80.58	3	Vertical	190	2.28	-	35.30	6.81	32.95

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6145MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12.5  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9014G	61.21	88.20	-26.99	52.64	3	Horizontal	296	1.06	-	34.91	6.60	32.94
RMS	5.9218G	50.22	68.20	-17.98	41.57	3	Horizontal	296	1.06	-	34.99	6.60	32.94
PK	6.145G	106.75	Inf	-Inf	97.58	3	Horizontal	296	1.06	-	35.30	6.82	32.95
RMS	6.1462G	97.29	Inf	-Inf	88.12	3	Horizontal	296	1.06	-	35.30	6.82	32.95

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6145MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29222G	56.77	74.00	-17.23	41.68	3	Vertical	314	2.29	-	38.48	9.13	32.52
AV	12.29212G	42.63	54.00	-11.37	27.54	3	Vertical	314	2.29	-	38.48	9.13	32.52



802.11ax HEW80\_Nss1,(MCS0)\_2TX

6145MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29394G	56.69	74.00	-17.31	41.59	3	Horizontal	309	2.05	-	38.49	9.13	32.52
AV	12.29498G	42.60	54.00	-11.40	27.49	3	Horizontal	309	2.05	-	38.49	9.13	32.51

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6145MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43476G	49.35	83.54	-34.19	46.89	1	Vertical	252	1.51	-	37.72	14.87	50.13
AV	18.44G	35.43	63.54	-28.11	32.94	1	Vertical	252	1.51	-	37.73	14.88	50.12

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6145MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43476G	49.60	83.54	-33.94	47.14	1	Horizontal	288	1.57	-	37.72	14.87	50.13
AV	18.4399G	35.44	63.54	-28.10	32.95	1	Horizontal	288	1.57	-	37.73	14.88	50.12

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6305MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12.5  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	60.76	88.20	-27.44	52.14	3	Vertical	81	2.62	-	34.96	6.60	32.94
RMS	5.925G	50.89	68.20	-17.31	42.23	3	Vertical	81	2.62	-	35.00	6.60	32.94
PK	6.2978G	102.89	Inf	-Inf	93.60	3	Vertical	81	2.62	-	35.29	6.95	32.95
RMS	6.3002G	94.41	Inf	-Inf	85.11	3	Vertical	81	2.62	-	35.30	6.95	32.95

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6305MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12.5  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7866G	60.84	88.20	-27.36	52.77	3	Horizontal	299	1.01	-	34.40	6.60	32.93
RMS	5.921G	50.88	68.20	-17.32	42.24	3	Horizontal	299	1.01	-	34.98	6.60	32.94
PK	6.2954G	107.18	Inf	-Inf	97.90	3	Horizontal	299	1.01	-	35.28	6.95	32.95
RMS	6.305G	98.49	Inf	-Inf	89.19	3	Horizontal	299	1.01	-	35.30	6.95	32.95

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6305MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.61392G	56.99	74.00	-17.01	41.08	3	Vertical	174	1.19	-	38.74	9.28	32.11
AV	12.61348G	43.58	54.00	-10.42	27.67	3	Vertical	174	1.19	-	38.74	9.28	32.11

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6305MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.60908G	57.27	74.00	-16.73	41.39	3	Horizontal	9	1.17	-	38.73	9.27	32.12
AV	12.61354G	43.58	54.00	-10.42	27.67	3	Horizontal	9	1.17	-	38.74	9.28	32.11

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6305MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.91936G	49.53	83.54	-34.01	46.24	1	Vertical	305	1.57	-	37.90	15.07	49.68
AV	18.919G	35.72	63.54	-27.82	32.43	1	Vertical	305	1.57	-	37.90	15.07	49.68



### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6305MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.91454G	49.20	83.54	-34.34	45.92	1	Horizontal	304	1.58	-	37.90	15.07	49.69
AV	18.9192G	35.66	63.54	-27.88	32.37	1	Horizontal	304	1.58	-	37.90	15.07	49.68

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6385MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12.5  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8426G	60.90	88.20	-27.30	52.49	3	Vertical	80	2.80	-	34.74	6.60	32.93
RMS	5.8474G	50.86	68.20	-17.34	42.41	3	Vertical	80	2.80	-	34.78	6.60	32.93
PK	6.3898G	103.44	Inf	-Inf	93.86	3	Vertical	80	2.80	-	35.54	6.99	32.95
RMS	6.3898G	94.70	Inf	-Inf	85.12	3	Vertical	80	2.80	-	35.54	6.99	32.95

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6385MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12.5  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8258G	61.02	88.20	-27.18	52.74	3	Horizontal	298	1.18	-	34.61	6.60	32.93
RMS	5.8426G	50.76	68.20	-17.44	42.35	3	Horizontal	298	1.18	-	34.74	6.60	32.93
PK	6.385G	107.68	Inf	-Inf	98.13	3	Horizontal	298	1.18	-	35.51	6.99	32.95
RMS	6.3874G	98.35	Inf	-Inf	88.79	3	Horizontal	298	1.18	-	35.52	6.99	32.95

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6385MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77224G	57.56	88.20	-30.64	40.98	3	Vertical	212	1.85	-	39.14	9.35	31.91
RMS	12.76642G	44.17	68.20	-24.03	27.62	3	Vertical	212	1.85	-	39.13	9.34	31.92

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6385MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76794G	58.06	88.20	-30.14	41.49	3	Horizontal	257	2.12	-	39.14	9.35	31.92
RMS	12.7725G	44.21	68.20	-23.99	27.62	3	Horizontal	257	2.12	-	39.15	9.35	31.91

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6385MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15946G	50.00	83.54	-33.54	46.66	1	Vertical	338	1.58	-	37.81	15.16	49.63
AV	19.15168G	35.63	63.54	-27.91	32.28	1	Vertical	338	1.58	-	37.82	15.16	49.63

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6385MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15154G	49.53	83.54	-34.01	46.18	1	Horizontal	112	1.55	-	37.82	15.16	49.63
AV	19.15444G	35.81	63.54	-27.73	32.47	1	Horizontal	112	1.55	-	37.81	15.16	49.63

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6465MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8904G	60.81	88.20	-27.39	52.27	3	Vertical	81	2.75	-	34.88	6.60	32.94
RMS	5.815G	50.81	68.20	-17.39	42.62	3	Vertical	81	2.75	-	34.52	6.60	32.93
PK	6.4598G	102.16	Inf	-Inf	92.67	3	Vertical	81	2.75	-	35.44	7.00	32.95
RMS	6.4598G	93.49	Inf	-Inf	84.00	3	Vertical	81	2.75	-	35.44	7.00	32.95



### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6465MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8306G	60.47	88.20	-27.73	52.16	3	Horizontal	304	1.00	-	34.64	6.60	32.93
RMS	5.815G	50.81	68.20	-17.39	42.62	3	Horizontal	304	1.00	-	34.52	6.60	32.93
PK	6.4676G	108.63	Inf	-Inf	99.11	3	Horizontal	304	1.00	-	35.47	7.00	32.95
RMS	6.4676G	98.06	Inf	-Inf	88.54	3	Horizontal	304	1.00	-	35.47	7.00	32.95

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6465MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92874G	58.38	88.20	-29.82	41.28	3	Vertical	131	1.43	-	39.39	9.42	31.71
RMS	12.93218G	44.93	68.20	-23.27	27.82	3	Vertical	131	1.43	-	39.40	9.42	31.71

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6465MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92876G	59.02	88.20	-29.18	41.92	3	Horizontal	288	1.50	-	39.39	9.42	31.71
RMS	12.932G	44.95	68.20	-23.25	27.84	3	Horizontal	288	1.50	-	39.40	9.42	31.71

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6465MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3975G	50.22	83.54	-33.32	46.82	1	Vertical	161	1.52	-	37.82	15.26	49.68
AV	19.39576G	36.19	63.54	-27.35	32.79	1	Vertical	161	1.52	-	37.82	15.26	49.68

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX


### 6465MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 13  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3934G	50.40	83.54	-33.14	47.01	1	Horizontal	228	1.57	-	37.81	15.26	49.68
AV	19.39596G	36.16	63.54	-27.38	32.76	1	Horizontal	228	1.57	-	37.82	15.26	49.68


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 13.5  
 01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9002G	61.01	88.20	-27.19	52.45	3	Vertical	77	2.78	-	34.90	6.60	32.94
RMS	5.921G	50.82	68.20	-17.38	42.18	3	Vertical	77	2.78	-	34.98	6.60	32.94
PK	6.5502G	102.57	Inf	-Inf	92.74	3	Vertical	77	2.78	-	35.80	7.00	32.97
RMS	6.5502G	93.72	Inf	-Inf	83.89	3	Vertical	77	2.78	-	35.80	7.00	32.97
PK	7.1664G	64.00	88.20	-24.20	52.94	3	Vertical	77	2.78	-	36.97	7.22	33.13
RMS	7.169G	53.52	68.20	-14.68	42.45	3	Vertical	77	2.78	-	36.98	7.22	33.13

**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT\_Z\_2TX  
 Setting 13.5  
 01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.908G	60.15	88.20	-28.05	51.56	3	Horizontal	305	1.10	-	34.93	6.60	32.94
RMS	5.895G	50.82	68.20	-17.38	42.27	3	Horizontal	305	1.10	-	34.89	6.60	32.94
PK	6.5476G	107.65	Inf	-Inf	97.83	3	Horizontal	305	1.10	-	35.79	7.00	32.97
RMS	6.5476G	98.91	Inf	-Inf	89.09	3	Horizontal	305	1.10	-	35.79	7.00	32.97
PK	7.1768G	62.79	88.20	-25.41	51.70	3	Horizontal	305	1.10	-	37.01	7.21	33.13
RMS	7.169G	53.58	68.20	-14.62	42.51	3	Horizontal	305	1.10	-	36.98	7.22	33.13

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TnomVnom



05/05/2022


EUT\_Z\_2TX  
Setting 13.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0933G	59.47	88.20	-28.73	41.79	3	Vertical	71	2.81	-	39.69	9.49	31.50
RMS	13.08604G	44.86	68.20	-23.34	27.19	3	Vertical	71	2.81	-	39.69	9.49	31.51



802.11ax HEW80\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TnomVnom




05/05/2022

EUT\_Z\_2TX  
Setting 13.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08502G	58.66	88.20	-29.54	40.99	3	Horizontal	284	2.76	-	39.69	9.49	31.51
RMS	13.09146G	44.81	68.20	-23.39	27.13	3	Horizontal	284	2.76	-	39.69	9.49	31.50


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 13.5  
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6316G	50.78	83.54	-32.76	47.28	1	Vertical	227	1.56	-	37.85	15.35	49.70
AV	19.6363G	37.48	63.54	-26.06	33.98	1	Vertical	227	1.56	-	37.85	15.35	49.70

**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT\_Z\_2TX  
 Setting 13.5  
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6388G	51.60	83.54	-31.94	48.10	1	Horizontal	245	1.58	-	37.84	15.36	49.70
AV	19.63746G	37.41	63.54	-26.13	33.91	1	Horizontal	245	1.58	-	37.85	15.35	49.70

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6625MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6226G	104.56	Inf	-Inf	94.62	3	Vertical	77	2.73	-	35.95	7.00	33.01
RMS	6.6202G	94.98	Inf	-Inf	85.05	3	Vertical	77	2.73	-	35.94	7.00	33.01
PK	7.165G	63.66	88.20	-24.54	52.61	3	Vertical	77	2.73	-	36.96	7.22	33.13
RMS	7.1746G	53.61	68.20	-14.59	42.53	3	Vertical	77	2.73	-	37.00	7.21	33.13

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6625MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.625G	110.21	Inf	-Inf	100.27	3	Horizontal	309	1.00	-	35.95	7.00	33.01
RMS	6.6274G	99.87	Inf	-Inf	89.93	3	Horizontal	309	1.00	-	35.95	7.00	33.01
PK	7.1482G	64.05	88.20	-24.15	53.07	3	Horizontal	309	1.00	-	36.89	7.23	33.14
RMS	7.1866G	53.61	68.20	-14.59	42.47	3	Horizontal	309	1.00	-	37.05	7.21	33.12

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6625MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25358G	58.68	74.00	-15.32	40.47	3	Vertical	100	1.37	-	39.95	9.56	31.30
AV	13.25132G	45.32	54.00	-8.68	27.11	3	Vertical	100	1.37	-	39.95	9.56	31.30

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6625MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25093G	59.63	74.00	-14.37	41.42	3	Horizontal	6	2.10	-	39.95	9.56	31.30
AV	13.25097G	45.19	54.00	-8.81	26.98	3	Horizontal	6	2.10	-	39.95	9.56	31.30

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6625MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87388G	50.03	83.54	-33.51	46.68	1	Vertical	250	1.53	-	37.60	15.45	49.70
AV	19.87568G	36.64	63.54	-26.90	33.29	1	Vertical	250	1.53	-	37.60	15.45	49.70



### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6625MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87674G	49.88	83.54	-33.66	46.53	1	Horizontal	80	1.53	-	37.60	15.45	49.70
AV	19.87574G	36.72	63.54	-26.82	33.37	1	Horizontal	80	1.53	-	37.60	15.45	49.70

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.699G	103.76	Inf	-Inf	93.91	3	Vertical	79	2.40	-	35.90	7.00	33.05
RMS	6.709G	94.49	Inf	-Inf	84.59	3	Vertical	79	2.40	-	35.95	7.00	33.05
PK	7.127G	64.63	88.20	-23.57	53.81	3	Vertical	79	2.40	-	36.72	7.24	33.14
RMS	7.191G	53.56	68.20	-14.64	42.42	3	Vertical	79	2.40	-	37.06	7.20	33.12

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.707G	108.39	Inf	-Inf	98.50	3	Horizontal	312	1.07	-	35.94	7.00	33.05
RMS	6.707G	100.55	Inf	-Inf	90.66	3	Horizontal	312	1.07	-	35.94	7.00	33.05
PK	7.141G	64.15	88.20	-24.05	53.23	3	Horizontal	312	1.07	-	36.83	7.23	33.14
RMS	7.197G	53.57	68.20	-14.63	42.40	3	Horizontal	312	1.07	-	37.09	7.20	33.12

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40822G	60.06	88.20	-28.14	41.34	3	Vertical	152	2.79	-	40.20	9.63	31.11
RMS	13.41178G	46.27	68.20	-21.93	27.53	3	Vertical	152	2.79	-	40.20	9.64	31.10

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6705MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40532G	59.67	88.20	-28.53	40.95	3	Horizontal	330	1.13	-	40.20	9.63	31.11
RMS	13.4145G	46.12	68.20	-22.08	27.38	3	Horizontal	330	1.13	-	40.20	9.64	31.10

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6705MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11192G	52.82	83.54	-30.72	49.52	1	Vertical	298	1.53	-	37.49	15.55	49.74
AV	20.11088G	39.17	63.54	-24.37	35.87	1	Vertical	298	1.53	-	37.49	15.55	49.74

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6705MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11164G	52.70	83.54	-30.84	49.40	1	Horizontal	274	1.55	-	37.49	15.55	49.74
AV	20.11034G	39.15	63.54	-24.39	35.85	1	Horizontal	274	1.55	-	37.49	15.55	49.74

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TnomVnom




EUT Z\_2TX  
Setting 15.5  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7978G	104.72	Inf	-Inf	94.61	3	Vertical	79	2.44	-	36.20	7.00	33.09
RMS	6.7802G	96.41	Inf	-Inf	86.29	3	Vertical	79	2.44	-	36.20	7.00	33.08
PK	7.185G	64.14	88.20	-24.06	53.01	3	Vertical	79	2.44	-	37.04	7.21	33.12
RMS	7.1738G	53.79	68.20	-14.41	42.71	3	Vertical	79	2.44	-	37.00	7.21	33.13



802.11ax HEW80\_Nss1,(MCS0)\_2TX

6785MHz\_TnomVnom




EUT Z\_2TX  
Setting 15.5  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7866G	113.78	Inf	-Inf	103.67	3	Horizontal	311	1.04	-	36.20	7.00	33.09
RMS	6.7866G	103.16	Inf	-Inf	93.05	3	Horizontal	311	1.04	-	36.20	7.00	33.09
PK	7.153G	63.61	88.20	-24.59	52.61	3	Horizontal	311	1.04	-	36.91	7.22	33.13
RMS	7.1434G	53.75	68.20	-14.45	42.81	3	Horizontal	311	1.04	-	36.85	7.23	33.14

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6785MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 15.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56754G	60.02	88.20	-28.18	41.08	3	Vertical	136	1.42	-	40.27	9.71	31.04
RMS	13.5669G	46.29	68.20	-21.91	27.35	3	Vertical	136	1.42	-	40.27	9.71	31.04

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6785MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 15.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56824G	60.11	88.20	-28.09	41.17	3	Horizontal	94	1.18	-	40.27	9.71	31.04
RMS	13.56938G	46.28	68.20	-21.92	27.34	3	Horizontal	94	1.18	-	40.27	9.71	31.04

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6785MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 15.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35546G	51.92	83.54	-31.62	48.46	1	Vertical	220	1.55	-	37.64	15.66	49.84
AV	20.35304G	37.76	63.54	-25.78	34.30	1	Vertical	220	1.55	-	37.64	15.66	49.84

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX


### 6785MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 15.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35052G	50.96	83.54	-32.58	47.50	1	Horizontal	36	1.53	-	37.64	15.66	49.84
AV	20.35354G	37.82	63.54	-25.72	34.36	1	Horizontal	36	1.53	-	37.64	15.66	49.84


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 16.5  
 01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8506G	103.86	Inf	-Inf	93.30	3	Vertical	81	2.52	-	36.60	7.08	33.12
RMS	6.8614G	94.26	Inf	-Inf	83.78	3	Vertical	81	2.52	-	36.51	7.09	33.12
PK	7.1326G	64.16	88.20	-24.04	53.31	3	Vertical	81	2.52	-	36.76	7.23	33.14
RMS	7.1458G	53.72	68.20	-14.48	42.76	3	Vertical	81	2.52	-	36.87	7.23	33.14


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**







EUT\_Z\_2TX  
 Setting 16.5  
 01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8674G	110.60	Inf	-Inf	100.17	3	Horizontal	315	1.00	-	36.46	7.10	33.13
RMS	6.8662G	102.10	Inf	-Inf	91.66	3	Horizontal	315	1.00	-	36.47	7.10	33.13
PK	7.1398G	63.52	88.20	-24.68	52.61	3	Horizontal	315	1.00	-	36.82	7.23	33.14
RMS	7.1446G	53.67	68.20	-14.53	42.72	3	Horizontal	315	1.00	-	36.86	7.23	33.14

**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**



Lim.PK   
 PK   
 Lim.AV   
 AV 


05/05/2022

EUT\_Z\_2TX  
 Setting 16.5  
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73218G	63.54	88.20	-24.66	44.31	3	Vertical	83	2.07	-	40.60	9.78	31.15
RMS	13.73442G	49.90	68.20	-18.30	30.67	3	Vertical	83	2.07	-	40.60	9.78	31.15




**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 16.5  
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73394G	63.69	88.20	-24.51	44.46	3	Horizontal	91	1.55	-	40.60	9.78	31.15
RMS	13.7302G	49.91	68.20	-18.29	30.69	3	Horizontal	91	1.55	-	40.59	9.78	31.15


**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_2TX  
 Setting 16.5  
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.592G	52.98	83.54	-30.56	49.26	1	Vertical	344	1.57	-	37.81	15.77	49.86
AV	20.59518G	39.57	63.54	-23.97	35.85	1	Vertical	344	1.57	-	37.81	15.77	49.86

**802.11ax HEW80\_Nss1,(MCS0)\_2TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_2TX  
 Setting 16.5  
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59188G	52.79	83.54	-30.75	49.07	1	Horizontal	314	1.53	-	37.81	15.77	49.86
AV	20.59862G	39.61	63.54	-23.93	35.88	1	Horizontal	314	1.53	-	37.82	15.77	49.86

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6945MHz\_TnomVnom




EUT Z\_2TX  
Setting 16.5  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9462G	101.17	Inf	-Inf	90.63	3	Vertical	152	2.22	-	36.48	7.22	33.16
RMS	6.9462G	92.25	Inf	-Inf	81.71	3	Vertical	152	2.22	-	36.48	7.22	33.16
PK	7.1994G	64.08	88.20	-24.12	52.90	3	Vertical	152	2.22	-	37.10	7.20	33.12
RMS	7.1958G	53.70	68.20	-14.50	42.54	3	Vertical	152	2.22	-	37.08	7.20	33.12

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6945MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16.5  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9426G	111.56	Inf	-Inf	101.05	3	Horizontal	314	2.87	-	36.46	7.21	33.16
RMS	6.9426G	101.67	Inf	-Inf	91.16	3	Horizontal	314	2.87	-	36.46	7.21	33.16
PK	7.1586G	64.21	88.20	-23.99	53.19	3	Horizontal	314	2.87	-	36.93	7.22	33.13
RMS	7.1946G	53.79	68.20	-14.41	42.63	3	Horizontal	314	2.87	-	37.08	7.20	33.12

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6945MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88934G	64.96	88.20	-23.24	45.47	3	Vertical	132	1.48	-	40.89	9.85	31.25
RMS	13.88956G	50.71	68.20	-17.49	31.22	3	Vertical	132	1.48	-	40.89	9.85	31.25

802.11ax HEW80\_Nss1,(MCS0)\_2TX

6945MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88796G	64.72	88.20	-23.48	45.23	3	Horizontal	124	2.80	-	40.89	9.85	31.25
RMS	13.89258G	50.52	68.20	-17.68	31.04	3	Horizontal	124	2.80	-	40.89	9.85	31.26

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6945MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83294G	52.22	83.54	-31.32	48.25	1	Vertical	262	1.53	-	37.87	15.87	49.77
AV	20.8379G	38.65	63.54	-24.89	34.67	1	Vertical	262	1.53	-	37.86	15.88	49.76



### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6945MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8308G	52.21	83.54	-31.33	48.24	1	Horizontal	233	1.52	-	37.87	15.87	49.77
AV	20.83622G	38.72	63.54	-24.82	34.75	1	Horizontal	233	1.52	-	37.86	15.88	49.77

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 7025MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16.5  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0258G	104.85	Inf	-Inf	94.29	3	Vertical	152	2.27	-	36.45	7.29	33.18
RMS	7.0266G	93.76	Inf	-Inf	83.19	3	Vertical	152	2.27	-	36.46	7.29	33.18
PK	7.2082G	63.98	88.20	-24.22	52.79	3	Vertical	152	2.27	-	37.10	7.21	33.12
RMS	7.173G	53.74	68.20	-14.46	42.67	3	Vertical	152	2.27	-	36.99	7.21	33.13

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 7025MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16.5  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0154G	113.62	Inf	-Inf	103.12	3	Horizontal	314	1.01	-	36.39	7.29	33.18
RMS	7.0258G	103.52	Inf	-Inf	92.96	3	Horizontal	314	1.01	-	36.45	7.29	33.18
PK	7.1834G	64.09	88.20	-24.11	52.97	3	Horizontal	314	1.01	-	37.03	7.21	33.12
RMS	7.1266G	53.81	68.20	-14.39	43.00	3	Horizontal	314	1.01	-	36.71	7.24	33.14

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 7025MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04686G	63.93	88.20	-24.27	44.50	3	Vertical	52	1.57	-	40.90	9.91	31.38
RMS	14.0455G	49.93	68.20	-18.27	30.49	3	Vertical	52	1.57	-	40.90	9.91	31.37

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 7025MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0531G	63.76	88.20	-24.44	44.32	3	Horizontal	262	1.73	-	40.90	9.92	31.38
RMS	14.05046G	49.96	68.20	-18.24	30.52	3	Horizontal	262	1.73	-	40.90	9.92	31.38

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 7025MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07172G	52.81	83.54	-30.73	48.92	1	Vertical	283	1.57	-	37.60	15.98	49.69
AV	21.07826G	39.60	63.54	-23.94	35.69	1	Vertical	283	1.57	-	37.60	15.99	49.68

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 7025MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07698G	53.48	83.54	-30.06	49.58	1	Horizontal	288	1.53	-	37.60	15.98	49.68
AV	21.07932G	39.60	63.54	-23.94	35.69	1	Horizontal	288	1.53	-	37.60	15.99	49.68

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 15.5  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8442G	61.22	88.20	-26.98	52.80	3	Vertical	189	2.80	-	34.75	6.60	32.93
RMS	5.8474G	50.52	68.20	-17.68	42.07	3	Vertical	189	2.80	-	34.78	6.60	32.93
PK	6.1818G	100.78	Inf	-Inf	91.43	3	Vertical	189	2.80	-	35.43	6.87	32.95
RMS	6.1818G	91.32	Inf	-Inf	81.97	3	Vertical	189	2.80	-	35.43	6.87	32.95



### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6185MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 15.5  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.825G	60.98	88.20	-27.22	52.71	3	Horizontal	314	1.01	-	34.60	6.60	32.93
RMS	5.9226G	50.52	68.20	-17.68	41.87	3	Horizontal	314	1.01	-	34.99	6.60	32.94
PK	6.177G	106.79	Inf	-Inf	97.46	3	Horizontal	314	1.01	-	35.41	6.87	32.95
RMS	6.1962G	97.40	Inf	-Inf	87.98	3	Horizontal	314	1.01	-	35.48	6.89	32.95

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6185MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 15.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36884G	56.96	74.00	-17.04	41.57	3	Vertical	101	2.69	-	38.64	9.17	32.42
AV	12.37382G	43.72	54.00	-10.28	28.32	3	Vertical	101	2.69	-	38.65	9.17	32.42

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6185MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 15.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3679G	56.82	74.00	-17.18	41.43	3	Horizontal	346	1.31	-	38.64	9.17	32.42
AV	12.37372G	43.58	54.00	-10.42	28.18	3	Horizontal	346	1.31	-	38.65	9.17	32.42

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6185MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 15.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	18.55766G	35.63	63.54	-27.91	32.97	1	Vertical	135	1.57	-	37.78	14.92	50.04
PK	18.55864G	50.37	83.54	-33.17	47.71	1	Vertical	135	1.57	-	37.78	14.92	50.04

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6185MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 15.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55536G	51.04	83.54	-32.50	48.38	1	Horizontal	77	1.54	-	37.78	14.92	50.04
AV	18.55474G	36.62	63.54	-26.92	33.97	1	Horizontal	77	1.54	-	37.78	14.92	50.05

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 17  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69074G	58.16	74.00	-15.84	41.90	3	Vertical	31	2.25	-	38.97	9.31	32.02
AV	12.69072G	44.02	54.00	-9.98	27.76	3	Vertical	31	2.25	-	38.97	9.31	32.02

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

#### 6345MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 17  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68782G	57.63	74.00	-16.37	41.38	3	Horizontal	202	2.95	-	38.96	9.31	32.02
AV	12.69072G	44.09	54.00	-9.91	27.83	3	Horizontal	202	2.95	-	38.97	9.31	32.02

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6345MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 17  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03978G	49.74	83.54	-33.80	46.28	1	Vertical	40	1.52	-	37.95	15.12	49.61
AV	19.03988G	37.55	63.54	-25.99	34.09	1	Vertical	189	1.53	-	37.95	15.12	49.61



### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6345MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 17  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03926G	51.02	83.54	-32.52	47.56	1	Horizontal	128	1.50	-	37.95	15.12	49.61
AV	19.03694G	37.60	63.54	-25.94	34.14	1	Horizontal	128	1.50	-	37.96	15.11	49.61

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8862G	60.66	88.20	-27.54	52.13	3	Vertical	77	2.51	-	34.87	6.60	32.94
RMS	5.9002G	50.48	68.20	-17.72	41.92	3	Vertical	77	2.51	-	34.90	6.60	32.94
PK	6.5106G	103.38	Inf	-Inf	93.70	3	Vertical	77	2.51	-	35.64	7.00	32.96
RMS	6.4994G	94.15	Inf	-Inf	84.50	3	Vertical	77	2.51	-	35.60	7.00	32.95
PK	7.1378G	62.71	88.20	-25.49	51.82	3	Vertical	77	2.51	-	36.80	7.23	33.14
RMS	7.1742G	53.22	68.20	-14.98	42.14	3	Vertical	77	2.51	-	37.00	7.21	33.13

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8498G	60.56	88.20	-27.64	52.09	3	Horizontal	308	1.00	-	34.80	6.60	32.93
RMS	5.9058G	50.54	68.20	-17.66	41.96	3	Horizontal	308	1.00	-	34.92	6.60	32.94
PK	6.5078G	107.60	Inf	-Inf	97.92	3	Horizontal	308	1.00	-	35.63	7.00	32.95
RMS	6.4966G	98.40	Inf	-Inf	88.76	3	Horizontal	308	1.00	-	35.59	7.00	32.95
PK	7.1826G	63.22	88.20	-24.98	52.10	3	Horizontal	308	1.00	-	37.03	7.21	33.12
RMS	7.1742G	53.18	68.20	-15.02	42.10	3	Horizontal	308	1.00	-	37.00	7.21	33.13

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TnomVnom




05/05/2022

EUT\_Z\_2TX  
Setting 16  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00696G	58.53	88.20	-29.67	41.08	3	Vertical	170	2.45	-	39.61	9.45	31.61
RMS	13.00752G	45.03	68.20	-23.17	27.58	3	Vertical	170	2.45	-	39.61	9.45	31.61

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00502G	58.67	88.20	-29.53	41.22	3	Horizontal	153	2.23	-	39.61	9.45	31.61
RMS	13.01258G	44.99	68.20	-23.21	27.52	3	Horizontal	153	2.23	-	39.61	9.46	31.60

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51494G	50.91	83.54	-32.63	47.41	1	Vertical	258	1.57	-	37.89	15.31	49.70
AV	19.51226G	37.49	63.54	-26.05	33.99	1	Vertical	258	1.57	-	37.90	15.30	49.70

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51G	51.63	83.54	-31.91	48.13	1	Horizontal	198	1.53	-	37.90	15.30	49.70
AV	19.51264G	37.44	63.54	-26.10	33.94	1	Horizontal	198	1.53	-	37.89	15.31	49.70

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16.5  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6672G	104.32	Inf	-Inf	94.38	3	Vertical	79	2.40	-	35.97	7.00	33.03
RMS	6.6694G	95.24	Inf	-Inf	85.31	3	Vertical	79	2.40	-	35.96	7.00	33.03
PK	7.204G	63.25	88.20	-24.95	52.07	3	Vertical	79	2.40	-	37.10	7.20	33.12
RMS	7.1798G	53.16	68.20	-15.04	42.06	3	Vertical	79	2.40	-	37.02	7.21	33.13



### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6665MHz\_TnomVnom




EUT Z\_2TX  
Setting 16.5  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.676G	109.86	Inf	-Inf	99.94	3	Horizontal	314	1.00	-	35.95	7.00	33.03
RMS	6.6672G	100.36	Inf	-Inf	90.42	3	Horizontal	314	1.00	-	35.97	7.00	33.03
PK	7.1842G	64.07	88.20	-24.13	52.94	3	Horizontal	314	1.00	-	37.04	7.21	33.12
RMS	7.1952G	53.19	68.20	-15.01	42.03	3	Horizontal	314	1.00	-	37.08	7.20	33.12

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32714G	59.22	74.00	-14.78	40.78	3	Vertical	195	2.47	-	40.05	9.60	31.21
AV	13.33304G	45.53	54.00	-8.47	27.06	3	Vertical	195	2.47	-	40.07	9.60	31.20

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6665MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33276G	59.46	74.00	-14.54	40.99	3	Horizontal	86	1.36	-	40.07	9.60	31.20
AV	13.33258G	45.64	54.00	-8.36	27.17	3	Horizontal	86	1.36	-	40.07	9.60	31.20

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6665MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9904G	51.79	83.54	-31.75	48.57	1	Vertical	291	1.50	-	37.42	15.50	49.70
AV	19.9976G	38.31	63.54	-25.23	35.11	1	Vertical	291	1.50	-	37.40	15.50	49.70

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6665MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9932G	51.41	83.54	-32.13	48.20	1	Horizontal	190	1.51	-	37.41	15.50	49.70
AV	19.99278G	38.22	63.54	-25.32	35.01	1	Horizontal	190	1.51	-	37.41	15.50	49.70

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 18.5  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8106G	104.89	Inf	-Inf	94.69	3	Vertical	75	2.52	-	36.28	7.02	33.10
RMS	6.8202G	94.73	Inf	-Inf	84.44	3	Vertical	75	2.52	-	36.36	7.03	33.10
PK	7.2074G	64.39	88.20	-23.81	53.20	3	Vertical	75	2.52	-	37.10	7.21	33.12
RMS	7.1738G	53.27	68.20	-14.93	42.19	3	Vertical	75	2.52	-	37.00	7.21	33.13

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 18.5  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8154G	111.62	Inf	-Inf	101.38	3	Horizontal	313	1.01	-	36.32	7.02	33.10
RMS	6.8154G	101.53	Inf	-Inf	91.29	3	Horizontal	313	1.01	-	36.32	7.02	33.10
PK	7.1578G	64.19	88.20	-24.01	53.17	3	Horizontal	313	1.01	-	36.93	7.22	33.13
RMS	7.1946G	53.28	68.20	-14.92	42.12	3	Horizontal	313	1.01	-	37.08	7.20	33.12

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 18.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65414G	62.82	88.20	-25.38	43.76	3	Vertical	157	2.26	-	40.41	9.74	31.09
RMS	13.65042G	48.90	68.20	-19.30	29.85	3	Vertical	157	2.26	-	40.40	9.74	31.09



802.11ax HEW160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 18.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64972G	62.84	88.20	-25.36	43.79	3	Horizontal	227	1.00	-	40.40	9.74	31.09
RMS	13.65122G	48.81	68.20	-19.39	29.76	3	Horizontal	227	1.00	-	40.40	9.74	31.09

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 18.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4751G	51.97	83.54	-31.57	48.46	1	Vertical	257	1.54	-	37.69	15.71	49.89
AV	20.47898G	38.26	63.54	-25.28	34.74	1	Vertical	257	1.54	-	37.69	15.72	49.89

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_2TX  
Setting 18.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47554G	51.91	83.54	-31.63	48.40	1	Horizontal	172	1.50	-	37.69	15.71	49.89
AV	20.47774G	38.20	63.54	-25.34	34.69	1	Horizontal	172	1.50	-	37.69	15.71	49.89

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6985MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19.5  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.982G	104.13	Inf	-Inf	93.67	3	Vertical	73	2.39	-	36.37	7.27	33.18
RMS	6.981G	94.77	Inf	-Inf	84.30	3	Vertical	73	2.39	-	36.38	7.27	33.18
PK	7.125G	64.29	88.20	-23.91	53.49	3	Vertical	73	2.39	-	36.70	7.24	33.14
RMS	7.143G	53.34	68.20	-14.86	42.41	3	Vertical	73	2.39	-	36.84	7.23	33.14

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6985MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19.5  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.973G	112.02	Inf	-Inf	101.53	3	Horizontal	315	2.84	-	36.41	7.26	33.18
RMS	6.982G	102.36	Inf	-Inf	91.90	3	Horizontal	315	2.84	-	36.37	7.27	33.18
PK	7.14G	65.54	88.20	-22.66	54.63	3	Horizontal	315	2.84	-	36.82	7.23	33.14
RMS	7.132G	54.40	68.20	-13.80	43.55	3	Horizontal	315	2.84	-	36.76	7.23	33.14

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6985MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97324G	64.94	88.20	-23.26	45.46	3	Vertical	94	2.20	-	40.90	9.89	31.31
RMS	13.96994G	50.89	68.20	-17.31	31.41	3	Vertical	94	2.20	-	40.90	9.89	31.31

### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6985MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96564G	64.53	88.20	-23.67	45.06	3	Horizontal	130	2.53	-	40.90	9.88	31.31
RMS	13.97046G	51.04	68.20	-17.16	31.56	3	Horizontal	130	2.53	-	40.90	9.89	31.31

802.11ax HEW160\_Nss1,(MCS0)\_2TX

6985MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 19.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95564G	51.83	83.54	-31.71	47.95	1	Vertical	199	1.57	-	37.67	15.93	49.72
AV	20.95294G	38.50	63.54	-25.04	34.61	1	Vertical	199	1.57	-	37.68	15.93	49.72



### 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6985MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 19.5  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9096G	49.33	83.54	-34.21	45.42	1	Horizontal	189	1.53	-	37.74	15.91	49.74
AV	20.9086G	36.77	63.54	-26.77	32.85	1	Horizontal	189	1.53	-	37.75	15.91	49.74




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	RMS	7.1255G	67.64	68.20	-0.56	3	Horizontal	318	1.07	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6115MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.889G	59.87	88.20	-28.33	51.33	3	Vertical	37	2.60	-	34.88	6.60	32.94
RMS	5.922G	48.69	68.20	-19.51	40.04	3	Vertical	37	2.60	-	34.99	6.60	32.94
PK	6.116G	97.30	Inf	-Inf	88.18	3	Vertical	37	2.60	-	35.30	6.77	32.95
RMS	6.117G	88.52	Inf	-Inf	79.39	3	Vertical	37	2.60	-	35.30	6.78	32.95

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6115MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	59.52	88.20	-28.68	50.86	3	Horizontal	351	2.09	-	35.00	6.60	32.94
RMS	5.865G	48.71	68.20	-19.49	40.22	3	Horizontal	351	2.09	-	34.83	6.60	32.94
PK	6.113G	102.80	Inf	-Inf	93.68	3	Horizontal	351	2.09	-	35.30	6.77	32.95
RMS	6.114G	93.18	Inf	-Inf	84.06	3	Horizontal	351	2.09	-	35.30	6.77	32.95

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6115MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2316G	56.13	74.00	-17.87	41.26	3	Vertical	206	2.96	-	38.36	9.10	32.59
AV	12.252G	42.30	54.00	-11.70	27.36	3	Vertical	206	2.96	-	38.40	9.11	32.57

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 6115MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2363G	56.52	74.00	-17.48	41.63	3	Horizontal	46	1.38	-	38.37	9.11	32.59
AV	12.2548G	42.29	54.00	-11.71	27.33	3	Horizontal	46	1.38	-	38.41	9.11	32.56

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6115MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3418G	40.69	83.54	-42.85	38.40	1	Vertical	287	1.54	-	37.61	14.84	50.16
AV	18.34358G	26.82	63.54	-36.72	24.53	1	Vertical	287	1.54	-	37.61	14.84	50.16

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 6115MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 12  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.34426G	40.90	83.54	-42.64	38.61	1	Horizontal	135	1.58	-	37.61	14.84	50.16
AV	18.34218G	26.84	63.54	-36.70	24.55	1	Horizontal	135	1.58	-	37.61	14.84	50.16



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6275MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8718G	58.69	88.20	-29.51	50.19	3	Vertical	84	3.00	-	34.84	6.60	32.94
RMS	5.9204G	48.68	68.20	-19.52	40.04	3	Vertical	84	3.00	-	34.98	6.60	32.94
PK	6.2768G	102.52	Inf	-Inf	93.32	3	Vertical	84	3.00	-	35.21	6.94	32.95
RMS	6.2768G	92.42	Inf	-Inf	83.22	3	Vertical	84	3.00	-	35.21	6.94	32.95

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6275MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8844G	60.05	88.20	-28.15	51.52	3	Horizontal	297	1.05	-	34.87	6.60	32.94
RMS	5.9204G	48.72	68.20	-19.48	40.08	3	Horizontal	297	1.05	-	34.98	6.60	32.94
PK	6.2732G	105.50	Inf	-Inf	96.32	3	Horizontal	297	1.05	-	35.19	6.94	32.95
RMS	6.2732G	96.10	Inf	-Inf	86.92	3	Horizontal	297	1.05	-	35.19	6.94	32.95

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6275MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.54554G	55.60	74.00	-18.40	39.96	3	Vertical	329	1.93	-	38.59	9.25	32.20
AV	12.55412G	42.90	54.00	-11.10	27.23	3	Vertical	329	1.93	-	38.61	9.25	32.19

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 6275MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.55082G	56.37	74.00	-17.63	40.71	3	Horizontal	341	1.35	-	38.60	9.25	32.19
AV	12.55152G	42.82	54.00	-11.18	27.16	3	Horizontal	341	1.35	-	38.60	9.25	32.19

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 6275MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	18.82862G	28.61	63.54	-34.93	25.56	1	Vertical	142	1.56	-	37.79	15.03	49.77
PK	18.8259G	41.35	83.54	-42.19	38.30	1	Vertical	142	1.56	-	37.79	15.03	49.77

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 6275MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.82486G	50.60	83.54	-32.94	47.56	1	Horizontal	306	1.53	-	37.79	15.03	49.78
AV	18.8275G	36.82	63.54	-26.72	33.77	1	Horizontal	306	1.53	-	37.79	15.03	49.77

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8486G	58.91	88.20	-29.29	50.45	3	Vertical	110	2.98	-	34.79	6.60	32.93
RMS	5.8918G	48.64	68.20	-19.56	40.10	3	Vertical	110	2.98	-	34.88	6.60	32.94
PK	6.4174G	99.59	Inf	-Inf	90.01	3	Vertical	110	2.98	-	35.53	7.00	32.95
RMS	6.415G	91.58	Inf	-Inf	81.99	3	Vertical	110	2.98	-	35.54	7.00	32.95

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6415MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8582G	59.05	88.20	-29.15	50.57	3	Horizontal	306	2.00	-	34.82	6.60	32.94
RMS	5.9182G	48.60	68.20	-19.60	39.97	3	Horizontal	306	2.00	-	34.97	6.60	32.94
PK	6.4174G	109.29	Inf	-Inf	99.71	3	Horizontal	306	2.00	-	35.53	7.00	32.95
RMS	6.415G	100.28	Inf	-Inf	90.69	3	Horizontal	306	2.00	-	35.54	7.00	32.95



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6415MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82666G	56.56	88.20	-31.64	39.80	3	Vertical	306	1.62	-	39.23	9.37	31.84
RMS	12.83042G	43.98	68.20	-24.22	27.22	3	Vertical	306	1.62	-	39.23	9.37	31.84

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 6415MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82722G	56.29	88.20	-31.91	39.53	3	Horizontal	196	1.35	-	39.23	9.37	31.84
RMS	12.83G	43.67	68.20	-24.53	26.91	3	Horizontal	196	1.35	-	39.23	9.37	31.84

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6415MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	19.24356G	27.30	63.54	-36.24	24.04	1	Vertical	73	1.56	-	37.71	15.20	49.65
PK	19.24492G	40.60	83.54	-42.94	37.34	1	Vertical	73	1.56	-	37.71	15.20	49.65

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 13  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24736G	49.70	83.54	-33.84	46.45	1	Horizontal	346	1.51	-	37.70	15.20	49.65
AV	19.24164G	36.76	63.54	-26.78	33.50	1	Horizontal	346	1.51	-	37.71	15.20	49.65

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT Z\_2TX  
Setting 14  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8994G	58.99	88.20	-29.21	50.43	3	Vertical	77	2.97	-	34.90	6.60	32.94
RMS	5.915G	48.69	68.20	-19.51	40.07	3	Vertical	77	2.97	-	34.96	6.60	32.94
PK	6.4376G	104.86	Inf	-Inf	95.36	3	Vertical	77	2.97	-	35.45	7.00	32.95
RMS	6.4376G	95.31	Inf	-Inf	85.81	3	Vertical	77	2.97	-	35.45	7.00	32.95

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT Z\_2TX  
Setting 14  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8292G	60.27	88.20	-27.93	51.97	3	Horizontal	301	1.21	-	34.63	6.60	32.93
RMS	5.915G	48.68	68.20	-19.52	40.06	3	Horizontal	301	1.21	-	34.96	6.60	32.94
PK	6.4376G	109.48	Inf	-Inf	99.98	3	Horizontal	301	1.21	-	35.45	7.00	32.95
RMS	6.4376G	100.34	Inf	-Inf	90.84	3	Horizontal	301	1.21	-	35.45	7.00	32.95

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 6435MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8723G	56.61	88.20	-31.59	39.73	3	Vertical	151	1.92	-	39.27	9.39	31.78
RMS	12.87348G	43.67	68.20	-24.53	26.79	3	Vertical	151	1.92	-	39.27	9.39	31.78

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6435MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86672G	56.69	88.20	-31.51	39.82	3	Horizontal	21	2.62	-	39.27	9.39	31.79
RMS	12.87238G	43.71	68.20	-24.49	26.83	3	Horizontal	21	2.62	-	39.27	9.39	31.78



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30868G	50.31	83.54	-33.23	47.00	1	Vertical	351	1.50	-	37.75	15.22	49.66
AV	19.30592G	37.09	63.54	-26.45	33.79	1	Vertical	351	1.50	-	37.74	15.22	49.66

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 6435MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30724G	51.05	83.54	-32.49	47.74	1	Horizontal	79	1.55	-	37.75	15.22	49.66
AV	19.30858G	37.13	63.54	-26.41	33.82	1	Horizontal	79	1.55	-	37.75	15.22	49.66

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6475MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 15  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8898G	60.38	88.20	-27.82	51.84	3	Vertical	80	2.85	-	34.88	6.60	32.94
RMS	5.9094G	48.81	68.20	-19.39	40.21	3	Vertical	80	2.85	-	34.94	6.60	32.94
PK	6.4778G	105.09	Inf	-Inf	95.53	3	Vertical	80	2.85	-	35.51	7.00	32.95
RMS	6.4778G	94.96	Inf	-Inf	85.40	3	Vertical	80	2.85	-	35.51	7.00	32.95
PK	7.1526G	62.25	88.20	-25.95	51.26	3	Vertical	80	2.85	-	36.91	7.22	33.14
RMS	7.1666G	51.72	68.20	-16.48	40.66	3	Vertical	80	2.85	-	36.97	7.22	33.13

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 15  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8758G	58.94	88.20	-29.26	50.43	3	Horizontal	302	1.08	-	34.85	6.60	32.94
RMS	5.9234G	48.78	68.20	-19.42	40.13	3	Horizontal	302	1.08	-	34.99	6.60	32.94
PK	6.475G	107.87	Inf	-Inf	98.32	3	Horizontal	302	1.08	-	35.50	7.00	32.95
RMS	6.475G	99.66	Inf	-Inf	90.11	3	Horizontal	302	1.08	-	35.50	7.00	32.95
PK	7.161G	62.20	88.20	-26.00	51.17	3	Horizontal	302	1.08	-	36.94	7.22	33.13
RMS	7.175G	51.75	68.20	-16.45	40.67	3	Horizontal	302	1.08	-	37.00	7.21	33.13

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6475MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 15  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94928G	56.71	88.20	-31.49	39.51	3	Vertical	213	2.60	-	39.45	9.43	31.68
RMS	12.9504G	43.82	68.20	-24.38	26.62	3	Vertical	213	2.60	-	39.45	9.43	31.68

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6475MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 15  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9468G	56.21	88.20	-31.99	39.03	3	Horizontal	2	1.89	-	39.44	9.43	31.69
RMS	12.9474G	43.84	68.20	-24.36	26.66	3	Horizontal	2	1.89	-	39.44	9.43	31.69

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 15  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42382G	51.02	83.54	-32.52	47.59	1	Vertical	5	1.52	-	37.84	15.27	49.68
AV	19.42138G	37.98	63.54	-25.56	34.55	1	Vertical	5	1.52	-	37.84	15.27	49.68

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6475MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 15  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4229G	51.72	83.54	-31.82	48.29	1	Horizontal	115	1.58	-	37.84	15.27	49.68
AV	19.42964G	38.08	63.54	-25.46	34.66	1	Horizontal	115	1.58	-	37.84	15.27	49.69



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9102G	59.48	88.20	-28.72	50.88	3	Vertical	82	2.55	-	34.94	6.60	32.94
RMS	5.885G	48.65	68.20	-19.55	40.12	3	Vertical	82	2.55	-	34.87	6.60	32.94
PK	6.515G	102.62	Inf	-Inf	92.92	3	Vertical	82	2.55	-	35.66	7.00	32.96
RMS	6.515G	92.64	Inf	-Inf	82.94	3	Vertical	82	2.55	-	35.66	7.00	32.96
PK	7.2122G	62.14	88.20	-26.06	50.94	3	Vertical	82	2.55	-	37.10	7.21	33.11
RMS	7.215G	51.98	68.20	-16.22	40.77	3	Vertical	82	2.55	-	37.10	7.22	33.11

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8766G	59.42	88.20	-28.78	50.91	3	Horizontal	308	1.03	-	34.85	6.60	32.94
RMS	5.885G	48.70	68.20	-19.50	40.17	3	Horizontal	308	1.03	-	34.87	6.60	32.94
PK	6.5178G	106.58	Inf	-Inf	96.87	3	Horizontal	308	1.03	-	35.67	7.00	32.96
RMS	6.515G	97.80	Inf	-Inf	88.10	3	Horizontal	308	1.03	-	35.66	7.00	32.96
PK	7.1282G	63.77	88.20	-24.43	52.94	3	Horizontal	308	1.03	-	36.73	7.24	33.14
RMS	7.215G	51.94	68.20	-16.26	40.73	3	Horizontal	308	1.03	-	37.10	7.22	33.11

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6515MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03004G	56.35	88.20	-31.85	38.84	3	Vertical	156	2.39	-	39.63	9.46	31.58
RMS	13.02536G	43.50	68.20	-24.70	26.00	3	Vertical	156	2.39	-	39.63	9.46	31.59

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 6515MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0299G	56.14	88.20	-32.06	38.63	3	Horizontal	338	1.31	-	39.63	9.46	31.58
RMS	13.03342G	43.30	68.20	-24.90	25.78	3	Horizontal	338	1.31	-	39.63	9.47	31.58

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 6515MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54638G	51.90	83.54	-31.64	48.40	1	Vertical	106	1.55	-	37.88	15.32	49.70
AV	19.54378G	38.54	63.54	-25.00	35.04	1	Vertical	106	1.55	-	37.88	15.32	49.70

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54096G	51.97	83.54	-31.57	48.47	1	Horizontal	267	1.50	-	37.88	15.32	49.70
AV	19.54294G	38.39	63.54	-25.15	34.89	1	Horizontal	267	1.50	-	37.88	15.32	49.70

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8854G	58.96	88.20	-29.24	50.43	3	Vertical	77	2.58	-	34.87	6.60	32.94
RMS	5.9162G	48.64	68.20	-19.56	40.02	3	Vertical	77	2.58	-	34.96	6.60	32.94
PK	6.5378G	104.18	Inf	-Inf	94.40	3	Vertical	77	2.58	-	35.75	7.00	32.97
RMS	6.535G	94.69	Inf	-Inf	84.92	3	Vertical	77	2.58	-	35.74	7.00	32.97
PK	7.2154G	63.22	88.20	-24.98	52.01	3	Vertical	77	2.58	-	37.10	7.22	33.11
RMS	7.235G	52.10	68.20	-16.10	40.88	3	Vertical	77	2.58	-	37.10	7.23	33.11

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	59.77	88.20	-28.43	51.15	3	Horizontal	299	1.24	-	34.96	6.60	32.94
RMS	5.8854G	48.69	68.20	-19.51	40.16	3	Horizontal	299	1.24	-	34.87	6.60	32.94
PK	6.5322G	106.95	Inf	-Inf	97.19	3	Horizontal	299	1.24	-	35.73	7.00	32.97
RMS	6.5322G	97.85	Inf	-Inf	88.09	3	Horizontal	299	1.24	-	35.73	7.00	32.97
PK	7.1706G	62.38	88.20	-25.82	51.32	3	Horizontal	299	1.24	-	36.98	7.21	33.13
RMS	7.235G	52.10	68.20	-16.10	40.88	3	Horizontal	299	1.24	-	37.10	7.23	33.11



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6535MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07146G	56.32	88.20	-31.88	38.70	3	Vertical	163	1.81	-	39.67	9.48	31.53
RMS	13.07258G	43.44	68.20	-24.76	25.82	3	Vertical	163	1.81	-	39.67	9.48	31.53

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 6535MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07248G	56.16	88.20	-32.04	38.54	3	Horizontal	339	1.48	-	39.67	9.48	31.53
RMS	13.07244G	43.36	68.20	-24.84	25.74	3	Horizontal	339	1.48	-	39.67	9.48	31.53

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 6535MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60878G	51.67	83.54	-31.87	48.17	1	Vertical	184	1.54	-	37.86	15.34	49.70
AV	19.60018G	38.16	63.54	-25.38	34.66	1	Vertical	184	1.54	-	37.86	15.34	49.70

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 14  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60308G	51.19	83.54	-32.35	47.69	1	Horizontal	312	1.53	-	37.86	15.34	49.70
AV	19.60898G	38.02	63.54	-25.52	34.52	1	Horizontal	312	1.53	-	37.86	15.34	49.70

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6695MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 15  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	103.85	Inf	-Inf	93.98	3	Vertical	79	2.54	-	35.91	7.00	33.04
RMS	6.695G	93.78	Inf	-Inf	83.91	3	Vertical	79	2.54	-	35.91	7.00	33.04
PK	7.2318G	62.97	88.20	-25.23	51.75	3	Vertical	79	2.54	-	37.10	7.23	33.11
RMS	7.245G	52.19	68.20	-16.01	40.94	3	Vertical	79	2.54	-	37.10	7.25	33.10

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6695MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 15  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.695G	109.41	Inf	-Inf	99.54	3	Horizontal	305	2.17	-	35.91	7.00	33.04
RMS	6.6972G	99.88	Inf	-Inf	90.01	3	Horizontal	305	2.17	-	35.91	7.00	33.04
PK	7.1856G	62.74	88.20	-25.46	51.61	3	Horizontal	305	2.17	-	37.04	7.21	33.12
RMS	7.2428G	52.20	68.20	-16.00	40.96	3	Horizontal	305	2.17	-	37.10	7.24	33.10