


802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_X_2TX
Setting 22
05-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3112G	116.13	Inf	-Inf	113.60	3	Horizontal	336	1.55	-	31.50	6.76	35.73
AV	5.3108G	103.86	Inf	-Inf	101.33	3	Horizontal	336	1.55	-	31.50	6.76	35.73
PK	5.3512G	72.36	74.00	-1.64	69.78	3	Horizontal	336	1.55	-	31.51	6.78	35.71
AV	5.3508G	52.96	54.00	-1.04	50.38	3	Horizontal	336	1.55	-	31.51	6.78	35.71

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_X_2TX
Setting 22
05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62296G	60.91	74.00	-13.09	46.89	3	Vertical	284	1.04	-	39.85	8.88	34.71
AV	10.62474G	45.23	54.00	-8.77	31.21	3	Vertical	284	1.04	-	39.85	8.88	34.71
PK	15.9317G	59.91	74.00	-14.09	46.30	3	Vertical	151	2.40	-	37.20	10.28	33.87
AV	15.92856G	43.97	54.00	-10.03	30.36	3	Vertical	151	2.40	-	37.20	10.28	33.87

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_X_2TX
Setting 22
05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62108G	60.05	74.00	-13.95	46.04	3	Horizontal	250	2.23	-	39.84	8.88	34.71
AV	10.62284G	45.26	54.00	-8.74	31.24	3	Horizontal	250	2.23	-	39.85	8.88	34.71
PK	15.93378G	67.65	74.00	-6.35	54.04	3	Horizontal	100	1.95	-	37.20	10.28	33.87
AV	15.93448G	50.90	54.00	-3.10	37.29	3	Horizontal	100	1.95	-	37.20	10.28	33.87

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_X_2TX
Setting 22
05-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.414G	56.37	74.00	-17.63	53.39	3	Vertical	13	2.22	-	31.87	6.81	35.70
PK	5.4632G	55.97	68.20	-12.23	53.02	3	Vertical	13	2.22	-	31.80	6.83	35.68
AV	5.46G	42.62	54.00	-11.38	39.67	3	Vertical	13	2.22	-	31.80	6.83	35.68
PK	5.5124G	110.13	Inf	-Inf	107.15	3	Vertical	13	2.22	-	31.78	6.86	35.66
AV	5.5132G	97.65	Inf	-Inf	94.68	3	Vertical	13	2.22	-	31.77	6.86	35.66

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_X_2TX
Setting 22
05-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	58.39	74.00	-15.61	55.44	3	Horizontal	360	1.44	-	31.80	6.83	35.68
AV	5.46G	45.44	54.00	-8.56	42.49	3	Horizontal	360	1.44	-	31.80	6.83	35.68
PK	5.4692G	61.23	68.20	-6.97	58.28	3	Horizontal	360	1.44	-	31.80	6.83	35.68
PK	5.5124G	115.70	Inf	-Inf	112.72	3	Horizontal	360	1.44	-	31.78	6.86	35.66
AV	5.5112G	104.18	Inf	-Inf	101.20	3	Horizontal	360	1.44	-	31.78	6.86	35.66

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT X_2TX
Setting 22
05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0221G	60.07	74.00	-13.93	45.14	3	Vertical	162	2.19	-	40.23	9.06	34.36
AV	11.0236G	46.89	54.00	-7.11	31.96	3	Vertical	162	2.19	-	40.23	9.06	34.36
PK	16.52196G	54.58	68.20	-13.62	38.93	3	Vertical	112	1.65	-	39.02	10.40	33.77

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT X_2TX
Setting 22
05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02222G	66.92	74.00	-7.08	51.99	3	Horizontal	233	1.93	-	40.23	9.06	34.36
AV	11.02348G	52.15	54.00	-1.85	37.22	3	Horizontal	233	1.93	-	40.23	9.06	34.36
PK	16.52934G	54.13	68.20	-14.07	38.47	3	Horizontal	2.7	1.81	-	39.03	10.41	33.78

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_X_2TX
Setting 22
05-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.406G	55.06	74.00	-18.94	52.07	3	Vertical	187	2.23	-	31.89	6.80	35.70
PK	5.462G	54.95	68.20	-13.25	52.00	3	Vertical	187	2.23	-	31.80	6.83	35.68
AV	5.4412G	42.43	54.00	-11.57	39.48	3	Vertical	187	2.23	-	31.82	6.82	35.69
PK	5.5492G	109.47	Inf	-Inf	106.54	3	Vertical	187	2.23	-	31.70	6.87	35.64
AV	5.5484G	98.14	Inf	-Inf	95.21	3	Vertical	187	2.23	-	31.70	6.87	35.64
PK	5.7404G	56.12	68.20	-12.08	52.57	3	Vertical	187	2.23	-	32.16	6.90	35.51

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_X_2TX
Setting 22
05-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	56.06	74.00	-17.94	53.11	3	Horizontal	360	1.34	-	31.80	6.83	35.68
PK	5.4604G	55.79	68.20	-12.41	52.84	3	Horizontal	360	1.34	-	31.80	6.83	35.68
AV	5.4596G	43.37	54.00	-10.63	40.42	3	Horizontal	360	1.34	-	31.80	6.83	35.68
PK	5.5516G	115.78	Inf	-Inf	112.83	3	Horizontal	360	1.34	-	31.70	6.88	35.63
AV	5.5516G	104.28	Inf	-Inf	101.33	3	Horizontal	360	1.34	-	31.70	6.88	35.63
PK	5.738G	56.57	68.20	-11.63	53.03	3	Horizontal	360	1.34	-	32.15	6.90	35.51

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT X_2TX
Setting 22
05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10288G	59.33	74.00	-14.67	44.64	3	Vertical	162	2.19	-	39.99	9.10	34.40
AV	11.10276G	46.63	54.00	-8.37	30.94	3	Vertical	162	2.19	-	39.99	9.10	34.40
PK	16.65164G	55.17	68.20	-13.03	39.23	3	Vertical	225	2.12	-	39.36	10.43	33.85

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT X_2TX
Setting 22
05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10168G	65.26	74.00	-8.74	50.55	3	Horizontal	230	1.87	-	40.00	9.10	34.39
AV	11.10294G	51.25	54.00	-2.75	36.56	3	Horizontal	230	1.87	-	39.99	9.10	34.40
PK	16.6506G	55.08	68.20	-13.12	39.15	3	Horizontal	266	1.08	-	39.35	10.43	33.85

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT X_2TX
Setting 21.5
05-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6692G	111.94	Inf	-Inf	108.77	3	Vertical	187	2.11	-	31.82	6.90	35.55
AV	5.668G	100.27	Inf	-Inf	97.12	3	Vertical	187	2.11	-	31.81	6.90	35.56
PK	5.7284G	59.20	68.20	-9.00	55.70	3	Vertical	187	2.11	-	32.11	6.90	35.51

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT X_2TX
Setting 21.5
05-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6688G	117.17	Inf	-Inf	114.02	3	Horizontal	57	1.74	-	31.81	6.90	35.56
AV	5.6676G	104.64	Inf	-Inf	101.49	3	Horizontal	57	1.74	-	31.81	6.90	35.56
PK	5.726G	64.26	68.20	-3.94	60.78	3	Horizontal	57	1.74	-	32.10	6.90	35.52

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT X_2TX
Setting 21.5
05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34456G	59.10	74.00	-14.90	44.65	3	Vertical	165	1.81	-	39.74	9.21	34.50
AV	11.34384G	45.13	54.00	-8.87	30.69	3	Vertical	165	1.81	-	39.74	9.20	34.50
PK	17.00732G	56.92	68.20	-11.28	39.88	3	Vertical	353	2.01	-	40.60	10.50	34.06

802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TnomVnom



EUT X_2TX
Setting 21.5
05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34282G	67.24	74.00	-6.76	52.80	3	Horizontal	222	1.60	-	39.74	9.20	34.50
AV	11.34246G	52.19	54.00	-1.81	37.75	3	Horizontal	222	1.60	-	39.74	9.20	34.50
PK	17.0149G	56.31	68.20	-11.89	39.26	3	Horizontal	326	2.58	-	40.60	10.50	34.05


802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_X_2TX
 Setting 22
 05-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7092G	111.05	Inf	-Inf	107.64	3	Vertical	188	2.02	-	32.04	6.90	35.53
AV	5.7084G	99.59	Inf	-Inf	96.19	3	Vertical	188	2.02	-	32.03	6.90	35.53
PK	5.8604G	55.32	68.20	-12.88	51.49	3	Vertical	188	2.02	-	32.32	6.93	35.42


802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_X_2TX
 Setting 22
 05-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7092G	116.75	Inf	-Inf	113.34	3	Horizontal	59	2.58	-	32.04	6.90	35.53
AV	5.7084G	104.57	Inf	-Inf	101.17	3	Horizontal	59	2.58	-	32.03	6.90	35.53
PK	5.8972G	55.61	68.20	-12.59	51.67	3	Horizontal	59	2.58	-	32.39	6.95	35.40


802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT X_2TX
 Setting 22
 05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41376G	59.01	74.00	-14.99	44.46	3	Vertical	165	1.81	-	39.84	9.24	34.53
AV	11.41334G	44.86	54.00	-9.14	30.31	3	Vertical	165	1.81	-	39.84	9.24	34.53
PK	17.13082G	56.38	68.20	-11.82	39.16	3	Vertical	23	2.19	-	40.63	10.53	33.94

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
 Setting 22
 05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41406G	66.61	74.00	-7.39	52.06	3	Horizontal	220	1.40	-	39.84	9.24	34.53
AV	11.42366G	52.47	54.00	-1.53	37.90	3	Horizontal	220	1.40	-	39.87	9.24	34.54
PK	17.13088G	56.42	68.20	-11.78	39.20	3	Horizontal	71	1.80	-	40.63	10.53	33.94

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT X_2TX
Setting 22
05-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.598G	56.20	68.20	-12.00	53.20	3	Vertical	188	1.80	-	31.70	6.90	35.60
PK	5.754G	110.42	Inf	-Inf	106.82	3	Vertical	188	1.80	-	32.20	6.90	35.50
AV	5.754G	98.25	Inf	-Inf	94.65	3	Vertical	188	1.80	-	32.20	6.90	35.50
PK	6.002G	56.42	68.20	-11.78	52.15	3	Vertical	188	1.80	-	32.60	7.00	35.33

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT X_2TX
Setting 22
05-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.606G	56.35	68.20	-11.85	53.35	3	Horizontal	55	1.80	-	31.70	6.90	35.60
PK	5.756G	113.70	Inf	-Inf	110.10	3	Horizontal	55	1.80	-	32.20	6.90	35.50
AV	5.754G	102.44	Inf	-Inf	98.84	3	Horizontal	55	1.80	-	32.20	6.90	35.50
PK	5.995G	56.32	68.20	-11.88	52.07	3	Horizontal	55	1.80	-	32.58	7.00	35.33

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT X_2TX
Setting 22
05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5136G	58.37	74.00	-15.63	43.59	3	Vertical	63	1.79	-	40.07	9.28	34.57
AV	11.51288G	44.69	54.00	-9.31	29.91	3	Vertical	63	1.79	-	40.07	9.28	34.57
PK	17.26502G	56.59	68.20	-11.61	38.81	3	Vertical	67	2.57	-	41.03	10.55	33.80

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT X_2TX
Setting 22
05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50256G	63.49	74.00	-10.51	48.69	3	Horizontal	220	1.56	-	40.09	9.28	34.57
AV	11.51246G	49.25	54.00	-4.75	34.46	3	Horizontal	220	1.56	-	40.08	9.28	34.57
PK	17.2624G	56.36	68.20	-11.84	38.60	3	Horizontal	113	1.55	-	41.01	10.55	33.80

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT X_2TX
Setting 22
05-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.586G	55.84	68.20	-12.36	52.86	3	Vertical	188	2.12	-	31.70	6.89	35.61
PK	5.795G	113.00	Inf	-Inf	109.37	3	Vertical	188	2.12	-	32.20	6.90	35.47
AV	5.794G	100.24	Inf	-Inf	96.61	3	Vertical	188	2.12	-	32.20	6.90	35.47
PK	5.932G	56.03	68.20	-12.17	52.04	3	Vertical	188	2.12	-	32.40	6.97	35.38

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT X_2TX
Setting 22
05-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.606G	55.28	68.20	-12.92	52.28	3	Horizontal	55	1.71	-	31.70	6.90	35.60
PK	5.794G	116.15	Inf	-Inf	112.52	3	Horizontal	55	1.71	-	32.20	6.90	35.47
AV	5.794G	103.71	Inf	-Inf	100.08	3	Horizontal	55	1.71	-	32.20	6.90	35.47
PK	6.03G	55.76	68.20	-12.44	51.39	3	Horizontal	55	1.71	-	32.66	7.01	35.30

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT X_2TX
Setting 22
05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58154G	57.48	74.00	-16.52	42.82	3	Vertical	63	1.79	-	39.94	9.31	34.59
AV	11.58304G	44.41	54.00	-9.59	29.76	3	Vertical	63	1.79	-	39.93	9.31	34.59
PK	17.38262G	57.51	68.20	-10.69	38.50	3	Vertical	51	1.24	-	42.11	10.58	33.68

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT X_2TX
Setting 22
05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5906G	62.49	74.00	-11.51	47.85	3	Horizontal	235	2.52	-	39.92	9.32	34.60
AV	11.59012G	48.84	54.00	-5.16	34.20	3	Horizontal	235	2.52	-	39.92	9.32	34.60
PK	17.38946G	57.60	68.20	-10.60	38.51	3	Horizontal	129	2.36	-	42.18	10.58	33.67

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_X_2TX
Setting 21
05-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	60.52	74.00	-13.48	58.03	3	Vertical	187	1.64	-	31.60	6.67	35.78
AV	5.149G	48.71	54.00	-5.29	46.22	3	Vertical	187	1.64	-	31.60	6.67	35.78
PK	5.212G	109.53	Inf	-Inf	107.18	3	Vertical	187	1.64	-	31.40	6.71	35.76
AV	5.212G	97.64	Inf	-Inf	95.29	3	Vertical	187	1.64	-	31.40	6.71	35.76
PK	5.374G	55.25	74.00	-18.75	52.48	3	Vertical	187	1.64	-	31.69	6.79	35.71
AV	5.352G	42.61	54.00	-11.39	40.02	3	Vertical	187	1.64	-	31.52	6.78	35.71

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_X_2TX
Setting 21
05-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	68.07	74.00	-5.93	65.58	3	Horizontal	22	1.52	-	31.60	6.67	35.78
AV	5.147G	51.19	54.00	-2.81	48.69	3	Horizontal	22	1.52	-	31.61	6.67	35.78
PK	5.208G	112.27	Inf	-Inf	109.93	3	Horizontal	22	1.52	-	31.40	6.70	35.76
AV	5.209G	101.42	Inf	-Inf	99.08	3	Horizontal	22	1.52	-	31.40	6.70	35.76
PK	5.361G	56.30	74.00	-17.70	53.64	3	Horizontal	22	1.52	-	31.59	6.78	35.71
AV	5.35G	43.60	54.00	-10.40	41.03	3	Horizontal	22	1.52	-	31.50	6.78	35.71

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT X_2TX
Setting 21
05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42516G	58.89	68.20	-9.31	44.71	3	Vertical	80	1.19	-	40.23	8.79	34.84
PK	15.6309G	55.46	74.00	-18.54	41.41	3	Vertical	248	1.24	-	37.71	10.21	33.87
AV	15.62832G	40.98	54.00	-13.02	26.92	3	Vertical	248	1.24	-	37.72	10.21	33.87

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT X_2TX
Setting 21
05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41994G	58.66	68.20	-9.54	44.49	3	Horizontal	222	2.32	-	40.22	8.79	34.84
PK	15.6405G	61.54	74.00	-12.46	47.52	3	Horizontal	210	1.66	-	37.68	10.21	33.87
AV	15.6396G	45.63	54.00	-8.37	31.61	3	Horizontal	210	1.66	-	37.68	10.21	33.87

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT X_2TX
Setting 21.5
05-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.139G	55.45	74.00	-18.55	52.92	3	Vertical	188	1.56	-	31.64	6.67	35.78
AV	5.096G	42.73	54.00	-11.27	40.05	3	Vertical	188	1.56	-	31.82	6.65	35.79
PK	5.292G	109.64	Inf	-Inf	107.14	3	Vertical	188	1.56	-	31.48	6.75	35.73
AV	5.292G	98.25	Inf	-Inf	95.75	3	Vertical	188	1.56	-	31.48	6.75	35.73
PK	5.361G	64.55	74.00	-9.45	61.89	3	Vertical	188	1.56	-	31.59	6.78	35.71
AV	5.354G	47.54	54.00	-6.46	44.94	3	Vertical	188	1.56	-	31.53	6.78	35.71
PK	5.52G	54.95	68.20	-13.25	51.99	3	Vertical	188	1.56	-	31.76	6.86	35.66

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_X_2TX
Setting 21.5
05-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.135G	56.43	74.00	-17.57	53.88	3	Horizontal	24	1.48	-	31.66	6.67	35.78
AV	5.147G	44.51	54.00	-9.49	42.01	3	Horizontal	24	1.48	-	31.61	6.67	35.78
PK	5.289G	113.75	Inf	-Inf	111.26	3	Horizontal	24	1.48	-	31.48	6.74	35.73
AV	5.288G	102.09	Inf	-Inf	99.60	3	Horizontal	24	1.48	-	31.48	6.74	35.73
PK	5.362G	68.00	74.00	-6.00	65.33	3	Horizontal	24	1.48	-	31.60	6.78	35.71
AV	5.351G	50.56	54.00	-3.44	47.98	3	Horizontal	24	1.48	-	31.51	6.78	35.71
PK	5.494G	56.70	68.20	-11.50	53.72	3	Horizontal	24	1.48	-	31.80	6.85	35.67

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT X_2TX
Setting 21.5
05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57944G	58.63	68.20	-9.57	44.62	3	Vertical	227	1.83	-	39.90	8.86	34.75
PK	15.87208G	55.06	74.00	-18.94	41.38	3	Vertical	6	2.35	-	37.28	10.27	33.87
AV	15.86798G	40.43	54.00	-13.57	26.73	3	Vertical	6	2.35	-	37.30	10.27	33.87

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT X_2TX
Setting 21.5
05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5802G	58.69	68.20	-9.51	44.68	3	Horizontal	122	1.61	-	39.90	8.86	34.75
PK	15.875G	61.35	74.00	-12.65	47.67	3	Horizontal	211	2.42	-	37.28	10.27	33.87
AV	15.86826G	45.40	54.00	-8.60	31.70	3	Horizontal	211	2.42	-	37.30	10.27	33.87

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_X_2TX
Setting 22
05-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2794G	55.13	68.20	-13.07	52.67	3	Vertical	16	2.09	-	31.46	6.74	35.74
PK	5.453G	56.48	74.00	-17.52	53.53	3	Vertical	16	2.09	-	31.80	6.83	35.68
AV	5.4544G	44.28	54.00	-9.72	41.33	3	Vertical	16	2.09	-	31.80	6.83	35.68
PK	5.4642G	56.49	68.20	-11.71	53.54	3	Vertical	16	2.09	-	31.80	6.83	35.68
PK	5.5328G	106.89	Inf	-Inf	103.94	3	Vertical	16	2.09	-	31.73	6.87	35.65
AV	5.5342G	95.55	Inf	-Inf	92.60	3	Vertical	16	2.09	-	31.73	6.87	35.65
PK	5.7596G	55.95	68.20	-12.25	52.34	3	Vertical	16	2.09	-	32.20	6.90	35.49

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT X_2TX
Setting 22
05-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2794G	59.22	68.20	-8.98	56.76	3	Horizontal	2	1.51	-	31.46	6.74	35.74
PK	5.4502G	60.86	74.00	-13.14	57.91	3	Horizontal	2	1.51	-	31.80	6.83	35.68
PK	5.4684G	61.86	68.20	-6.34	58.91	3	Horizontal	2	1.51	-	31.80	6.83	35.68
AV	5.46G	48.49	54.00	-5.51	45.54	3	Horizontal	2	1.51	-	31.80	6.83	35.68
PK	5.5314G	113.19	Inf	-Inf	110.23	3	Horizontal	2	1.51	-	31.74	6.87	35.65
AV	5.5314G	102.24	Inf	-Inf	99.28	3	Horizontal	2	1.51	-	31.74	6.87	35.65
PK	5.761G	58.90	68.20	-9.30	55.29	3	Horizontal	2	1.51	-	32.20	6.90	35.49

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT X_2TX
Setting 22
05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07446G	59.56	74.00	-14.44	44.78	3	Vertical	167	1.80	-	40.08	9.08	34.38
AV	11.05382G	44.77	54.00	-9.23	29.93	3	Vertical	167	1.80	-	40.14	9.07	34.37
PK	16.59346G	55.00	68.20	-13.20	39.31	3	Vertical	142	1.40	-	39.09	10.42	33.82

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT X_2TX
Setting 22
05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05394G	64.27	74.00	-9.73	49.43	3	Horizontal	229	1.89	-	40.14	9.07	34.37
AV	11.05286G	50.09	54.00	-3.91	35.25	3	Horizontal	229	1.89	-	40.14	9.07	34.37
PK	16.59244G	54.78	68.20	-13.42	39.09	3	Horizontal	126	1.72	-	39.09	10.42	33.82

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_X_2TX
Setting 22
05-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2804G	55.04	68.20	-13.16	52.58	3	Vertical	187	2.10	-	31.46	6.74	35.74
PK	5.4596G	55.84	74.00	-18.16	52.89	3	Vertical	187	2.10	-	31.80	6.83	35.68
AV	5.4596G	42.61	54.00	-11.39	39.66	3	Vertical	187	2.10	-	31.80	6.83	35.68
PK	5.4676G	55.23	68.20	-12.97	52.28	3	Vertical	187	2.10	-	31.80	6.83	35.68
PK	5.6084G	108.91	Inf	-Inf	105.91	3	Vertical	187	2.10	-	31.70	6.90	35.60
AV	5.6084G	97.86	Inf	-Inf	94.86	3	Vertical	187	2.10	-	31.70	6.90	35.60
PK	5.7268G	59.23	68.20	-8.97	55.74	3	Vertical	187	2.10	-	32.11	6.90	35.52

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_X_2TX
Setting 22
05-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2788G	57.19	68.20	-11.01	54.73	3	Horizontal	360	1.59	-	31.46	6.74	35.74
PK	5.4564G	56.56	74.00	-17.44	53.61	3	Horizontal	360	1.59	-	31.80	6.83	35.68
AV	5.4596G	44.10	54.00	-9.90	41.15	3	Horizontal	360	1.59	-	31.80	6.83	35.68
PK	5.4644G	57.03	68.20	-11.17	54.08	3	Horizontal	360	1.59	-	31.80	6.83	35.68
PK	5.6116G	115.40	Inf	-Inf	112.39	3	Horizontal	360	1.59	-	31.70	6.90	35.59
AV	5.6116G	103.04	Inf	-Inf	100.03	3	Horizontal	360	1.59	-	31.70	6.90	35.59
PK	5.7332G	63.59	68.20	-4.61	60.07	3	Horizontal	360	1.59	-	32.13	6.90	35.51

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT X_2TX
Setting 22
05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2332G	57.24	74.00	-16.76	42.77	3	Vertical	167	1.80	-	39.77	9.15	34.45
AV	11.22432G	43.34	54.00	-10.66	28.86	3	Vertical	167	1.80	-	39.78	9.15	34.45
PK	16.83014G	56.35	68.20	-11.85	39.51	3	Vertical	226	1.98	-	40.33	10.47	33.96

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TnomVnom



EUT X_2TX
Setting 22
05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22288G	62.97	74.00	-11.03	48.49	3	Horizontal	225	1.80	-	39.78	9.15	34.45
AV	11.2227G	48.31	54.00	-5.69	33.83	3	Horizontal	225	1.80	-	39.78	9.15	34.45
PK	16.8294G	56.62	68.20	-11.58	39.78	3	Horizontal	337	2.65	-	40.33	10.47	33.96


802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_X_2TX
 Setting 22
 05-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.21G	54.73	68.20	-13.47	52.38	3	Vertical	187	2.21	-	31.40	6.71	35.76
PK	5.38G	55.58	74.00	-18.42	52.76	3	Vertical	187	2.21	-	31.74	6.79	35.71
PK	5.464G	54.38	68.20	-13.82	51.43	3	Vertical	187	2.21	-	31.80	6.83	35.68
AV	5.446G	42.45	54.00	-11.55	39.51	3	Vertical	187	2.21	-	31.81	6.82	35.69
PK	5.69G	109.73	Inf	-Inf	106.43	3	Vertical	187	2.21	-	31.94	6.90	35.54
AV	5.69G	98.51	Inf	-Inf	95.21	3	Vertical	187	2.21	-	31.94	6.90	35.54
PK	5.862G	55.93	68.20	-12.27	52.10	3	Vertical	187	2.21	-	32.32	6.93	35.42


802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_X_2TX
 Setting 22
 05-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.28G	56.07	68.20	-12.13	53.61	3	Horizontal	58	1.80	-	31.46	6.74	35.74
PK	5.382G	55.17	74.00	-18.83	52.33	3	Horizontal	58	1.80	-	31.76	6.79	35.71
PK	5.462G	54.68	68.20	-13.52	51.73	3	Horizontal	58	1.80	-	31.80	6.83	35.68
AV	5.46G	42.73	54.00	-11.27	39.78	3	Horizontal	58	1.80	-	31.80	6.83	35.68
PK	5.688G	114.58	Inf	-Inf	111.29	3	Horizontal	58	1.80	-	31.93	6.90	35.54
AV	5.688G	102.48	Inf	-Inf	99.19	3	Horizontal	58	1.80	-	31.93	6.90	35.54
PK	5.862G	56.26	68.20	-11.94	52.43	3	Horizontal	58	1.80	-	32.32	6.93	35.42


802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT X_2TX
 Setting 22
 05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38228G	63.90	74.00	-10.10	49.42	3	Vertical	115	1.14	-	39.78	9.22	34.52
AV	11.38198G	49.24	54.00	-4.76	34.76	3	Vertical	115	1.14	-	39.78	9.22	34.52
PK	17.06914G	55.96	68.20	-12.24	38.85	3	Vertical	305	1.88	-	40.60	10.51	34.00

802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
 Setting 22
 05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38216G	63.16	74.00	-10.84	48.68	3	Horizontal	225	1.80	-	39.78	9.22	34.52
AV	11.38264G	49.50	54.00	-4.50	35.02	3	Horizontal	225	1.80	-	39.78	9.22	34.52
PK	17.06776G	55.97	68.20	-12.23	38.86	3	Horizontal	119	2.27	-	40.60	10.51	34.00

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT X_2TX
Setting 22
05-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.585G	55.48	68.20	-12.72	52.50	3	Vertical	190	2.16	-	31.70	6.89	35.61
PK	5.785G	108.95	Inf	-Inf	105.33	3	Vertical	190	2.16	-	32.20	6.90	35.48
AV	5.774G	97.35	Inf	-Inf	93.73	3	Vertical	190	2.16	-	32.20	6.90	35.48
PK	6.01G	56.05	68.20	-12.15	51.75	3	Vertical	190	2.16	-	32.62	7.00	35.32

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT X_2TX
Setting 22
05-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.591G	57.25	68.20	-10.95	54.26	3	Horizontal	58	2.50	-	31.70	6.90	35.61
PK	5.774G	114.32	Inf	-Inf	110.70	3	Horizontal	58	2.50	-	32.20	6.90	35.48
AV	5.774G	101.82	Inf	-Inf	98.20	3	Horizontal	58	2.50	-	32.20	6.90	35.48
PK	5.979G	56.65	68.20	-11.55	52.48	3	Horizontal	58	2.50	-	32.52	6.99	35.34

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT X_2TX
Setting 22
05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55978G	56.17	74.00	-17.83	41.48	3	Vertical	249	1.78	-	39.98	9.30	34.59
AV	11.5482G	42.52	54.00	-11.48	27.80	3	Vertical	249	1.78	-	40.00	9.30	34.58
PK	17.32602G	56.99	68.20	-11.21	38.67	3	Vertical	39	2.63	-	41.49	10.57	33.74

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TnomVnom



EUT X_2TX
Setting 22
05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54988G	60.38	74.00	-13.62	45.66	3	Horizontal	228	2.66	-	40.00	9.30	34.58
AV	11.55012G	47.88	54.00	-6.12	33.17	3	Horizontal	228	2.66	-	40.00	9.30	34.59
PK	17.32946G	57.82	68.20	-10.38	39.46	3	Horizontal	342	1.51	-	41.52	10.57	33.73

802.11ax HEW160_Nss1,(MCS0)_2TX
5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_X_2TX
 Setting 21
 05-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1324G	58.97	74.00	-15.03	56.41	3	Vertical	141	1.64	-	31.67	6.67	35.78
AV	5.1348G	46.37	54.00	-7.63	43.82	3	Vertical	141	1.64	-	31.66	6.67	35.78
PK	5.2548G	106.54	Inf	-Inf	104.14	3	Vertical	141	1.64	-	31.41	6.73	35.74
AV	5.2548G	96.01	Inf	-Inf	93.61	3	Vertical	141	1.64	-	31.41	6.73	35.74
PK	5.3628G	59.58	74.00	-14.42	56.91	3	Vertical	141	1.64	-	31.60	6.78	35.71
AV	5.3676G	46.52	54.00	-7.48	43.81	3	Vertical	141	1.64	-	31.64	6.78	35.71
PK	5.7036G	56.08	68.20	-12.12	52.70	3	Vertical	141	1.64	-	32.01	6.90	35.53

802.11ax HEW160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TnomVnom



EUT_X_2TX
Setting 21
05-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1276G	66.58	74.00	-7.42	64.01	3	Horizontal	25	1.58	-	31.69	6.66	35.78
AV	5.1492G	53.60	54.00	-0.40	51.11	3	Horizontal	25	1.58	-	31.60	6.67	35.78
PK	5.25G	110.60	Inf	-Inf	108.23	3	Horizontal	25	1.58	-	31.40	6.72	35.75
AV	5.2476G	99.93	Inf	-Inf	97.56	3	Horizontal	25	1.58	-	31.40	6.72	35.75
PK	5.3652G	62.08	74.00	-11.92	59.39	3	Horizontal	25	1.58	-	31.62	6.78	35.71
AV	5.3604G	49.74	54.00	-4.26	47.09	3	Horizontal	25	1.58	-	31.58	6.78	35.71
PK	5.7612G	57.19	68.20	-11.01	53.58	3	Horizontal	25	1.58	-	32.20	6.90	35.49

802.11ax HEW160_Nss1,(MCS0)_2TX
5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT X_2TX
 Setting 21
 05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50012G	54.68	68.20	-13.52	40.38	3	Vertical	156	3.00	-	40.30	8.83	34.83
PK	15.75046G	53.00	74.00	-21.00	39.13	3	Vertical	188	2.81	-	37.50	10.24	33.87
AV	15.75014G	39.77	54.00	-14.23	25.90	3	Vertical	188	2.81	-	37.50	10.24	33.87

802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT X_2TX
Setting 21
05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50006G	56.68	68.20	-11.52	42.38	3	Horizontal	220	1.99	-	40.30	8.83	34.83
PK	15.7524G	53.24	74.00	-20.76	39.37	3	Horizontal	203	1.43	-	37.50	10.24	33.87
AV	15.75172G	39.77	54.00	-14.23	25.90	3	Horizontal	203	1.43	-	37.50	10.24	33.87

802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TnomVnom




EUT_X_2TX
Setting 22
05-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3252G	55.32	68.20	-12.88	52.78	3	Vertical	129	2.29	-	31.50	6.76	35.72
PK	5.3828G	56.78	74.00	-17.22	53.94	3	Vertical	129	2.29	-	31.76	6.79	35.71
PK	5.4628G	56.01	68.20	-12.19	53.06	3	Vertical	129	2.29	-	31.80	6.83	35.68
AV	5.434G	44.67	54.00	-9.33	41.71	3	Vertical	129	2.29	-	31.83	6.82	35.69
PK	5.5748G	107.51	Inf	-Inf	104.54	3	Vertical	129	2.29	-	31.70	6.89	35.62
AV	5.5652G	95.09	Inf	-Inf	92.14	3	Vertical	129	2.29	-	31.70	6.88	35.63
PK	5.7604G	57.81	68.20	-10.39	54.20	3	Vertical	129	2.29	-	32.20	6.90	35.49

802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TnomVnom




EUT X_2TX
Setting 22
05-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2788G	58.61	68.20	-9.59	56.15	3	Horizontal	360	1.40	-	31.46	6.74	35.74
PK	5.4548G	64.58	74.00	-9.42	61.63	3	Horizontal	360	1.40	-	31.80	6.83	35.68
AV	5.4516G	51.08	54.00	-2.92	48.13	3	Horizontal	360	1.40	-	31.80	6.83	35.68
PK	5.4612G	63.10	68.20	-5.10	60.15	3	Horizontal	360	1.40	-	31.80	6.83	35.68
PK	5.5716G	112.51	Inf	-Inf	109.54	3	Horizontal	360	1.40	-	31.70	6.89	35.62
AV	5.5716G	100.60	Inf	-Inf	97.63	3	Horizontal	360	1.40	-	31.70	6.89	35.62
PK	5.7428G	61.10	68.20	-7.10	57.53	3	Horizontal	360	1.40	-	32.17	6.90	35.50

802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TnomVnom




EUT X_2TX
Setting 22
05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14108G	55.54	74.00	-18.46	40.92	3	Vertical	356	2.79	-	39.92	9.11	34.41
AV	11.14006G	43.86	54.00	-10.14	29.24	3	Vertical	356	2.79	-	39.92	9.11	34.41
PK	16.71136G	55.55	68.20	-12.65	39.32	3	Vertical	204	1.58	-	39.68	10.44	33.89

802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TnomVnom



EUT X_2TX
Setting 22
05-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15434G	56.25	74.00	-17.75	41.66	3	Horizontal	220	1.99	-	39.89	9.12	34.42
AV	11.14012G	43.73	54.00	-10.27	29.11	3	Horizontal	220	1.99	-	39.92	9.11	34.41
PK	16.70748G	56.43	68.20	-11.77	40.23	3	Horizontal	32	2.62	-	39.65	10.44	33.89