



## Spurious emissions at antenna terminals & Band Edge Compliance

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3555MHz	TM1.1	10M	9K~1M	0.01	-79.82	1.30	30.00	-48.52	-43.00	Pass
			1M~30M	1.00	-71.61	1.30	20.00	-50.31	-43.00	Pass
			30M~10G	3072.00	-50.21	1.30	0.00	-48.91	-43.00	Pass
				3923.50	-47.66	1.30	0.00	-46.36	-43.00	Pass
			10G~25G	23839.50	-52.37	1.30	0.00	-51.07	-43.00	Pass
			25G~37G	36779.20	-48.47	1.30	0.00	-47.17	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3527.71	-50.24	1.30	0.00	-48.94	-43.00	Pass
				3539.50	-45.63	1.30	0.00	-44.33	-28.00	Pass
				3549.50	-35.64	1.30	0.00	-34.34	-16.00	Pass
				3560.50	-35.38	1.30	0.00	-34.08	-16.00	Pass
3572.62	-45.83	1.30		0.00	-44.53	-28.00	Pass			
3743.42	-48.69	1.30	0.00	-47.39	-43.00	Pass				

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3555MHz	TM1.1	10M	9K~1M	0.01	-81.41	1.30	30.00	-50.11	-43.00	Pass
			1M~30M	1.00	-71.23	1.30	20.00	-49.93	-43.00	Pass
			30M~10G	3226.00	-50.43	1.30	0.00	-49.13	-43.00	Pass
				3947.50	-47.39	1.30	0.00	-46.09	-43.00	Pass
			10G~25G	24860.00	-52.40	1.30	0.00	-51.10	-43.00	Pass
			25G~37G	36803.60	-48.36	1.30	0.00	-47.06	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.50	-47.76	1.30	0.00	-46.46	-43.00	Pass
				3539.50	-44.18	1.30	0.00	-42.88	-28.00	Pass
				3549.50	-34.43	1.30	0.00	-33.13	-16.00	Pass
				3560.50	-34.62	1.30	0.00	-33.32	-16.00	Pass
3574.26	-44.25	1.30		0.00	-42.95	-28.00	Pass			
3746.17	-48.67	1.30	0.00	-47.37	-43.00	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
624.99MHz	TM1.1	10M	9K~1M	0.01	-80.87	1.30	30.00	-49.57	-43.00	Pass
			1M~30M	1.00	-71.86	1.30	20.00	-50.56	-43.00	Pass
			30M~10G	3072.00	-50.67	1.30	0.00	-49.37	-43.00	Pass
				3940.50	-47.73	1.30	0.00	-46.43	-43.00	Pass
			10G~25G	23860.50	-52.47	1.30	0.00	-51.17	-43.00	Pass
			25G~37G	36794.80	-48.41	1.30	0.00	-47.11	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3463.05	-53.05	1.30	0.00	-51.75	-43.00	Pass
				3609.15	-44.86	1.30	0.00	-43.56	-28.00	Pass
				3619.49	-36.46	1.30	0.00	-35.16	-16.00	Pass
				3630.49	-36.18	1.30	0.00	-34.88	-16.00	Pass
				3643.44	-44.09	1.30	0.00	-42.79	-28.00	Pass
3745.86	-48.71	1.30	0.00	-47.41	-43.00	Pass				

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
624.99MHz	TM1.1	10M	9K~1M	0.01	-81.04	1.30	30.00	-49.74	-43.00	Pass
			1M~30M	1.00	-71.71	1.30	20.00	-50.41	-43.00	Pass
			30M~10G	3226.00	-50.69	1.30	0.00	-49.39	-43.00	Pass
				3914.50	-47.70	1.30	0.00	-46.40	-43.00	Pass
			10G~25G	23848.00	-52.54	1.30	0.00	-51.24	-43.00	Pass
			25G~37G	36796.40	-48.32	1.30	0.00	-47.02	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3525.25	-52.99	1.30	0.00	-51.69	-43.00	Pass
				3606.75	-43.40	1.30	0.00	-42.10	-28.00	Pass
				3619.49	-34.74	1.30	0.00	-33.44	-16.00	Pass
				3630.49	-34.52	1.30	0.00	-33.22	-16.00	Pass
				3641.18	-44.26	1.30	0.00	-42.96	-28.00	Pass
3724.85	-48.81	1.30	0.00	-47.51	-43.00	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
6694.98MHz	TM1.1	10M	9K~1M	0.01	-80.32	1.30	30.00	-49.02	-43.00	Pass
			1M~30M	1.09	-71.74	1.30	20.00	-50.44	-43.00	Pass
			30M~10G	3072.00	-50.30	1.30	0.00	-49.00	-43.00	Pass
				3934.50	-47.56	1.30	0.00	-46.26	-43.00	Pass
			10G~25G	23851.50	-52.45	1.30	0.00	-51.15	-43.00	Pass
			25G~37G	36784.00	-48.24	1.30	0.00	-46.94	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3472.24	-53.01	1.30	0.00	-51.71	-43.00	Pass
				3678.96	-44.80	1.30	0.00	-43.50	-28.00	Pass
				3689.48	-36.28	1.30	0.00	-34.98	-16.00	Pass
				3700.48	-35.96	1.30	0.00	-34.66	-16.00	Pass
3711.90	-45.20	1.30		0.00	-43.90	-28.00	Pass			
3720.88	-47.43	1.30	0.00	-46.13	-43.00	Pass				

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
6694.98MHz	TM1.1	10M	9K~1M	0.01	-80.67	1.30	30.00	-49.37	-43.00	Pass
			1M~30M	1.06	-71.67	1.30	20.00	-50.37	-43.00	Pass
			30M~10G	3222.00	-50.74	1.30	0.00	-49.44	-43.00	Pass
				3933.50	-47.57	1.30	0.00	-46.27	-43.00	Pass
			10G~25G	23873.50	-52.36	1.30	0.00	-51.06	-43.00	Pass
			25G~37G	36796.80	-48.42	1.30	0.00	-47.12	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3491.66	-53.02	1.30	0.00	-51.72	-43.00	Pass
				3677.96	-43.27	1.30	0.00	-41.97	-28.00	Pass
				3689.48	-34.37	1.30	0.00	-33.07	-16.00	Pass
				3700.48	-33.42	1.30	0.00	-32.12	-16.00	Pass
3713.89	-43.35	1.30		0.00	-42.05	-28.00	Pass			
3720.59	-47.01	1.30	0.00	-45.71	-43.00	Pass				



Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
560.01MHz	TM1.1	20M	9K~1M	0.01	-80.93	1.30	30.00	-49.63	-43.00	Pass
			1M~30M	1.00	-71.78	1.30	20.00	-50.48	-43.00	Pass
			30M~10G	3072.00	-49.93	1.30	0.00	-48.63	-43.00	Pass
				3932.50	-47.56	1.30	0.00	-46.26	-43.00	Pass
			10G~25G	23861.00	-52.22	1.30	0.00	-50.92	-43.00	Pass
			25G~37G	36797.20	-48.22	1.30	0.00	-46.92	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.50	-47.67	1.30	0.00	-46.37	-43.00	Pass
				3538.57	-47.79	1.30	0.00	-46.49	-28.00	Pass
				3549.51	-38.20	1.30	0.00	-36.90	-16.00	Pass
				3570.51	-36.87	1.30	0.00	-35.57	-16.00	Pass
3600.45	-44.61	1.30		0.00	-43.31	-28.00	Pass			
3732.34	-48.76	1.30	0.00	-47.46	-43.00	Pass				

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
560.01MHz	TM1.1	20M	9K~1M	0.01	-81.52	1.30	30.00	-50.22	-43.00	Pass
			1M~30M	1.03	-71.42	1.30	20.00	-50.12	-43.00	Pass
			30M~10G	3496.50	-50.43	1.30	0.00	-49.13	-43.00	Pass
				3937.50	-47.47	1.30	0.00	-46.17	-43.00	Pass
			10G~25G	23850.50	-52.29	1.30	0.00	-50.99	-43.00	Pass
			25G~37G	36794.80	-48.23	1.30	0.00	-46.93	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.50	-44.63	1.30	0.00	-43.33	-43.00	Pass
				3535.68	-43.58	1.30	0.00	-42.28	-28.00	Pass
				3549.51	-36.35	1.30	0.00	-35.05	-16.00	Pass
				3570.51	-35.37	1.30	0.00	-34.07	-16.00	Pass
3601.10	-43.52	1.30		0.00	-42.22	-28.00	Pass			
3740.80	-48.67	1.30	0.00	-47.37	-43.00	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Laboratory

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
8624.99MHz	TM1.1	20M	9K~1M	0.01	-81.02	1.30	30.00	-49.72	-43.00	Pass
			1M~30M	1.03	-71.94	1.30	20.00	-50.64	-43.00	Pass
			30M~10G	3072.50	-50.48	1.30	0.00	-49.18	-43.00	Pass
				3931.00	-47.58	1.30	0.00	-46.28	-43.00	Pass
			10G~25G	23845.50	-52.48	1.30	0.00	-51.18	-43.00	Pass
			25G~37G	36803.20	-48.24	1.30	0.00	-46.94	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3510.11	-52.89	1.30	0.00	-51.59	-43.00	Pass
				3604.49	-39.38	1.30	0.00	-38.08	-28.00	Pass
				3614.49	-32.58	1.30	0.00	-31.28	-16.00	Pass
				3635.49	-31.75	1.30	0.00	-30.45	-16.00	Pass
3645.49	-36.56	1.30		0.00	-35.26	-28.00	Pass			
3742.45	-48.73	1.30	0.00	-47.43	-43.00	Pass				

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
8624.99MHz	TM1.1	20M	9K~1M	0.01	-80.62	1.30	30.00	-49.32	-43.00	Pass
			1M~30M	1.00	-71.77	1.30	20.00	-50.47	-43.00	Pass
			30M~10G	3183.00	-50.76	1.30	0.00	-49.46	-43.00	Pass
				3918.00	-47.53	1.30	0.00	-46.23	-43.00	Pass
			10G~25G	23873.00	-52.51	1.30	0.00	-51.21	-43.00	Pass
			25G~37G	36809.20	-48.22	1.30	0.00	-46.92	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3528.10	-52.92	1.30	0.00	-51.62	-43.00	Pass
				3603.84	-43.01	1.30	0.00	-41.71	-28.00	Pass
				3614.49	-34.46	1.30	0.00	-33.16	-16.00	Pass
				3635.49	-33.28	1.30	0.00	-31.98	-16.00	Pass
3645.49	-40.73	1.30		0.00	-39.43	-28.00	Pass			
3734.95	-48.78	1.30	0.00	-47.48	-43.00	Pass				





Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3690MHz	TM1.1	20M	9K~1M	0.01	-80.66	1.30	30.00	-49.36	-43.00	Pass
			1M~30M	1.03	-71.74	1.30	20.00	-50.44	-43.00	Pass
			30M~10G	3072.00	-50.33	1.30	0.00	-49.03	-43.00	Pass
				3934.50	-47.54	1.30	0.00	-46.24	-43.00	Pass
			10G~25G	23881.50	-52.36	1.30	0.00	-51.06	-43.00	Pass
			25G~37G	36790.40	-48.39	1.30	0.00	-47.09	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3474.50	-52.89	1.30	0.00	-51.59	-43.00	Pass
				3669.50	-45.37	1.30	0.00	-44.07	-28.00	Pass
				3679.50	-35.34	1.30	0.00	-34.04	-16.00	Pass
				3700.50	-35.36	1.30	0.00	-34.06	-16.00	Pass
3710.63	-46.03	1.30		0.00	-44.73	-28.00	Pass			
3730.77	-45.69	1.30	0.00	-44.39	-43.00	Pass				

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3690MHz	TM1.1	20M	9K~1M	0.01	-80.65	1.30	30.00	-49.35	-43.00	Pass
			1M~30M	1.03	-71.76	1.30	20.00	-50.46	-43.00	Pass
			30M~10G	3176.50	-50.60	1.30	0.00	-49.30	-43.00	Pass
				3966.00	-47.59	1.30	0.00	-46.29	-43.00	Pass
			10G~25G	23851.00	-52.28	1.30	0.00	-50.98	-43.00	Pass
			25G~37G	36782.00	-48.19	1.30	0.00	-46.89	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3465.32	-52.82	1.30	0.00	-51.52	-43.00	Pass
				3669.50	-44.26	1.30	0.00	-42.96	-28.00	Pass
				3679.50	-34.25	1.30	0.00	-32.95	-16.00	Pass
				3700.50	-34.08	1.30	0.00	-32.78	-16.00	Pass
3710.83	-45.59	1.30		0.00	-44.29	-28.00	Pass			
3721.31	-45.78	1.30	0.00	-44.48	-43.00	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
5665.02MHz	TM1.1	30M	9K~1M	0.01	-80.14	1.30	30.00	-48.84	-43.00	Pass
			1M~30M	1.03	-71.55	1.30	20.00	-50.25	-43.00	Pass
			30M~10G	3072.00	-49.48	1.30	0.00	-48.18	-43.00	Pass
				3920.50	-47.54	1.30	0.00	-46.24	-43.00	Pass
			10G~25G	23857.00	-52.16	1.30	0.00	-50.86	-43.00	Pass
			25G~37G	36789.60	-48.19	1.30	0.00	-46.89	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3489.76	-50.65	1.30	0.00	-49.35	-43.00	Pass
				3538.08	-47.52	1.30	0.00	-46.22	-28.00	Pass
				3549.52	-38.61	1.30	0.00	-37.31	-16.00	Pass
				3580.52	-38.64	1.30	0.00	-37.34	-16.00	Pass
3601.03	-47.01	1.30		0.00	-45.71	-28.00	Pass			
3746.84	-48.57	1.30	0.00	-47.27	-43.00	Pass				

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
5665.02MHz	TM1.1	30M	9K~1M	0.01	-80.74	1.30	30.00	-49.44	-43.00	Pass
			1M~30M	1.00	-71.46	1.30	20.00	-50.16	-43.00	Pass
			30M~10G	3482.00	-48.62	1.30	0.00	-47.32	-43.00	Pass
				3937.00	-47.47	1.30	0.00	-46.17	-43.00	Pass
			10G~25G	23848.50	-52.19	1.30	0.00	-50.89	-43.00	Pass
			25G~37G	36800.00	-48.48	1.30	0.00	-47.18	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.50	-49.21	1.30	0.00	-47.91	-43.00	Pass
				3539.19	-43.65	1.30	0.00	-42.35	-28.00	Pass
				3549.52	-36.19	1.30	0.00	-34.89	-16.00	Pass
				3580.52	-35.04	1.30	0.00	-33.74	-16.00	Pass
3590.52	-41.40	1.30		0.00	-40.10	-28.00	Pass			
3749.50	-48.55	1.30	0.00	-47.25	-43.00	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
8624.99MHz	TM1.1	30M	9K~1M	0.01	-80.77	1.30	30.00	-49.47	-43.00	Pass
			1M~30M	1.00	-71.68	1.30	20.00	-50.38	-43.00	Pass
			30M~10G	3072.00	-50.28	1.30	0.00	-48.98	-43.00	Pass
				3921.00	-47.60	1.30	0.00	-46.30	-43.00	Pass
			10G~25G	23860.00	-52.22	1.30	0.00	-50.92	-43.00	Pass
			25G~37G	36792.40	-48.49	1.30	0.00	-47.19	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.50	-52.04	1.30	0.00	-50.74	-43.00	Pass
				3599.09	-48.00	1.30	0.00	-46.70	-28.00	Pass
				3609.49	-40.56	1.30	0.00	-39.26	-16.00	Pass
				3640.49	-38.22	1.30	0.00	-36.92	-16.00	Pass
3651.92	-45.57	1.30		0.00	-44.27	-28.00	Pass			
3733.08	-48.58	1.30	0.00	-47.28	-43.00	Pass				

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
8624.99MHz	TM1.1	30M	9K~1M	0.01	-79.52	1.30	30.00	-48.22	-43.00	Pass
			1M~30M	1.03	-71.77	1.30	20.00	-50.47	-43.00	Pass
			30M~10G	3229.50	-50.53	1.30	0.00	-49.23	-43.00	Pass
				3955.00	-47.46	1.30	0.00	-46.16	-43.00	Pass
			10G~25G	23851.00	-52.15	1.30	0.00	-50.85	-43.00	Pass
			25G~37G	36796.40	-48.49	1.30	0.00	-47.19	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.13	-51.57	1.30	0.00	-50.27	-43.00	Pass
				3597.97	-46.04	1.30	0.00	-44.74	-28.00	Pass
				3609.49	-38.15	1.30	0.00	-36.85	-16.00	Pass
				3640.49	-37.13	1.30	0.00	-35.83	-16.00	Pass
3650.49	-43.13	1.30		0.00	-41.83	-28.00	Pass			
3720.50	-48.32	1.30	0.00	-47.02	-43.00	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Laboratory

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
684.99MHz	TM1.1	30M	9K~1M	0.01	-80.22	1.30	30.00	-48.92	-43.00	Pass
			1M~30M	1.06	-71.83	1.30	20.00	-50.53	-43.00	Pass
			30M~10G	3072.00	-49.68	1.30	0.00	-48.38	-43.00	Pass
				3942.00	-47.47	1.30	0.00	-46.17	-43.00	Pass
			10G~25G	24864.50	-52.20	1.30	0.00	-50.90	-43.00	Pass
			25G~37G	36799.60	-48.44	1.30	0.00	-47.14	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3450.85	-52.85	1.30	0.00	-51.55	-43.00	Pass
				3658.83	-44.65	1.30	0.00	-43.35	-28.00	Pass
				3669.49	-37.48	1.30	0.00	-36.18	-16.00	Pass
				3700.49	-37.40	1.30	0.00	-36.10	-16.00	Pass
3710.70	-46.14	1.30		0.00	-44.84	-28.00	Pass			
3748.24	-47.46	1.30	0.00	-46.16	-43.00	Pass				

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
684.99MHz	TM1.1	30M	9K~1M	0.01	-80.00	1.30	30.00	-48.70	-43.00	Pass
			1M~30M	1.09	-71.73	1.30	20.00	-50.43	-43.00	Pass
			30M~10G	3114.50	-50.65	1.30	0.00	-49.35	-43.00	Pass
				3926.50	-47.46	1.30	0.00	-46.16	-43.00	Pass
			10G~25G	23850.50	-52.09	1.30	0.00	-50.79	-43.00	Pass
			25G~37G	36791.20	-48.34	1.30	0.00	-47.04	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3460.11	-52.84	1.30	0.00	-51.54	-43.00	Pass
				3657.66	-44.10	1.30	0.00	-42.80	-28.00	Pass
				3669.49	-36.82	1.30	0.00	-35.52	-16.00	Pass
				3700.49	-36.79	1.30	0.00	-35.49	-16.00	Pass
3711.15	-44.94	1.30		0.00	-43.64	-28.00	Pass			
3720.93	-46.89	1.30	0.00	-45.59	-43.00	Pass				



Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3570MHz	TM1.1	40M	9K~1M	0.01	-80.12	1.30	30.00	-48.82	-43.00	Pass
			1M~30M	1.15	-71.71	1.30	20.00	-50.41	-43.00	Pass
			30M~10G	3484.50	-47.09	1.30	0.00	-45.79	-43.00	Pass
				3953.50	-47.58	1.30	0.00	-46.28	-43.00	Pass
			10G~25G	24063.00	-52.22	1.30	0.00	-50.92	-43.00	Pass
			25G~37G	36796.00	-48.49	1.30	0.00	-47.19	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.23	-47.66	1.30	0.00	-46.36	-43.00	Pass
				3539.50	-45.18	1.30	0.00	-43.88	-28.00	Pass
				3549.50	-37.70	1.30	0.00	-36.40	-16.00	Pass
				3590.50	-39.19	1.30	0.00	-37.89	-16.00	Pass
				3600.50	-44.96	1.30	0.00	-43.66	-28.00	Pass
3722.48	-48.79	1.30		0.00	-47.49	-43.00	Pass			

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3570MHz	TM1.1	40M	9K~1M	0.01	-81.10	1.30	30.00	-49.80	-43.00	Pass
			1M~30M	1.09	-71.66	1.30	20.00	-50.36	-43.00	Pass
			30M~10G	3490.50	-44.88	1.30	0.00	-43.58	-43.00	Pass
				3921.00	-47.66	1.30	0.00	-46.36	-43.00	Pass
			10G~25G	23852.00	-52.31	1.30	0.00	-51.01	-43.00	Pass
			25G~37G	36800.80	-48.38	1.30	0.00	-47.08	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3494.46	-45.03	1.30	0.00	-43.73	-43.00	Pass
				3539.50	-44.19	1.30	0.00	-42.89	-28.00	Pass
				3549.50	-36.37	1.30	0.00	-35.07	-16.00	Pass
				3590.50	-38.06	1.30	0.00	-36.76	-16.00	Pass
				3600.50	-43.55	1.30	0.00	-42.25	-28.00	Pass
3745.19	-48.66	1.30		0.00	-47.36	-43.00	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Laboratory

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3624.99MHz	TM1.1	40M	9K~1M	0.01	-81.38	1.30	30.00	-50.08	-43.00	Pass
			1M~30M	1.00	-71.71	1.30	20.00	-50.41	-43.00	Pass
			30M~10G	3225.50	-48.15	1.30	0.00	-46.85	-43.00	Pass
				3930.50	-47.69	1.30	0.00	-46.39	-43.00	Pass
			10G~25G	23857.50	-52.30	1.30	0.00	-51.00	-43.00	Pass
			25G~37G	36786.00	-48.46	1.30	0.00	-47.16	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3528.04	-49.78	1.30	0.00	-48.48	-43.00	Pass
				3594.49	-48.07	1.30	0.00	-46.77	-28.00	Pass
				3604.49	-38.99	1.30	0.00	-37.69	-16.00	Pass
				3645.49	-38.93	1.30	0.00	-37.63	-16.00	Pass
3655.49	-44.98	1.30		0.00	-43.68	-28.00	Pass			
3720.50	-47.68	1.30	0.00	-46.38	-43.00	Pass				

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3624.99MHz	TM1.1	40M	9K~1M	0.01	-81.34	1.30	30.00	-50.04	-43.00	Pass
			1M~30M	1.06	-71.69	1.30	20.00	-50.39	-43.00	Pass
			30M~10G	3245.00	-50.48	1.30	0.00	-49.18	-43.00	Pass
				3916.50	-47.54	1.30	0.00	-46.24	-43.00	Pass
			10G~25G	23854.00	-52.27	1.30	0.00	-50.97	-43.00	Pass
			25G~37G	36793.20	-48.37	1.30	0.00	-47.07	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.34	-48.23	1.30	0.00	-46.93	-43.00	Pass
				3594.48	-45.89	1.30	0.00	-44.59	-28.00	Pass
				3604.49	-37.22	1.30	0.00	-35.92	-16.00	Pass
				3645.49	-38.16	1.30	0.00	-36.86	-16.00	Pass
3655.49	-44.42	1.30		0.00	-43.12	-28.00	Pass			
3720.50	-47.12	1.30	0.00	-45.82	-43.00	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3679.98MHz	TM1.1	40M	9K~1M	0.01	-79.60	1.30	30.00	-48.30	-43.00	Pass
			1M~30M	1.00	-71.85	1.30	20.00	-50.55	-43.00	Pass
			30M~10G	3225.50	-49.09	1.30	0.00	-47.79	-43.00	Pass
				3931.00	-47.63	1.30	0.00	-46.33	-43.00	Pass
			10G~25G	23857.50	-52.25	1.30	0.00	-50.95	-43.00	Pass
			25G~37G	36802.00	-48.47	1.30	0.00	-47.17	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3508.80	-52.85	1.30	0.00	-51.55	-43.00	Pass
				3649.48	-45.40	1.30	0.00	-44.10	-28.00	Pass
				3659.48	-38.37	1.30	0.00	-37.07	-16.00	Pass
3700.48	-38.58	1.30		0.00	-37.28	-16.00	Pass			
3710.48	-45.74	1.30		0.00	-44.44	-28.00	Pass			
3741.92	-47.13	1.30	0.00	-45.83	-43.00	Pass				

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3679.98MHz	TM1.1	40M	9K~1M	0.01	-80.06	1.30	30.00	-48.76	-43.00	Pass
			1M~30M	1.06	-71.71	1.30	20.00	-50.41	-43.00	Pass
			30M~10G	3225.00	-50.75	1.30	0.00	-49.45	-43.00	Pass
				3925.50	-47.60	1.30	0.00	-46.30	-43.00	Pass
			10G~25G	23854.50	-52.32	1.30	0.00	-51.02	-43.00	Pass
			25G~37G	36798.40	-48.27	1.30	0.00	-46.97	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3526.95	-52.68	1.30	0.00	-51.38	-43.00	Pass
				3649.46	-44.05	1.30	0.00	-42.75	-28.00	Pass
				3659.48	-37.61	1.30	0.00	-36.31	-16.00	Pass
3700.48	-37.34	1.30		0.00	-36.04	-16.00	Pass			
3710.84	-43.88	1.30		0.00	-42.58	-28.00	Pass			
3720.50	-46.03	1.30	0.00	-44.73	-43.00	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3555MHz	TM3.1	10M	9K~1M	0.01	-81.36	1.30	30.00	-50.06	-43.00	Pass
			1M~30M	1.00	-71.54	1.30	20.00	-50.24	-43.00	Pass
			30M~10G	3201.50	-50.70	1.30	0.00	-49.40	-43.00	Pass
				3906.50	-47.58	1.30	0.00	-46.28	-43.00	Pass
			10G~25G	23858.50	-52.23	1.30	0.00	-50.93	-43.00	Pass
			25G~37G	36755.60	-48.33	1.30	0.00	-47.03	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3525.46	-50.90	1.30	0.00	-49.60	-43.00	Pass
				3535.94	-45.36	1.30	0.00	-44.06	-28.00	Pass
				3549.50	-33.82	1.30	0.00	-32.52	-16.00	Pass
				3560.50	-36.35	1.30	0.00	-35.05	-16.00	Pass
				3570.50	-46.33	1.30	0.00	-45.03	-28.00	Pass
				3743.10	-48.70	1.30	0.00	-47.40	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3555MHz	TM3.1	10M	9K~1M	0.01	-78.96	1.30	30.00	-47.66	-43.00	Pass
			1M~30M	1.09	-71.29	1.30	20.00	-49.99	-43.00	Pass
			30M~10G	3497.50	-50.25	1.30	0.00	-48.95	-43.00	Pass
				3939.50	-47.64	1.30	0.00	-46.34	-43.00	Pass
			10G~25G	23852.00	-52.32	1.30	0.00	-51.02	-43.00	Pass
			25G~37G	36803.20	-48.15	1.30	0.00	-46.85	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.50	-47.56	1.30	0.00	-46.26	-43.00	Pass
				3539.25	-43.99	1.30	0.00	-42.69	-28.00	Pass
				3549.50	-32.73	1.30	0.00	-31.43	-16.00	Pass
				3560.50	-34.94	1.30	0.00	-33.64	-16.00	Pass
				3570.50	-45.55	1.30	0.00	-44.25	-28.00	Pass
				3742.70	-48.69	1.30	0.00	-47.39	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3624.99MHz	TM3.1	10M	9K~1M	0.01	-79.01	1.30	30.00	-47.71	-43.00	Pass
			1M~30M	1.06	-71.90	1.30	20.00	-50.60	-43.00	Pass
			30M~10G	3228.50	-50.65	1.30	0.00	-49.35	-43.00	Pass
				3948.50	-47.61	1.30	0.00	-46.31	-43.00	Pass
			10G~25G	23848.50	-52.34	1.30	0.00	-51.04	-43.00	Pass
			25G~37G	35915.60	-48.44	1.30	0.00	-47.14	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3472.02	-52.91	1.30	0.00	-51.61	-43.00	Pass
				3609.49	-45.24	1.30	0.00	-43.94	-28.00	Pass
				3619.49	-34.76	1.30	0.00	-33.46	-16.00	Pass
				3630.49	-36.48	1.30	0.00	-35.18	-16.00	Pass
3645.35	-44.17	1.30		0.00	-42.87	-28.00	Pass			
			3742.15	-48.73	1.30	0.00	-47.43	-43.00	Pass	

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3624.99MHz	TM3.1	10M	9K~1M	0.01	-81.57	1.30	30.00	-50.27	-43.00	Pass
			1M~30M	1.09	-71.86	1.30	20.00	-50.56	-43.00	Pass
			30M~10G	3187.00	-50.51	1.30	0.00	-49.21	-43.00	Pass
				3942.50	-47.68	1.30	0.00	-46.38	-43.00	Pass
			10G~25G	23841.50	-52.33	1.30	0.00	-51.03	-43.00	Pass
			25G~37G	36805.60	-48.40	1.30	0.00	-47.10	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3493.13	-52.98	1.30	0.00	-51.68	-43.00	Pass
				3609.49	-43.90	1.30	0.00	-42.60	-28.00	Pass
				3619.49	-33.40	1.30	0.00	-32.10	-16.00	Pass
				3630.49	-35.33	1.30	0.00	-34.03	-16.00	Pass
3642.06	-44.29	1.30		0.00	-42.99	-28.00	Pass			
			3730.09	-48.78	1.30	0.00	-47.48	-43.00	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)



Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3694.98MHz	TM3.1	10M	9K~1M	0.01	-81.00	1.30	30.00	-49.70	-43.00	Pass
			1M~30M	1.06	-71.77	1.30	20.00	-50.47	-43.00	Pass
			30M~10G	3072.00	-50.32	1.30	0.00	-49.02	-43.00	Pass
				3947.00	-47.48	1.30	0.00	-46.18	-43.00	Pass
			10G~25G	23851.00	-52.43	1.30	0.00	-51.13	-43.00	Pass
			25G~37G	36789.20	-48.39	1.30	0.00	-47.09	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3481.07	-53.03	1.30	0.00	-51.73	-43.00	Pass
				3679.06	-45.06	1.30	0.00	-43.76	-28.00	Pass
				3689.48	-34.51	1.30	0.00	-33.21	-16.00	Pass
				3700.48	-36.93	1.30	0.00	-35.63	-16.00	Pass
				3710.58	-45.11	1.30	0.00	-43.81	-28.00	Pass
			3721.08	-47.52	1.30	0.00	-46.22	-43.00	Pass	

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3694.98MHz	TM3.1	10M	9K~1M	0.01	-80.26	1.30	30.00	-48.96	-43.00	Pass
			1M~30M	1.06	-71.69	1.30	20.00	-50.39	-43.00	Pass
			30M~10G	3227.50	-50.75	1.30	0.00	-49.45	-43.00	Pass
				3920.50	-47.52	1.30	0.00	-46.22	-43.00	Pass
			10G~25G	23840.50	-52.34	1.30	0.00	-51.04	-43.00	Pass
			25G~37G	36787.20	-48.22	1.30	0.00	-46.92	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3463.39	-52.93	1.30	0.00	-51.63	-43.00	Pass
				3677.90	-43.50	1.30	0.00	-42.20	-28.00	Pass
				3689.48	-32.39	1.30	0.00	-31.09	-16.00	Pass
				3700.48	-34.21	1.30	0.00	-32.91	-16.00	Pass
				3710.48	-43.96	1.30	0.00	-42.66	-28.00	Pass
			3720.50	-47.00	1.30	0.00	-45.70	-43.00	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3560.01MHz	TM3.1	20M	9K~1M	0.01	-79.47	1.30	30.00	-48.17	-43.00	Pass
			1M~30M	1.00	-71.67	1.30	20.00	-50.37	-43.00	Pass
			30M~10G	3379.00	-50.37	1.30	0.00	-49.07	-43.00	Pass
				3927.00	-47.61	1.30	0.00	-46.31	-43.00	Pass
			10G~25G	23879.50	-52.44	1.30	0.00	-51.14	-43.00	Pass
			25G~37G	36800.80	-48.24	1.30	0.00	-46.94	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3521.11	-47.42	1.30	0.00	-46.12	-43.00	Pass
				3537.17	-48.02	1.30	0.00	-46.72	-28.00	Pass
				3549.51	-36.82	1.30	0.00	-35.52	-16.00	Pass
3570.51	-38.11	1.30		0.00	-36.81	-16.00	Pass			
3600.85	-44.71	1.30		0.00	-43.41	-28.00	Pass			
			3742.85	-48.69	1.30	0.00	-47.39	-43.00	Pass	

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3560.01MHz	TM3.1	20M	9K~1M	0.01	-81.28	1.30	30.00	-49.98	-43.00	Pass
			1M~30M	1.06	-71.73	1.30	20.00	-50.43	-43.00	Pass
			30M~10G	3225.00	-50.66	1.30	0.00	-49.36	-43.00	Pass
				3930.00	-47.68	1.30	0.00	-46.38	-43.00	Pass
			10G~25G	24009.50	-52.51	1.30	0.00	-51.21	-43.00	Pass
			25G~37G	36778.00	-48.25	1.30	0.00	-46.95	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3528.55	-44.62	1.30	0.00	-43.32	-43.00	Pass
				3534.60	-44.42	1.30	0.00	-43.12	-28.00	Pass
				3549.51	-35.13	1.30	0.00	-33.83	-16.00	Pass
3570.51	-36.89	1.30		0.00	-35.59	-16.00	Pass			
3601.13	-43.66	1.30		0.00	-42.36	-28.00	Pass			
			3737.41	-48.73	1.30	0.00	-47.43	-43.00	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)





Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3624.99MHz	TM3.1	20M	9K~1M	0.01	-81.17	1.30	30.00	-49.87	-43.00	Pass
			1M~30M	1.00	-71.75	1.30	20.00	-50.45	-43.00	Pass
			30M~10G	3072.00	-50.34	1.30	0.00	-49.04	-43.00	Pass
				3939.00	-47.58	1.30	0.00	-46.28	-43.00	Pass
			10G~25G	23901.50	-52.33	1.30	0.00	-51.03	-43.00	Pass
			25G~37G	36809.20	-48.54	1.30	0.00	-47.24	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3462.20	-52.88	1.30	0.00	-51.58	-43.00	Pass
				3601.56	-45.95	1.30	0.00	-44.65	-28.00	Pass
				3614.49	-36.59	1.30	0.00	-35.29	-16.00	Pass
				3635.49	-37.70	1.30	0.00	-36.40	-16.00	Pass
3660.83	-44.66	1.30		0.00	-43.36	-28.00	Pass			
3747.00	-48.67	1.30	0.00	-47.37	-43.00	Pass				

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3624.99MHz	TM3.1	20M	9K~1M	0.01	-81.41	1.30	30.00	-50.11	-43.00	Pass
			1M~30M	1.00	-71.51	1.30	20.00	-50.21	-43.00	Pass
			30M~10G	3214.50	-50.33	1.30	0.00	-49.03	-43.00	Pass
				3963.00	-47.67	1.30	0.00	-46.37	-43.00	Pass
			10G~25G	23855.00	-52.32	1.30	0.00	-51.02	-43.00	Pass
			25G~37G	36793.20	-48.48	1.30	0.00	-47.18	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3465.86	-52.83	1.30	0.00	-51.53	-43.00	Pass
				3604.49	-43.94	1.30	0.00	-42.64	-28.00	Pass
				3614.49	-35.16	1.30	0.00	-33.86	-16.00	Pass
				3635.49	-35.52	1.30	0.00	-34.22	-16.00	Pass
3645.49	-42.48	1.30		0.00	-41.18	-28.00	Pass			
3724.87	-48.75	1.30	0.00	-47.45	-43.00	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Inspection & Testing Services Laboratory. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3690MHz	TM3.1	20M	9K~1M	0.01	-80.54	1.30	30.00	-49.24	-43.00	Pass
			1M~30M	1.00	-71.86	1.30	20.00	-50.56	-43.00	Pass
			30M~10G	3072.00	-49.61	1.30	0.00	-48.31	-43.00	Pass
				3920.00	-47.59	1.30	0.00	-46.29	-43.00	Pass
			10G~25G	23850.00	-52.27	1.30	0.00	-50.97	-43.00	Pass
			25G~37G	36810.80	-48.35	1.30	0.00	-47.05	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3504.36	-52.82	1.30	0.00	-51.52	-43.00	Pass
				3667.52	-45.45	1.30	0.00	-44.15	-28.00	Pass
				3679.50	-35.59	1.30	0.00	-34.29	-16.00	Pass
				3700.50	-37.17	1.30	0.00	-35.87	-16.00	Pass
				3711.22	-46.76	1.30	0.00	-45.46	-28.00	Pass
			3730.52	-46.01	1.30	0.00	-44.71	-43.00	Pass	

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3690MHz	TM3.1	20M	9K~1M	0.01	-80.27	1.30	30.00	-48.97	-43.00	Pass
			1M~30M	1.00	-71.70	1.30	20.00	-50.40	-43.00	Pass
			30M~10G	3224.50	-50.47	1.30	0.00	-49.17	-43.00	Pass
				3942.50	-47.53	1.30	0.00	-46.23	-43.00	Pass
			10G~25G	23853.00	-52.12	1.30	0.00	-50.82	-43.00	Pass
			25G~37G	36793.20	-48.52	1.30	0.00	-47.22	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3513.33	-52.79	1.30	0.00	-51.49	-43.00	Pass
				3647.24	-44.03	1.30	0.00	-42.73	-28.00	Pass
				3679.50	-33.45	1.30	0.00	-32.15	-16.00	Pass
				3700.50	-35.03	1.30	0.00	-33.73	-16.00	Pass
				3710.50	-45.99	1.30	0.00	-44.69	-28.00	Pass
			3731.27	-44.77	1.30	0.00	-43.47	-43.00	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3565.02MHz	TM3.1	30M	9K~1M	0.01	-80.63	1.30	30.00	-49.33	-43.00	Pass
			1M~30M	1.00	-71.80	1.30	20.00	-50.50	-43.00	Pass
			30M~10G	3072.00	-49.32	1.30	0.00	-48.02	-43.00	Pass
				3940.50	-47.59	1.30	0.00	-46.29	-43.00	Pass
			10G~25G	24849.00	-52.17	1.30	0.00	-50.87	-43.00	Pass
			25G~37G	36792.80	-48.33	1.30	0.00	-47.03	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3488.32	-50.87	1.30	0.00	-49.57	-43.00	Pass
				3539.52	-47.09	1.30	0.00	-45.79	-28.00	Pass
				3549.52	-37.93	1.30	0.00	-36.63	-16.00	Pass
				3580.52	-39.31	1.30	0.00	-38.01	-16.00	Pass
3600.72	-46.89	1.30		0.00	-45.59	-28.00	Pass			
3740.20	-48.69	1.30	0.00	-47.39	-43.00	Pass				

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3565.02MHz	TM3.1	30M	9K~1M	0.01	-80.70	1.30	30.00	-49.40	-43.00	Pass
			1M~30M	1.00	-71.45	1.30	20.00	-50.15	-43.00	Pass
			30M~10G	3481.50	-48.70	1.30	0.00	-47.40	-43.00	Pass
				3946.50	-47.62	1.30	0.00	-46.32	-43.00	Pass
			10G~25G	23847.50	-52.37	1.30	0.00	-51.07	-43.00	Pass
			25G~37G	36792.40	-48.39	1.30	0.00	-47.09	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.50	-49.38	1.30	0.00	-48.08	-43.00	Pass
				3539.52	-43.40	1.30	0.00	-42.10	-28.00	Pass
				3549.52	-35.49	1.30	0.00	-34.19	-16.00	Pass
				3580.52	-35.43	1.30	0.00	-34.13	-16.00	Pass
3590.52	-41.19	1.30		0.00	-39.89	-28.00	Pass			
3747.97	-48.61	1.30	0.00	-47.31	-43.00	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3624.99MHz	TM3.1	30M	9K~1M	0.01	-79.64	1.30	30.00	-48.34	-43.00	Pass
			1M~30M	1.00	-71.81	1.30	20.00	-50.51	-43.00	Pass
			30M~10G	3072.00	-49.86	1.30	0.00	-48.56	-43.00	Pass
				3929.00	-47.47	1.30	0.00	-46.17	-43.00	Pass
			10G~25G	23852.00	-52.19	1.30	0.00	-50.89	-43.00	Pass
			25G~37G	36807.60	-48.48	1.30	0.00	-47.18	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3527.57	-52.12	1.30	0.00	-50.82	-43.00	Pass
				3599.49	-45.22	1.30	0.00	-43.92	-28.00	Pass
				3609.49	-39.30	1.30	0.00	-38.00	-16.00	Pass
				3640.49	-38.31	1.30	0.00	-37.01	-16.00	Pass
				3650.74	-45.34	1.30	0.00	-44.04	-28.00	Pass
3727.85	-48.57	1.30	0.00	-47.27	-43.00	Pass				

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3624.99MHz	TM3.1	30M	9K~1M	0.01	-81.59	1.30	30.00	-50.29	-43.00	Pass
			1M~30M	1.03	-71.66	1.30	20.00	-50.36	-43.00	Pass
			30M~10G	3227.50	-50.62	1.30	0.00	-49.32	-43.00	Pass
				3931.50	-47.58	1.30	0.00	-46.28	-43.00	Pass
			10G~25G	23847.00	-51.95	1.30	0.00	-50.65	-43.00	Pass
			25G~37G	36796.80	-48.68	1.30	0.00	-47.38	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3526.85	-51.70	1.30	0.00	-50.40	-43.00	Pass
				3599.49	-43.25	1.30	0.00	-41.95	-28.00	Pass
				3609.49	-36.64	1.30	0.00	-35.34	-16.00	Pass
				3640.49	-37.19	1.30	0.00	-35.89	-16.00	Pass
				3650.49	-42.88	1.30	0.00	-41.58	-28.00	Pass
3746.66	-48.54	1.30	0.00	-47.24	-43.00	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3684.99MHz	TM3.1	30M	9K~1M	0.01	-80.63	1.30	30.00	-49.33	-43.00	Pass
			1M~30M	1.00	-71.77	1.30	20.00	-50.47	-43.00	Pass
			30M~10G	3072.00	-48.87	1.30	0.00	-47.57	-43.00	Pass
				3954.50	-47.35	1.30	0.00	-46.05	-43.00	Pass
			10G~25G	23843.50	-52.20	1.30	0.00	-50.90	-43.00	Pass
			25G~37G	36783.20	-48.23	1.30	0.00	-46.93	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3513.96	-52.80	1.30	0.00	-51.50	-43.00	Pass
				3659.49	-44.47	1.30	0.00	-43.17	-28.00	Pass
				3669.49	-36.91	1.30	0.00	-35.61	-16.00	Pass
3700.49	-37.42	1.30		0.00	-36.12	-16.00	Pass			
3710.94	-45.69	1.30		0.00	-44.39	-28.00	Pass			
3749.33	-47.23	1.30	0.00	-45.93	-43.00	Pass				

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3684.99MHz	TM3.1	30M	9K~1M	0.01	-80.59	1.30	30.00	-49.29	-43.00	Pass
			1M~30M	1.09	-71.91	1.30	20.00	-50.61	-43.00	Pass
			30M~10G	3222.00	-50.73	1.30	0.00	-49.43	-43.00	Pass
				3922.50	-47.70	1.30	0.00	-46.40	-43.00	Pass
			10G~25G	23840.50	-52.50	1.30	0.00	-51.20	-43.00	Pass
			25G~37G	36780.00	-48.36	1.30	0.00	-47.06	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3505.93	-53.02	1.30	0.00	-51.72	-43.00	Pass
				3659.49	-43.58	1.30	0.00	-42.28	-28.00	Pass
				3669.49	-35.93	1.30	0.00	-34.63	-16.00	Pass
3700.49	-37.29	1.30		0.00	-35.99	-16.00	Pass			
3711.35	-45.71	1.30		0.00	-44.41	-28.00	Pass			
3721.86	-47.52	1.30	0.00	-46.22	-43.00	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)



**SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch**

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3570MHz	TM3.1	40M	9K~1M	0.01	-79.51	1.30	30.00	-48.21	-43.00	Pass
			1M~30M	1.00	-71.68	1.30	20.00	-50.38	-43.00	Pass
			30M~10G	3489.50	-46.69	1.30	0.00	-45.39	-43.00	Pass
				3926.00	-47.64	1.30	0.00	-46.34	-43.00	Pass
			10G~25G	24014.00	-52.23	1.30	0.00	-50.93	-43.00	Pass
			25G~37G	36793.20	-48.31	1.30	0.00	-47.01	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3492.95	-47.97	1.30	0.00	-46.67	-43.00	Pass
				3539.50	-47.74	1.30	0.00	-46.44	-28.00	Pass
				3549.50	-38.73	1.30	0.00	-37.43	-16.00	Pass
				3590.50	-38.58	1.30	0.00	-37.28	-16.00	Pass
				3600.50	-45.40	1.30	0.00	-44.10	-28.00	Pass
				3737.28	-48.74	1.30	0.00	-47.44	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3570MHz	TM3.1	40M	9K~1M	0.01	-80.55	1.30	30.00	-49.25	-43.00	Pass
			1M~30M	1.00	-71.69	1.30	20.00	-50.39	-43.00	Pass
			30M~10G	3485.50	-44.56	1.30	0.00	-43.26	-43.00	Pass
				3917.50	-47.77	1.30	0.00	-46.47	-43.00	Pass
			10G~25G	23855.50	-52.34	1.30	0.00	-51.04	-43.00	Pass
			25G~37G	36800.00	-48.46	1.30	0.00	-47.16	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3492.62	-45.26	1.30	0.00	-43.96	-43.00	Pass
				3538.93	-45.33	1.30	0.00	-44.03	-28.00	Pass
				3549.50	-36.92	1.30	0.00	-35.62	-16.00	Pass
				3590.50	-37.72	1.30	0.00	-36.42	-16.00	Pass
				3600.50	-45.27	1.30	0.00	-43.97	-28.00	Pass
				3748.80	-48.67	1.30	0.00	-47.37	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3624.99MHz	TM3.1	40M	9K~1M	0.01	-79.74	1.30	30.00	-48.44	-43.00	Pass
			1M~30M	1.00	-71.74	1.30	20.00	-50.44	-43.00	Pass
			30M~10G	3225.50	-48.38	1.30	0.00	-47.08	-43.00	Pass
				3906.00	-47.50	1.30	0.00	-46.20	-43.00	Pass
			10G~25G	24009.00	-52.33	1.30	0.00	-51.03	-43.00	Pass
			25G~37G	36798.40	-48.23	1.30	0.00	-46.93	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.25	-49.16	1.30	0.00	-47.86	-43.00	Pass
				3541.37	-47.75	1.30	0.00	-46.45	-28.00	Pass
				3604.49	-39.55	1.30	0.00	-38.25	-16.00	Pass
				3645.49	-38.91	1.30	0.00	-37.61	-16.00	Pass
				3686.14	-44.58	1.30	0.00	-43.28	-28.00	Pass
			3720.50	-47.50	1.30	0.00	-46.20	-43.00	Pass	

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3624.99MHz	TM3.1	40M	9K~1M	0.01	-80.30	1.30	30.00	-49.00	-43.00	Pass
			1M~30M	1.03	-71.78	1.30	20.00	-50.48	-43.00	Pass
			30M~10G	3239.00	-50.64	1.30	0.00	-49.34	-43.00	Pass
				3923.00	-47.54	1.30	0.00	-46.24	-43.00	Pass
			10G~25G	23852.00	-52.31	1.30	0.00	-51.01	-43.00	Pass
			25G~37G	36798.40	-48.37	1.30	0.00	-47.07	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.30	-47.83	1.30	0.00	-46.53	-43.00	Pass
				3551.82	-45.20	1.30	0.00	-43.90	-28.00	Pass
				3604.49	-38.06	1.30	0.00	-36.76	-16.00	Pass
				3645.49	-37.83	1.30	0.00	-36.53	-16.00	Pass
				3655.49	-45.20	1.30	0.00	-43.90	-28.00	Pass
			3720.50	-46.99	1.30	0.00	-45.69	-43.00	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn sgs.china@sgs.com

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3679.98MHz	TM3.1	40M	9K~1M	0.01	-80.10	1.30	30.00	-48.80	-43.00	Pass
			1M~30M	1.03	-71.95	1.30	20.00	-50.65	-43.00	Pass
			30M~10G	3225.50	-49.02	1.30	0.00	-47.72	-43.00	Pass
				3948.00	-47.63	1.30	0.00	-46.33	-43.00	Pass
			10G~25G	23872.50	-52.34	1.30	0.00	-51.04	-43.00	Pass
			25G~37G	36794.80	-48.46	1.30	0.00	-47.16	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3520.90	-52.88	1.30	0.00	-51.58	-43.00	Pass
				3606.61	-45.49	1.30	0.00	-44.19	-28.00	Pass
				3659.48	-38.73	1.30	0.00	-37.43	-16.00	Pass
				3700.48	-39.02	1.30	0.00	-37.72	-16.00	Pass
				3710.48	-45.91	1.30	0.00	-44.61	-28.00	Pass
			3721.79	-46.77	1.30	0.00	-45.47	-43.00	Pass	

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3679.98MHz	TM3.1	40M	9K~1M	0.01	-80.88	1.30	30.00	-49.58	-43.00	Pass
			1M~30M	1.03	-71.72	1.30	20.00	-50.42	-43.00	Pass
			30M~10G	3197.50	-50.49	1.30	0.00	-49.19	-43.00	Pass
				3922.00	-47.58	1.30	0.00	-46.28	-43.00	Pass
			10G~25G	23845.50	-52.21	1.30	0.00	-50.91	-43.00	Pass
			25G~37G	36800.80	-48.31	1.30	0.00	-47.01	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.11	-52.58	1.30	0.00	-51.28	-43.00	Pass
				3603.17	-44.78	1.30	0.00	-43.48	-28.00	Pass
				3659.48	-38.34	1.30	0.00	-37.04	-16.00	Pass
				3700.48	-38.03	1.30	0.00	-36.73	-16.00	Pass
				3710.48	-45.64	1.30	0.00	-44.34	-28.00	Pass
			3746.88	-46.40	1.30	0.00	-45.10	-43.00	Pass	







Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3555MHz	TM3.1a	10M	9K~1M	0.01	-79.97	1.30	30.00	-48.67	-43.00	Pass
			1M~30M	1.06	-71.59	1.30	20.00	-50.29	-43.00	Pass
			30M~10G	3379.00	-49.65	1.30	0.00	-48.35	-43.00	Pass
				3927.00	-47.69	1.30	0.00	-46.39	-43.00	Pass
			10G~25G	23944.50	-52.32	1.30	0.00	-51.02	-43.00	Pass
			25G~37G	36789.60	-48.45	1.30	0.00	-47.15	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.44	-48.89	1.30	0.00	-47.59	-43.00	Pass
				3536.93	-45.66	1.30	0.00	-44.36	-28.00	Pass
				3549.50	-33.53	1.30	0.00	-32.23	-16.00	Pass
				3560.50	-37.62	1.30	0.00	-36.32	-16.00	Pass
				3574.35	-45.72	1.30	0.00	-44.42	-28.00	Pass
				3726.26	-48.81	1.30	0.00	-47.51	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3555MHz	TM3.1a	10M	9K~1M	0.01	-79.30	1.30	30.00	-48.00	-43.00	Pass
			1M~30M	1.09	-71.36	1.30	20.00	-50.06	-43.00	Pass
			30M~10G	3226.00	-50.35	1.30	0.00	-49.05	-43.00	Pass
				3937.00	-47.63	1.30	0.00	-46.33	-43.00	Pass
			10G~25G	23854.50	-52.23	1.30	0.00	-50.93	-43.00	Pass
			25G~37G	36782.40	-48.30	1.30	0.00	-47.00	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.50	-47.76	1.30	0.00	-46.46	-43.00	Pass
				3539.20	-43.98	1.30	0.00	-42.68	-28.00	Pass
				3549.50	-32.47	1.30	0.00	-31.17	-16.00	Pass
				3560.50	-36.30	1.30	0.00	-35.00	-16.00	Pass
				3571.78	-45.02	1.30	0.00	-43.72	-28.00	Pass
				3743.76	-48.66	1.30	0.00	-47.36	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Laboratory

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3624.99MHz	TM3.1a	10M	9K~1M	0.01	-80.58	1.30	30.00	-49.28	-43.00	Pass
			1M~30M	1.00	-71.71	1.30	20.00	-50.41	-43.00	Pass
			30M~10G	3072.00	-50.39	1.30	0.00	-49.09	-43.00	Pass
				3931.50	-47.45	1.30	0.00	-46.15	-43.00	Pass
			10G~25G	23850.00	-52.18	1.30	0.00	-50.88	-43.00	Pass
			25G~37G	36796.80	-48.41	1.30	0.00	-47.11	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3524.23	-52.94	1.30	0.00	-51.64	-43.00	Pass
				3609.49	-42.53	1.30	0.00	-41.23	-28.00	Pass
				3619.49	-30.49	1.30	0.00	-29.19	-16.00	Pass
3630.49	-31.53	1.30		0.00	-30.23	-16.00	Pass			
3640.49	-43.26	1.30		0.00	-41.96	-28.00	Pass			
3728.68	-48.82	1.30	0.00	-47.52	-43.00	Pass				

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3624.99MHz	TM3.1a	10M	9K~1M	0.01	-80.60	1.30	30.00	-49.30	-43.00	Pass
			1M~30M	1.06	-71.66	1.30	20.00	-50.36	-43.00	Pass
			30M~10G	3219.00	-50.70	1.30	0.00	-49.40	-43.00	Pass
				3928.00	-47.61	1.30	0.00	-46.31	-43.00	Pass
			10G~25G	23857.00	-52.42	1.30	0.00	-51.12	-43.00	Pass
			25G~37G	36799.60	-48.31	1.30	0.00	-47.01	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3517.16	-52.95	1.30	0.00	-51.65	-43.00	Pass
				3608.75	-43.00	1.30	0.00	-41.70	-28.00	Pass
				3619.49	-32.34	1.30	0.00	-31.04	-16.00	Pass
3630.49	-36.11	1.30		0.00	-34.81	-16.00	Pass			
3643.18	-43.53	1.30		0.00	-42.23	-28.00	Pass			
3736.63	-48.75	1.30	0.00	-47.45	-43.00	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3694.98MHz	TM3.1a	10M	9K~1M	0.01	-81.02	1.30	30.00	-49.72	-43.00	Pass
			1M~30M	1.00	-71.88	1.30	20.00	-50.58	-43.00	Pass
			30M~10G	3072.00	-50.37	1.30	0.00	-49.07	-43.00	Pass
				3945.00	-47.58	1.30	0.00	-46.28	-43.00	Pass
			10G~25G	23855.50	-52.31	1.30	0.00	-51.01	-43.00	Pass
			25G~37G	36730.80	-48.50	1.30	0.00	-47.20	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3520.43	-52.99	1.30	0.00	-51.69	-43.00	Pass
				3679.48	-44.87	1.30	0.00	-43.57	-28.00	Pass
				3689.48	-33.87	1.30	0.00	-32.57	-16.00	Pass
3700.48	-37.93	1.30		0.00	-36.63	-16.00	Pass			
3710.48	-45.08	1.30		0.00	-43.78	-28.00	Pass			
3721.06	-47.61	1.30	0.00	-46.31	-43.00	Pass				

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3694.98MHz	TM3.1a	10M	9K~1M	0.01	-81.56	1.30	30.00	-50.26	-43.00	Pass
			1M~30M	1.06	-71.52	1.30	20.00	-50.22	-43.00	Pass
			30M~10G	3226.50	-50.78	1.30	0.00	-49.48	-43.00	Pass
				3947.50	-47.51	1.30	0.00	-46.21	-43.00	Pass
			10G~25G	23852.00	-52.28	1.30	0.00	-50.98	-43.00	Pass
			25G~37G	36800.00	-48.33	1.30	0.00	-47.03	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3494.42	-52.82	1.30	0.00	-51.52	-43.00	Pass
				3677.99	-43.62	1.30	0.00	-42.32	-28.00	Pass
				3689.48	-32.37	1.30	0.00	-31.07	-16.00	Pass
3700.48	-35.21	1.30		0.00	-33.91	-16.00	Pass			
3710.48	-43.47	1.30		0.00	-42.17	-28.00	Pass			
3720.50	-47.11	1.30	0.00	-45.81	-43.00	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3560.01MHz	TM3.1a	20M	9K~1M	0.01	-81.10	1.30	30.00	-49.80	-43.00	Pass
			1M~30M	1.03	-71.80	1.30	20.00	-50.50	-43.00	Pass
			30M~10G	3379.00	-50.68	1.30	0.00	-49.38	-43.00	Pass
				3949.00	-47.61	1.30	0.00	-46.31	-43.00	Pass
			10G~25G	24043.00	-52.43	1.30	0.00	-51.13	-43.00	Pass
			25G~37G	36793.60	-48.40	1.30	0.00	-47.10	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3519.76	-47.35	1.30	0.00	-46.05	-43.00	Pass
				3531.83	-48.31	1.30	0.00	-47.01	-28.00	Pass
				3549.51	-36.19	1.30	0.00	-34.89	-16.00	Pass
				3570.51	-38.16	1.30	0.00	-36.86	-16.00	Pass
				3600.19	-44.56	1.30	0.00	-43.26	-28.00	Pass
			3737.27	-48.76	1.30	0.00	-47.46	-43.00	Pass	

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3560.01MHz	TM3.1a	20M	9K~1M	0.01	-81.21	1.30	30.00	-49.91	-43.00	Pass
			1M~30M	1.00	-71.64	1.30	20.00	-50.34	-43.00	Pass
			30M~10G	3499.50	-50.53	1.30	0.00	-49.23	-43.00	Pass
				3908.00	-47.58	1.30	0.00	-46.28	-43.00	Pass
			10G~25G	23870.00	-52.39	1.30	0.00	-51.09	-43.00	Pass
			25G~37G	36797.60	-48.31	1.30	0.00	-47.01	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3522.55	-44.84	1.30	0.00	-43.54	-43.00	Pass
				3534.00	-44.54	1.30	0.00	-43.24	-28.00	Pass
				3549.51	-34.55	1.30	0.00	-33.25	-16.00	Pass
				3570.51	-36.89	1.30	0.00	-35.59	-16.00	Pass
				3600.48	-43.58	1.30	0.00	-42.28	-28.00	Pass
			3749.50	-48.68	1.30	0.00	-47.38	-43.00	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Laboratory

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3624.99MHz	TM3.1a	20M	9K~1M	0.01	-81.03	1.30	30.00	-49.73	-43.00	Pass
			1M~30M	1.06	-71.56	1.30	20.00	-50.26	-43.00	Pass
			30M~10G	3072.00	-50.02	1.30	0.00	-48.72	-43.00	Pass
				3914.00	-47.40	1.30	0.00	-46.10	-43.00	Pass
			10G~25G	23851.00	-52.23	1.30	0.00	-50.93	-43.00	Pass
			25G~37G	36788.40	-48.40	1.30	0.00	-47.10	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3524.57	-52.86	1.30	0.00	-51.56	-43.00	Pass
				3600.82	-45.60	1.30	0.00	-44.30	-28.00	Pass
				3614.49	-36.59	1.30	0.00	-35.29	-16.00	Pass
				3635.49	-37.52	1.30	0.00	-36.22	-16.00	Pass
				3660.97	-43.82	1.30	0.00	-42.52	-28.00	Pass
			3747.20	-48.63	1.30	0.00	-47.33	-43.00	Pass	

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3624.99MHz	TM3.1a	20M	9K~1M	0.01	-80.26	1.30	30.00	-48.96	-43.00	Pass
			1M~30M	1.00	-71.60	1.30	20.00	-50.30	-43.00	Pass
			30M~10G	3217.50	-50.54	1.30	0.00	-49.24	-43.00	Pass
				3903.00	-47.52	1.30	0.00	-46.22	-43.00	Pass
			10G~25G	23852.00	-52.26	1.30	0.00	-50.96	-43.00	Pass
			25G~37G	36794.00	-48.40	1.30	0.00	-47.10	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3494.47	-52.67	1.30	0.00	-51.37	-43.00	Pass
				3604.49	-43.54	1.30	0.00	-42.24	-28.00	Pass
				3614.49	-34.80	1.30	0.00	-33.50	-16.00	Pass
				3635.49	-35.02	1.30	0.00	-33.72	-16.00	Pass
				3645.49	-41.87	1.30	0.00	-40.57	-28.00	Pass
			3733.66	-48.73	1.30	0.00	-47.43	-43.00	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3690MHz	TM3.1a	20M	9K~1M	0.01	-81.71	1.30	30.00	-50.41	-43.00	Pass
			1M~30M	1.03	-71.85	1.30	20.00	-50.55	-43.00	Pass
			30M~10G	3072.00	-49.26	1.30	0.00	-47.96	-43.00	Pass
				3930.00	-47.56	1.30	0.00	-46.26	-43.00	Pass
			10G~25G	23861.50	-52.22	1.30	0.00	-50.92	-43.00	Pass
			25G~37G	36792.40	-48.29	1.30	0.00	-46.99	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3519.51	-52.88	1.30	0.00	-51.58	-43.00	Pass
				3666.99	-45.19	1.30	0.00	-43.89	-28.00	Pass
				3679.50	-34.04	1.30	0.00	-32.74	-16.00	Pass
				3700.50	-36.44	1.30	0.00	-35.14	-16.00	Pass
				3714.99	-46.31	1.30	0.00	-45.01	-28.00	Pass
				3728.38	-45.40	1.30	0.00	-44.10	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3690MHz	TM3.1a	20M	9K~1M	0.01	-80.36	1.30	30.00	-49.06	-43.00	Pass
			1M~30M	1.06	-71.66	1.30	20.00	-50.36	-43.00	Pass
			30M~10G	3176.50	-50.69	1.30	0.00	-49.39	-43.00	Pass
				3935.00	-47.46	1.30	0.00	-46.16	-43.00	Pass
			10G~25G	23849.00	-52.24	1.30	0.00	-50.94	-43.00	Pass
			25G~37G	36800.80	-48.32	1.30	0.00	-47.02	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3456.26	-52.84	1.30	0.00	-51.54	-43.00	Pass
				3649.56	-44.19	1.30	0.00	-42.89	-28.00	Pass
				3679.50	-33.16	1.30	0.00	-31.86	-16.00	Pass
				3700.50	-35.36	1.30	0.00	-34.06	-16.00	Pass
				3719.49	-46.02	1.30	0.00	-44.72	-28.00	Pass
				3728.92	-45.09	1.30	0.00	-43.79	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3565.02MHz	TM3.1a	30M	9K~1M	0.01	-80.92	1.30	30.00	-49.62	-43.00	Pass
			1M~30M	1.06	-71.60	1.30	20.00	-50.30	-43.00	Pass
			30M~10G	3379.00	-48.56	1.30	0.00	-47.26	-43.00	Pass
				3933.50	-47.47	1.30	0.00	-46.17	-43.00	Pass
			10G~25G	23843.50	-52.23	1.30	0.00	-50.93	-43.00	Pass
			25G~37G	36798.40	-48.25	1.30	0.00	-46.95	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3490.47	-50.73	1.30	0.00	-49.43	-43.00	Pass
				3539.52	-46.92	1.30	0.00	-45.62	-28.00	Pass
				3549.52	-38.02	1.30	0.00	-36.72	-16.00	Pass
				3580.52	-39.09	1.30	0.00	-37.79	-16.00	Pass
				3593.21	-48.58	1.30	0.00	-47.28	-28.00	Pass
				3738.52	-48.63	1.30	0.00	-47.33	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3565.02MHz	TM3.1a	30M	9K~1M	0.01	-80.40	1.30	30.00	-49.10	-43.00	Pass
			1M~30M	1.03	-71.60	1.30	20.00	-50.30	-43.00	Pass
			30M~10G	3481.50	-48.59	1.30	0.00	-47.29	-43.00	Pass
				3912.00	-47.60	1.30	0.00	-46.30	-43.00	Pass
			10G~25G	23866.50	-52.28	1.30	0.00	-50.98	-43.00	Pass
			25G~37G	36786.80	-48.33	1.30	0.00	-47.03	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3528.95	-49.51	1.30	0.00	-48.21	-43.00	Pass
				3539.52	-42.88	1.30	0.00	-41.58	-28.00	Pass
				3549.52	-35.65	1.30	0.00	-34.35	-16.00	Pass
				3580.52	-35.40	1.30	0.00	-34.10	-16.00	Pass
				3590.52	-40.91	1.30	0.00	-39.61	-28.00	Pass
				3739.87	-48.68	1.30	0.00	-47.38	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3624.99MHz	TM3.1a	30M	9K~1M	0.01	-80.72	1.30	30.00	-49.42	-43.00	Pass
			1M~30M	1.03	-71.80	1.30	20.00	-50.50	-43.00	Pass
			30M~10G	3072.00	-49.83	1.30	0.00	-48.53	-43.00	Pass
				3940.00	-47.53	1.30	0.00	-46.23	-43.00	Pass
			10G~25G	23853.00	-52.20	1.30	0.00	-50.90	-43.00	Pass
			25G~37G	36780.40	-48.14	1.30	0.00	-46.84	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.50	-51.97	1.30	0.00	-50.67	-43.00	Pass
				3599.49	-43.11	1.30	0.00	-41.81	-28.00	Pass
				3609.49	-36.57	1.30	0.00	-35.27	-16.00	Pass
				3640.49	-36.00	1.30	0.00	-34.70	-16.00	Pass
				3651.68	-41.71	1.30	0.00	-40.41	-28.00	Pass
				3728.14	-48.53	1.30	0.00	-47.23	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3624.99MHz	TM3.1a	30M	9K~1M	0.01	-80.38	1.30	30.00	-49.08	-43.00	Pass
			1M~30M	1.00	-71.57	1.30	20.00	-50.27	-43.00	Pass
			30M~10G	3233.50	-50.69	1.30	0.00	-49.39	-43.00	Pass
				3933.00	-47.40	1.30	0.00	-46.10	-43.00	Pass
			10G~25G	23858.50	-52.09	1.30	0.00	-50.79	-43.00	Pass
			25G~37G	36777.20	-48.16	1.30	0.00	-46.86	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3528.67	-51.61	1.30	0.00	-50.31	-43.00	Pass
				3599.49	-34.48	1.30	0.00	-33.18	-28.00	Pass
				3609.49	-29.17	1.30	0.00	-27.87	-16.00	Pass
				3640.49	-27.51	1.30	0.00	-26.21	-16.00	Pass
				3650.49	-31.10	1.30	0.00	-29.80	-28.00	Pass
				3724.93	-48.32	1.30	0.00	-47.02	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Laboratory

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3565.02MHz	TM3.1a	30M	9K~1M	0.01	-80.92	1.30	30.00	-49.62	-43.00	Pass
			1M~30M	1.06	-71.60	1.30	20.00	-50.30	-43.00	Pass
			30M~10G	3379.00	-48.56	1.30	0.00	-47.26	-43.00	Pass
				3933.50	-47.47	1.30	0.00	-46.17	-43.00	Pass
			10G~25G	23843.50	-52.23	1.30	0.00	-50.93	-43.00	Pass
			25G~37G	36798.40	-48.25	1.30	0.00	-46.95	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3490.47	-50.73	1.30	0.00	-49.43	-43.00	Pass
				3539.52	-46.92	1.30	0.00	-45.62	-28.00	Pass
				3549.52	-38.02	1.30	0.00	-36.72	-16.00	Pass
				3580.52	-39.09	1.30	0.00	-37.79	-16.00	Pass
				3593.21	-48.58	1.30	0.00	-47.28	-28.00	Pass
3738.52	-48.63	1.30	0.00	-47.33	-43.00	Pass				

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3565.02MHz	TM3.1a	30M	9K~1M	0.01	-80.40	1.30	30.00	-49.10	-43.00	Pass
			1M~30M	1.03	-71.60	1.30	20.00	-50.30	-43.00	Pass
			30M~10G	3481.50	-48.59	1.30	0.00	-47.29	-43.00	Pass
				3912.00	-47.60	1.30	0.00	-46.30	-43.00	Pass
			10G~25G	23866.50	-52.28	1.30	0.00	-50.98	-43.00	Pass
			25G~37G	36786.80	-48.33	1.30	0.00	-47.03	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3528.95	-49.51	1.30	0.00	-48.21	-43.00	Pass
				3539.52	-42.88	1.30	0.00	-41.58	-28.00	Pass
				3549.52	-35.65	1.30	0.00	-34.35	-16.00	Pass
				3580.52	-35.40	1.30	0.00	-34.10	-16.00	Pass
				3590.52	-40.91	1.30	0.00	-39.61	-28.00	Pass
3739.87	-48.68	1.30	0.00	-47.38	-43.00	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)



Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3570MHz	TM3.1a	40M	9K~1M	0.01	-80.32	1.30	30.00	-49.02	-43.00	Pass
			1M~30M	1.00	-71.88	1.30	20.00	-50.58	-43.00	Pass
			30M~10G	3495.00	-46.70	1.30	0.00	-45.40	-43.00	Pass
				3920.50	-47.63	1.30	0.00	-46.33	-43.00	Pass
			10G~25G	24854.50	-52.38	1.30	0.00	-51.08	-43.00	Pass
			25G~37G	36796.40	-48.31	1.30	0.00	-47.01	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3494.84	-48.34	1.30	0.00	-47.04	-43.00	Pass
				3539.50	-48.08	1.30	0.00	-46.78	-28.00	Pass
				3549.50	-39.09	1.30	0.00	-37.79	-16.00	Pass
				3590.50	-39.10	1.30	0.00	-37.80	-16.00	Pass
				3600.50	-45.19	1.30	0.00	-43.89	-28.00	Pass
				3746.19	-48.65	1.30	0.00	-47.35	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3570MHz	TM3.1a	40M	9K~1M	0.01	-79.87	1.30	30.00	-48.57	-43.00	Pass
			1M~30M	1.06	-71.67	1.30	20.00	-50.37	-43.00	Pass
			30M~10G	3498.50	-44.78	1.30	0.00	-43.48	-43.00	Pass
				3933.50	-47.59	1.30	0.00	-46.29	-43.00	Pass
			10G~25G	23849.00	-52.36	1.30	0.00	-51.06	-43.00	Pass
			25G~37G	36802.80	-48.29	1.30	0.00	-46.99	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3495.28	-45.54	1.30	0.00	-44.24	-43.00	Pass
				3538.59	-45.22	1.30	0.00	-43.92	-28.00	Pass
				3549.50	-37.40	1.30	0.00	-36.10	-16.00	Pass
				3590.50	-38.35	1.30	0.00	-37.05	-16.00	Pass
				3600.50	-45.75	1.30	0.00	-44.45	-28.00	Pass
				3747.45	-48.61	1.30	0.00	-47.31	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn sgs.china@sgs.com

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3624.99MHz	TM3.1a	40M	9K~1M	0.01	-79.97	1.30	30.00	-48.67	-43.00	Pass
			1M~30M	1.00	-71.80	1.30	20.00	-50.50	-43.00	Pass
			30M~10G	3225.50	-47.77	1.30	0.00	-46.47	-43.00	Pass
				3914.00	-47.38	1.30	0.00	-46.08	-43.00	Pass
			10G~25G	23852.50	-52.16	1.30	0.00	-50.86	-43.00	Pass
			25G~37G	36792.40	-48.41	1.30	0.00	-47.11	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.38	-49.38	1.30	0.00	-48.08	-43.00	Pass
				3539.75	-48.09	1.30	0.00	-46.79	-28.00	Pass
				3604.49	-39.29	1.30	0.00	-37.99	-16.00	Pass
				3645.49	-39.27	1.30	0.00	-37.97	-16.00	Pass
3655.49	-45.33	1.30		0.00	-44.03	-28.00	Pass			
			3720.50	-47.58	1.30	0.00	-46.28	-43.00	Pass	

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3624.99MHz	TM3.1a	40M	9K~1M	0.01	-81.24	1.30	30.00	-49.94	-43.00	Pass
			1M~30M	1.00	-71.64	1.30	20.00	-50.34	-43.00	Pass
			30M~10G	3222.00	-50.59	1.30	0.00	-49.29	-43.00	Pass
				3937.50	-47.55	1.30	0.00	-46.25	-43.00	Pass
			10G~25G	23846.50	-52.33	1.30	0.00	-51.03	-43.00	Pass
			25G~37G	36792.40	-48.48	1.30	0.00	-47.18	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3529.12	-47.64	1.30	0.00	-46.34	-43.00	Pass
				3594.49	-37.13	1.30	0.00	-35.83	-28.00	Pass
				3604.49	-32.13	1.30	0.00	-30.83	-16.00	Pass
				3645.49	-30.25	1.30	0.00	-28.95	-16.00	Pass
3655.49	-32.98	1.30		0.00	-31.68	-28.00	Pass			
			3722.12	-47.16	1.30	0.00	-45.86	-43.00	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



**SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch**

Test MIMO_Port1										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3679.98MHz	TM3.1a	40M	9K~1M	0.01	-79.73	1.30	30.00	-48.43	-43.00	Pass
			1M~30M	1.00	-71.85	1.30	20.00	-50.55	-43.00	Pass
			30M~10G	3225.50	-49.16	1.30	0.00	-47.86	-43.00	Pass
				3923.50	-47.35	1.30	0.00	-46.05	-43.00	Pass
			10G~25G	23850.50	-52.23	1.30	0.00	-50.93	-43.00	Pass
			25G~37G	36795.60	-48.25	1.30	0.00	-46.95	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3484.77	-52.84	1.30	0.00	-51.54	-43.00	Pass
				3601.01	-45.53	1.30	0.00	-44.23	-28.00	Pass
				3659.48	-38.23	1.30	0.00	-36.93	-16.00	Pass
				3700.48	-38.90	1.30	0.00	-37.60	-16.00	Pass
				3710.48	-46.19	1.30	0.00	-44.89	-28.00	Pass
				3726.79	-46.58	1.30	0.00	-45.28	-43.00	Pass

Test MIMO_Port2										
Conducted Spurious Emission										
Frequency	Test mode	Bandwidth (MHz)	Frequency Range (Hz)	Frequency (MHz)	Read level (dB)	DCCF (dB)	RB Factor (dB)	level (dBm)	Limit	Verdict
3679.98MHz	TM3.1a	40M	9K~1M	0.01	-80.37	1.30	30.00	-49.07	-43.00	Pass
			1M~30M	1.06	-71.83	1.30	20.00	-50.53	-43.00	Pass
			30M~10G	3235.50	-50.60	1.30	0.00	-49.30	-43.00	Pass
				3917.50	-47.56	1.30	0.00	-46.26	-43.00	Pass
			10G~25G	23960.00	-52.27	1.30	0.00	-50.97	-43.00	Pass
			25G~37G	36777.60	-48.33	1.30	0.00	-47.03	-43.00	Pass
			Frequency Range	Frequency (MHz)	level (dBm/MHz)	DCCF (dB)	RB Factor	level (dBm/MHz)	Limit	Verdict
			3.5 GHz Emissions	3512.85	-52.68	1.30	0.00	-51.38	-43.00	Pass
				3601.35	-44.55	1.30	0.00	-43.25	-28.00	Pass
				3659.48	-37.25	1.30	0.00	-35.95	-16.00	Pass
				3700.48	-37.77	1.30	0.00	-36.47	-16.00	Pass
				3710.48	-45.93	1.30	0.00	-44.63	-28.00	Pass
				3748.01	-45.97	1.30	0.00	-44.67	-43.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


Port1\_10M\_3555MHz\_TM1.1\_CHL\_CSE0a



Port1\_10M\_3555MHz\_TM1.1\_CHL\_CSE0b



Port1\_10M\_3555MHz\_TM1.1\_CHL\_CSE1




Port1\_10M\_3555MHz\_TM1.1\_CHL\_CSE2



Port1\_10M\_3555MHz\_TM1.1\_CHL\_CSE3



Port1\_10M\_3555MHz\_TM1.1\_CHL\_CSEpart96



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


Port1\_10M\_3624.99MHz\_TM1.1\_CHM\_CSE0a



Port1\_10M\_3624.99MHz\_TM1.1\_CHM\_CSE0b



Port1\_10M\_3624.99MHz\_TM1.1\_CHM\_CSE1




Port1\_10M\_3624.99MHz\_TM1.1\_CHM\_CSE2



Port1\_10M\_3624.99MHz\_TM1.1\_CHM\_CSE3



Port1\_10M\_3624.99MHz\_TM1.1\_CHM\_CSEpart 96




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


Port1\_10M\_3694.98MHz\_TM1.1\_CHH\_CSE0a



Port1\_10M\_3694.98MHz\_TM1.1\_CHH\_CSE0b



Port1\_10M\_3694.98MHz\_TM1.1\_CHH\_CSE1




Port1\_10M\_3694.98MHz\_TM1.1\_CHH\_CSE2



Port1\_10M\_3694.98MHz\_TM1.1\_CHH\_CSE3



Port1\_10M\_3694.98MHz\_TM1.1\_CHH\_CSEpart9 6



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Port1\_10M\_3694.98MHz\_TM1.1\_CHH\_DutyCycl e

Port1\_20M\_3560.01MHz\_TM1.1\_CHL\_CSE0a





Port1\_20M\_3560.01MHz\_TM1.1\_CHL\_CSE0b

Port1\_20M\_3560.01MHz\_TM1.1\_CHL\_CSE1



Port1\_20M\_3560.01MHz\_TM1.1\_CHL\_CSE2

Port1\_20M\_3560.01MHz\_TM1.1\_CHL\_CSE3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com






# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Port1\_20M\_3560.01MHz\_TM1.1\_CHL\_CSEpart9 6

Port1\_20M\_3624.99MHz\_TM1.1\_CHM\_CSE0a



Port1\_20M\_3624.99MHz\_TM1.1\_CHM\_CSE0b

Port1\_20M\_3624.99MHz\_TM1.1\_CHM\_CSE1



Port1\_20M\_3624.99MHz\_TM1.1\_CHM\_CSE2

Port1\_20M\_3624.99MHz\_TM1.1\_CHM\_CSE3




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Port1\_20M\_3624.99MHz\_TM1.1\_CHM\_CSEpart 96



Port1\_20M\_3690MHz\_TM1.1\_CHH\_CSE0a



Port1\_20M\_3690MHz\_TM1.1\_CHH\_CSE0b




Port1\_20M\_3690MHz\_TM1.1\_CHH\_CSE1



Port1\_20M\_3690MHz\_TM1.1\_CHH\_CSE2



Port1\_20M\_3690MHz\_TM1.1\_CHH\_CSE3




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 Shenzhen Branch 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Port1\_20M\_3690MHz\_TM1.1\_CHH\_CSEpart96



Port1\_30M\_3565.02MHz\_TM1.1\_CHL\_CSE0a



Port1\_30M\_3565.02MHz\_TM1.1\_CHL\_CSE0b



Port1\_30M\_3565.02MHz\_TM1.1\_CHL\_CSE1



Port1\_30M\_3565.02MHz\_TM1.1\_CHL\_CSE2



Port1\_30M\_3565.02MHz\_TM1.1\_CHL\_CSE3




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Port1\_30M\_3565.02MHz\_TM1.1\_CHL\_CSEpart9 6



Port1\_30M\_3624.99MHz\_TM1.1\_CHM\_CSE0a



Port1\_30M\_3624.99MHz\_TM1.1\_CHM\_CSE0b



Port1\_30M\_3624.99MHz\_TM1.1\_CHM\_CSE1



Port1\_30M\_3624.99MHz\_TM1.1\_CHM\_CSE2



Port1\_30M\_3624.99MHz\_TM1.1\_CHM\_CSE3




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 Shenzhen Branch 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Port1\_30M\_3624.99MHz\_TM1.1\_CHM\_CSEpart 96




Port1\_30M\_3684.99MHz\_TM1.1\_CHH\_CSE0a




Port1\_30M\_3684.99MHz\_TM1.1\_CHH\_CSE0b




Port1\_30M\_3684.99MHz\_TM1.1\_CHH\_CSE1



Port1\_30M\_3684.99MHz\_TM1.1\_CHH\_CSE2



Port1\_30M\_3684.99MHz\_TM1.1\_CHH\_CSE3




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 Shenzhen Branch 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


Port1\_30M\_3684.99MHz\_TM1.1\_CHH\_CSEpart9 6

Port1\_40M\_3570MHz\_TM1.1\_CHL\_CSE0a





Port1\_40M\_3570MHz\_TM1.1\_CHL\_CSE0b

Port1\_40M\_3570MHz\_TM1.1\_CHL\_CSE1



Port1\_40M\_3570MHz\_TM1.1\_CHL\_CSE2

Port1\_40M\_3570MHz\_TM1.1\_CHL\_CSE3




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions-for-electronic-format-documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 Shenzhen Branch, P.R. China, Laboratory. 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Port1\_40M\_3570MHz\_TM1.1\_CHL\_CSEpart96



Port1\_40M\_3624.99MHz\_TM1.1\_CHM\_CSE0a



Port1\_40M\_3624.99MHz\_TM1.1\_CHM\_CSE0b



Port1\_40M\_3624.99MHz\_TM1.1\_CHM\_CSE1



Port1\_40M\_3624.99MHz\_TM1.1\_CHM\_CSE2




Port1\_40M\_3624.99MHz\_TM1.1\_CHM\_CSE3




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Port1\_40M\_3624.99MHz\_TM1.1\_CHM\_CSEpart 96



Port1\_40M\_3679.98MHz\_TM1.1\_CHH\_CSE0a




Port1\_40M\_3679.98MHz\_TM1.1\_CHH\_CSE0b




Port1\_40M\_3679.98MHz\_TM1.1\_CHH\_CSE1



Port1\_40M\_3679.98MHz\_TM1.1\_CHH\_CSE2



Port1\_40M\_3679.98MHz\_TM1.1\_CHH\_CSE3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 Shenzhen Branch 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com