



TEST SETUP PHOTOGRAPHS & EUT PHOTOGRAPHS

Test Setup Photographs


LEFT- CHEEK TOUCH




LEFT-TILT 15°



RIGHT- CHEEK TOUCH



RIGHT-TILT 15°



Body Back 0mm



Body Front 0mm



Edge 1(Top)



Edge 2(Right)



Edge 3(Bottom)









Edge 4(Left)




DEPTH OF THE LIQUID IN THE PHANTOM—ZOOM IN

Note : The position used in the measurement were according to IEEE 1528-2013

<p>850MHz head</p>  A photograph showing a ruler placed vertically inside a white phantom container. The liquid level is visible. A red arrow points to the liquid surface. The ruler scale shows the liquid level is approximately at the 16.5 cm mark.	<p>850MHz body</p>  A photograph showing a ruler placed vertically inside a white phantom container. The liquid level is visible. A red arrow points to the liquid surface. The ruler scale shows the liquid level is approximately at the 19.5 cm mark.
<p>1750MHz head</p>  A photograph showing a ruler placed vertically inside a white phantom container. The liquid level is visible. A red arrow points to the liquid surface. The ruler scale shows the liquid level is approximately at the 16.5 cm mark.	<p>1750MHz body</p>  A photograph showing a ruler placed vertically inside a white phantom container. The liquid level is visible. A red arrow points to the liquid surface. The ruler scale shows the liquid level is approximately at the 19.5 cm mark.
<p>1900MHz head</p>  A photograph showing a ruler placed vertically inside a white phantom container. The liquid level is visible. A red arrow points to the liquid surface. The ruler scale shows the liquid level is approximately at the 16.5 cm mark.	<p>1900MHz body</p>  A photograph showing a ruler placed vertically inside a white phantom container. The liquid level is visible. A red arrow points to the liquid surface. The ruler scale shows the liquid level is approximately at the 19.5 cm mark.

2450MHz head



2450MHz body



2600MHz head



2600MHz body

