









Important Notices

How to use the device correctly?

- Do not put the camera toward any people's eyes in case the strong light damages the eyes.
- Do not block the air inlet / outlet of the device so as to make sure the device cooling properly.
- Do not use paper, cloth and other cleaning tools to wipe the lens directly lest scratching the lens; The dust on the lens surface shall be cleared away by blowing clean air.
- Do not use chemicals, detergents or water to clean the device in case that rain, moisture and minerals-bearing liquid might erode the circuit board.
- Keep the device and its parts and accessories out of the reach of
- Make sure the device is used in a dry and ventilated environment.
- Do not store the device in too hot or too cold places for fear that over high (low) temperature should shorten the working life of electronic devices. The allowed operating environment temperature is from 0°C to -40°C.
- Do not place the device into any heating equipment (such as dryers, microwave ovens, etc.) for drying.
- Do not squeeze the device or place heavy objects on top of it to avoid damaging it.
- Do not throw, knock or shock the device to avoid damaging the internal circuit board.
- Do not attempt to disassemble the device on your own. If you have any questions, please contact our customer service.
- Do not repair any product by yourself. If the device or any parts

Pro	oduct specificat	tion
Optical parameters	Product classification	Business Projector
	Display technique	0.45" DMD RGB-LED
	Luminance	700ANSI lumen
	Contrast	600:1
	Standard resolution	1280×800
	Compatible resolution	1080P/2k/4k(30fps)
Projection parameters	Projection ratio	1.2:1
	Keystone correction	Vertical: ±45degree
	Projection method	Forward/backward/ hang ceiling
System parameters	CPU	Intel APL N3350 64bit
	GPU	Gen9 LP12EU 650MHZ
	RAM	4GB
	ROM	EMMC 32GB
Ports	Input ports	DC X1
		USB3.0 X1
		USB2.0 X2
		HDMI x 1
	Wired network port	LAN×1
	Output port	Headphone
	Wifi	Dual-band 2.4G/5G 11AC
	Bluetooth	Bluetooth 4.0/BLE
Electrical parameters	Noise	< 30dB
Other parameters	Power dissipation	<120W
	Power	AC100 - 240V, 50/60Hz
	Rated	19V = 6.32A
	Size	345*338*57 mm
	Weight	4kg
Packing list	Power plug	x1
	Remote-control	x1
	Handbook	x1
	Warranty	x1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following twoconditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. The user manual or instruction manual for an intentional or unintentional radiator shall caution the user that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. In cases where the manual is provided only in a form other than paper, such as on a computer disk or over the Internet, the information required by this section may be included in the manual in that alternative form, provided the user can reasonably be expected to have the capability to access information in that form. For a Class B digital device or peripheral, the instructions furnished the user shall include the following or similar statement, placed in a prominent location in the text of the manual: NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipmentgenerates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio communications between the equipment of and on, the user is encouraged to try to correct the interference by one or more of the following measures: — Reonient or relocate the receiving antenna. — Increase the separation between the equipment and receiver. — Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

FCC Warning

Radiation Exposure Statement

[∏[C€ RoHS

Smart meeting starts now XGIMI™