


Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11A_5180	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 0 4 20		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 10:39:17

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5147.5638	67.31	74.00	6.69	150	75	Vertical
2	5150.0375	62.30	74.00	11.70	150	199	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5147.5614	14.85	48.66	54.00	5.34	138.1	88	Vertical
2	5150.0375	14.86	45.11	54.00	8.89	150	199	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11A_5320	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 0 4 20		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 10:46:22

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	51.11	74.00	22.89	150	36	Horizontal
2	5352.6513	53.10	74.00	20.90	150	207	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11A_5320	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 0 4 20		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 10:49:26

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	64.38	74.00	9.62	150	169	Vertical
2	5350.7154	67.99	74.00	6.01	150	70	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	15.46	48.32	54.00	5.68	150	169	Vertical
2	5350.6120	15.46	49.60	54.00	4.40	100.1	77	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11A_5500	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 0 4 16		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 10:56:26

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5453.0890	52.47	74.00	21.53	150	13	Horizontal
2	5460.0300	50.46	74.00	23.54	150	355	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11A_5500	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 0 4 16		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 10:57:23

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5456.2156	63.09	74.00	10.91	150	118	Vertical
2	5460.0300	58.37	74.00	15.63	150	125	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5456.2109	15.74	48.45	54.00	5.55	144.1	76	Vertical
2	5460.0300	15.75	45.99	54.00	8.01	150	125	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11A_5700	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 0 4 15		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 11:04:24

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	51.66	74.00	22.34	150	200	Horizontal
2	5737.4137	53.58	74.00	20.42	150	290	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11A_5700	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 0 4 15		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 11:05:17

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	58.92	74.00	15.08	150	118	Vertical
2	5733.3992	65.22	74.00	8.78	150	103	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	16.43	48.91	54.00	5.09	150	118	Vertical
2	5733.4005	16.46	50.64	54.00	3.36	145.3	111	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11N20_5180	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 15		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 11:37:08

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5139.1746	52.17	74.00	21.83	150	22	Horizontal
2	5150.0375	50.10	74.00	23.90	150	64	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11N20_5180	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 15		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 11:37:54

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5146.4882	61.14	74.00	12.86	150	78	Vertical
2	5150.1451	56.53	74.00	17.47	150	85	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5146.4882	14.85	45.10	54.00	8.90	150	78	Vertical
2	5150.0384	14.86	43.82	54.00	10.18	138.9	77	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11N20_5320	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 18		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 11:44:13

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	50.88	74.00	23.12	150	313	Horizontal
2	5380.4002	53.13	74.00	20.87	150	2	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11N20_5320	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 18		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 11:44:59

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	55.37	74.00	18.63	150	44	Vertical
2	5355.8779	65.06	74.00	8.94	150	61	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	15.46	46.14	54.00	7.86	150	44	Vertical
2	5355.8823	15.48	48.42	54.00	5.58	100.1	77	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11N20_5500	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 15		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 11:50:35

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5453.6518	52.33	74.00	21.67	150	329	Horizontal
2	5460.0300	51.08	74.00	22.92	150	289	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11N20_5500	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 15		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 11:51:32

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5457.7164	62.18	74.00	11.82	150	116	Vertical
2	5460.0300	50.88	74.00	23.12	150	313	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5457.7156	15.75	48.38	54.00	5.62	113.5	77	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11N20_5700	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 16		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 11:57:26

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	52.95	74.00	21.05	150	22	Horizontal
2	5726.3082	55.23	74.00	18.77	150	53	Horizontal


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5726.3082	16.43	49.11	54.00	4.89	150	53	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11N20_5700	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 16		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 11:58:22

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	58.23	74.00	15.77	150	110	Vertical
2	5725.9330	68.56	74.00	5.44	150	119	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	16.43	48.01	54.00	5.99	150	110	Vertical
2	5725.9331	16.43	50.80	54.00	3.20	148.9	113	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11N40_5190	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 18		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 12:05:37

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5148.3492	53.16	74.00	20.84	150	101	Horizontal
2	5150.0375	50.53	74.00	23.47	150	53	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11N40_5190	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 18		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 12:06:26

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5149.4747	65.08	74.00	8.92	150	85	Vertical
2	5150.0375	65.64	74.00	8.36	150	68	Vertical

PK Final Data List


NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5149.3660	14.86	48.43	54.00	5.57	118.3	77	Vertical
2	5150.0375	14.86	45.54	54.00	8.46	150	68	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11N40_5310	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 18		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 12:15:21

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	50.28	74.00	23.72	150	241	Horizontal
2	5358.4592	52.68	74.00	21.32	150	207	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11N40_5310	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 18		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 12:16:16

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	60.98	74.00	13.02	150	175	Vertical
2	5353.1766	68.23	74.00	5.77	150	111	Vertical

PK Final Data List


NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	15.46	48.14	54.00	5.86	150	175	Vertical
2	5353.1752	15.47	49.54	54.00	4.46	148.5	71	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11N40_5510	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 14		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 12:23:08

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5456.5883	53.43	74.00	20.57	150	36	Horizontal
2	5460.0400	51.61	74.00	22.39	150	329	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11N40_5510	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 14		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 12:23:58

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5455.8979	60.25	74.00	13.75	150	183	Vertical
2	5460.0400	51.69	74.00	22.31	150	173	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5455.9011	15.74	48.13	54.00	5.87	145.3	111	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11N40_5670	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 16		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 12:31:06

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0125	51.67	74.00	22.33	150	358	Horizontal
2	5727.7689	53.86	74.00	20.14	150	340	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11N40_5670	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 16		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 12:31:57

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0125	65.76	74.00	8.24	150	118	Vertical
2	5727.8414	65.81	74.00	8.19	150	111	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0125	16.43	49.11	54.00	4.89	150	118	Vertical
2	5727.8395	16.43	50.10	54.00	3.90	148.9	117	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AC20_5180	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 20		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 12:38:42

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5132.0760	51.83	74.00	22.17	150	193	Horizontal
2	5150.0375	49.98	74.00	24.02	150	358	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AC20_5180	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 20		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 12:39:31

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5148.2091	65.06	74.00	8.94	150	85	Vertical
2	5150.0375	59.25	74.00	14.75	150	58	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5148.2062	14.85	48.32	54.00	5.68	118.4	75	Vertical
2	5150.0375	14.86	45.54	54.00	8.46	150	58	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AC20_5320	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 18		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 12:51:39

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	50.88	74.00	23.12	150	234	Horizontal
2	5376.0980	52.95	74.00	21.05	150	359	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AC20_5320	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 18		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 12:52:39

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	62.03	74.00	11.97	150	68	Vertical
2	5351.8984	59.05	74.00	14.95	150	85	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	15.46	46.15	54.00	7.85	150	68	Vertical
2	5351.7937	15.46	45.25	54.00	8.75	144.5	76	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AC20_5500	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 16		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 13:00:36

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5445.5853	52.62	74.00	21.38	150	29	Horizontal
2	5460.0300	50.77	74.00	23.23	150	162	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AC20_5500	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 16		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 13:01:21

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5457.6538	61.50	74.00	12.50	150	109	Vertical
2	5460.0300	57.78	74.00	16.22	150	118	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5457.6529	15.75	48.51	54.00	5.49	145.3	72	Vertical
2	5460.0300	15.75	45.99	54.00	8.01	150	118	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AC20_5700	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 14		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 13:06:58

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	51.94	74.00	22.06	150	289	Horizontal
2	5732.6863	53.89	74.00	20.11	150	344	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AC20_5700	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 14		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 13:07:49

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	63.85	74.00	10.15	150	118	Vertical
2	5726.9085	68.64	74.00	5.36	150	118	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	16.43	48.24	54.00	5.76	150	118	Vertical
2	5726.9031	16.43	50.58	54.00	3.42	151.3	112	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AC40_5190	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 20		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 13:12:57

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5116.0455	51.74	74.00	22.26	150	255	Horizontal
2	5150.0375	50.02	74.00	23.98	150	359	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AC40_5190	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 20		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 13:15:14

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5148.5743	68.31	74.00	5.69	150	102	Vertical
2	5150.0375	64.57	74.00	9.43	150	88	Vertical

PK Final Data List


NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5148.5729	14.85	47.98	54.00	6.02	122.7	77	Vertical
2	5150.0375	14.86	47.72	54.00	6.28	150	88	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AC40_5310	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 18		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 13:22:29

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	50.62	74.00	23.38	150	15	Horizontal
2	5358.9395	52.87	74.00	21.13	150	183	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AC40_5310	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 18		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 13:23:14

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	56.78	74.00	17.22	150	70	Vertical
2	5354.6173	65.25	74.00	8.75	150	80	Vertical

PK Final Data List


NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	15.46	46.84	54.00	7.16	150	70	Vertical
2	5354.6221	15.47	48.58	54.00	5.42	132.9	115	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AC40_5510	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 16		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 13:32:16

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5457.2211	52.19	74.00	21.81	150	14	Horizontal
2	5460.0400	50.58	74.00	23.42	150	120	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AC40_5510	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 16		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 13:33:01

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5456.6458	58.85	74.00	15.15	150	116	Vertical
2	5460.0400	62.68	74.00	11.32	150	75	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5456.5926	15.74	48.26	54.00	5.74	128.1	105	Vertical
2	5460.0400	15.75	49.00	54.00	5.00	150	75	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AC40_5670	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 15		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 13:38:14

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0125	54.21	74.00	19.79	150	54	Horizontal
2	5727.1886	57.27	74.00	16.73	150	120	Horizontal


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0125	16.43	47.68	54.00	6.32	150	54	Horizontal
2	5727.1886	16.44	48.79	54.00	5.21	150	120	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AC40_5670	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 15		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 13:39:09

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0125	69.89	74.00	4.11	150	104	Vertical
2	5726.6083	72.57	74.00	1.43	150	111	Vertical

PK Final Data List


NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0125	16.43	49.01	54.00	4.99	150	104	Vertical
2	5726.6070	16.43	50.91	54.00	3.09	151.3	118	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AC80_5210	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 18		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 13:47:42

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5147.7239	51.79	74.00	22.21	150	101	Horizontal
2	5150.0650	50.45	74.00	23.55	150	359	Horizontal
3	5350.3252	50.74	74.00	23.26	150	349	Horizontal
4	5366.3532	53.68	74.00	20.32	150	27	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AC80_5210	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 18		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 13:48:31

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5147.5438	63.89	74.00	10.11	150	75	Vertical
2	5150.0650	63.32	74.00	10.68	150	85	Vertical
3	5350.1451	50.30	74.00	23.70	150	356	Vertical
4	5367.4337	52.18	74.00	21.82	150	27	Vertical

PK Final Data List


NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5147.5438	14.85	47.36	54.00	6.64	150	75	Vertical
2	5150.0650	14.86	46.10	54.00	7.90	150	85	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AC80_5290	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 18		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 13:52:31

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.2251	51.03	74.00	22.97	150	62	Horizontal
2	5354.1371	53.31	74.00	20.69	150	201	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AC80_5290	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 18		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 13:53:16

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.1101	59.49	74.00	14.51	150	109	Vertical
2	5353.7919	64.21	74.00	9.79	150	68	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.1101	15.46	48.70	54.00	5.30	150	109	Vertical
2	5353.7919	15.47	49.68	54.00	4.32	150	68	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AC80_5530	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 15		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 13:56:09

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5443.3117	52.94	74.00	21.06	150	111	Horizontal
2	5460.0600	51.18	74.00	22.82	150	63	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AC80_5530	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 15		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 13:56:53

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5456.5483	61.78	74.00	12.22	150	101	Vertical
2	5460.0600	60.56	74.00	13.44	150	118	Vertical

PK Final Data List


NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5456.5483	15.74	50.09	54.00	3.91	150	101	Vertical
2	5460.0600	15.75	48.87	54.00	5.13	150	118	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AC80_5610	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 15		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:01:48

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0875	51.46	74.00	22.54	150	160	Horizontal
2	5728.8894	54.15	74.00	19.85	150	359	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AC80_5610	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 15		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:02:33

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0875	51.92	74.00	22.08	150	346	Vertical
2	5731.5908	53.86	74.00	20.14	150	111	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AX20_5180	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 2 0 20		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:05:38

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5147.1336	54.53	74.00	19.47	150	102	Horizontal
2	5150.0375	51.88	74.00	22.12	150	160	Horizontal

PK Final Data List


NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5147.1336	14.85	48.53	54.00	5.47	150	102	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AX20_5180	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 2 0 20		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:06:24

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5145.7354	69.12	74.00	4.88	150	69	Vertical
2	5150.0375	67.67	74.00	6.33	150	69	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5145.6325	14.85	50.22	54.00	3.78	139.6	78	Vertical
2	5150.0375	14.86	46.44	54.00	7.56	150	69	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AX20_5320	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 2 0 17		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:12:00

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	50.14	74.00	23.86	150	160	Horizontal
2	5363.9445	52.52	74.00	21.48	150	200	Horizontal