


Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AX20_5320	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 2 0 17		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:12:53

Test Graph




PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	15.46	48.14	54.00	5.86	150	118	Vertical
2	5353.0815	15.47	49.59	54.00	4.41	150	94	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AX20_5500	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 2 0 16		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:15:27

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5448.3367	52.40	74.00	21.60	150	291	Horizontal
2	5460.0300	50.84	74.00	23.16	150	350	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AX20_5500	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 2 0 16		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:16:13

Test Graph




PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5456.3407	15.74	50.86	54.00	3.14	150	68	Vertical
2	5460.0300	15.75	48.43	54.00	5.57	150	118	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AX20_5700	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 2 0 15		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:18:36

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5728.6718	52.36	74.00	21.64	150	77	Horizontal


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5730.9230	16.44	48.59	54.00	5.41	150	118	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AX20_5700	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 2 0 15		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:19:22

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	66.70	74.00	7.30	150	118	Vertical
2	5728.6718	72.86	74.00	1.14	150	118	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	16.43	48.12	54.00	5.88	150	118	Vertical
2	5728.6680	16.43	50.85	54.00	3.15	154.1	113	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AX40_5190	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 2 0 17		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:26:03

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5145.6478	52.80	74.00	21.20	150	2	Horizontal
2	5150.0375	51.31	74.00	22.69	150	135	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AX40_5190	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 2 0 17		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:26:55

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5147.4487	65.49	74.00	8.51	150	61	Vertical
2	5150.0375	64.54	74.00	9.46	150	85	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5147.4487	14.85	49.00	54.00	5.00	150	61	Vertical
2	5150.0375	14.86	48.54	54.00	5.46	150	85	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AX40_5310	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 2 0 17		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:29:15

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	54.37	74.00	19.63	150	193	Horizontal
2	5350.8954	57.34	74.00	16.66	150	169	Horizontal

PK Final Data List


NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	15.46	45.70	54.00	8.30	150	193	Horizontal
2	5350.8954	15.46	47.10	54.00	6.90	150	169	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AX40_5310	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 2 0 17		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:30:01

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	71.05	74.00	2.95	150	64	Vertical
2	5351.7959	74.75	74.00	-0.75	150	76	Vertical

PK Final Data List


NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	15.46	49.58	54.00	4.42	150	64	Vertical
2	5351.7959	15.46	48.71	54.00	5.29	150	76	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AX40_5510	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 2 0 14		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:33:45

Test Graph



Suspected Data List


NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5457.9115	52.47	74.00	21.53	150	167	Horizontal
2	5460.0400	51.69	74.00	22.31	150	133	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AX40_5510	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 2 0 14		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:34:31

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5457.8539	64.44	74.00	9.56	150	116	Vertical
2	5460.0400	61.57	74.00	12.43	150	75	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5457.8539	15.75	49.04	54.00	4.96	150	116	Vertical
2	5460.0400	15.75	47.22	54.00	6.78	150	75	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AX40_5670	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 2 0 15		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:37:14

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0125	60.71	74.00	13.29	150	143	Horizontal
2	5727.2611	63.09	74.00	10.91	150	200	Horizontal


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0125	16.43	50.11	54.00	3.89	150	143	Horizontal
2	5727.2611	16.44	48.59	54.00	5.41	150	200	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AX40_5670	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 2 0 15		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:40:00

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0125	71.90	74.00	2.10	150	111	Vertical
2	5728.6393	73.20	74.00	0.80	150	101	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0125	16.43	50.67	54.00	3.33	150	111	Vertical
2	5728.6393	16.43	50.55	54.00	3.45	150	101	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AX80_5210	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 2 0 17		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:44:00

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5131.6958	51.58	74.00	22.42	150	161	Horizontal
2	5150.0650	49.87	74.00	24.13	150	358	Horizontal
3	5350.1451	50.51	74.00	23.49	150	349	Horizontal
4	5377.5188	52.30	74.00	21.70	150	2	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AX80_5210	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 2 0 17		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:44:45

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5147.5438	65.44	74.00	8.56	150	103	Vertical
2	5150.0650	61.14	74.00	12.86	150	103	Vertical
3	5350.1451	50.50	74.00	23.50	150	110	Vertical
4	5369.7749	52.26	74.00	21.74	150	103	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5147.5438	14.85	47.97	54.00	6.03	150	103	Vertical
2	5150.0650	14.86	46.00	54.00	8.00	150	103	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AX80_5290	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 2 0 17		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:47:11

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.1101	50.98	74.00	23.02	150	199	Horizontal
2	5359.5448	52.88	74.00	21.12	150	272	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AX80_5290	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 2 0 17		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:47:57

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.1101	59.01	74.00	14.99	150	84	Vertical
2	5350.4552	68.36	74.00	5.64	150	110	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.1101	15.46	45.70	54.00	8.30	150	84	Vertical
2	5350.4552	15.46	50.14	54.00	3.86	150	110	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AX80_5530	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 2 0 16		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:51:58

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5438.7194	52.61	74.00	21.39	150	3	Horizontal
2	5460.0600	50.57	74.00	23.43	150	63	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AX80_5530	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 2 0 16		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:52:43

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5456.8184	64.22	74.00	9.78	150	78	Vertical
2	5460.0600	59.40	74.00	14.60	150	78	Vertical

PK Final Data List


NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5456.8184	15.75	49.31	54.00	4.69	150	78	Vertical
2	5460.0600	15.75	47.01	54.00	6.99	150	78	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AX80_5610	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 2 0 16		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:54:48

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0875	51.70	74.00	22.30	150	13	Horizontal
2	5733.9920	53.58	74.00	20.42	150	168	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH65GC	SN:	
Mode:	11AX80_5610	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 2 0 16		
Test Standard: FCC Part15 C			

Start of Test:2024-10-13 14:55:33

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0875	52.52	74.00	21.48	150	1	Vertical
2	5731.1906	53.65	74.00	20.35	150	118	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11A_5180	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 0 4 20		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 21:43:31

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5143.7994	68.20	74.00	5.80	150	101	Horizontal
2	5150.0375	60.76	74.00	13.24	150	127	Horizontal

PK Final Data List


NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5143.8017	14.86	47.81	54.00	6.19	164.5	113	Horizontal
2	5150.0375	14.86	43.97	54.00	10.03	150	127	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11A_5180	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 0 4 20		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 21:44:17

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5148.6393	57.62	74.00	16.38	150	125	Vertical
2	5150.0375	54.67	74.00	19.33	150	109	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5148.6393	14.85	43.86	54.00	10.14	150	125	Vertical
2	5150.0375	14.86	43.42	54.00	10.58	150	109	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11A_5320	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 0 4 20		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 21:55:04

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	68.42	74.00	5.58	150	120	Horizontal
2	5350.9305	67.69	74.00	6.31	150	109	Horizontal


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0665	15.46	49.50	54.00	4.50	108.6	112	Horizontal
2	5350.9305	15.46	49.16	54.00	4.84	150	109	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11A_5320	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 0 4 20		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 21:56:50

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	55.35	74.00	18.65	150	80	Vertical
2	5352.5438	57.31	74.00	16.69	150	141	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	15.46	45.58	54.00	8.42	150	80	Vertical
2	5352.5438	15.47	47.61	54.00	6.39	150	141	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11A_5500	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 0 4 16		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 22:09:33

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5456.6533	60.96	74.00	13.04	150	109	Horizontal
2	5460.0300	56.67	74.00	17.33	150	109	Horizontal


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5456.6517	15.75	47.99	54.00	6.01	119.1	113	Horizontal
2	5460.0300	15.75	45.78	54.00	8.22	150	109	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11A_5500	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 0 4 16		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 22:10:18

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5455.5903	54.36	74.00	19.64	150	69	Vertical
2	5460.0300	52.64	74.00	21.36	150	111	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5455.5903	15.74	44.53	54.00	9.47	150	69	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11A_5700	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 0 4 15		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 22:16:40

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.2951	63.16	74.00	10.84	150	111	Horizontal
2	5727.2836	64.58	74.00	9.42	150	168	Horizontal


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.2951	16.43	49.46	54.00	4.54	150	111	Horizontal
2	5727.2841	16.44	49.93	54.00	4.07	124.8	165	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11A_5700	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 0 4 15		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 22:17:35

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	53.39	74.00	20.61	150	207	Vertical
2	5725.8204	56.88	74.00	17.12	150	100	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	16.43	46.62	54.00	7.38	150	207	Vertical
2	5725.8204	16.43	47.69	54.00	6.31	150	100	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11N20_5180	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 20		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 22:32:05

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5148.2091	69.43	74.00	4.57	150	53	Horizontal
2	5150.0375	62.06	74.00	11.94	150	101	Horizontal

PK Final Data List


NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5148.2070	14.85	48.48	54.00	5.52	161.3	119	Horizontal
2	5150.0375	14.86	44.42	54.00	9.58	150	101	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11N20_5180	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 20		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 22:32:59

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5144.5523	58.86	74.00	15.14	150	101	Vertical
2	5150.0375	52.57	74.00	21.43	150	159	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5144.5523	14.86	44.18	54.00	9.82	150	101	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11N20_5320	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 18		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 22:38:33

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	57.59	74.00	16.41	150	185	Horizontal
2	5351.1456	63.66	74.00	10.34	150	103	Horizontal


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	15.46	45.57	54.00	8.43	150	185	Horizontal
2	5351.1411	15.46	48.23	54.00	5.77	100	112	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11N20_5320	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 18		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 22:39:27

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	51.43	74.00	22.57	150	201	Vertical
2	5354.0495	52.73	74.00	21.27	150	201	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11N20_5500	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 15		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 22:48:36

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5458.7794	57.35	74.00	16.65	150	109	Horizontal
2	5460.0300	52.98	74.00	21.02	150	102	Horizontal


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5458.7742	15.75	47.91	54.00	6.09	185.8	115	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11N20_5500	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 15		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 22:49:33

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5439.8324	52.64	74.00	21.36	150	0	Vertical
2	5460.0300	50.90	74.00	23.10	150	37	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11N20_5700	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 14		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 22:56:47

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	52.84	74.00	21.16	150	176	Horizontal
2	5726.6833	59.50	74.00	14.50	150	176	Horizontal


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5726.6886	16.43	49.53	54.00	4.47	197.8	113	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11N20_5700	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 14		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 22:57:33

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	51.84	74.00	22.16	150	357	Vertical
2	5752.1586	54.59	74.00	19.41	150	282	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5752.1586	16.52	48.11	54.00	5.89	150	282	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11N40_5190	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 18		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 23:03:50

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5148.3492	67.79	74.00	6.21	150	117	Horizontal
2	5150.0375	61.82	74.00	12.18	150	149	Horizontal


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5148.3513	14.85	47.64	54.00	6.36	159.4	116	Horizontal
2	5150.0375	14.86	45.30	54.00	8.70	150	149	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11N40_5190	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 18		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 23:04:47

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5147.7864	56.77	74.00	17.23	150	85	Vertical
2	5150.0375	51.31	74.00	22.69	150	160	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5147.7864	14.85	44.17	54.00	9.83	150	85	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11N40_5310	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 18		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 23:13:45

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	59.74	74.00	14.26	150	46	Horizontal
2	5356.4182	65.96	74.00	8.04	150	111	Horizontal

PK Final Data List


NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	15.46	45.65	54.00	8.35	150	46	Horizontal
2	5356.4178	15.48	49.09	54.00	4.91	100	113	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11N40_5310	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 18		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 23:14:42

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	52.00	74.00	22.00	150	70	Vertical
2	5363.9220	56.14	74.00	17.86	150	144	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5363.9220	15.51	44.94	54.00	9.06	150	144	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11N40_5510	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 13		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 23:20:24

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5456.7034	56.93	74.00	17.07	150	162	Horizontal
2	5460.0400	57.53	74.00	16.47	150	112	Horizontal


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5456.7034	15.75	47.43	54.00	6.57	150	162	Horizontal
2	5460.0350	15.75	47.98	54.00	6.02	193.1	119	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11N40_5510	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 13		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 23:21:50

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5457.9690	55.01	74.00	18.99	150	76	Vertical
2	5460.0400	50.93	74.00	23.07	150	84	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5457.9690	15.75	46.95	54.00	7.05	150	76	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11N40_5670	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 16		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 23:28:40

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0550	59.95	74.00	14.05	150	108	Horizontal
2	5726.4857	65.34	74.00	8.66	150	165	Horizontal


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0550	16.43	47.49	54.00	6.51	150	108	Horizontal
2	5726.4896	16.43	50.64	54.00	3.36	108.7	174	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11N40_5670	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 16		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 23:29:37

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0550	52.20	74.00	21.80	150	22	Vertical
2	5726.7459	57.80	74.00	16.20	150	63	Vertical

PK Final Data List


NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5726.7459	16.43	46.97	54.00	7.03	150	63	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11AC20_5180	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 20		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 23:39:22

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5145.3052	69.80	74.00	4.20	150	112	Horizontal
2	5150.0375	68.91	74.00	5.09	150	102	Horizontal


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5145.3094	14.85	50.05	54.00	3.95	171.1	118	Horizontal
2	5150.0375	14.86	49.73	54.00	4.27	150	102	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11AC20_5180	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 20		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 23:40:19

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5148.2091	59.97	74.00	14.03	150	109	Vertical
2	5150.0375	60.39	74.00	13.61	150	92	Vertical


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5148.2091	14.85	46.24	54.00	7.76	150	109	Vertical
2	5150.0375	14.86	47.32	54.00	6.68	150	92	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11AC20_5320	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 18		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 23:49:52

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	57.95	74.00	16.05	150	70	Horizontal
2	5350.9305	68.88	74.00	5.12	150	109	Horizontal


PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	15.46	44.62	54.00	9.38	150	70	Horizontal
2	5350.9282	15.46	48.25	54.00	5.75	100.1	113	Horizontal

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11AC20_5320	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 18		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 23:50:50

Test Graph




Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	51.40	74.00	22.60	150	107	Vertical
2	5355.6628	53.07	74.00	20.93	150	148	Vertical

Test Report

Project Information			
Customer:			
EUT:			
Model:	CH75GC	SN:	
Mode:	11AC20_5500	Voltage:	AC120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Fly Liao
Remark:	power set:2 1 0 15		
Test Standard: FCC Part15 C			

Start of Test:2024-10-14 23:57:38

Test Graph



Suspected Data List							
NO.	Frequency (MHz)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5458.6543	60.61	74.00	13.39	150	113	Horizontal
2	5459.5298	57.88	74.00	16.12	150	120	Horizontal

PK Final Data List								
NO.	Frequency (MHz)	Factor (dB/m)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5458.6551	15.75	47.99	54.00	6.01	175.9	117	Horizontal
2	5459.5298	15.75	46.38	54.00	7.62	150	120	Horizontal