

RF Exposure Evaluation Report

Product : Remote control
Trade mark : MAXHUB
Model/Type reference : See content 4.2
Serial Number : N/A
Report Number : EED32O81281102
FCC ID : 2AFG6-RC01
Date of Issue : Nov. 18, 2022
47 CFR Part 1.1307
47 CFR Part 2.1093
Test Standards : KDB447498D01 General RF Exposure
Guidance v06
Test result : PASS

Prepared for:

Guangzhou Shirui Electronics Co.,Ltd.
**192 Kezhu Road, Sciencetech Park, Guangzhou Economic & Technology
Development District, Guangzhou, Guangdong, China**

Prepared by:

Centre Testing International Group Co., Ltd.
**Hongwei Industrial Zone, Bao'an 70 District,
Shenzhen, Guangdong, China**
TEL: +86-755-3368 3668
FAX: +86-755-3368 3385

Compiled by:

mark.chen.

Reviewed by:

Tom Chen

Mark Chen

Tom Chen

Approved by:

Aaron Ma

Date:

Nov. 18, 2022

Aaron Ma

Check No.: 5705170822



2 Version

Version No.	Date	Description
00	Nov. 18, 2022	Original

3 Contents

	Page
1 COVER PAGE	1
2 VERSION	2
3 CONTENTS	3
4 GENERAL INFORMATION	4
4.1 CLIENT INFORMATION	4
4.2 GENERAL DESCRIPTION OF EUT	4
4.3 PRODUCT SPECIFICATION SUBJECTIVE TO THIS STANDARD	4
4.4 TEST LOCATION	5
4.5 DEVIATION FROM STANDARDS	5
4.6 ABNORMALITIES FROM STANDARD CONDITIONS	5
4.7 OTHER INFORMATION REQUESTED BY THE CUSTOMER	5
5 SAR EVALUATION	6
5.1 RF EXPOSURE COMPLIANCE REQUIREMENT	6
5.1.1 <i>Standard Requirement</i>	6
5.1.2 <i>Limits</i>	6
5.1.3 <i>EUT RF Exposure Evaluation</i>	7
5.1.4 <i>EUT RF Exposure</i>	7

4 General Information

4.1 Client Information

Applicant:	Guangzhou Shirui Electronics Co.,Ltd.
Address of Applicant:	192 Kezhu Road, Sciencetech Park, Guangzhou Economic & Technology Development District, Guangzhou, Guangdong,China
Manufacturer:	Guangzhou Shirui Electronics Co.,Ltd.
Address of Manufacturer:	192 Kezhu Road, Sciencetech Park, Guangzhou Economic & Technology Development District, Guangzhou, Guangdong,China
Factory:	Shenzhen C&D Electronics Co., Ltd.
Address of Factory:	9/F, Tower 9A, Baoneng Science & Technology Park, 1Qingxiang Road, Longhua District, Shenzhen, Guangdong, China

4.2 General Description of EUT

Product Name:	Remote control
Model No.(EUT):	RC01, RC01A, RC01B, RC01C, RC01D, RC01E, RC02A, RC02B, RC02C, RC02D, RC02E, RC03A, RC03B, RC03C, RC03D, RC03E, RC04A, RC04B, RC04C, RC04D, RC04E, RC05A, RC05B, RC05C, RC05D, RC05E
Test Model No.:	RC01
Trade Mark:	MAXHUB

4.3 Product Specification subjective to this standard

Frequency Range:	2402MHz~2480MHz
Modulation Type:	GFSK
Test Power Grade:	Default
Test Software of EUT:	RTL8762x_RFTTestTool
Antenna Type:	PCB Antenna
Antenna Gain:	-0.98dBi
Power Supply:	DC 3V
Sample Received Date:	Aug. 26, 2022
Sample tested Date:	Aug. 26, 2022 to Sep. 05, 2022
<p>Company Name and Address shown on Report, the sample(s) and sample Information was/ were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified.</p> <p>Model No.:RC01, RC01A, RC01B, RC01C, RC01D, RC01E, RC02A, RC02B, RC02C, RC02D, RC02E, RC03A, RC03B, RC03C, RC03D, RC03E, RC04A, RC04B, RC04C, RC04D, RC04E, RC05A, RC05B, RC05C,RC05D, RC05E</p> <p>Only the model RC01 was tested. The production units bearing the following model numbers have same electrical, PCB and layout, only the model names and appearance color are different for marketing requirements.</p>	

4.4 Test Location

All tests were performed at:

Centre Testing International Group Co., Ltd

Building C, Hongwei Industrial Park Block 70, Bao'an District, Shenzhen, China

Telephone: +86 (0) 755 33683668 Fax:+86 (0) 755 33683385

No tests were sub-contracted.

FCC Designation No.: CN1164

4.5 Deviation from Standards

None.

4.6 Abnormalities from Standard Conditions

None.

4.7 Other Information Requested by the Customer

None.

5 SAR Evaluation

5.1 RF Exposure Compliance Requirement

5.1.1 Standard Requirement

According to KDB447498D01 General RF Exposure Guidance v06

Standalone SAR test exclusion considerations

Unless specifically required by the published RF exposure KDB procedures, standalone 1-g head or body and 10-g extremity SAR evaluation for general population exposure conditions, by measurement or numerical simulation, is not required when the corresponding SAR Exclusion Threshold condition, listed below, is satisfied.

5.1.2 Limits

The 1-g and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distances ≤ 50 mm are determined by:

$[(\text{max. power of channel, including tune-up tolerance, mW})/(\text{min. test separation distance, mm})] \cdot$

$[\sqrt{f(\text{GHz})}] \leq 3.0$ for 1-g SAR and ≤ 7.5 for 10-g extremity SAR, where

$f(\text{GHz})$ is the RF channel transmit frequency in GHz

Power and distance are rounded to the nearest mW and mm before calculation¹⁷

The result is rounded to one decimal place for comparison

The test exclusions are applicable only when the minimum test separation distance is ≤ 50 mm and for transmission frequencies between 100 MHz and 6 GHz. When the minimum test separation distance is < 5 mm, a distance of 5 mm is applied to determine SAR test exclusion

5.1.3 EUT RF Exposure Evaluation

5.1.4 EUT RF Exposure

1) For Bluetooth LE

Measurement Data:

BLE 1M:

GFSK mode				
Test channel	Peak Output Power (dBm)	Tune up tolerance (dBm)	Maximum tune-up Power	
			(dBm)	(mW)
Lowest(2402MHz)	3.44	3±1	4	2.512
Middle(2441MHz)	3.4	3±1	4	2.512
Highest(2480MHz)	3.49	3±1	4	2.512

BLE 2M:

GFSK mode				
Test channel	Peak Output Power (dBm)	Tune up tolerance (dBm)	Maximum tune-up Power	
			(dBm)	(mW)
Lowest(2402MHz)	3.45	3±1	4	2.512
Middle(2441MHz)	3.42	3±1	4	2.512
Highest(2480MHz)	3.49	3±1	4	2.512

Worst case is BLE: 2M						
Channel	Maximum Peak Conducted Output Power (dBm)	Tune up tolerance (dBm)	Maximum tune- up Power		Calculated value	Exclusion threshold
			(dBm)	(mW)		
Lowest (2402MHz)	3.45	3±1	4	2.512	0.791	3.0
Middle (2441MHz)	3.42	3±1	4	2.512	0.791	
Highest (2480MHz)	3.49	3±1	4	2.512	0.791	
Conclusion: the calculated value ≤3.0, SAR is exempted.						

Remark: The Max Conducted Peak Output Power data refer to report Report No.: EED32O81281101.

The test report is effective only with both signature and specialized stamp, The result(s) shown in this report refer only to the sample(s) tested. Without written approval of CTI, this report can't be reproduced except in full.

*** End of Report ***