





Test Mode:	802.11n HT20	Channel:	5720
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11433.000	44.38	16.50	60.88	74.00	-13.12	peak
2	11433.000	31.09	16.50	47.59	54.00	-6.41	AVG
3	11829.000	35.77	17.38	53.15	74.00	-20.85	peak
4	12687.000	34.38	18.05	52.43	74.00	-21.57	peak
5	13556.000	32.35	20.78	53.13	74.00	-20.87	peak
6	14062.000	32.24	21.62	53.86	74.00	-20.14	peak
7	18000.000	27.65	26.12	53.77	74.00	-20.23	peak




Test Mode:	802.11n HT20	Channel:	5720
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11444.000	48.64	16.53	65.17	74.00	-8.83	peak
2	11444.000	36.08	16.53	52.61	54.00	-1.39	AVG
3	11873.000	35.20	17.46	52.66	74.00	-21.34	peak
4	12709.000	34.69	18.09	52.78	74.00	-21.22	peak
5	14161.000	31.65	21.20	52.85	74.00	-21.15	peak
6	14722.000	34.24	18.84	53.08	74.00	-20.92	peak
7	17967.000	26.56	25.89	52.45	74.00	-21.55	peak




Test Mode:	802.11n HT20	Channel:	5745
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11488.000	44.33	16.72	61.05	74.00	-12.95	peak
2	11488.000	33.04	16.72	49.76	54.00	-4.24	AVG
3	11796.000	35.14	17.32	52.46	74.00	-21.54	peak
4	12698.000	34.97	18.08	53.05	74.00	-20.95	peak
5	12995.000	34.28	18.44	52.72	74.00	-21.28	peak
6	17241.000	30.13	21.62	51.75	74.00	-22.25	peak
7	17989.000	26.82	26.04	52.86	74.00	-21.14	peak




Test Mode:	802.11n HT20	Channel:	5745
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11488.000	47.99	16.72	64.71	74.00	-9.29	peak
2	11488.000	34.47	16.72	51.19	54.00	-2.81	AVG
3	12720.000	34.87	18.09	52.96	74.00	-21.04	peak
4	13501.000	31.61	20.64	52.25	74.00	-21.75	peak
5	13864.000	30.68	21.53	52.21	74.00	-21.79	peak
6	14667.000	33.59	19.08	52.67	74.00	-21.33	peak
7	17989.000	26.58	26.04	52.62	74.00	-21.38	peak




Test Mode:	802.11n HT20	Channel:	5785
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11576.000	41.74	16.91	58.65	74.00	-15.35	peak
2	11576.000	28.86	16.91	45.77	54.00	-8.23	AVG
3	12731.000	33.61	18.12	51.73	74.00	-22.27	peak
4	13600.000	31.63	20.89	52.52	74.00	-21.48	peak
5	13919.000	31.73	21.68	53.41	74.00	-20.59	peak
6	14414.000	32.59	20.14	52.73	74.00	-21.27	peak
7	17989.000	26.36	26.04	52.40	74.00	-21.60	peak




Test Mode:	802.11n HT20	Channel:	5785
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11565.000	46.79	16.89	63.68	74.00	-10.32	peak
2	11565.000	34.34	16.89	51.23	54.00	-2.77	AVG
3	13050.000	33.36	18.66	52.02	74.00	-21.98	peak
4	13380.000	31.93	20.12	52.05	74.00	-21.95	peak
5	13919.000	30.59	21.68	52.27	74.00	-21.73	peak
6	17659.000	28.75	23.78	52.53	74.00	-21.47	peak
7	17978.000	26.67	25.97	52.64	74.00	-21.36	peak




Test Mode:	802.11n HT20	Channel:	5825
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11642.000	39.90	17.03	56.93	74.00	-17.07	peak
2	11642.000	27.04	17.03	44.07	54.00	-9.93	AVG
3	11796.000	35.14	17.32	52.46	74.00	-21.54	peak
4	12753.000	34.14	18.14	52.28	74.00	-21.72	peak
5	13974.000	31.48	21.82	53.30	74.00	-20.70	peak
6	14447.000	32.91	20.00	52.91	74.00	-21.09	peak
7	17989.000	26.31	26.04	52.35	74.00	-21.65	peak




Test Mode:	802.11n HT20	Channel:	5825
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11653.000	45.27	17.05	62.32	74.00	-11.68	peak
2	11653.000	32.17	17.05	49.22	54.00	-4.78	AVG
3	12203.000	34.51	17.76	52.27	74.00	-21.73	peak
4	13446.000	32.13	20.41	52.54	74.00	-21.46	peak
5	13908.000	31.12	21.66	52.78	74.00	-21.22	peak
6	16900.000	30.91	20.16	51.07	74.00	-22.93	peak
7	17956.000	25.12	25.82	50.94	74.00	-23.06	peak




Test Mode:	802.11n HT40	Channel:	5190
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11796.000	35.51	17.32	52.83	74.00	-21.17	peak
2	12610.000	34.04	17.97	52.01	74.00	-21.99	peak
3	13435.000	32.58	20.35	52.93	74.00	-21.07	peak
4	14073.000	31.02	21.57	52.59	74.00	-21.41	peak
5	14821.000	33.84	18.42	52.26	74.00	-21.74	peak
6	18000.000	27.15	26.12	53.27	74.00	-20.73	peak




Test Mode:	802.11n HT40	Channel:	5190
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10377.000	38.36	12.56	50.92	74.00	-23.08	peak
2	11895.000	34.40	17.51	51.91	74.00	-22.09	peak
3	12720.000	33.72	18.09	51.81	74.00	-22.19	peak
4	13446.000	31.37	20.41	51.78	74.00	-22.22	peak
5	14106.000	30.60	21.43	52.03	74.00	-21.97	peak
6	18000.000	26.20	26.12	52.32	74.00	-21.68	peak




Test Mode:	802.11n HT40	Channel:	5230
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11422.000	35.55	16.46	52.01	74.00	-21.99	peak
2	12621.000	34.62	17.98	52.60	74.00	-21.40	peak
3	13556.000	31.89	20.78	52.67	74.00	-21.33	peak
4	13864.000	31.07	21.53	52.60	74.00	-21.40	peak
5	14425.000	32.55	20.09	52.64	74.00	-21.36	peak
6	17967.000	26.73	25.89	52.62	74.00	-21.38	peak




Test Mode:	802.11n HT40	Channel:	5230
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10454.000	37.34	12.73	50.07	74.00	-23.93	peak
2	11708.000	34.56	17.16	51.72	74.00	-22.28	peak
3	12687.000	34.33	18.05	52.38	74.00	-21.62	peak
4	13919.000	30.69	21.68	52.37	74.00	-21.63	peak
5	14238.000	31.09	20.88	51.97	74.00	-22.03	peak
6	18000.000	26.32	26.12	52.44	74.00	-21.56	peak




Test Mode:	802.11n HT40	Channel:	5270
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11818.000	34.91	17.36	52.27	74.00	-21.73	peak
2	12236.000	34.74	17.76	52.50	74.00	-21.50	peak
3	12720.000	34.02	18.09	52.11	74.00	-21.89	peak
4	13864.000	31.30	21.53	52.83	74.00	-21.17	peak
5	14260.000	32.06	20.80	52.86	74.00	-21.14	peak
6	18000.000	26.40	26.12	52.52	74.00	-21.48	peak




Test Mode:	802.11n HT40	Channel:	5270
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11356.000	35.11	16.19	51.30	74.00	-22.70	peak
2	11840.000	34.45	17.40	51.85	74.00	-22.15	peak
3	12643.000	33.87	18.01	51.88	74.00	-22.12	peak
4	13952.000	31.28	21.76	53.04	74.00	-20.96	peak
5	14238.000	31.88	20.88	52.76	74.00	-21.24	peak
6	17956.000	26.69	25.82	52.51	74.00	-21.49	peak




Test Mode:	802.11n HT40	Channel:	5310
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11290.000	35.30	15.90	51.20	74.00	-22.80	peak
2	11785.000	34.60	17.30	51.90	74.00	-22.10	peak
3	13501.000	31.24	20.64	51.88	74.00	-22.12	peak
4	13952.000	31.28	21.76	53.04	74.00	-20.96	peak
5	14436.000	32.33	20.05	52.38	74.00	-21.62	peak
6	17901.000	26.69	25.45	52.14	74.00	-21.86	peak




Test Mode:	802.11n HT40	Channel:	5310
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11356.000	35.31	16.19	51.50	74.00	-22.50	peak
2	12643.000	33.83	18.01	51.84	74.00	-22.16	peak
3	13534.000	31.89	20.73	52.62	74.00	-21.38	peak
4	13864.000	31.19	21.53	52.72	74.00	-21.28	peak
5	14172.000	31.65	21.16	52.81	74.00	-21.19	peak
6	17912.000	26.15	25.52	51.67	74.00	-22.33	peak




Test Mode:	802.11n HT40	Channel:	5510
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11015.000	36.64	14.79	51.43	74.00	-22.57	peak
2	11752.000	34.88	17.24	52.12	74.00	-21.88	peak
3	13006.000	33.84	18.47	52.31	74.00	-21.69	peak
4	13930.000	30.80	21.71	52.51	74.00	-21.49	peak
5	14634.000	32.92	19.21	52.13	74.00	-21.87	peak
6	17989.000	25.95	26.04	51.99	74.00	-22.01	peak




Test Mode:	802.11n HT40	Channel:	5510
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11015.000	40.18	14.79	54.97	74.00	-19.03	peak
2	11015.000	29.26	14.79	44.05	54.00	-9.95	AVG
3	11422.000	35.19	16.46	51.65	74.00	-22.35	peak
4	12599.000	34.38	17.95	52.33	74.00	-21.67	peak
5	13534.000	31.63	20.73	52.36	74.00	-21.64	peak
6	14425.000	31.64	20.09	51.73	74.00	-22.27	peak
7	17956.000	26.63	25.82	52.45	74.00	-21.55	peak




Test Mode:	802.11n HT40	Channel:	5590
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11180.000	39.17	15.46	54.63	74.00	-19.37	peak
2	11180.000	26.73	15.46	42.19	54.00	-11.81	AVG
3	12698.000	33.80	18.08	51.88	74.00	-22.12	peak
4	13534.000	31.98	20.73	52.71	74.00	-21.29	peak
5	13952.000	31.37	21.76	53.13	74.00	-20.87	peak
6	16845.000	30.93	19.90	50.83	74.00	-23.17	peak
7	18000.000	26.27	26.12	52.39	74.00	-21.61	peak




Test Mode:	802.11n HT40	Channel:	5590
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11180.000	41.27	15.46	56.73	74.00	-17.27	peak
2	11180.000	30.35	15.46	45.81	54.00	-8.19	AVG
3	12698.000	34.35	18.08	52.43	74.00	-21.57	peak
4	13633.000	31.70	20.97	52.67	74.00	-21.33	peak
5	14425.000	32.51	20.09	52.60	74.00	-21.40	peak
6	17604.000	27.91	23.41	51.32	74.00	-22.68	peak
7	18000.000	25.86	26.12	51.98	74.00	-22.02	peak




Test Mode:	802.11n HT40	Channel:	5670
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11345.000	41.97	16.14	58.11	74.00	-15.89	peak
2	11345.000	30.59	16.14	46.73	54.00	-7.27	AVG
3	12720.000	34.43	18.09	52.52	74.00	-21.48	peak
4	13512.000	32.12	20.68	52.80	74.00	-21.20	peak
5	14073.000	30.81	21.57	52.38	74.00	-21.62	peak
6	14436.000	32.86	20.05	52.91	74.00	-21.09	peak
7	17912.000	26.60	25.52	52.12	74.00	-21.88	peak




Test Mode:	802.11n HT40	Channel:	5670
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11345.000	45.65	16.14	61.79	74.00	-12.21	peak
2	11345.000	30.71	16.14	46.85	54.00	-7.15	AVG
3	12687.000	33.98	18.05	52.03	74.00	-21.97	peak
4	13446.000	32.06	20.41	52.47	74.00	-21.53	peak
5	13919.000	30.99	21.68	52.67	74.00	-21.33	peak
6	14436.000	32.19	20.05	52.24	74.00	-21.76	peak
7	17989.000	26.11	26.04	52.15	74.00	-21.85	peak




Test Mode:	802.11n HT40	Channel:	5710
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11411.000	48.46	16.41	64.87	74.00	-9.13	peak
2	11411.000	32.25	16.41	48.66	54.00	-5.34	AVG
3	12687.000	34.28	18.05	52.33	74.00	-21.67	peak
4	13446.000	32.05	20.41	52.46	74.00	-21.54	peak
5	14238.000	31.97	20.88	52.85	74.00	-21.15	peak
6	17274.000	29.68	21.76	51.44	74.00	-22.56	peak
7	17912.000	27.22	25.52	52.74	74.00	-21.26	peak




Test Mode:	802.11n HT40	Channel:	5755
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11422.000	42.83	16.46	59.29	74.00	-14.71	peak
2	11422.000	28.34	16.46	44.80	54.00	-9.20	AVG
3	11686.000	35.21	17.12	52.33	74.00	-21.67	peak
4	12643.000	34.33	18.01	52.34	74.00	-21.66	peak
5	13974.000	31.35	21.82	53.17	74.00	-20.83	peak
6	14425.000	32.22	20.09	52.31	74.00	-21.69	peak
7	17989.000	25.42	26.04	51.46	74.00	-22.54	peak




Test Mode:	802.11n HT40	Channel:	5755
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11510.000	42.34	16.79	59.13	74.00	-14.87	peak
2	11510.000	30.70	16.79	47.49	54.00	-6.51	AVG
3	12324.000	35.00	17.79	52.79	74.00	-21.21	peak
4	13534.000	32.22	20.73	52.95	74.00	-21.05	peak
5	14227.000	32.35	20.93	53.28	74.00	-20.72	peak
6	14425.000	32.82	20.09	52.91	74.00	-21.09	peak
7	17901.000	26.90	25.45	52.35	74.00	-21.65	peak




Test Mode:	802.11n HT40	Channel:	5755
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11510.000	44.95	16.79	61.74	74.00	-12.26	peak
2	11510.000	33.04	16.79	49.83	54.00	-4.17	AVG
3	12577.000	34.56	17.93	52.49	74.00	-21.51	peak
4	13644.000	31.72	20.99	52.71	74.00	-21.29	peak
5	14678.000	33.61	19.03	52.64	74.00	-21.36	peak
6	16988.000	31.14	20.55	51.69	74.00	-22.31	peak
7	18000.000	26.37	26.12	52.49	74.00	-21.51	peak




Test Mode:	802.11n HT40	Channel:	5795
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11576.000	38.36	16.91	55.27	74.00	-18.73	peak
2	11576.000	27.87	16.91	44.78	54.00	-9.22	AVG
3	12555.000	34.05	17.90	51.95	74.00	-22.05	peak
4	13358.000	32.18	20.02	52.20	74.00	-21.80	peak
5	13545.000	31.65	20.75	52.40	74.00	-21.60	peak
6	17384.000	29.04	22.22	51.26	74.00	-22.74	peak
7	17901.000	26.80	25.45	52.25	74.00	-21.75	peak




Test Mode:	802.11n HT40	Channel:	5795
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11598.000	42.37	16.96	59.33	74.00	-14.67	peak
2	11598.000	32.66	16.96	49.62	54.00	-4.38	AVG
3	12731.000	34.36	18.12	52.48	74.00	-21.52	peak
4	13600.000	31.05	20.89	51.94	74.00	-22.06	peak
5	14227.000	30.96	20.93	51.89	74.00	-22.11	peak
6	14689.000	32.50	18.99	51.49	74.00	-22.51	peak
7	17978.000	26.30	25.97	52.27	74.00	-21.73	peak




Test Mode:	802.11ax HE20	Channel:	5180
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.74	10.51	47.25	74.00	-26.75	peak
2	11510.000	34.42	16.79	51.21	74.00	-22.79	peak
3	12698.000	33.96	18.08	52.04	74.00	-21.96	peak
4	13534.000	31.34	20.73	52.07	74.00	-21.93	peak
5	14425.000	31.91	20.09	52.00	74.00	-22.00	peak
6	18000.000	26.62	26.12	52.74	74.00	-21.26	peak




Test Mode:	802.11ax HE20	Channel:	5180
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10355.000	38.65	12.52	51.17	74.00	-22.83	peak
2	11356.000	35.30	16.19	51.49	74.00	-22.51	peak
3	12687.000	33.65	18.05	51.70	74.00	-22.30	peak
4	13523.000	31.74	20.70	52.44	74.00	-21.56	peak
5	15547.000	36.06	16.73	52.79	74.00	-21.21	peak
6	17912.000	26.84	25.52	52.36	74.00	-21.64	peak




Test Mode:	802.11ax HE20	Channel:	5200
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11818.000	35.31	17.36	52.67	74.00	-21.33	peak
2	12698.000	34.03	18.08	52.11	74.00	-21.89	peak
3	14007.000	31.63	21.85	53.48	74.00	-20.52	peak
4	14436.000	32.04	20.05	52.09	74.00	-21.91	peak
5	17703.000	28.41	24.09	52.50	74.00	-21.50	peak
6	17956.000	27.41	25.82	53.23	74.00	-20.77	peak




Test Mode:	802.11ax HE20	Channel:	5200
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10399.000	40.05	12.61	52.66	74.00	-21.34	peak
2	11818.000	34.65	17.36	52.01	74.00	-21.99	peak
3	12698.000	33.95	18.08	52.03	74.00	-21.97	peak
4	13930.000	30.74	21.71	52.45	74.00	-21.55	peak
5	14678.000	32.74	19.03	51.77	74.00	-22.23	peak
6	17967.000	26.27	25.89	52.16	74.00	-21.84	peak




Test Mode:	802.11ax HE20	Channel:	5240
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11796.000	34.27	17.32	51.59	74.00	-22.41	peak
2	12071.000	34.00	17.72	51.72	74.00	-22.28	peak
3	13545.000	31.41	20.75	52.16	74.00	-21.84	peak
4	13941.000	30.55	21.73	52.28	74.00	-21.72	peak
5	14678.000	32.41	19.03	51.44	74.00	-22.56	peak
6	17967.000	26.49	25.89	52.38	74.00	-21.62	peak




Test Mode:	802.11ax HE20	Channel:	5240
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10476.000	38.51	12.77	51.28	74.00	-22.72	peak
2	11609.000	35.17	16.98	52.15	74.00	-21.85	peak
3	11873.000	34.45	17.46	51.91	74.00	-22.09	peak
4	12610.000	33.90	17.97	51.87	74.00	-22.13	peak
5	14073.000	31.27	21.57	52.84	74.00	-21.16	peak
6	18000.000	26.58	26.12	52.70	74.00	-21.30	peak




Test Mode:	802.11ax HE20	Channel:	5260
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11323.000	35.65	16.05	51.70	74.00	-22.30	peak
2	11818.000	34.32	17.36	51.68	74.00	-22.32	peak
3	12698.000	33.95	18.08	52.03	74.00	-21.97	peak
4	13853.000	30.86	21.52	52.38	74.00	-21.62	peak
5	14271.000	31.13	20.74	51.87	74.00	-22.13	peak
6	18000.000	26.88	26.12	53.00	74.00	-21.00	peak




Test Mode:	802.11ax HE20	Channel:	5260
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10509.000	41.07	12.85	53.92	74.00	-20.08	peak
2	10509.000	29.34	12.85	42.19	54.00	-11.81	AVG
3	11422.000	35.42	16.46	51.88	74.00	-22.12	peak
4	12225.000	34.36	17.75	52.11	74.00	-21.89	peak
5	12720.000	34.30	18.09	52.39	74.00	-21.61	peak
6	13556.000	31.65	20.78	52.43	74.00	-21.57	peak
7	17956.000	26.30	25.82	52.12	74.00	-21.88	peak




Test Mode:	802.11ax HE20	Channel:	5280
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11367.000	34.90	16.22	51.12	74.00	-22.88	peak
2	12588.000	34.28	17.94	52.22	74.00	-21.78	peak
3	13050.000	32.98	18.66	51.64	74.00	-22.36	peak
4	13952.000	29.98	21.76	51.74	74.00	-22.26	peak
5	14612.000	32.41	19.31	51.72	74.00	-22.28	peak
6	18000.000	26.03	26.12	52.15	74.00	-21.85	peak




Test Mode:	802.11ax HE20	Channel:	5280
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10553.000	37.83	13.02	50.85	74.00	-23.15	peak
2	11422.000	34.13	16.46	50.59	74.00	-23.41	peak
3	12665.000	33.83	18.04	51.87	74.00	-22.13	peak
4	13523.000	31.77	20.70	52.47	74.00	-21.53	peak
5	15844.000	35.21	16.86	52.07	74.00	-21.93	peak
6	17879.000	26.81	25.29	52.10	74.00	-21.90	peak




Test Mode:	802.11ax HE20	Channel:	5320
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11928.000	33.84	17.57	51.41	74.00	-22.59	peak
2	12665.000	34.01	18.04	52.05	74.00	-21.95	peak
3	13424.000	32.68	20.30	52.98	74.00	-21.02	peak
4	14227.000	31.54	20.93	52.47	74.00	-21.53	peak
5	14678.000	32.90	19.03	51.93	74.00	-22.07	peak
6	17879.000	26.93	25.29	52.22	74.00	-21.78	peak




Test Mode:	802.11ax HE20	Channel:	5320
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11631.000	34.88	17.01	51.89	74.00	-22.11	peak
2	12214.000	34.29	17.76	52.05	74.00	-21.95	peak
3	13457.000	32.23	20.46	52.69	74.00	-21.31	peak
4	13809.000	31.54	21.41	52.95	74.00	-21.05	peak
5	14436.000	32.57	20.05	52.62	74.00	-21.38	peak
6	17989.000	26.51	26.04	52.55	74.00	-21.45	peak




Test Mode:	802.11ax HE20	Channel:	5500
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11004.000	39.82	14.74	54.56	74.00	-19.44	peak
2	11004.000	27.51	14.74	42.25	54.00	-11.75	AVG
3	11961.000	33.97	17.62	51.59	74.00	-22.41	peak
4	13424.000	32.00	20.30	52.30	74.00	-21.70	peak
5	14678.000	33.00	19.03	52.03	74.00	-21.97	peak
6	17461.000	29.53	22.53	52.06	74.00	-21.94	peak
7	17989.000	26.27	26.04	52.31	74.00	-21.69	peak




Test Mode:	802.11ax HE20	Channel:	5500
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11004.000	43.25	14.74	57.99	74.00	-16.01	peak
2	11004.000	32.22	14.74	46.96	54.00	-7.04	AVG
3	11862.000	34.41	17.45	51.86	74.00	-22.14	peak
4	12709.000	33.61	18.09	51.70	74.00	-22.30	peak
5	13919.000	30.98	21.68	52.66	74.00	-21.34	peak
6	14458.000	32.80	19.95	52.75	74.00	-21.25	peak
7	18000.000	26.02	26.12	52.14	74.00	-21.86	peak




Test Mode:	802.11ax HE20	Channel:	5580
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11158.000	42.32	15.37	57.69	74.00	-16.31	peak
2	11158.000	30.40	15.37	45.77	54.00	-8.23	AVG
3	11785.000	34.98	17.30	52.28	74.00	-21.72	peak
4	12533.000	34.83	17.87	52.70	74.00	-21.30	peak
5	12687.000	34.59	18.05	52.64	74.00	-21.36	peak
6	13897.000	30.66	21.62	52.28	74.00	-21.72	peak
7	17956.000	25.97	25.82	51.79	74.00	-22.21	peak




Test Mode:	802.11ax HE20	Channel:	5580
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11169.000	47.22	15.42	62.64	74.00	-11.36	peak
2	11169.000	31.74	15.42	47.16	54.00	-6.84	AVG
3	11807.000	35.22	17.34	52.56	74.00	-21.44	peak
4	13622.000	31.38	20.95	52.33	74.00	-21.67	peak
5	13919.000	31.50	21.68	53.18	74.00	-20.82	peak
6	14425.000	32.65	20.09	52.74	74.00	-21.26	peak
7	17978.000	25.59	25.97	51.56	74.00	-22.44	peak




Test Mode:	802.11ax HE20	Channel:	5700
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	43.88	16.36	60.24	74.00	-13.76	peak
2	11400.000	30.71	16.36	47.07	54.00	-6.93	AVG
3	12566.000	34.41	17.91	52.32	74.00	-21.68	peak
4	13006.000	33.32	18.47	51.79	74.00	-22.21	peak
5	13919.000	31.30	21.68	52.98	74.00	-21.02	peak
6	14722.000	33.49	18.84	52.33	74.00	-21.67	peak
7	18000.000	26.28	26.12	52.40	74.00	-21.60	peak




Test Mode:	802.11ax HE20	Channel:	5700
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11400.000	47.99	16.36	64.35	74.00	-9.65	peak
2	11400.000	35.36	16.36	51.72	54.00	-2.28	AVG
3	11840.000	34.75	17.40	52.15	74.00	-21.85	peak
4	12555.000	34.69	17.90	52.59	74.00	-21.41	peak
5	13534.000	31.58	20.73	52.31	74.00	-21.69	peak
6	14425.000	32.46	20.09	52.55	74.00	-21.45	peak
7	17956.000	26.70	25.82	52.52	74.00	-21.48	peak




Test Mode:	802.11ax HE20	Channel:	5720
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11697.000	34.85	17.13	51.98	74.00	-22.02	peak
2	12720.000	33.98	18.09	52.07	74.00	-21.93	peak
3	13644.000	31.78	20.99	52.77	74.00	-21.23	peak
4	13864.000	31.54	21.53	53.07	74.00	-20.93	peak
5	14282.000	31.77	20.70	52.47	74.00	-21.53	peak
6	17978.000	26.25	25.97	52.22	74.00	-21.78	peak




Test Mode:	802.11ax HE20	Channel:	5720
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11444.000	34.77	16.53	51.30	74.00	-22.70	peak
2	12687.000	33.97	18.05	52.02	74.00	-21.98	peak
3	13017.000	33.48	18.53	52.01	74.00	-21.99	peak
4	13930.000	30.65	21.71	52.36	74.00	-21.64	peak
5	14436.000	31.89	20.05	51.94	74.00	-22.06	peak
6	17912.000	26.72	25.52	52.24	74.00	-21.76	peak




Test Mode:	802.11ax HE20	Channel:	5745
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11488.000	45.01	16.72	61.73	74.00	-12.27	peak
2	11488.000	32.17	16.72	48.89	54.00	-5.11	AVG
3	11785.000	35.36	17.30	52.66	74.00	-21.34	peak
4	12698.000	34.27	18.08	52.35	74.00	-21.65	peak
5	13611.000	31.90	20.92	52.82	74.00	-21.18	peak
6	14436.000	33.22	20.05	53.27	74.00	-20.73	peak
7	17978.000	26.32	25.97	52.29	74.00	-21.71	peak




Test Mode:	802.11ax HE20	Channel:	5745
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11488.000	47.00	16.72	63.72	74.00	-10.28	peak
2	11488.000	34.10	16.72	50.82	54.00	-3.18	AVG
3	11840.000	34.65	17.40	52.05	74.00	-21.95	peak
4	12687.000	34.66	18.05	52.71	74.00	-21.29	peak
5	13457.000	31.40	20.46	51.86	74.00	-22.14	peak
6	14447.000	32.66	20.00	52.66	74.00	-21.34	peak
7	17945.000	26.87	25.75	52.62	74.00	-21.38	peak




Test Mode:	802.11ax HE20	Channel:	5785
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11565.000	40.76	16.89	57.65	74.00	-16.35	peak
2	11565.000	28.98	16.89	45.87	54.00	-8.13	AVG
3	12214.000	34.51	17.76	52.27	74.00	-21.73	peak
4	12621.000	34.29	17.98	52.27	74.00	-21.73	peak
5	13050.000	33.61	18.66	52.27	74.00	-21.73	peak
6	14414.000	32.84	20.14	52.98	74.00	-21.02	peak
7	18000.000	26.73	26.12	52.85	74.00	-21.15	peak




Test Mode:	802.11ax HE20	Channel:	5785
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11565.000	47.21	16.89	64.10	74.00	-9.90	peak
2	11565.000	34.04	16.89	50.93	54.00	-3.07	AVG
3	12676.000	34.44	18.05	52.49	74.00	-21.51	peak
4	12676.000	34.44	18.05	52.49	74.00	-21.51	peak
5	13050.000	33.79	18.66	52.45	74.00	-21.55	peak
6	14238.000	32.26	20.88	53.14	74.00	-20.86	peak
7	18000.000	26.56	26.12	52.68	74.00	-21.32	peak




Test Mode:	802.11ax HE20	Channel:	5825
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11653.000	39.32	17.05	56.37	74.00	-17.63	peak
2	11653.000	27.31	17.05	44.36	54.00	-9.64	AVG
3	12533.000	34.29	17.87	52.16	74.00	-21.84	peak
4	13556.000	31.45	20.78	52.23	74.00	-21.77	peak
5	14062.000	30.73	21.62	52.35	74.00	-21.65	peak
6	14436.000	32.42	20.05	52.47	74.00	-21.53	peak
7	17934.000	26.21	25.67	51.88	74.00	-22.12	peak




Test Mode:	802.11ax HE20	Channel:	5825
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11642.000	45.34	17.03	62.37	74.00	-11.63	peak
2	11642.000	33.40	17.03	50.43	54.00	-3.57	AVG
3	12225.000	34.02	17.75	51.77	74.00	-22.23	peak
4	12687.000	34.31	18.05	52.36	74.00	-21.64	peak
5	13446.000	31.96	20.41	52.37	74.00	-21.63	peak
6	13963.000	30.68	21.78	52.46	74.00	-21.54	peak
7	17945.000	26.55	25.75	52.30	74.00	-21.70	peak




Test Mode:	802.11ax HE40	Channel:	5190
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11840.000	34.41	17.40	51.81	74.00	-22.19	peak
2	12599.000	33.51	17.95	51.46	74.00	-22.54	peak
3	13523.000	31.75	20.70	52.45	74.00	-21.55	peak
4	13963.000	30.44	21.78	52.22	74.00	-21.78	peak
5	14414.000	31.38	20.14	51.52	74.00	-22.48	peak
6	17901.000	27.76	25.45	53.21	74.00	-20.79	peak




Test Mode:	802.11ax HE40	Channel:	5190
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10377.000	37.64	12.56	50.20	74.00	-23.80	peak
2	11422.000	35.07	16.46	51.53	74.00	-22.47	peak
3	13446.000	31.74	20.41	52.15	74.00	-21.85	peak
4	13952.000	30.68	21.76	52.44	74.00	-21.56	peak
5	14425.000	32.26	20.09	52.35	74.00	-21.65	peak
6	17978.000	26.80	25.97	52.77	74.00	-21.23	peak




Test Mode:	802.11ax HE40	Channel:	5230
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11422.000	34.99	16.46	51.45	74.00	-22.55	peak
2	12709.000	33.98	18.09	52.07	74.00	-21.93	peak
3	13039.000	33.07	18.62	51.69	74.00	-22.31	peak
4	13919.000	30.07	21.68	51.75	74.00	-22.25	peak
5	14436.000	33.14	20.05	53.19	74.00	-20.81	peak
6	17978.000	26.75	25.97	52.72	74.00	-21.28	peak




Test Mode:	802.11ax HE40	Channel:	5230
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10454.000	38.36	12.73	51.09	74.00	-22.91	peak
2	11730.000	35.52	17.19	52.71	74.00	-21.29	peak
3	12698.000	34.77	18.08	52.85	74.00	-21.15	peak
4	13391.000	32.71	20.16	52.87	74.00	-21.13	peak
5	14084.000	31.50	21.52	53.02	74.00	-20.98	peak
6	17956.000	27.34	25.82	53.16	74.00	-20.84	peak




Test Mode:	802.11ax HE40	Channel:	5270
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11675.000	34.67	17.10	51.77	74.00	-22.23	peak
2	12698.000	33.58	18.08	51.66	74.00	-22.34	peak
3	13589.000	31.22	20.86	52.08	74.00	-21.92	peak
4	13908.000	30.76	21.66	52.42	74.00	-21.58	peak
5	14425.000	31.06	20.09	51.15	74.00	-22.85	peak
6	17978.000	26.59	25.97	52.56	74.00	-21.44	peak




Test Mode:	802.11ax HE40	Channel:	5270
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11367.000	34.87	16.22	51.09	74.00	-22.91	peak
2	11829.000	33.87	17.38	51.25	74.00	-22.75	peak
3	12610.000	33.55	17.97	51.52	74.00	-22.48	peak
4	13556.000	31.70	20.78	52.48	74.00	-21.52	peak
5	13952.000	30.90	21.76	52.66	74.00	-21.34	peak
6	17978.000	26.31	25.97	52.28	74.00	-21.72	peak




Test Mode:	802.11ax HE40	Channel:	5310
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11422.000	34.88	16.46	51.34	74.00	-22.66	peak
2	11763.000	34.49	17.26	51.75	74.00	-22.25	peak
3	13039.000	33.40	18.62	52.02	74.00	-21.98	peak
4	13985.000	30.50	21.85	52.35	74.00	-21.65	peak
5	14425.000	32.49	20.09	52.58	74.00	-21.42	peak
6	18000.000	26.52	26.12	52.64	74.00	-21.36	peak




Test Mode:	802.11ax HE40	Channel:	5310
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11422.000	34.95	16.46	51.41	74.00	-22.59	peak
2	11741.000	34.96	17.22	52.18	74.00	-21.82	peak
3	12610.000	34.40	17.97	52.37	74.00	-21.63	peak
4	13600.000	31.90	20.89	52.79	74.00	-21.21	peak
5	14425.000	32.36	20.09	52.45	74.00	-21.55	peak
6	17780.000	27.67	24.61	52.28	74.00	-21.72	peak




Test Mode:	802.11ax HE40	Channel:	5510
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11026.000	37.79	14.82	52.61	74.00	-21.39	peak
2	11796.000	34.91	17.32	52.23	74.00	-21.77	peak
3	13017.000	33.54	18.53	52.07	74.00	-21.93	peak
4	13941.000	31.07	21.73	52.80	74.00	-21.20	peak
5	14425.000	32.77	20.09	52.86	74.00	-21.14	peak
6	17989.000	25.73	26.04	51.77	74.00	-22.23	peak




Test Mode:	802.11ax HE40	Channel:	5510
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11015.000	38.82	14.79	53.61	74.00	-20.39	peak
2	11015.000	27.90	14.79	42.69	54.00	-11.31	AVG
3	12291.000	34.35	17.78	52.13	74.00	-21.87	peak
4	12687.000	33.29	18.05	51.34	74.00	-22.66	peak
5	13611.000	31.73	20.92	52.65	74.00	-21.35	peak
6	14238.000	31.41	20.88	52.29	74.00	-21.71	peak
7	17989.000	26.90	26.04	52.94	74.00	-21.06	peak




Test Mode:	802.11ax HE40	Channel:	5590
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11169.000	39.78	15.42	55.20	74.00	-18.80	peak
2	11169.000	27.17	15.42	42.59	54.00	-11.41	AVG
3	12698.000	33.79	18.08	51.87	74.00	-22.13	peak
4	13116.000	32.58	18.96	51.54	74.00	-22.46	peak
5	14227.000	31.68	20.93	52.61	74.00	-21.39	peak
6	14722.000	33.59	18.84	52.43	74.00	-21.57	peak
7	18000.000	25.86	26.12	51.98	74.00	-22.02	peak




Test Mode:	802.11ax HE40	Channel:	5590
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11191.000	43.09	15.50	58.59	74.00	-15.41	peak
2	11191.000	30.82	15.50	46.32	54.00	-7.68	AVG
3	11851.000	34.90	17.43	52.33	74.00	-21.67	peak
4	12698.000	33.88	18.08	51.96	74.00	-22.04	peak
5	13545.000	31.86	20.75	52.61	74.00	-21.39	peak
6	14601.000	32.85	19.36	52.21	74.00	-21.79	peak
7	18000.000	26.80	26.12	52.92	74.00	-21.08	peak




Test Mode:	802.11ax HE40	Channel:	5670
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11345.000	43.81	16.14	59.95	74.00	-14.05	peak
2	11345.000	30.08	16.14	46.22	54.00	-7.78	AVG
3	11741.000	34.54	17.22	51.76	74.00	-22.24	peak
4	12588.000	33.97	17.94	51.91	74.00	-22.09	peak
5	13589.000	31.91	20.86	52.77	74.00	-21.23	peak
6	14403.000	32.30	20.19	52.49	74.00	-21.51	peak
7	17989.000	26.26	26.04	52.30	74.00	-21.70	peak




Test Mode:	802.11ax HE40	Channel:	5670
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11334.000	47.38	16.09	63.47	74.00	-10.53	peak
2	11334.000	32.77	16.09	48.86	54.00	-5.14	AVG
3	12676.000	34.41	18.05	52.46	74.00	-21.54	peak
4	13127.000	33.18	19.01	52.19	74.00	-21.81	peak
5	14172.000	31.44	21.16	52.60	74.00	-21.40	peak
6	14436.000	32.28	20.05	52.33	74.00	-21.67	peak
7	18000.000	25.99	26.12	52.11	74.00	-21.89	peak




Test Mode:	802.11ax HE40	Channel:	5710
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11422.000	42.66	16.46	59.12	74.00	-14.88	peak
2	11422.000	30.33	16.46	46.79	54.00	-7.21	AVG
3	11642.000	34.89	17.03	51.92	74.00	-22.08	peak
4	12665.000	33.88	18.04	51.92	74.00	-22.08	peak
5	13941.000	30.64	21.73	52.37	74.00	-21.63	peak
6	14447.000	32.10	20.00	52.10	74.00	-21.90	peak
7	17978.000	26.28	25.97	52.25	74.00	-21.75	peak




Test Mode:	802.11ax HE40	Channel:	5710
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11422.000	48.60	16.46	65.06	74.00	-8.94	peak
2	11422.000	34.77	16.46	51.23	54.00	-2.77	AVG
3	11840.000	35.31	17.40	52.71	74.00	-21.29	peak
4	12698.000	34.63	18.08	52.71	74.00	-21.29	peak
5	13556.000	32.53	20.78	53.31	74.00	-20.69	peak
6	14447.000	32.54	20.00	52.54	74.00	-21.46	peak
7	18000.000	27.07	26.12	53.19	74.00	-20.81	peak




Test Mode:	802.11ax HE40	Channel:	5755
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11510.000	43.61	16.79	60.40	74.00	-13.60	peak
2	11510.000	29.92	16.79	46.71	54.00	-7.29	AVG
3	11807.000	34.61	17.34	51.95	74.00	-22.05	peak
4	12698.000	34.16	18.08	52.24	74.00	-21.76	peak
5	13424.000	32.03	20.30	52.33	74.00	-21.67	peak
6	14392.000	32.43	20.24	52.67	74.00	-21.33	peak
7	18000.000	26.50	26.12	52.62	74.00	-21.38	peak




Test Mode:	802.11ax HE40	Channel:	5755
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11510.000	46.56	16.79	63.35	74.00	-10.65	peak
2	11510.000	31.87	16.79	48.66	54.00	-5.34	AVG
3	11763.000	34.20	17.26	51.46	74.00	-22.54	peak
4	12753.000	32.73	18.14	50.87	74.00	-23.13	peak
5	13710.000	30.58	21.16	51.74	74.00	-22.26	peak
6	14821.000	32.71	18.42	51.13	74.00	-22.87	peak
7	17945.000	26.36	25.75	52.11	74.00	-21.89	peak




Test Mode:	802.11ax HE40	Channel:	5795
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11598.000	40.33	16.96	57.29	74.00	-16.71	peak
2	11598.000	27.69	16.96	44.65	54.00	-9.35	AVG
3	12203.000	34.66	17.76	52.42	74.00	-21.58	peak
4	13006.000	33.91	18.47	52.38	74.00	-21.62	peak
5	13534.000	31.67	20.73	52.40	74.00	-21.60	peak
6	14414.000	31.53	20.14	51.67	74.00	-22.33	peak
7	18000.000	26.21	26.12	52.33	74.00	-21.67	peak



Test Mode:	802.11ax HE40	Channel:	5795
Polarity:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11598.000	43.27	16.96	60.23	74.00	-13.77	peak
2	11598.000	30.26	16.96	47.22	54.00	-6.78	AVG
3	11873.000	34.09	17.46	51.55	74.00	-22.45	peak
4	13050.000	33.47	18.66	52.13	74.00	-21.87	peak
5	13633.000	31.02	20.97	51.99	74.00	-22.01	peak
6	14436.000	31.79	20.05	51.84	74.00	-22.16	peak
7	17989.000	25.94	26.04	51.98	74.00	-22.02	peak



8.4. SPURIOUS EMISSIONS (9KHZ-30MHZ)


Test Mode:	802.11a 20	Channel:	5180
Polarity:	FACE ON TO THE EUT		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.0091	74.34	-101.33	-26.99	48.28	-78.49	-3.22	-75.27	peak
2	0.0122	71.73	-101.39	-29.66	45.87	-81.16	-5.63	-75.53	peak
3	0.0183	67.81	-101.36	-33.55	42.35	-85.05	-9.15	-75.90	peak
4	0.0273	64.54	-101.38	-36.84	38.88	-88.34	-12.62	-75.72	peak
5	0.0567	58.69	-101.51	-42.82	32.53	-94.32	-18.97	-75.35	peak
6	0.0926	55.07	-101.74	-46.67	28.27	-98.17	-23.23	-74.94	peak




Test Mode:	802.11a 20	Channel:	5180
Polarity:	FACE ON TO THE EUT		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.1556	68.02	-101.65	-33.63	23.76	-85.13	-27.74	-57.39	peak
2	0.1829	66.42	-101.69	-35.27	22.36	-86.77	-29.14	-57.63	peak
3	0.2121	66.09	-101.73	-35.64	21.07	-87.14	-30.43	-56.71	peak
4	0.2816	63.67	-101.83	-38.16	18.61	-89.66	-32.89	-56.77	peak
5	0.3003	62.16	-101.85	-39.69	18.05	-91.19	-33.45	-57.74	peak
6	0.3886	59.39	-101.95	-42.56	15.81	-94.06	-35.69	-58.37	peak




Test Mode:	802.11a 20	Channel:	5180
Polarity:	FACE ON TO THE EUT		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.5725	56.53	-62.07	-5.54	32.45	-57.04	-19.05	-37.99	peak
2	0.9657	55.20	-62.25	-7.05	27.90	-58.55	-23.60	-34.95	peak
3	1.6704	52.22	-61.97	-9.75	23.15	-61.25	-28.35	-32.90	peak
4	6.5986	50.62	-61.27	-10.65	29.54	-62.15	-21.96	-40.19	peak
5	11.4677	50.13	-60.86	-10.73	29.54	-62.23	-21.96	-40.27	peak
6	15.5401	48.56	-61.00	-12.44	29.54	-63.94	-21.96	-41.98	peak

**8.5. SPURIOUS EMISSIONS (18GHZ-26GHZ)**


Test Mode:	802.11a 20	Channel:	5180
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18592.000	49.75	-5.31	44.44	74.00	-29.56	peak
2	19968.000	49.98	-5.42	44.56	74.00	-29.44	peak
3	21248.000	49.79	-4.77	45.02	74.00	-28.98	peak
4	23744.000	49.15	-3.20	45.95	74.00	-28.05	peak
5	25000.000	47.86	-2.10	45.76	74.00	-28.24	peak
6	25616.000	47.68	-1.24	46.44	74.00	-27.56	peak



Test Mode:	802.11a 20	Channel:	5180
Polarity:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18616.000	49.39	-5.34	44.05	74.00	-29.95	peak
2	19984.000	49.71	-5.44	44.27	74.00	-29.73	peak
3	20472.000	50.07	-5.39	44.68	74.00	-29.32	peak
4	21544.000	48.76	-4.63	44.13	74.00	-29.87	peak
5	23088.000	48.52	-3.41	45.11	74.00	-28.89	peak
6	25728.000	46.61	-0.72	45.89	74.00	-28.11	peak



8.6. SPURIOUS EMISSIONS (26-40GHZ)


Test Mode:	802.11a 20	Channel:	5180
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	26490.000	51.79	-4.74	47.05	74.00	-26.95	peak
2	28744.000	47.36	-0.56	46.80	74.00	-27.20	peak
3	32804.000	49.14	-1.12	48.02	74.00	-25.98	peak
4	35366.000	46.40	2.59	48.99	74.00	-25.01	peak
5	37228.000	46.23	3.14	49.37	74.00	-24.63	peak
6	38320.000	46.06	3.77	49.83	74.00	-24.17	peak



Test Mode:	802.11a 20	Channel:	5180
Polarity:	Vertical		




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	26476.000	52.03	-4.78	47.25	74.00	-26.75	peak
2	29276.000	48.01	-1.01	47.00	74.00	-27.00	peak
3	31320.000	48.61	-0.93	47.68	74.00	-26.32	peak
4	32818.000	48.81	-1.08	47.73	74.00	-26.27	peak
5	35828.000	45.25	3.67	48.92	74.00	-25.08	peak
6	39972.000	44.95	5.13	50.08	74.00	-23.92	peak



8.7. SPURIOUS EMISSIONS (30MHZ-1GHZ)


Test Mode:	802.11a 20	Channel:	5180
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	174.5300	53.71	-17.12	36.59	43.50	-6.91	QP
2	299.6600	47.63	-15.31	32.32	46.00	-13.68	QP
3	499.4800	49.53	-11.48	38.05	46.00	-7.95	QP
4	599.3900	46.39	-9.56	36.83	46.00	-9.17	QP
5	648.8600	48.03	-9.05	38.98	46.00	-7.02	QP
6	848.6800	44.06	-6.29	37.77	46.00	-8.23	QP



Test Mode:	802.11a 20	Channel:	5180
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	43.5800	56.42	-20.21	36.21	40.00	-3.79	QP
2	148.3400	56.35	-18.36	37.99	43.50	-5.51	QP
3	299.6600	51.05	-15.32	35.73	46.00	-10.27	QP
4	548.9500	54.35	-10.49	43.86	46.00	-3.14	QP
5	947.6200	49.24	-4.43	44.81	46.00	-3.19	QP
6	999.0300	49.28	-4.16	45.12	54.00	-8.88	QP

9. AC POWER LINE CONDUCTED EMISSION

LIMITS

Please refer to CFR 47 FCC §15.207 (a) and ISED RSS-Gen Clause 8.8

FREQUENCY (MHz)	Quasi-peak	Average
0.15 -0.5	66 - 56 *	56 - 46 *
0.50 -5.0	56.00	46.00
5.0 -30.0	60.00	50.00


TEST PROCEDURE

Refer to ANSI C63.10-2013 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2013. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

TEST SETUP




TEST ENVIRONMENT

Temperature	22.7°C	Relative Humidity	63.8%
Atmosphere Pressure	101kPa	Test Voltage	AC 120 V, 60 Hz



TEST RESULTS

Test Mode:	802.11a	Channel:	5180
Line:	Line		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.2621	36.37	9.53	45.90	61.36	-15.46	QP
2	0.2621	9.01	9.53	18.54	51.36	-32.82	AVG
3	0.4660	33.67	9.33	43.00	56.58	-13.58	QP
4	0.4660	10.76	9.33	20.09	46.58	-26.49	AVG
5	0.7390	33.30	9.60	42.90	56.00	-13.10	QP
6	0.7390	9.79	9.60	19.39	46.00	-26.61	AVG
7	3.8274	27.79	9.60	37.39	56.00	-18.61	QP
8	3.8274	10.80	9.60	20.40	46.00	-25.60	AVG
9	11.3273	33.37	9.74	43.11	60.00	-16.89	QP
10	11.3273	15.63	9.74	25.37	50.00	-24.63	AVG
11	24.7294	26.31	9.70	36.01	60.00	-23.99	QP
12	24.7294	12.20	9.70	21.90	50.00	-28.10	AVG


Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.



Test Mode:	802.11a	Channel:	5180
Line:	Neutral		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.2512	43.69	9.54	53.23	61.72	-8.49	QP
2	0.2512	17.98	9.54	27.52	51.72	-24.20	AVG
3	0.4642	32.36	9.34	41.70	56.62	-14.92	QP
4	0.4642	10.83	9.34	20.17	46.62	-26.45	AVG
5	4.1342	33.25	9.60	42.85	56.00	-13.15	QP
6	4.1342	16.87	9.60	26.47	46.00	-19.53	AVG
7	4.3467	33.11	9.60	42.71	56.00	-13.29	QP
8	4.3467	16.18	9.60	25.78	46.00	-20.22	AVG
9	11.3197	35.50	9.74	45.24	60.00	-14.76	QP
10	11.3197	17.85	9.74	27.59	50.00	-22.41	AVG
11	24.9990	28.43	9.70	38.13	60.00	-21.87	QP
12	24.9990	14.82	9.70	24.52	50.00	-25.48	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.



10. ANTENNA REQUIREMENT

REQUIREMENT

Please refer to FCC §15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC §15.247(b)(4)

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

RESULTS

Complies



11. TEST DATA

11.1. APPENDIX A1: EMISSION BANDWIDTH

11.1.1. Test Result




Test Mode	Antenna	Channel	26db EBW [MHz]	FL[MHz]	FH[MHz]
11A	Ant1	5180	20.04	5170.04	5190.08
		5200	19.60	5190.28	5209.88
		5240	19.40	5230.24	5249.64
		5260	19.68	5250.12	5269.80
		5280	19.12	5270.48	5289.60
		5320	23.24	5308.36	5331.60
		5500	23.40	5488.32	5511.72
		5580	23.40	5568.32	5591.72
		5700	19.44	5690.08	5709.52
		5720	23.68	5708.04	5731.72
		5720_UNII-2C	16.96	5708.04	5725
		5720_UNII-3	6.72	5725	5731.72
		5745	19.80	5734.92	5754.72
		5785	19.72	5775.08	5794.80
		5825	19.84	5815.08	5834.92
11N20SISO	Ant1	5180	20.16	5170.00	5190.16
		5200	20.52	5189.80	5210.32
		5240	20.16	5229.80	5249.96
		5260	20.56	5249.56	5270.12
		5280	20.44	5269.64	5290.08
		5320	20.24	5309.72	5329.96
		5500	20.24	5490.00	5510.24
		5580	20.40	5569.80	5590.20
		5700	20.40	5689.72	5710.12
		5720	20.76	5709.32	5730.08
		5720_UNII-2C	15.68	5709.32	5725
		5720_UNII-3	5.08	5725	5730.08
		5745	20.16	5734.88	5755.04
		5785	20.56	5774.80	5795.36
		5825	20.44	5814.80	5835.24
11N40SISO	Ant1	5190	48.56	5165.68	5214.24
		5230	47.92	5206.24	5254.16
		5270	48.96	5245.68	5294.64
		5310	48.56	5285.76	5334.32
		5510	49.76	5485.20	5534.96
		5590	49.04	5565.12	5614.16
		5670	43.28	5648.56	5691.84
		5710	43.28	5687.92	5731.20
		5710_UNII-2C	37.08	5687.92	5725
		5710_UNII-3	6.2	5725	5731.20
		5755	43.36	5733.16	5776.52
		5795	43.28	5773.24	5816.52
		11AX20SISO	Ant1	5180	20.72
5200	20.60			5189.64	5210.24
5240	21.04			5229.68	5250.72
5260	21.00			5249.76	5270.76
5280	20.84			5269.68	5290.52
5320	21.04			5309.76	5330.80
5500	20.76			5489.60	5510.36
5580	21.00			5569.48	5590.48
5700	20.92			5689.44	5710.36
5720	20.40			5709.84	5730.24
5720_UNII-2C	15.16			5709.84	5725
5720_UNII-3	5.24			5725	5730.24
5745	20.40			5734.64	5755.04







		5785	20.36	5774.88	5795.24
		5825	21.20	5814.28	5835.48
11AX40SISO	Ant1	5190	41.68	5169.12	5210.80
		5230	42.16	5208.80	5250.96
		5270	41.84	5248.96	5290.80
		5310	42.08	5288.72	5330.80
		5510	41.76	5489.12	5530.88
		5590	42.16	5568.80	5610.96
		5670	42.08	5648.56	5690.64
		5710	42.08	5689.04	5731.12
		5710_UNII-2C	35.96	5689.04	5725
		5710_UNII-3	6.12	5725	5731.12
		5755	42.08	5733.40	5775.48
		5795	42.72	5773.48	5816.20




11.1.2. Test Graphs











11A_Ant1_5500




11A_Ant1_5580




11A_Ant1_5700







11A_Ant1_5825




11N20SISO_Ant1_5180




11N20SISO_Ant1_5200




11N20SISO_Ant1_5240




11N20SISO_Ant1_5260




11N20SISO_Ant1_5280




11N20SISO_Ant1_5320




11N20SISO_Ant1_5500




11N20SISO_Ant1_5580




11N20SISO_Ant1_5700




11N20SISO_Ant1_5720




11N20SISO_Ant1_5745






11N20SISO_Ant1_5785




11N20SISO_Ant1_5825




11N40SISO_Ant1_5190






11N40SISO_Ant1_5510



11N40SISO_Ant1_5590




11N40SISO_Ant1_5670



11N40SISO_Ant1_5710



11N40SISO_Ant1_5755



11N40SISO_Ant1_5795

