

FCC RF EXPOSURE REPORT

FCC ID: 2AFG6-SP05

Project No. : 1609C261
Equipment : Smart Pen
Model : SP05
Applicant : Guangzhou Shirui Electronics Co.,Ltd
Address : 192Kezhu Road,Scientech Park,Guangzhou
Economic & Technology Development District,
Guangzhou, Guangdong,China

According: : FCC Guidelines for Human Exposure IEEE
C95.1

B T L I N C .

No.3, Jinshagang 1st Road, Shixia, Dalang Town, Dongguan, China.

TEL: +86-769-8318-3000 FAX: +86-769-8319-6000

Table for Filed Antenna

Ant.	Brand	Model Name	Antenna Type	Connector	Gain(dBi)
1	N/A	N/A	Chip	N/A	0

GENERAL CONCLUSION:

Maximum measured transmitter power:

Field Strength (dBuV/m)	OutputPower (dBm)	Output Power (mW)	Limit (mW)
87.22	-8.08	0.16	10

According to FCC KDB447498 V06, Appendix A, SAR Test Exclusion Thresholds for 100 MHz – 6 GHz and ≤ 50 mm

The maximum measured output peak power of this EUT is 0.16mW, less than 10mW at 5mm distance.

Conclusion: No SAR evaluation required since transmitter power is below FCC threshold