



| | |
|------------------|-------------------------|
| Test Mode | UNII-3_TX A Mode |
|------------------|-------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (kHz) | Result |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149 | 5745 | 15.40 | 16.30 | 500 | Complies |
| 157 | 5785 | 15.59 | 16.30 | 500 | Complies |
| 165 | 5825 | 15.40 | 16.30 | 500 | Complies |



Date: 22_MAR.2019 15:11:12




Date: 22_MAR.2019 15:12:01




Date: 22_MAR.2019 15:23:11

| | |
|------------------|--------------------------------|
| Test Mode | UNII-3_TX N (HT20) Mode |
|------------------|--------------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (kHz) | Result |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149 | 5745 | 15.29 | 17.50 | 500 | Complies |
| 157 | 5785 | 15.15 | 17.50 | 500 | Complies |
| 165 | 5825 | 15.50 | 17.50 | 500 | Complies |



Date: 22_MAR.2019 15:40:15



Date: 22_MAR.2019 15:41:28




Date: 22_MAR.2019 15:42:48

Test Mode UNII-3_TX N (HT40) Mode


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (kHz) | Result |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 151 | 5755 | 35.20 | 35.80 | 500 | Complies |
| 159 | 5795 | 34.10 | 36.00 | 500 | Complies |

CH151



Date: 22.MAR.2019 16:10:35


CH159




Date: 22.MAR.2019 16:11:52

| | |
|-----------|---------------------------|
| Test Mode | UNII-1_TX AC (VHT20) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 36 | 5180 | 20.89 | 17.50 |
| 40 | 5200 | 20.80 | 17.50 |
| 48 | 5240 | 20.75 | 17.50 |



Date: 22_MAR.2019 15:45:20




Date: 22_MAR.2019 15:46:32




Date: 22_MAR.2019 15:47:39

| | |
|-----------|---------------------------|
| Test Mode | UNII-1_TX AC (VHT40) Mode |
|-----------|---------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 38 | 5190 | 50.50 | 36.20 |
| 46 | 5230 | 48.60 | 36.20 |



Date: 22_MAR.2019 16:13:47




Date: 22_MAR.2019 16:15:03

| | |
|-----------|----------------------|
| Test Mode | UNII-1_TX AC (VHT80) |
|-----------|----------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 42 | 5210 | 83.40 | 74.80 |




CH42



Date: 22.MAR.2019 16:29:12

| | |
|------------------|-----------------------------------|
| Test Mode | UNII-2A_TX AC (VHT20) Mode |
|------------------|-----------------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 52 | 5260 | 20.65 | 17.50 |
| 60 | 5300 | 20.85 | 17.60 |
| 64 | 5320 | 21.15 | 17.50 |





Date: 22_MAR.2019 15:48:49

Date: 22_MAR.2019 15:49:46

Date: 22_MAR.2019 15:50:46

| | |
|------------------|-----------------------------------|
| Test Mode | UNII-2A_TX AC (VHT40) Mode |
|------------------|-----------------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 54 | 5270 | 45.99 | 36.40 |
| 62 | 5310 | 45.40 | 36.20 |




Date: 22_MAR.2019 16:17:34

Date: 22_MAR.2019 16:18:57

| | |
|-----------|-----------------------|
| Test Mode | UNII-2A_TX AC (VHT80) |
|-----------|-----------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 58 | 5290 | 82.20 | 74.80 |




CH58



Date: 22.MAR.2019 16:30:23

| | |
|-----------|----------------------------|
| Test Mode | UNII-2C_TX AC (VHT20) Mode |
|-----------|----------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100 | 5500 | 20.95 | 17.50 |
| 116 | 5580 | 20.50 | 17.50 |
| 140 | 5700 | 20.31 | 17.50 |






Date: 22_MAR.2019 15:51:48

Date: 22_MAR.2019 15:53:06

Date: 22_MAR.2019 15:54:13

| | |
|-----------|----------------------------|
| Test Mode | UNII-2C_TX AC (VHT40) Mode |
|-----------|----------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 102 | 5510 | 43.39 | 36.20 |
| 110 | 5550 | 47.70 | 36.40 |
| 134 | 5670 | 46.10 | 36.20 |



Date: 22_MAR.2019 16:21:31


Date: 22_MAR.2019 16:22:49

Date: 22_MAR.2019 16:23:56

| | |
|-----------|-----------------------|
| Test Mode | UNII-2C_TX AC (VHT80) |
|-----------|-----------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 106 | 5530 | 82.60 | 75.20 |
| 122 | 5610 | 80.80 | 75.20 |

CH106



Date: 22.MAR.2019 16:31:40


CH122




Date: 22.MAR.2019 16:33:14

Test Mode UNII-3_TX AC (VHT20) Mode


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (kHz) | Result |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149 | 5745 | 15.30 | 17.50 | 500 | Complies |
| 157 | 5785 | 15.60 | 17.50 | 500 | Complies |
| 165 | 5825 | 15.30 | 17.40 | 500 | Complies |



Date: 22_MAR.2019 15:55:53




Date: 22_MAR.2019 15:57:17




Date: 22_MAR.2019 15:58:32

Test Mode UNII-3_TX AC (VHT40) Mode

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (kHz) | Result |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 151 | 5755 | 34.00 | 35.80 | 500 | Complies |
| 159 | 5795 | 35.30 | 36.00 | 500 | Complies |



Date: 22_MAR.2019 16:25:09




Date: 22_MAR.2019 16:26:23

Test Mode UNII-3_TX AC (VHT80)

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (kHz) | Result |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 155 | 5775 | 73.20 | 75.20 | 500 | Complies |

CH155



Date: 22.MAR.2019 16:34:58

APPENDIX F - MAXIMUM OUTPUT POWER

| | |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 36 | 5180 | 8.82 | 0.32 | 9.14 | 23.66 | 0.23 | Complies |
| 40 | 5200 | 9.06 | 0.32 | 9.38 | 23.66 | 0.23 | Complies |
| 48 | 5240 | 11.03 | 0.32 | 11.35 | 23.66 | 0.23 | Complies |

| | |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 36 | 5180 | 9.17 | 0.32 | 9.49 | 23.66 | 0.23 | Complies |
| 40 | 5200 | 8.96 | 0.32 | 9.28 | 23.66 | 0.23 | Complies |
| 48 | 5240 | 5.78 | 0.32 | 6.10 | 23.66 | 0.23 | Complies |

| | |
|-----------|------------------------|
| Test Mode | UNII-1_TX A Mode_Total |
|-----------|------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|------------------|----------------|----------|
| 36 | 5180 | 12.33 | 23.66 | 0.23 | Complies |
| 40 | 5200 | 12.34 | 23.66 | 0.23 | Complies |
| 48 | 5240 | 12.49 | 23.66 | 0.23 | Complies |

| | |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX N (HT20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 36 | 5180 | 7.41 | 0.26 | 7.67 | 23.66 | 0.23 | Complies |
| 40 | 5200 | 7.91 | 0.26 | 8.17 | 23.66 | 0.23 | Complies |
| 48 | 5240 | 10.27 | 0.26 | 10.53 | 23.66 | 0.23 | Complies |

| | |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX N (HT20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 36 | 5180 | 8.58 | 0.26 | 8.84 | 23.66 | 0.23 | Complies |
| 40 | 5200 | 7.83 | 0.26 | 8.09 | 23.66 | 0.23 | Complies |
| 48 | 5240 | 4.14 | 0.26 | 4.40 | 23.66 | 0.23 | Complies |

| | |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N (HT20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|------------------|----------------|----------|
| 36 | 5180 | 11.31 | 23.66 | 0.23 | Complies |
| 40 | 5200 | 11.14 | 23.66 | 0.23 | Complies |
| 48 | 5240 | 11.48 | 23.66 | 0.23 | Complies |

| | |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX N (HT40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 38 | 5190 | 7.38 | 0.78 | 8.16 | 23.66 | 0.23 | Complies |
| 46 | 5230 | 9.63 | 0.78 | 10.41 | 23.66 | 0.23 | Complies |

| | |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX N (HT40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 38 | 5190 | 7.87 | 0.78 | 8.65 | 23.66 | 0.23 | Complies |
| 46 | 5230 | 3.69 | 0.78 | 4.47 | 23.66 | 0.23 | Complies |

| | |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N (HT40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|------------------|----------------|----------|
| 38 | 5190 | 11.43 | 23.66 | 0.23 | Complies |
| 46 | 5230 | 11.40 | 23.66 | 0.23 | Complies |

| | |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 52 | 5260 | 11.18 | 0.32 | 11.50 | 23.66 | 0.23 | Complies |
| 60 | 5300 | 10.92 | 0.32 | 11.24 | 23.66 | 0.23 | Complies |
| 64 | 5320 | 10.83 | 0.32 | 11.15 | 23.66 | 0.23 | Complies |

| | |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 52 | 5260 | 4.94 | 0.32 | 5.26 | 23.66 | 0.23 | Complies |
| 60 | 5300 | 4.58 | 0.32 | 4.90 | 23.66 | 0.23 | Complies |
| 64 | 5320 | 6.35 | 0.32 | 6.67 | 23.66 | 0.23 | Complies |

| | |
|-----------|-------------------------|
| Test Mode | UNII-2A_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|------------------|----------------|----------|
| 52 | 5260 | 12.43 | 23.66 | 0.23 | Complies |
| 60 | 5300 | 12.15 | 23.66 | 0.23 | Complies |
| 64 | 5320 | 12.48 | 23.66 | 0.23 | Complies |

| | |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX N (HT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 52 | 5260 | 10.39 | 0.26 | 10.65 | 23.66 | 0.23 | Complies |
| 60 | 5300 | 10.32 | 0.26 | 10.58 | 23.66 | 0.23 | Complies |
| 64 | 5320 | 10.12 | 0.26 | 10.38 | 23.66 | 0.23 | Complies |

| | |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX N (HT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 52 | 5260 | 3.62 | 0.26 | 3.88 | 23.66 | 0.23 | Complies |
| 60 | 5300 | 3.76 | 0.26 | 4.02 | 23.66 | 0.23 | Complies |
| 64 | 5320 | 3.86 | 0.26 | 4.12 | 23.66 | 0.23 | Complies |

| | |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N (HT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|------------------|----------------|----------|
| 52 | 5260 | 11.48 | 23.66 | 0.23 | Complies |
| 60 | 5300 | 11.45 | 23.66 | 0.23 | Complies |
| 64 | 5320 | 11.31 | 23.66 | 0.23 | Complies |

| | |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX N (HT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 54 | 5270 | 9.95 | 0.78 | 10.73 | 23.66 | 0.23 | Complies |
| 62 | 5310 | 9.62 | 0.78 | 10.40 | 23.66 | 0.23 | Complies |

| | |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX N (HT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 54 | 5270 | 2.67 | 0.78 | 3.45 | 23.66 | 0.23 | Complies |
| 62 | 5310 | 3.24 | 0.78 | 4.02 | 23.66 | 0.23 | Complies |

| | |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N (HT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|------------------|----------------|----------|
| 54 | 5270 | 11.48 | 23.66 | 0.23 | Complies |
| 62 | 5310 | 11.30 | 23.66 | 0.23 | Complies |

| | |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 100 | 5500 | 8.04 | 0.32 | 8.36 | 23.66 | 0.23 | Complies |
| 116 | 5580 | 8.82 | 0.32 | 9.14 | 23.66 | 0.23 | Complies |
| 140 | 5700 | 9.52 | 0.32 | 9.84 | 23.66 | 0.23 | Complies |

| | |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 100 | 5500 | 7.96 | 0.32 | 8.28 | 23.66 | 0.23 | Complies |
| 116 | 5580 | 9.42 | 0.32 | 9.74 | 23.66 | 0.23 | Complies |
| 140 | 5700 | 8.62 | 0.32 | 8.94 | 23.66 | 0.23 | Complies |

| | |
|-----------|-------------------------|
| Test Mode | UNII-2C_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|------------------|----------------|----------|
| 100 | 5500 | 11.33 | 23.66 | 0.23 | Complies |
| 116 | 5580 | 12.46 | 23.66 | 0.23 | Complies |
| 140 | 5700 | 12.43 | 23.66 | 0.23 | Complies |

| | |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX N (HT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 100 | 5500 | 7.66 | 0.26 | 7.92 | 23.66 | 0.23 | Complies |
| 116 | 5580 | 7.08 | 0.26 | 7.34 | 23.66 | 0.23 | Complies |
| 140 | 5700 | 8.82 | 0.26 | 9.08 | 23.66 | 0.23 | Complies |

| | |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX N (HT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 100 | 5500 | 8.67 | 0.26 | 8.93 | 23.66 | 0.23 | Complies |
| 116 | 5580 | 8.47 | 0.26 | 8.73 | 23.66 | 0.23 | Complies |
| 140 | 5700 | 7.11 | 0.26 | 7.37 | 23.66 | 0.23 | Complies |

| | |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N (HT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|------------------|----------------|----------|
| 100 | 5500 | 11.47 | 23.66 | 0.23 | Complies |
| 116 | 5580 | 11.10 | 23.66 | 0.23 | Complies |
| 140 | 5700 | 11.32 | 23.66 | 0.23 | Complies |

| | |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX N (HT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 102 | 5510 | 7.72 | 0.78 | 8.50 | 23.66 | 0.23 | Complies |
| 110 | 5550 | 7.23 | 0.78 | 8.01 | 23.66 | 0.23 | Complies |
| 134 | 5670 | 8.46 | 0.78 | 9.24 | 23.66 | 0.23 | Complies |

| | |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX N (HT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 102 | 5510 | 7.64 | 0.78 | 8.42 | 23.66 | 0.23 | Complies |
| 110 | 5550 | 8.11 | 0.78 | 8.89 | 23.66 | 0.23 | Complies |
| 134 | 5670 | 7.17 | 0.78 | 7.95 | 23.66 | 0.23 | Complies |

| | |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N (HT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|------------------|----------------|----------|
| 102 | 5510 | 11.47 | 23.66 | 0.23 | Complies |
| 110 | 5550 | 11.49 | 23.66 | 0.23 | Complies |
| 134 | 5670 | 11.66 | 23.66 | 0.23 | Complies |

| | |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 149 | 5745 | 9.96 | 0.32 | 10.28 | 29.66 | 0.92 | Complies |
| 157 | 5785 | 9.44 | 0.32 | 9.76 | 29.66 | 0.92 | Complies |
| 165 | 5825 | 9.83 | 0.32 | 10.15 | 29.66 | 0.92 | Complies |

| | |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 149 | 5745 | 7.24 | 0.32 | 7.56 | 29.66 | 0.92 | Complies |
| 157 | 5785 | 8.28 | 0.32 | 8.60 | 29.66 | 0.92 | Complies |
| 165 | 5825 | 7.71 | 0.32 | 8.03 | 29.66 | 0.92 | Complies |

| | |
|-----------|------------------------|
| Test Mode | UNII-3_TX A Mode_Total |
|-----------|------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|------------------|----------------|----------|
| 149 | 5745 | 12.14 | 29.66 | 0.92 | Complies |
| 157 | 5785 | 12.23 | 29.66 | 0.92 | Complies |
| 165 | 5825 | 12.23 | 29.66 | 0.92 | Complies |

| | |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX N (HT20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 149 | 5745 | 9.28 | 0.26 | 9.54 | 29.66 | 0.92 | Complies |
| 157 | 5785 | 8.68 | 0.26 | 8.94 | 29.66 | 0.92 | Complies |
| 165 | 5825 | 8.98 | 0.26 | 9.24 | 29.66 | 0.92 | Complies |

| | |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX N (HT20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 149 | 5745 | 6.54 | 0.26 | 6.80 | 29.66 | 0.92 | Complies |
| 157 | 5785 | 7.53 | 0.26 | 7.79 | 29.66 | 0.92 | Complies |
| 165 | 5825 | 6.95 | 0.26 | 7.21 | 29.66 | 0.92 | Complies |

| | |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N (HT20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|------------------|----------------|----------|
| 149 | 5745 | 11.40 | 29.66 | 0.92 | Complies |
| 157 | 5785 | 11.42 | 29.66 | 0.92 | Complies |
| 165 | 5825 | 11.36 | 29.66 | 0.92 | Complies |

| | |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX N (HT40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 151 | 5755 | 8.56 | 0.78 | 9.34 | 29.66 | 0.92 | Complies |
| 159 | 5795 | 8.32 | 0.78 | 9.10 | 29.66 | 0.92 | Complies |

| | |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX N (HT40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 151 | 5755 | 6.49 | 0.78 | 7.27 | 29.66 | 0.92 | Complies |
| 159 | 5795 | 6.76 | 0.78 | 7.54 | 29.66 | 0.92 | Complies |

| | |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N (HT40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|------------------|----------------|----------|
| 151 | 5755 | 11.44 | 29.66 | 0.92 | Complies |
| 159 | 5795 | 11.40 | 29.66 | 0.92 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 36 | 5180 | 6.48 | 0.23 | 6.71 | 23.66 | 0.23 | Complies |
| 40 | 5200 | 7.59 | 0.23 | 7.82 | 23.66 | 0.23 | Complies |
| 48 | 5240 | 9.26 | 0.23 | 9.49 | 23.66 | 0.23 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 36 | 5180 | 5.88 | 0.23 | 6.11 | 23.66 | 0.23 | Complies |
| 40 | 5200 | 6.29 | 0.23 | 6.52 | 23.66 | 0.23 | Complies |
| 48 | 5240 | 3.38 | 0.23 | 3.61 | 23.66 | 0.23 | Complies |

| | |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC (VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|------------------|----------------|----------|
| 36 | 5180 | 9.43 | 23.66 | 0.23 | Complies |
| 40 | 5200 | 10.23 | 23.66 | 0.23 | Complies |
| 48 | 5240 | 10.49 | 23.66 | 0.23 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 38 | 5190 | 7.57 | 0.50 | 8.07 | 23.66 | 0.23 | Complies |
| 46 | 5230 | 7.12 | 0.50 | 7.62 | 23.66 | 0.23 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 38 | 5190 | 6.21 | 0.50 | 6.71 | 23.66 | 0.23 | Complies |
| 46 | 5230 | 3.17 | 0.50 | 3.67 | 23.66 | 0.23 | Complies |

| | |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC (VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|------------------|----------------|----------|
| 38 | 5190 | 10.45 | 23.66 | 0.23 | Complies |
| 46 | 5230 | 9.09 | 23.66 | 0.23 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 42 | 5210 | 6.68 | 0.87 | 7.55 | 23.66 | 0.23 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 42 | 5210 | 4.18 | 0.87 | 5.05 | 23.66 | 0.23 | Complies |

| | |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC (VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|------------------|----------------|----------|
| 42 | 5210 | 9.49 | 23.66 | 0.23 | Complies |

| | |
|-----------|-----------------------------------|
| Test Mode | UNII-2A_TX AC (VHT20) Mode_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 52 | 5260 | 9.36 | 0.23 | 9.59 | 23.66 | 0.23 | Complies |
| 60 | 5300 | 9.28 | 0.23 | 9.51 | 23.66 | 0.23 | Complies |
| 64 | 5320 | 8.47 | 0.23 | 8.70 | 23.66 | 0.23 | Complies |

| | |
|-----------|-----------------------------------|
| Test Mode | UNII-2A_TX AC (VHT20) Mode_Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 52 | 5260 | 2.22 | 0.23 | 2.45 | 23.66 | 0.23 | Complies |
| 60 | 5300 | 3.21 | 0.23 | 3.44 | 23.66 | 0.23 | Complies |
| 64 | 5320 | 3.34 | 0.23 | 3.57 | 23.66 | 0.23 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC (VHT20) Mode_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|------------------|----------------|----------|
| 52 | 5260 | 10.36 | 23.66 | 0.23 | Complies |
| 60 | 5300 | 10.47 | 23.66 | 0.23 | Complies |
| 64 | 5320 | 9.86 | 23.66 | 0.23 | Complies |

| | |
|-----------|-----------------------------------|
| Test Mode | UNII-2A_TX AC (VHT40) Mode_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 54 | 5270 | 9.11 | 0.50 | 9.61 | 23.66 | 0.23 | Complies |
| 62 | 5310 | 7.72 | 0.50 | 8.22 | 23.66 | 0.23 | Complies |

| | |
|-----------|-----------------------------------|
| Test Mode | UNII-2A_TX AC (VHT40) Mode_Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 54 | 5270 | 2.08 | 0.50 | 2.58 | 23.66 | 0.23 | Complies |
| 62 | 5310 | 2.52 | 0.50 | 3.02 | 23.66 | 0.23 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC (VHT40) Mode_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|------------------|----------------|----------|
| 54 | 5270 | 10.40 | 23.66 | 0.23 | Complies |
| 62 | 5310 | 9.37 | 23.66 | 0.23 | Complies |

| | |
|-----------|-----------------------------------|
| Test Mode | UNII-2A_TX AC (VHT80) Mode_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 58 | 5290 | 6.56 | 0.87 | 7.43 | 23.66 | 0.23 | Complies |

| | |
|-----------|-----------------------------------|
| Test Mode | UNII-2A_TX AC (VHT80) Mode_Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 58 | 5290 | 1.21 | 0.87 | 2.08 | 23.66 | 0.23 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC (VHT80) Mode_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|------------------|----------------|----------|
| 58 | 5290 | 8.54 | 23.66 | 0.23 | Complies |

| | |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT20) Mode_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 100 | 5500 | 7.12 | 0.23 | 7.35 | 23.66 | 0.23 | Complies |
| 116 | 5580 | 6.58 | 0.23 | 6.81 | 23.66 | 0.23 | Complies |
| 140 | 5700 | 7.72 | 0.23 | 7.95 | 23.66 | 0.23 | Complies |

| | |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT20) Mode_Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 100 | 5500 | 7.07 | 0.23 | 7.30 | 23.66 | 0.23 | Complies |
| 116 | 5580 | 7.78 | 0.23 | 8.01 | 23.66 | 0.23 | Complies |
| 140 | 5700 | 6.04 | 0.23 | 6.27 | 23.66 | 0.23 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT20) Mode_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|------------------|----------------|----------|
| 100 | 5500 | 10.33 | 23.66 | 0.23 | Complies |
| 116 | 5580 | 10.46 | 23.66 | 0.23 | Complies |
| 140 | 5700 | 10.20 | 23.66 | 0.23 | Complies |

| | |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT40) Mode_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 102 | 5510 | 6.85 | 0.50 | 7.35 | 23.66 | 0.23 | Complies |
| 110 | 5550 | 6.46 | 0.50 | 6.96 | 23.66 | 0.23 | Complies |
| 134 | 5670 | 7.62 | 0.50 | 8.12 | 23.66 | 0.23 | Complies |

| | |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT40) Mode_Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 102 | 5510 | 6.48 | 0.50 | 6.98 | 23.66 | 0.23 | Complies |
| 110 | 5550 | 7.37 | 0.50 | 7.87 | 23.66 | 0.23 | Complies |
| 134 | 5670 | 6.07 | 0.50 | 6.57 | 23.66 | 0.23 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT40) Mode_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|------------------|----------------|----------|
| 102 | 5510 | 10.18 | 23.66 | 0.23 | Complies |
| 110 | 5550 | 10.45 | 23.66 | 0.23 | Complies |
| 134 | 5670 | 10.43 | 23.66 | 0.23 | Complies |

| | |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT80) Mode_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 106 | 5530 | 5.48 | 0.87 | 6.35 | 23.66 | 0.23 | Complies |
| 122 | 5610 | 5.05 | 0.87 | 5.92 | 23.66 | 0.23 | Complies |

| | |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT80) Mode_Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 106 | 5530 | 5.72 | 0.87 | 6.59 | 23.66 | 0.23 | Complies |
| 122 | 5610 | 6.09 | 0.87 | 6.96 | 23.66 | 0.23 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT80) Mode_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|------------------|----------------|----------|
| 106 | 5530 | 9.48 | 23.66 | 0.23 | Complies |
| 122 | 5610 | 9.48 | 23.66 | 0.23 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 149 | 5745 | 8.32 | 0.23 | 8.55 | 29.66 | 0.92 | Complies |
| 157 | 5785 | 7.76 | 0.23 | 7.99 | 29.66 | 0.92 | Complies |
| 165 | 5825 | 8.06 | 0.23 | 8.29 | 29.66 | 0.92 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 149 | 5745 | 5.46 | 0.23 | 5.69 | 29.66 | 0.92 | Complies |
| 157 | 5785 | 6.46 | 0.23 | 6.69 | 29.66 | 0.92 | Complies |
| 165 | 5825 | 5.86 | 0.23 | 6.09 | 29.66 | 0.92 | Complies |

| | |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC (VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|------------------|----------------|----------|
| 149 | 5745 | 10.36 | 29.66 | 0.92 | Complies |
| 157 | 5785 | 10.40 | 29.66 | 0.92 | Complies |
| 165 | 5825 | 10.34 | 29.66 | 0.92 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 151 | 5755 | 7.91 | 0.50 | 8.41 | 29.66 | 0.92 | Complies |
| 159 | 5795 | 7.25 | 0.50 | 7.75 | 29.66 | 0.92 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 151 | 5755 | 5.68 | 0.50 | 6.18 | 29.66 | 0.92 | Complies |
| 159 | 5795 | 5.76 | 0.50 | 6.26 | 29.66 | 0.92 | Complies |

| | |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC (VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|------------------|----------------|----------|
| 151 | 5755 | 10.45 | 29.66 | 0.92 | Complies |
| 159 | 5795 | 10.08 | 29.66 | 0.92 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 155 | 5775 | 6.44 | 0.87 | 7.31 | 29.66 | 0.92 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|-------------|--|------------------|----------------|----------|
| 155 | 5775 | 3.68 | 0.87 | 4.55 | 29.66 | 0.92 | Complies |


| | |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC (VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|------------------------------|------------------|----------------|----------|
| 155 | 5775 | 9.16 | 29.66 | 0.92 | Complies |


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode UNII-1_TX A Mode_Ant. 1


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|--|----------------------|----------|
| 36 | 5180 | -4.98 | 0.32 | -4.66 | 10.66 | Complies |
| 40 | 5200 | -3.10 | 0.32 | -2.78 | 10.66 | Complies |
| 48 | 5240 | -1.78 | 0.32 | -1.46 | 10.66 | Complies |



Date: 22_MAR.2019 14:50:30




Date: 22_MAR.2019 14:52:57




Date: 22_MAR.2019 14:54:55

Test Mode UNII-1_TX A Mode_Ant. 2


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|--|----------------------|----------|
| 36 | 5180 | -1.43 | 0.32 | -1.11 | 10.66 | Complies |
| 40 | 5200 | -6.10 | 0.32 | -5.78 | 10.66 | Complies |
| 48 | 5240 | -5.00 | 0.32 | -4.68 | 10.66 | Complies |



Date: 22_MAR.2019 16:53:39



Date: 22_MAR.2019 16:54:55




Date: 22_MAR.2019 16:56:02

| | |
|-----------|------------------------|
| Test Mode | UNII-1_TX A Mode_Total |
|-----------|------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36 | 5180 | 0.48 | 10.66 | Complies |
| 40 | 5200 | -1.01 | 10.66 | Complies |
| 48 | 5240 | 0.24 | 10.66 | Complies |

Test Mode UNII-1_TX N (HT20) Mode_Ant. 1


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|--|----------------------|----------|
| 36 | 5180 | -5.08 | 0.26 | -4.82 | 10.66 | Complies |
| 40 | 5200 | -7.00 | 0.26 | -6.74 | 10.66 | Complies |
| 48 | 5240 | -2.98 | 0.26 | -2.72 | 10.66 | Complies |



Date: 22_MAR.2019 15:25:20




Date: 22_MAR.2019 15:28:09




Date: 22_MAR.2019 15:29:18

Test Mode UNII-1_TX N (HT20) Mode_Ant. 2


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|--|----------------------|----------|
| 36 | 5180 | -3.18 | 0.26 | -2.92 | 10.66 | Complies |
| 40 | 5200 | -6.25 | 0.26 | -5.99 | 10.66 | Complies |
| 48 | 5240 | -6.40 | 0.26 | -6.14 | 10.66 | Complies |



Date: 22_MAR.2019 17:10:04



Date: 22_MAR.2019 17:12:43





Date: 22_MAR.2019 17:13:56

| | |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N (HT20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36 | 5180 | -0.75 | 10.66 | Complies |
| 40 | 5200 | -3.34 | 10.66 | Complies |
| 48 | 5240 | -1.09 | 10.66 | Complies |

Test Mode UNII-1_TX N (HT40) Mode_Ant. 1

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|--|----------------------|----------|
| 38 | 5190 | -9.77 | 0.78 | -8.99 | 10.66 | Complies |
| 46 | 5230 | -6.00 | 0.78 | -5.22 | 10.66 | Complies |





Date: 22.MAR.2019 16:00:04

Date: 22.MAR.2019 16:01:17

Test Mode UNII-1_TX N (HT40) Mode_Ant. 2

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|--|----------------------|----------|
| 38 | 5190 | -9.29 | 0.78 | -8.51 | 10.66 | Complies |
| 46 | 5230 | -10.02 | 0.78 | -9.24 | 10.66 | Complies |



Date: 22.MAR.2019 17:53:58


Date: 22.MAR.2019 17:55:41

Test Mode UNII-1_TX N (HT40) Mode_Total


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38 | 5190 | -5.73 | 10.66 | Complies |
| 46 | 5230 | -3.77 | 10.66 | Complies |

Test Mode UNII-2A_TX A Mode_Ant. 1


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|--|----------------------|----------|
| 52 | 5260 | -1.83 | 0.32 | -1.51 | 10.66 | Complies |
| 60 | 5300 | 0.09 | 0.32 | 0.41 | 10.66 | Complies |
| 64 | 5320 | -1.46 | 0.32 | -1.14 | 10.66 | Complies |



Date: 22_MAR.2019 14:56:26




Date: 22_MAR.2019 15:05:31




Date: 22_MAR.2019 15:07:05

Test Mode UNII-2A_TX A Mode_Ant. 2


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|--|----------------------|----------|
| 52 | 5260 | -5.19 | 0.32 | -4.87 | 10.66 | Complies |
| 60 | 5300 | -5.73 | 0.32 | -5.41 | 10.66 | Complies |
| 64 | 5320 | -4.75 | 0.32 | -4.43 | 10.66 | Complies |



Date: 22_MAR.2019 16:57:14



Date: 22_MAR.2019 16:58:20




Date: 22_MAR.2019 16:59:28

| | |
|-----------|-------------------------|
| Test Mode | UNII-2A_TX A Mode_Total |
|-----------|-------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52 | 5260 | 0.14 | 10.66 | Complies |
| 60 | 5300 | 1.42 | 10.66 | Complies |
| 64 | 5320 | 0.53 | 10.66 | Complies |

Test Mode UNII-2A_TX N (HT20) Mode_Ant. 1


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|--|----------------------|----------|
| 52 | 5260 | -2.79 | 0.26 | -2.53 | 10.66 | Complies |
| 60 | 5300 | -3.14 | 0.26 | -2.88 | 10.66 | Complies |
| 64 | 5320 | -3.71 | 0.26 | -3.45 | 10.66 | Complies |



Date: 22_MAR.2019 15:32:34




Date: 22_MAR.2019 15:34:15




Date: 22_MAR.2019 15:35:19

Test Mode UNII-2A_TX N (HT20) Mode_Ant. 2


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|--|----------------------|----------|
| 52 | 5260 | -6.86 | 0.26 | -6.60 | 10.66 | Complies |
| 60 | 5300 | -6.84 | 0.26 | -6.58 | 10.66 | Complies |
| 64 | 5320 | -6.23 | 0.26 | -5.97 | 10.66 | Complies |



Date: 22_MAR.2019 17:15:00



Date: 22_MAR.2019 17:16:09





Date: 22_MAR.2019 17:18:12

| | |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N (HT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52 | 5260 | -1.09 | 10.66 | Complies |
| 60 | 5300 | -1.33 | 10.66 | Complies |
| 64 | 5320 | -1.52 | 10.66 | Complies |

Test Mode UNII-2A_TX N (HT40) Mode_Ant. 1

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|--|----------------------|----------|
| 54 | 5270 | -6.18 | 0.78 | -5.40 | 10.66 | Complies |
| 62 | 5310 | -6.06 | 0.78 | -5.28 | 10.66 | Complies |





Date: 22.MAR.2019 16:02:32

Date: 22.MAR.2019 16:04:18

Test Mode UNII-2A_TX N (HT40) Mode_Ant. 2

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|--|----------------------|----------|
| 54 | 5270 | -11.25 | 0.78 | -10.47 | 10.66 | Complies |
| 62 | 5310 | -9.66 | 0.78 | -8.88 | 10.66 | Complies |



Date: 22.MAR.2019 17:57:29


Date: 22.MAR.2019 17:58:37

Test Mode UNII-2A_TX N (HT40) Mode_Total


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|----------|
| 54 | 5270 | -4.22 | 10.66 | Complies |
| 62 | 5310 | -3.70 | 10.66 | Complies |

Test Mode UNII-2C_TX A Mode_Ant. 1


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|--|----------------------|----------|
| 100 | 5500 | -2.05 | 0.32 | -1.73 | 10.66 | Complies |
| 116 | 5580 | -5.67 | 0.32 | -5.35 | 10.66 | Complies |
| 140 | 5700 | -2.76 | 0.32 | -2.44 | 10.66 | Complies |



Date: 22.MAR.2019 15:08:54




Date: 22.MAR.2019 15:00:41




Date: 22.MAR.2019 15:10:11

Test Mode UNII-2C_TX A Mode_Ant. 2


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|--|----------------------|----------|
| 100 | 5500 | -2.35 | 0.32 | -2.03 | 10.66 | Complies |
| 116 | 5580 | -2.48 | 0.32 | -2.16 | 10.66 | Complies |
| 140 | 5700 | -3.26 | 0.32 | -2.94 | 10.66 | Complies |



Date: 22.MAR.2019 17:00:30



Date: 22.MAR.2019 17:01:43




Date: 22.MAR.2019 17:03:43

| | |
|-----------|-------------------------|
| Test Mode | UNII-2C_TX A Mode_Total |
|-----------|-------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|----------|
| 100 | 5500 | 1.14 | 10.66 | Complies |
| 116 | 5580 | -0.45 | 10.66 | Complies |
| 140 | 5700 | 0.33 | 10.66 | Complies |

Test Mode UNII-2C_TX N (HT20) Mode_Ant. 1


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|--|----------------------|----------|
| 100 | 5500 | -4.33 | 0.26 | -4.07 | 10.66 | Complies |
| 116 | 5580 | -6.27 | 0.26 | -6.01 | 10.66 | Complies |
| 140 | 5700 | -3.90 | 0.26 | -3.64 | 10.66 | Complies |



Date: 22_MAR.2019 15:36:20




Date: 22_MAR.2019 15:38:11




Date: 22_MAR.2019 15:39:15

Test Mode UNII-2C_TX N (HT20) Mode_Ant. 2


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|--|----------------------|----------|
| 100 | 5500 | -3.81 | 0.26 | -3.55 | 10.66 | Complies |
| 116 | 5580 | -5.02 | 0.26 | -4.76 | 10.66 | Complies |
| 140 | 5700 | -3.29 | 0.26 | -3.03 | 10.66 | Complies |



Date: 22_MAR.2019 17:19:59



Date: 22_MAR.2019 17:21:06






Date: 22_MAR.2019 17:22:10

| | |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N (HT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|----------|
| 100 | 5500 | -0.79 | 10.66 | Complies |
| 116 | 5580 | -2.33 | 10.66 | Complies |
| 140 | 5700 | -0.31 | 10.66 | Complies |

Test Mode UNII-2C_TX N (HT40) Mode_Ant. 1

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|--|----------------------|----------|
| 102 | 5510 | -5.11 | 0.78 | -4.33 | 10.66 | Complies |
| 110 | 5550 | -7.59 | 0.78 | -6.81 | 10.66 | Complies |
| 134 | 5670 | -8.72 | 0.78 | -7.94 | 10.66 | Complies |






Date: 22.MAR.2019 16:05:27

Date: 22.MAR.2019 16:07:43

Date: 22.MAR.2019 16:09:28

Test Mode UNII-2C_TX N (HT40) Mode_Ant. 2

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|--|----------------------|----------|
| 102 | 5510 | -5.60 | 0.78 | -4.82 | 10.66 | Complies |
| 110 | 5550 | -5.72 | 0.78 | -4.94 | 10.66 | Complies |
| 134 | 5670 | -7.26 | 0.78 | -6.48 | 10.66 | Complies |



Date: 22.MAR.2019 17:59:58

Date: 22.MAR.2019 18:01:31


Date: 22.MAR.2019 18:03:01

| | |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N (HT40) Mode_Total |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|----------|
| 102 | 5510 | -1.55 | 10.66 | Complies |
| 110 | 5550 | -2.76 | 10.66 | Complies |
| 134 | 5670 | -4.13 | 10.66 | Complies |

| | |
|------------------|--------------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 1 |
|------------------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|-------------|--|--------------------------|----------|
| 149 | 5745 | -5.90 | 0.32 | -5.58 | 29.66 | Complies |
| 157 | 5785 | -6.65 | 0.32 | -6.33 | 29.66 | Complies |
| 165 | 5825 | -5.85 | 0.32 | -5.53 | 29.66 | Complies |



Date: 22.MAR.2019 15:11:22




Date: 22.MAR.2019 15:12:42




Date: 22.MAR.2019 15:23:22

| | |
|------------------|--------------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 2 |
|------------------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|-------------|--|--------------------------|----------|
| 149 | 5745 | -6.43 | 0.32 | -6.11 | 29.66 | Complies |
| 157 | 5785 | -8.28 | 0.32 | -7.96 | 29.66 | Complies |
| 165 | 5825 | -10.54 | 0.32 | -10.22 | 29.66 | Complies |



Date: 22.MAR.2019 17:04:57



Date: 22.MAR.2019 17:06:22




Date: 22.MAR.2019 17:08:50

| | |
|-----------|------------------------|
| Test Mode | UNII-3_TX A Mode_Total |
|-----------|------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 149 | 5745 | -2.82 | 29.66 | Complies |
| 157 | 5785 | -4.05 | 29.66 | Complies |
| 165 | 5825 | -4.26 | 29.66 | Complies |

Test Mode UNII-3_TX N (HT20) Mode_Ant. 1


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|-------------|--|--------------------------|----------|
| 149 | 5745 | -6.92 | 0.26 | -6.66 | 29.66 | Complies |
| 157 | 5785 | -7.64 | 0.26 | -7.38 | 29.66 | Complies |
| 165 | 5825 | -10.13 | 0.26 | -9.87 | 29.66 | Complies |



Date: 22_MAR.2019 15:40:25




Date: 22_MAR.2019 15:41:38




Date: 22_MAR.2019 15:42:58

Test Mode UNII-3_TX N (HT20) Mode_Ant. 2


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|-------------|--|--------------------------|----------|
| 149 | 5745 | -7.70 | 0.26 | -7.44 | 29.66 | Complies |
| 157 | 5785 | -8.05 | 0.26 | -7.79 | 29.66 | Complies |
| 165 | 5825 | -11.01 | 0.26 | -10.75 | 29.66 | Complies |



Date: 22_MAR.2019 17:23:54



Date: 22_MAR.2019 17:25:24





Date: 22_MAR.2019 17:27:26

| | |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N (HT20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 149 | 5745 | -4.02 | 29.66 | Complies |
| 157 | 5785 | -4.57 | 29.66 | Complies |
| 165 | 5825 | -7.27 | 29.66 | Complies |

Test Mode UNII-3_TX N (HT40) Mode_Ant. 1

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|-------------|--|--------------------------|----------|
| 151 | 5755 | -9.30 | 0.78 | -8.52 | 29.66 | Complies |
| 159 | 5795 | -9.63 | 0.78 | -8.85 | 29.66 | Complies |





Date: 22.MAR.2019 16:10:48

Date: 22.MAR.2019 16:12:06

Test Mode UNII-3_TX N (HT40) Mode_Ant. 2

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|-------------|--|--------------------------|----------|
| 151 | 5755 | -9.62 | 0.78 | -8.84 | 29.66 | Complies |
| 159 | 5795 | -11.50 | 0.78 | -10.72 | 29.66 | Complies |



Date: 22.MAR.2019 18:04:12


Date: 22.MAR.2019 18:05:20

Test Mode UNII-3_TX N (HT40) Mode_Total


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 151 | 5755 | -5.66 | 29.66 | Complies |
| 159 | 5795 | -6.67 | 29.66 | Complies |

Test Mode UNII-1_TX AC (VHT20) Mode_Ant. 1


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|--|----------------------|----------|
| 36 | 5180 | -6.03 | 0.23 | -5.80 | 10.66 | Complies |
| 40 | 5200 | -7.01 | 0.23 | -6.78 | 10.66 | Complies |
| 48 | 5240 | -2.83 | 0.23 | -2.60 | 10.66 | Complies |



Date: 22_MAR.2019 15:45:31




Date: 22_MAR.2019 15:46:42




Date: 22_MAR.2019 15:47:50

Test Mode UNII-1_TX AC (VHT20) Mode_Ant. 2


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|--|----------------------|----------|
| 36 | 5180 | -4.03 | 0.23 | -3.80 | 10.66 | Complies |
| 40 | 5200 | -5.58 | 0.23 | -5.35 | 10.66 | Complies |
| 48 | 5240 | -6.20 | 0.23 | -5.97 | 10.66 | Complies |



Date: 22_MAR.2019 17:28:41



Date: 22_MAR.2019 17:39:30





Date: 22_MAR.2019 17:41:09

| | |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC (VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36 | 5180 | -1.68 | 10.66 | Complies |
| 40 | 5200 | -3.00 | 10.66 | Complies |
| 48 | 5240 | -0.96 | 10.66 | Complies |

Test Mode UNII-1_TX AC (VHT40) Mode_Ant. 1

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|--|----------------------|----------|
| 38 | 5190 | -10.66 | 0.50 | -10.16 | 10.66 | Complies |
| 46 | 5230 | -6.44 | 0.50 | -5.94 | 10.66 | Complies |





Date: 22.MAR.2019 16:14:01

Date: 22.MAR.2019 16:15:15

Test Mode UNII-1_TX AC (VHT40) Mode_Ant. 2

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|-------------|--|----------------------|----------|
| 38 | 5190 | -11.50 | 0.50 | -11.00 | 10.66 | Complies |
| 46 | 5230 | -11.77 | 0.50 | -11.27 | 10.66 | Complies |



Date: 22.MAR.2019 18:33:37

Date: 22.MAR.2019 18:35:05

Test Mode UNII-1_TX AC (VHT40) Mode_Total

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38 | 5190 | -7.55 | 10.66 | Complies |
| 46 | 5230 | -4.82 | 10.66 | Complies |